



HELIO XC2 FLEX

ORDER FORM - CANADA - Ontario Only

P.O. number:* _____ Date: _____

Company Name:* _____ Phone:* _____

Ordered by:* _____

Clinician/ATP/RTS: _____

Email: _____

Marked for: _____

Ship to:* _____

Name: _____

Address: _____

City: _____ Prov: _____

Postal Code: _____

Phone: _____

XCMA070 English Manual (STD)
 XCMA071 Manuel Français

Taxes not included

* Required						
MODEL						
1	XCWC04	Ultralight Folding HELIO XC2 Wheelchair made of 7000 series aluminum with carbon fiber symmetrical molded crossbrace (265 lb weight capacity)			WM0001260 / WAMC	\$2 995 <input type="checkbox"/>
SEAT WIDTH ¹						
2	XCSW	Seat width:	16" <input type="checkbox"/>	18" <input type="checkbox"/>		NC <input type="checkbox"/>
3	XCSW	Seat width:	20" <input type="checkbox"/>		WAMA	\$338 <input type="checkbox"/>
SEAT DEPTH						
4	XCSD	Seat depth:	16" <input type="checkbox"/>	18" <input type="checkbox"/>		NC <input type="checkbox"/>
5	XCSD	Seat depth:	20" <input type="checkbox"/>		WAMB	\$255 <input type="checkbox"/>

[1. Width calculator](#)

XC2 FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13	14	15	13 1/2	14 1/2	15 1/2												
	P2	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2									
5"	P1																		
	P2				14	15	16	14 1/2	15 1/2	16 1/2									
	P3	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2						
7"	P4	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2			
	P1										16 1/2	17 1/2	18 1/2	17	18	19			
	P2							16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2			
	P3							17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2
	P4	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21
P5	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21	19 1/2	20 1/2	21 1/2	

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS															
6	XCCA01	Composite wheel w/ PU tire (1" width)	3"□	4"□	5"□	6"□	7"□	8"□					NC	□	
7	XCCA10	Pneumatic casters 6" x 1 ¼"											\$160	□	
8	XCCA11	Pneumatic casters 8" x 1 ¼"											\$160	□	
9	XCCA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "											\$98	□
10	XCCA15		5" x 1 ½ "											\$98	□
11	XCCA16		6" x 1 ½ "											\$98	□
12	XCCA17		4" x 1 ½ "											\$175	□
13	XCCA18	Newton UltraCaster <i>Soft-Roll</i> Aluminum	5" x 1 ½ "											\$185	□
14	XCCA19		6" x 1 ½ "											\$195	□

XC2 - REAR Seat-to-floor Height

WHEEL SIZES	Height available	Specify desired height: _____
20" wheel	12 1/2 to 17 1/4	
22" wheel	13 1/2 to 18 1/4	
24" wheel	14 1/2 to 19 1/4	
25" wheel	15 to 19 3/4	
26" wheel	15 1/2 to 20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

SWING-IN/SWING-OUT FOOTREST														
15	XCFR03	60° Swing-in/swing-out footrest	see line 18 (5 - 13.5") □	13.5 - 17" □	14.5 - 19.5" □	15.5 - 20.5" □			Set at:*				NC	□
16	XCFR04	70° Swing-in/swing-out footrest	see line 18 (5 - 13.5") □	13.5 - 17" □	14.5 - 19.5" □	15.5 - 20.5" □			Set at:*				NC	□
17	XC7FR15	80° Swing-in/swing-out footrest	see line 18 (5 - 13.5") □	13.5 - 16" □	14.5 - 19.5" □	15.5 - 20.5" □			Set at:*				NC	□
FOOTREST OPTIONS														
18	XCFR09	High mount (footplate attached to the hanger with clamps)			Range: 5 - 13.5"					Set at:*			\$90	□

* + or - 1/2"

90° SWING-IN/SWING-OUT FOOTREST WITH FRONT MOUNT (Footplate mounted to hanger tube)														
19	XCFR06	90° swing-in/swing-out with front mount - Standard (no extension) ¹			7.5 - 11"					Set at:*			NC	□
20	XCFR07	90° swing-in/swing-out with front mount - Short extension 2" ^{1,2}			9.5 - 13"					Set at:*			NC	□
21	XCFR08	90° swing-in/swing-out with front mount - Medium extension 4" ^{1,2}			9.5 - 14.5"					Set at:*			NC	□
										* + or - 1/2"				
22	XCFR99	Omit Footrest											NC	□

1 - Available only with adjustable footplates 2 - May interfere with front casters

FOOTPLATES															
23	XCFP01	Standard - Composite												STD	□
24	XCFP02	Newton adjustable angle - Composite											WAMJ	\$145	□
25	XCFP03	Newton adjustable angle - Aluminum											WAMJ	\$165	□
26	XCFP04	Newton adjustable angle - Carbon fiber (with rubber inserts)											WAMJ	\$380	□

FOOTPLATE ACCESSORIES															
27	XCFP08	Length adjustable heel loop (not available with one piece footplate)												NC	□
28	XCFP09	Calf strap												\$52	□
29	XCFP30	Bodypoint Aeromesh Padded calf strap												\$129	□

Back canes, height adjustable, with option

FIXED ANGLE BACK											
30	XCBC11 XCBC06	Straight back cane	12 - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD			NC	<input type="checkbox"/>	
31	XCBC12 XCBC08	8° bend back cane	13 ½ - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD			\$105	<input type="checkbox"/>	
ADJUSTABLE ANGLE BACK											
32	XCBC13 XCBC09	Straight height adjustable back cane		15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD			\$309	<input type="checkbox"/>	
33	XCBC14 XCBC10	8° Bend height adjustable back cane		15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD			\$360	<input type="checkbox"/>	
34		Select back cane angle:	85° ¹ <input type="checkbox"/>	90° <input type="checkbox"/>	95° STD <input type="checkbox"/>	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>			
Set height to: ²		<i>(measured from seat sling to top of back upholstery)</i>									
PUSH HANDLE OPTION											
35	XCPH01	Push handles							STD	<input type="checkbox"/>	
36	XCPH05	Fold down push handles ^{3, 5}							\$150	<input type="checkbox"/>	
37	XCPH06	Clamp on height adjustable push handle ^{3, 4, 5}	9 - 20" STD <input type="checkbox"/>	9-23" <input type="checkbox"/>					\$325	<input type="checkbox"/>	
38	XCPH02	Without push handles							NC	<input type="checkbox"/>	

1 - Not available with a 8 degree bend cane 2 - If not indicated, default height setting is at the lowest position 3 - 265 pounds weight limit

4 - Not compatible with swing away armrests, 8° bend back canes and amputee axle plates 5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

STROLLER HANDLE AND STABILIZER BAR ¹ (only available with push handle)										
39	XCPH04	Stroller handle (not available with the HD option)						WAMW	\$210	<input type="checkbox"/>
40	XCPH03	Newton folding stabilizer bar							\$258	<input type="checkbox"/>

1 - Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY										
41	XCBH07	Slip-on Active-Mesh back upholstery				Only 18 - 21"			NC	<input type="checkbox"/>
42	XCBH08	Adjustable tension Active-Mesh back upholstery				Only 18 - 21"		WAMD/WAME	\$195	<input type="checkbox"/>
43	XCBH99	Omit Back upholstery							STD	<input type="checkbox"/>
RIGID BACK										
44		nXt back series (See nXt back pricelist)					See pricelist			<input type="checkbox"/>

SEAT CUSHION										
45	XCSC99	Omit seat cushion							STD	<input type="checkbox"/>
46		nXt FIT cushion series (See nXt FIT pricelist)					See pricelist			<input type="checkbox"/>

REAR WHEELS										
47	XCRW01	Mag ¹	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				\$129	<input type="checkbox"/>
48	XCRW02	Newton One - spoke wheel ²	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				NC	<input type="checkbox"/>
49	XCRW03	Newton Gravity - ultralight wheel	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>		\$360	<input type="checkbox"/>

1 - HP tires are not compatible with Mag Wheels - use only aluminum or plastic coated handrim

2 - Not compatible with Shox tires

TIRES										
							Available			
50	XCTI01	Soft Urethane 1 1/4 "					20", 22" 24"		STD	<input type="checkbox"/>
51	XCTI02	Soft Urethane knobby 1 3/8 "					22", 24", 25", 26"		\$110	<input type="checkbox"/>
52	XCTI04	Soft Urethane - Shox 1"					22", 24", 25", 26"		\$130	<input type="checkbox"/>
53	XCTI05	Pneumatic 1 3/8 "					20", 22", 24", 25", 26"		NC	<input type="checkbox"/>
54	XCTI08	Pneumatic with Airless insert 1 3/8"					22", 24"		\$215	<input type="checkbox"/>
55	XCTI06	Pneumatic HP - 1"					20", 22", 24", 25", 26"		\$110	<input type="checkbox"/>
56	XCTI07	Pneumatic HP - Schwalbe Marathon Plus 1"					24", 25", 26"		\$190	<input type="checkbox"/>

HANDRIM						
57	XCHR01	Aluminum anodized			STD	<input type="checkbox"/>
58	XCHR07	Newton Air Grip ¹ <i>Black</i> <input type="checkbox"/>			WAMO	\$150 <input type="checkbox"/>
59	XCHR	Newton Air Grip ¹ (08) <i>Sunkissed Orange</i> <input type="checkbox"/> (09) <i>Burgundy</i> <input type="checkbox"/> (10) <i>Sapphire Blue</i> <input type="checkbox"/>			WAMO	\$330 <input type="checkbox"/>
		(11) <i>Monster Green</i> <input type="checkbox"/> (12) <i>Charcoal</i> <input type="checkbox"/> (13) <i>Fuchsia</i> <input type="checkbox"/> (14) <i>Steel Blue</i> <input type="checkbox"/>				
		(15) <i>Ferrari Red</i> <input type="checkbox"/> (16) <i>Acid Green</i> <input type="checkbox"/> (17) <i>White</i> <input type="checkbox"/> (18) <i>Sky Blue</i> <input type="checkbox"/>				
Assembly position for aluminum and Newton AirGrip handrims						
60	XCHR29	Standard Handrim position	<i>Full tab</i>		STD	<input type="checkbox"/>
61	XCHR30	Narrow Handrim position (<i>not available in 22"</i>)	<i>Short tab 2 positions</i>		\$25	<input type="checkbox"/>
62	XCHR31	Super Narrow Handrim (<i>not available in 22"</i>)	<i>Short tab 2 positions S</i>	<i>Short tab 1 position</i>	\$25	<input type="checkbox"/>

HANDRIM						
63	XCHR02	Plastic coated ³			WAMO	\$160 <input type="checkbox"/>
64	XCHR03	Q-Grip High friction Neoprene coated ^{1,2,3}			WAMO	\$430 <input type="checkbox"/>
65	XCHR28	Surge ^{1,2,3} (1-1/2" Oval handrim w/ Gripton high friction strip)				\$470 <input type="checkbox"/>
66	XCHR05	Surge LT ^{1,2,3} (1-1/8" Oval handrim w/ Gripton high friction strip)				\$500 <input type="checkbox"/>
67	XCHR04	Natural Fit Standard Grip ^{1,2,3} (1-1/2" Oval handrim w/standard thumb piece)				\$500 <input type="checkbox"/>
68	XCHR25	Natural Fit Super Grip ^{1,2,3} (1-1/2" Oval handrim w/super grip thumb piece)				\$530 <input type="checkbox"/>
69	XCHR99	Omit handrim			NC	<input type="checkbox"/>

1- Not available with Mag wheels 2 - Not available in 20" 3- Only standard handrim position available


ONE ARM DRIVE						
70	XCHR22	One arm drive ⁴ 24" left <input type="checkbox"/> right <input type="checkbox"/>		New		\$1 395 <input type="checkbox"/>

4 - Only available with Newton One wheels, aluminum or plastic handrims

AXLE						
71	XCAX01	Quick release axle			WAMU	STD <input type="checkbox"/>

REAR WHEEL CAMBER						
72	XCCM00	0° camber			STD	<input type="checkbox"/>
73	XCCM03	3° camber			NC	<input type="checkbox"/>

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

Most stable								Most responsive			
1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.

WHEEL LOCK						
74	XCWL08	Newton Wheel lock - push to lock			STD	<input type="checkbox"/>
75	XCWL02	Pull to lock			NC	<input type="checkbox"/>
76	XCWL04	Newton grade aid push to lock (<i>suggested with pneumatic or high pressure tire</i>)			WAMR	\$175 <input type="checkbox"/>
77	XCWL13 XCWL14	6" removable extension handle				\$67 <input type="checkbox"/>
78	XCWL99	Omit wheel locks			NC	<input type="checkbox"/>

FLIP BACK ARMREST (Convertible to "T" armrest) ¹			Height Adjustment		Removable function			
79	XCAR01	10" Desk Length	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>		Unlocked	\$380	<input type="checkbox"/>
80	XCAR02	14" Full Length	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>		Unlocked	\$380	<input type="checkbox"/>
"T" ARMREST ¹			Height Adjustment					
81	XCAR03	10" Desk length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			\$360	<input type="checkbox"/>
82	XCAR04	14" Full length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			\$360	<input type="checkbox"/>
GEL ARM PAD								
83	XCAR12	14" Full Length Arm Pad - Gel Ovation				SEAND0030	\$150	<input type="checkbox"/>

1 - May have a 1/2" adjustment restriction on both limits of the range


POSITIONING BELT								
84	XCSB01	Velcro adjustable	Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>			\$45	<input type="checkbox"/>
85	XCSB02	Auto buckle	Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>			\$55	<input type="checkbox"/>
86	XCSB07	Hardware attachment for 2 point seatbelt (1 pair)					NC	<input type="checkbox"/>
87	XCSB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)					\$13	<input type="checkbox"/>
88	XCSB04	BodyPoint Hip Belt - 2 point not padded		Medium 56" <input type="checkbox"/> Long 61" <input type="checkbox"/>			\$82	<input type="checkbox"/>
89	XCSB05	BodyPoint Hip Belt - 2 point padded	Small 51" <input type="checkbox"/>	Medium 56" <input type="checkbox"/> Long 61" <input type="checkbox"/>		SERND0030	\$170	<input type="checkbox"/>
90	XCSB06	BodyPoint Hip Belt - 4 point padded	Small 51" <input type="checkbox"/>	Medium 56" <input type="checkbox"/> Long 61" <input type="checkbox"/>		SERND0020	\$195	<input type="checkbox"/>
91	XCSB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps		Medium 18" <input type="checkbox"/> Long 24" <input type="checkbox"/>			\$324	<input type="checkbox"/>
92	XCSB99	Omit positioning belt					STD	<input type="checkbox"/>

ACCESSORIES									
93	XCAC03	Anti tippers					\$115	<input type="checkbox"/>	
94	XCAC27	Tip assist ¹				New	\$60	<input type="checkbox"/>	
95	XCAC04	Transit Tie Down (Unoccupied)					NC	<input type="checkbox"/>	
96	XCAC10	Seat pouch					\$95	<input type="checkbox"/>	
97	XCAC26	BodyPoint Mobility Bag					\$135	<input type="checkbox"/>	
98	XCAC23	Newton Backpack					\$120	<input type="checkbox"/>	
99	XCAC16	Motion Composites Polo Shirt	W/S <input type="checkbox"/>	W/M <input type="checkbox"/>	W/L <input type="checkbox"/>			\$32	<input type="checkbox"/>
			M/S <input type="checkbox"/>	M/M <input type="checkbox"/>	M/L <input type="checkbox"/>	M/XL <input type="checkbox"/>	M/XXL <input type="checkbox"/>	M/XXXL <input type="checkbox"/>	M/XXXXL <input type="checkbox"/>

1 - Cannot be combined with Anti Tippers

FRAME COLOR								
100	XCFC01	Black/Carbon Fiber Black <input type="checkbox"/>					NC	<input type="checkbox"/>

TOTAL								



Notes :