



1- Purchasing information

P.O. number: * _____ Date: _____

Company Name: * _____

Purchasing contact: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

Marked for: _____

3- Shipping information

Ship to: * _____

Name: _____

Address: _____

City: _____ Province: _____

Postal Code: _____

Phone: _____

2- Dealer/Representative information

Dealer/Representative: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

* Required

MA040 ☐

English Manual (STD)

MA041 ☐

Manuel Français

Taxes not included

MODEL												
WC11	☐	Ultralight Aluminum APEX Rigid Wheelchair (265 lb weight limit) Not available with painted frame - Frame will be black				Triple-buttet aluminum frame / Aluminum back canes and back rigidizer / Aluminum seat rigidizer / Ultralight carbon fiber camber tube and rear frame rigidizer					\$3,845	
EVO-R	☐	Evo Rigid - Chair resizing service*				To be used within 24 months of chair purchase					\$700	
*By selecting this option, I agree to the terms and conditions of the EVO-RIGID program. https://www.motioncomposites.com/en_us/terms-and-conditions												
Frame												
SEAT WIDTH												
SW	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			NC	
	☐		19" ☐	20" ☐							\$360	
SEAT DEPTH												
SD	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			NC	
	☐		19" ☐	20" ☐							\$275	
FRAME LENGTH												
SP01	☐	Standard frame length configuration ¹									STD	
SP02	☐	Frame length 1" longer than standard configuration									NC	
SP03	☐	Frame length 2" longer than standard configuration									NC	
SP04	☐	Frame length 1" shorter than standard configuration									NC	
SP05	☐	Frame length 2" shorter than standard configuration									NC	
TIE-DOWN												
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Short belt 20"-41"			Client cost		\$365	
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Long belt 20"-46"			Client cost		\$365	
AC35	☐	WC-19 Transit Tie Down without belt ³								Client cost		\$345

1- Distance of 4.37" from end of seat upholstery to bend

2- Not available with depth adjustable back; 3- May interfere with the swing away armrest and the clamp on height adjustable push handle; Add a 3" of frame length behind backrest


FRONT Seat-to-floor height			
Caster sizes		Height available +- 1/4"	
☐	3" Caster	14" to 21"	
☐	4" Caster	14.5" to 21"	
☐	5" Caster	15.5" to 21"	
☐	6" Caster	16.5" to 21"	
		(N/A with 90° front frame)	
		Specify desired height:	
		_____ (inches)	

4. Width calculator



FRONT CASTER						
CASTERS				Available		
CA01-03 to CA01-06	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6"		NC
CA10	☐	Pneumatic casters (1 ¼")		6"		\$170
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		\$105
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"		\$198
CASTER OPTIONS						
CA13	☐	Carbon fiber Frog Legs suspension forks				\$525

REAR Seat-to-floor height			
Wheel sizes		Height available + - 1/4"	Specify desired height: (inches)
☐	20" (451) wheel	14" to 17.5"	
☐	22" (501) wheel	14" to 18.5"	
☐	24" (540) wheel	15" to 19.5"	
☐	25" (559) wheel	15.5" to 20"	
☐	26" (590) wheel	16" to 20"	



REAR WHEELS										Available		
RW01	☐	Mag ¹								20", 22" 24"		\$140
RW02	☐	Newton One - spoke wheel ²								20", 22" 24"		STD
RW03	☐	Newton Gravity - ultralight wheel								20", 22", 24", 25", 26"		\$390
RW04	☐	Spinergy Spox	Blk STD ☐	Wht ³ ☐	Blue ³ ☐	Red ³ ☐	Yel ³ ☐			22", 24", 25", 26"		\$875
RW05	☐	Spinergy LX	Blk STD ☐	Pur ³ ☐	Wht ³ ☐	Blue ³ ☐	Red ³ ☐	Yel ³ ☐	Pink ³ ☐	Grn ³ ☐	Org ³ ☐	\$1,095
RW07	☐	Spinergy CLX ⁴	Blk STD ☐	Pur ³ ☐	Wht ³ ☐	Blue ³ ☐	Red ³ ☐	Yel ³ ☐	Pink ³ ☐	Grn ³ ☐	Org ³ ☐	\$1,650
TIRES (The brand and color may vary depending on parts availability)										Available		
AIRLESS												
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black								20", 22" 24"		NC
TI02	☐	Soft Urethane 1 3/8 " - Medium Tread, black ⁵								22", 24", 25", 26"		\$120
TI13	☐	Soft Urethane 1" - No tread, black - <i>Sentinel</i>								20", 22", 24", 25", 26"		\$140
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread ⁶								22", 24", 26"		\$225
PNEUMATIC												
TI05	☐	Pneumatic 1 3/8" - Medium Tread								20", 22", 24", 26"		STD
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - <i>SpeedLite</i>								20", 22", 24", 25", 26"		\$120
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>								24", 25", 26"		\$200

1- Not compatible with HP tires; Only available with aluminum or plastic coated handrim in standard position; 2- Not compatible with Shox tires; 3- Colour spokes require an additional 10 days lead-time; 4- Only available with 1" tires; 5- The 22" is only available with Mags and Newton One rear wheels; 6- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels

HANDRIMS						
HANDRIM				Available		
HR01	☐	Aluminum anodized		20", 22", 24", 25", 26"		STD
HR61	☐	Aluminum black hard anodized ²		20", 22", 24", 25"		\$85
HR02	☐	Plastic coated ¹		20", 22", 24", 25", 26"		\$170
HR03	☐	High friction coated ^{1,2}		22", 24", 25", 26"		\$460
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See page 6 for the color selection and price</i>		20", 22", 24", 25", 26"		
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"		\$485
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"		\$515
HR04	☐	Natural Fit ^{1,2}		22", 24", 25", 26"		\$320
HR62	☐	Simi H ^{1,2} (1 3/8" Oval handrim with high friction strip)		22", 24", 25", 26"		\$485
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)		22", 24", 25", 26"		\$515
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)		22", 24", 25", 26"		\$320
HR99	☐	Omit handrim				NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels

HANDRIMS OPTION						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	Full tab			STD
HR030	☐	Narrow Handrim position no cut ⁴	Full tab			NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions			\$29
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions STD ☐ Short tab 1 position ⁴ ☐			\$29
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip				\$200
HR27	☐	Super grip				\$230
HR099	☐	Omit thumb piece				NC

3- Only available with Aluminum and Air Grip handrims; 4- Not available with the combination of 24" Newton Gravity, Spinergy Spox, LX, wheels and a 1 3/8" Airless insert pneumatic tire with any handrim;

AXLES						
AX01	☐	Quick release axle				STD
AX03	☐	Quad release axle				\$180

REAR WHEEL CAMBER				
CM00	☐	0° camber		STD
CM02	☐	2° camber		NC
CM04	☐	4° camber		NC
CM06	☐	6° camber		NC
CM08	☐	8° camber		NC

CENTER OF GRAVITY

Specify the position of rear wheel axle plate:


Measure distance from front of back post to center of axle receiver.

0 - 6" range

Set At:
(inches)


If not indicated, default setting is at 2.5"

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG



WHEEL LOCK				
WL08	☐	Newton wheel lock - push to lock		STD
WL02	☐	Pull to lock		NC
WL04	☐	Newton grade aid push to lock <i>(Works best with pneumatic or high pressure tire)</i>		\$185
WL13	☐	6" removable extension handle ¹		\$73
WL14	☐			
WL05	☐	Scissors lock		\$185
WL99	☐	Omit wheel locks		NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

FRONT FRAME ANGLE				
FA70	☐	70° Front frame angle		NC
FA75	☐	75° Front frame angle		NC
FA80	☐	80° Front frame angle		NC
FA85	☐	85° Front frame angle		NC
FA90	☐	90° Front frame angle		NC

Seat upholstery to footplate length

12" to 19" without high mount


7" to 13" with high mount ¹

Specify desired length:

(inches)

Required

1- Choose high mount in the footplates section

Footrest width / Taper selection				
Seat Width	Straight	1" Taper	2" Taper	
Outside Measurement	2 ½" Narrower than Seat Width	4 ½" Narrower than Seat Width	6 ½" Narrower than Seat Width	
12"	9.5"	7.5"		
13"	10.5"	8.5"		
14"	11.5"	9.5"		
15"	12.5"	10.5"		
16"	13.5"	11.5"	9.5"	
17"	14.5"	12.5"	10.5"	
18"	15.5"	13.5"	11.5"	
19"	16.5"	14.5"	12.5"	
20"	17.5"	15.5"	13.5"	

Note: higher than 20" Front STFH will reduce the footrest width up to 1" with a 2" taper

FOOTPLATES					
FP12	☐	Tubular open loop ¹			STD
FP13	☐	Tubular with ABS cover			NC
FP31	☐	Newton adjustable angle - Aluminum <i>(one piece)</i>			\$105
FP32	☐	Newton adjustable angle - Carbon fiber <i>(one piece with rubber inserts)</i>			\$210
FP14	☐	Flip back, adjustable angle aluminum			\$240
FP15	☐	Flip back, adjustable angle carbon fiber			\$355
FR25	☐	High mount with adjustable angle footplate <i>(Aluminum - one piece)</i>			\$200
FR26	☐	High mount with adjustable angle footplate <i>(Carbon fiber with rubber inserts - one piece)</i>			\$280
FOOTPLATES ACCESSORIES					
FP16	☐	2" riser <i>(only available with aluminum angle adjustable footplate)</i> ²			\$105
FP09	☐	Calf strap			\$57
FP30	☐	Bodypoint Aeromesh Padded calf strap			\$140

1 - Available on: all straight frames; 1" taper with seat width of 14" and greater; 2" taper with seat width of 16" and greater


2- Not available with high mount

SEATING AND BACKREST										
BACK UPHOLSTERY										
BH03	☐	Slip-on Syntech-Suede back upholstery							STD	
BH04	☐	Adjustable tension Syntech-Suede back upholstery				Seating benefit			\$260	
BH99	☐	Omit Back upholstery							NC	
SEAT CUSHION										
SC01	☐	2" Cushion				Seating benefit			\$205	
SC02	☐	3" Cushion				Seating benefit			\$275	
SC99	☐	Omit seat cushion							STD	
FOLD DOWN BACKREST										
BC20	☐	Locking backrest							STD	
BC21	☐	Ultralight non locking backrest (not locking in upright and down position) ²							\$105	
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (Not available with push handles)										
BC	☐	Fixed height without push handle		(30) 9" ☐	(31) 9.5" ☐	(32) 10" ☐	(33) 10.5" ☐	(34) 11" ☐	NC	
		(35) 11.5" ☐	(36) 12" ☐	(37) 12.5" ☐	(38) 13" ☐	(39) 13.5" ☐	(40) 14" ☐	(41) 14.5" ☐		
		(42) 15" ☐	(43) 15.5" ☐	(44) 16" ☐	(45) 16.5" ☐	(46) 17" ☐	(47) 17.5" ☐	(48) 18" ☐		
		(49) 18.5" ☐	(50) 19" ☐	(51) 19.5" ☐	(52) 20" ☐	(53) 20.5" ☐	(54) 21" ☐			
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)										
BC	☐	Straight back canes							NC	
		(22) 9 - 12" ☐ (23) 12 - 15" ☐ (24) 15 - 18" ☐ (25) 18 - 21" ☐								
Set height to: *		(in increments of 1/2", measured from seat sling to top of back upholstery) * If not indicated, default height setting is at the lowest position								
	Select back cane angle: ¹ 101° ☐ 99° ☐ 96° ☐ 93° ☐ 90° ☐ 87° ☐ 83° ☐ 80° ☐									STD

1- If not indicated default angle setting is at 93°; 2- Maximum back cane height of 19.5" with aluminum chair

PUSH HANDLES OPTIONS <i>(ONE option at a time)</i>					
PH01	☐	Push handles			STD
PH05	☐	Fold down push handles			\$165
PH06-920	☐	Clamp on height adjustable push handles 9 - 20" ¹			\$345
PH06-923	☐	Clamp on height adjustable push handles 9 - 23" ¹			\$345
PH02	☐	Omit push handles			NC
STROLLER HANDLE					
PH04	☐	Stroller handle <i>(Push handles included)</i>		WAMW	\$220

1- Not compatible with swing away armrests;

BACKRESTS OPTIONS					
BC61	☐	Depth adjustable back - 1" depth adjustment ^{1,4}			\$260
BC62	☐	Depth adjustable back - 2" depth adjustment ^{2,4}			\$260
BC56	☐	Depth adjustable back - 3" depth adjustment ^{3,4}			\$260
BC57	☐	Standard 3 inch deep rigidizer bar			STD
BC55	☐	Four inch deep Aluminum rigidizer bar			NC
BC88	☐	Custom height rigidizer bar set at			\$135
		_____ <i>(inches)</i> Measured from the top of the seat sling to the center of the rigidizer - standard height is 5,7" Lowest position is 4,25"			

If used in combinaison with WC-19: 1- Maximum depth of 19"; 2- Maximum depth of 18"; 3- Maximum depth of 17"; 4- Only compatible with WC-19 transit tie down **without** Q'Straint belt

ARMRESTS						
HEIGHT ADJUSTABLE "T" ARMREST ¹						
AR13-610	☐	10" Desk length armpad ³	6" - 10"			\$380
AR03-812	☐	10" Desk length armpad	8" - 12"			\$380
AR03-1014	☐	10" Desk length armpad	10" - 14"			\$380
AR14-610	☐	14" Full length armpad ³	6" - 10"			\$380
AR04-812	☐	14" Full length armpad	8" - 12"			\$380
AR04-1014	☐	14" Full length armpad	10" - 14"			\$380
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²						
AR05	☐	Tubular armrest - short pad	8" - 11"			\$315
AR23	☐	Tubular armrest - long pad	8" - 11"			\$315
AR06	☐	10" Desk length flat armpad	8" - 11"			\$315
AR17	☐	14" Full length flat armpad	8" - 11"			\$315
ARMREST OPTIONS						
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ⁴				\$160
AR99	☐	Omit armrest				NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- not available with the Ultralight non-locking backrest; 3- May have some restriction with seat-to-floor height and rear wheel

4-Only available with "T" full length armrest; Not available with swing away and desk lenght armrests

ACCESSORIES						
SIDE GUARDS (not available with "T" Armrest)						
SG01	☐	Plastic side guards (removable)	Straight bracket -STD	Offset bracket ¹		\$235
SG03	☐	Carbon fiber side guards (removable)	Straight bracket -STD	Offset bracket ¹		\$320
SG06	☐	Plastic fender side guards (removable)	Straight bracket -STD	Offset bracket ¹		\$340
SG04	☐	Carbon fiber fender side guards (removable)	Straight bracket -STD	Offset bracket ¹		\$510
SG99	☐	Omit side guards				NC

1- only compatible with 0° and 2° camber; Increase width by 1/2" per side for a total of 1"

POSITIONING BELT						
SB01-S	☐	Velcro adjustable - Small 35" ¹				\$50
SB01-L	☐	Velcro adjustable - Long 60"				\$50
SB02-S	☐	Auto buckle - Small 35" ¹				\$60
SB02-M	☐	Auto buckle - Medium 48"				\$60
SB02-L	☐	Auto buckle - Long 60"				\$60
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"				\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"				\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"				\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"				\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"				\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"				\$210
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"				\$210
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"				\$210
SB03	☐	Hardware attachment for 2 extra points (1 pair)				\$15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"				\$355
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"				\$355
SB99	☐	Omit positioning belt				STD

1- Not recommended for seat width of 18" and more

ACCESSORIES						
AC03	☐	Anti-tippers				\$120
AC06	☐	Cane and crutch holder	Left ☐ Right ☐			\$115
AC08	☐	Spoke guards ¹	Available: 20", 22", 24", 26"			\$155
AC10	☐	Seat pouch				\$100
AC30	☐	Newton multi-purpose pouch				\$75
AC26	☐	BodyPoint Mobility Bag				\$145
AC23	☐	Newton Backpack				\$130
AC13	☐	Tool kit				\$55

1- Not available with Mag wheels and Spinergy

Colors																						
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)		
																						
AirGrip	☐ \$160		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$350	
Camber Tube	☐ STD/NC		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$75	
																						
Highlight ³	☐		☐					☐		☐	☐			☐			☐					NC

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

3- To see different highlight, visit our website: https://www.motioncomposites.com/en_ca/products/rigid-wheelchairs/apex-c

Notes :