



1- Purchasing information

P.O. number: * _____ Date: _____

Company Name: * _____

Purchasing contact: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

Marked for: _____

3- Shipping information

Ship to: * _____

Name: _____

Address: _____

City: _____ Province: _____

Postal Code: _____

Phone: _____

2- Dealer/Representative information

Dealer/Representative: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

* Required

MA040 ☐

English Manual (STD)

MA041 ☐

Manuel Français

Taxes not included

MODEL												
WC11	☐	Ultralight Aluminum APEX Rigid Wheelchair (265 lb weight limit) <i>Not available with painted frame - Frame will be black</i>	Triple-butt aluminum frame / Aluminum back canes and back rigidizer / Aluminum seat rigidizer / Ultralight carbon fiber camber tube and rear frame rigidizer						WM0001305		\$3,845	
WC21	☐	Apex Carbon fiber frame upgrade (High Gloss Carbon Fiber)	Ultralight carbon fiber frame, back canes, back rigidizer, seat rigidizer, camber tube and rear frame rigidizer.						WAMZ		\$1,100	
Frame												
SEAT WIDTH												
SW	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			NC	
	☐	19" ☐ 20" ☐							WAMA		\$360	
SEAT DEPTH												
SD	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			NC	
	☐	19" ☐ 20" ☐							WAMB		\$275	
FRAME LENGTH												
SP01	☐	Standard frame length configuration ¹									STD	
SP02	☐	Frame length 1" longer than standard configuration									NC	
SP03	☐	Frame length 2" longer than standard configuration									NC	
SP04	☐	Frame length 1" shorter than standard configuration									NC	
SP05	☐	Frame length 2" shorter than standard configuration									NC	
TIE-DOWN												
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Short belt 20"-41"					\$365	
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Long belt 20"-46"					\$365	
AC35	☐	WC-19 Transit Tie Down without belt ³									\$335	

1- Distance of 4.37" from end of seat upholstery to bend


2- Not available with dept adjustable back; 3- May interfere with the swing away armrest and the clamp on height adjustable push handle; Add a 3" of frame length behind backrest

FRONT Seat-to-floor height		
Caster sizes	Height available +/- 1/4"	Specify desired height: _____ (inches)
3" Caster	14" to 21"	
4" Caster	14.5" to 21"	
5" Caster	15.5" to 21"	
6" Caster	16.5" to 21" (N/A with 90° front frame)	




CASTERS						
CA01-03	☐	Composite wheel w/ PU tire	3" x 1"			NC
CA01-04	☐		4" x 1"			NC
CA01-05	☐		5" x 1"			NC
CA01-06	☐		6" x 1"			NC
CA10	☐	Pneumatic casters	6" x 1 ¼"			\$170
CA14	☐	Newton UltraCaster Composite	4" x 1 ½ "			\$100
CA15	☐		5" x 1 ½ "			\$100
CA16	☐		6" x 1 ½ "			\$100
CA17	☐	Newton UltraCaster Aluminum	4" x 1 ½ "			\$185
CA18	☐		5" x 1 ½ "			\$195
CA19	☐		6" x 1 ½ "			\$205
CASTER OPTIONS						
CA13	☐	Carbon fiber Frog Legs suspension forks				\$510

REAR Seat-to-floor height		
Wheel sizes	Height available +/- 1/4"	
20" (451) wheel ☐	14" to 17.5"	Specify desired height: _____ (inches)
22" (501) wheel ☐	14" to 18.5"	
24" (540) wheel ☐	15" to 19.5"	
25" (559) wheel ☐	15.5" to 20"	
26" (590) wheel ☐	16" to 20"	



FRONT FRAME ANGLE		
FA70	☐	70° Front frame angle
FA75	☐	75° Front frame angle
FA80	☐	80° Front frame angle
FA85	☐	85° Front frame angle
FA90	☐	90° Front frame angle



Seat upholstery to footplate length	
12" to 19" without high mount	Specify desired length: _____ (inches) <i>Required</i>
7" to 13" with high mount ¹	



1- Choose high mount in the footplates section


Footrest width / Taper selection				
Seat Width	Straight	1" Taper	2" Taper	
Outside Measurement	2 ½" Narrower than Seat Width	4 ½" Narrower than Seat Width	6 ½" Narrower than Seat Width	
12"	9.5"	7.5"		
13"	10.5"	8.5"		
14"	11.5"	9.5"		
15"	12.5"	10.5"		
16"	13.5"	11.5"	9.5"	
17"	14.5"	12.5"	10.5"	
18"	15.5"	13.5"	11.5"	
19"	16.5"	14.5"	12.5"	
20"	17.5"	15.5"	13.5"	

Note: higher than 20" Front STFH will reduce the footrest width up to 1" with a 2" taper

FOOTPLATES					
FP12	☐	Tubular open loop ¹			STD
FP13	☐	Tubular with ABS cover			NC
FP31	☐	Adjustable angle - Aluminum (<i>one piece</i>)	WAMJ / SEFND0015		\$105
FP32	☐	Newton adjustable angle - Carbon fiber (<i>one piece with rubber inserts</i>)	WAMJ / SEFND0015		\$210
FP14	☐	Flip back, adjustable angle aluminum	WAMJ / SEFND0015		\$240
FP15	☐	Flip back, adjustable angle carbon fiber	WAMJ / SEFND0015		\$355
FR25	☐	High mount with adjustable angle footplate (<i>Aluminum - one piece</i>)			\$200
FR26	☐	High mount with adjustable angle footplate (<i>Carbon fiber with rubber inserts - one piece</i>)			\$280
FOOTPLATES ACCESSORIES					
FP16	☐	2" riser (<i>only available with aluminum angle adjustable footplate</i>) ²	SEFND0030		\$105
FP09	☐	Calf strap	SEFND0010		\$57
FP30	☐	Bodypoint Aeromesh Padded calf strap	SEFND0010		\$140

1 - Available on: all straight frames; 1" taper with seat width of 14" and greater; 2" taper with seat width of 16" and greater

2- Not available with high mount

Backrest																
FOLD DOWN BACKREST																
BC20	☐	Locking backrest										STD				
BC21	☐	Ultralight non locking backrest (not locking in upright and down position)										\$105				
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST <i>(Not available with push handles)</i>																
BC	☐	Fixed height without push handle		(30)	9" ☐	(31)	9.5" ☐	(32)	10" ☐	(33)	10.5" ☐	(34)	11" ☐	NC		
		(35)	11.5" ☐	(36)	12" ☐	(37)	12.5" ☐	(38)	13" ☐	(39)	13.5" ☐	(40)	14" ☐		(41)	14.5" ☐
		(42)	15" ☐	(43)	15.5" ☐	(44)	16" ☐	(45)	16.5" ☐	(46)	17" ☐	(47)	17.5" ☐		(48)	18" ☐
		(49)	18.5" ☐	(50)	19" ☐	(51)	19.5" ☐	(52)	20" ☐	(53)	20.5" ☐	(54)	21" ☐			
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS <i>(MUST select ONE push handle options)</i>																
BC	☐	Straight back canes										NC				
				(22)	9 - 12" ☐	(23)	12 - 15" ☐	(24)	15 - 18" ☐	(25)	18 - 21" ☐					
Set height to: *				<i>(in increments of 1/2", measured from seat sling to top of back upholstery)</i> <i>* If not indicated, default height setting is at the lowest position</i>												
	Select back cane angle: ¹												STD			
		101° ☐	99° ☐	96° ☐	93° ☐	90° ☐	87° ☐	83° ☐	80° ☐							




1 - If not indicated default angle setting is at 93°

PUSH HANDLES OPTIONS <i>(ONE option at a time)</i>							
PH01	☐	Push handles					STD
PH05	☐	Fold down push handles					\$160
PH06-920	☐	Clamp on height adjustable push handles 9 - 20" ¹					\$345
PH06-923	☐	Clamp on height adjustable push handles 9 - 23" ¹					\$345
PH02	☐	Omit push handles					NC

1- Not compatible with swing away armrests;

BACKRESTS OPTIONS							
BC61	☐	Depth adjustable back - 1" depth adjustment ^{1,4}					\$260
BC62	☐	Depth adjustable back - 2" depth adjustment ^{2,4}					\$260
BC56	☐	Depth adjustable back - 3" depth adjustment ^{3,4}					\$260
BC57	☐	Standard 3 inch deep rigidizer bar					STD
BC55	☐	Four inch deep Aluminum rigidizer bar					NC
BC88	☐	Custom height rigidizer bar set at _____ <i>(inches)</i> <i>Measured from the top of the seat sling to the center of the rigidizer - standard height is 5,7"</i> <i>Lowest position is 4,25"</i>					\$135



If used in combinaison with WC-19: 1- Maximum depth of 19"; 2- Maximum depth of 18"; 3- Maximum depth of 17"; 4- Only compatible with WC-19 transit tie down **without** Q'Straint belt

BACK UPHOLSTERY							
BH03	☐	Slip-on Syntech-Suede back upholstery					STD
BH04	☐	Adjustable tension Syntech-Suede back upholstery			WAMD/WAME		\$260
BH99	☐	Omit Back upholstery					NC
	☐	NXT back Support				See price list	
SEAT CUSHION							
SC01	☐	2" Cushion					\$205
SC02	☐	3" Cushion					\$275
SC99	☐	Omit seat cushion					STD
	☐	NXT cushion				See price list	

Rear wheels					
REAR WHEELS				Available	
RW01	☐	Mag ¹		20", 22" 24"	\$140
RW02	☐	Newton One - spoke wheel ²		20", 22" 24"	STD
RW03	☐	Newton Gravity - ultralight wheel		20", 22", 24", 25", 26"	\$380
RW04	☐	Spinergy Spox	Blk STD ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐	22", 24", 25", 26"	\$850
RW05	☐	Spinergy LX	Blk STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐	22", 24", 25", 26"	\$1,055
RW07	☐	Spinergy CLX ⁴	Blk STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐	24", 25"	\$1,635
TIRES				Available	
TI01	☐	Soft Urethane 1 3/8 "		20", 22" 24"	NC
TI02	☐	Soft Urethane knobby 1 3/8"		22", 24", 25", 26"	\$120
TI04	☐	Soft Urethane - Shox 1"		22", 24", 25", 26"	\$140
TI05	☐	Pneumatic 1 3/8 "		20", 22", 24", 25", 26"	STD
TI08	☐	Pneumatic with Airless insert 1 3/8" ⁵		22", 24", 26"	\$225
TI06	☐	Pneumatic HP - 1"		20", 22", 24", 25", 26"	\$120
TI07	☐	Pneumatic HP - Puncture resistant, black 1"		24", 25", 26"	\$200

1- Not compatible with HP tires; Only available with aluminum or plastic coated handrim in standard position; 2- Not compatible with Shox tires
3- Colour spokes require an additionnal 10 days lead-time; 4- Only available with 1" tires; 5- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims					
HANDRIM				Available	
HR01	☐	Aluminum anodized		20", 22", 24", 25", 26"	STD
HR61	☐	Aluminum black hard anodized ²		20", 22", 24", 25"	\$80
HR02	☐	Plastic coated ¹		20", 22", 24", 25", 26"	WAMO \$170
HR03	☐	High friction coated ^{1,2}		22", 24", 25", 26"	WAMO \$460
HR07 to HR18	☐	Newton Air Grip ² <i>See page 6 for the color selection and price</i>		20", 22", 24", 25", 26"	WAMO
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	\$485
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	\$515
HR04	☐	Natural Fit ^{1,2}		22", 24", 25", 26"	\$320
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)		22", 24", 25", 26"	\$515
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)		22", 24", 25", 26"	\$320
HR99	☐	Omit handrim			NC


1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels

Handrims option					
ASSEMBLY POSITION					
HR29	☐	Standard Handrim position	Full tab		STD
HR030	☐	Narrow Handrim position no cut	Full tab		NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions		\$27
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions STD ☐ Short tab 1 position ☐		\$27
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS					
HR23	☐	Standard grip			\$200
HR27	☐	Super grip			\$230
HR099	☐	Omit thumb piece			NC

3- Only available with Aluminum and Air Grip handrims;

AXLES					
AX01	☐	Quick release axle			STD
AX03	☐	Quad release axle			\$180
REAR WHEEL CAMBER					
CM00	☐	0° camber			STD
CM02	☐	2° camber			NC
CM04	☐	4° camber			NC
CM06	☐	6° camber			NC
CM08	☐	8° camber			NC

CENTER OF GRAVITY	
Specify the position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver.	
0 - 6" range	Set At: (inches)
If not indicated, default setting is at 2.5" Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG	



WHEEL LOCK						
WL08	☐	Newton wheel lock - push to lock				STD
WL16		Aluminum push to lock with extension				\$73
WL04	☐	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)		WAMR		\$185
WL13 WL14	☐	6" removable extension handle				\$73
WL05	☐	Scissors lock				\$185
WL99	☐	Omit wheel locks				NC

Armrests						
HEIGHT ADJUSTABLE "T" ARMREST ¹						
AR13-610	☐	10" Desk length armpad ³	6" - 10"			\$380
AR03-812	☐	10" Desk length armpad	8" - 12"			\$380
AR03-1014	☐	10" Desk length armpad	10" - 14"			\$380
AR14-610	☐	14" Full length armpad ³	6" - 10"			\$380
AR04-812	☐	14" Full length armpad	8" - 12"			\$380
AR04-1014	☐	14" Full length armpad	10" - 14"			\$380
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²						
AR05	☐	Tubular armrest - short pad	8" - 11"			\$315
AR23	☐	Tubular armrest - long pad	8" - 11"			\$315
AR06	☐	10" Desk length flat armpad	8" - 11"			\$315
AR17	☐	14" Full length flat armpad	8" - 11"			\$315
AR99	☐	Omit armrest				NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- not available with the Ultralight non-locking backrest; 3- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with "T" Armrest)						
SG01	☐	Plastic side guards (removable)		WAMV		\$235
SG03	☐	Carbon fiber side guards (removable)		WAMV		\$315
SG06	☐	Plastic fender side guards - straight bracket (removable)		WAMV		\$340
SG08	☐	Plastic fender side guards - offset bracket (removable) ¹		WAMV		\$340
SG04	☐	Carbon fiber fender side guards (removable)		WAMV		\$510
SG99	☐	Omit side guards				NC
SIDE GUARDS OPTION						
SG07	☐	Side guard clip (pair)				NC

1- only compatible with 0° and 2° camber; Increase distance between fender side guards by 1 1/8"

POSITIONING BELT						
SB01-S	☐	Velcro adjustable - Standard 35"				\$50
SB01-L	☐	Velcro adjustable - Long 60"				\$50
SB02-S	☐	Auto buckle - Standard 35"				\$60
SB02-L	☐	Auto buckle - Long 60"				\$60
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"				\$90
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"				\$90
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		SERND0030		\$180
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		SERND0030		\$180
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		SERND0030		\$180
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		SERND0020		\$205
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		SERND0020		\$205
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		SERND0020		\$205
SB03	☐	Hardware attachment for 2 extra points (1 pair)				\$15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"				\$345
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"				\$345
SB99	☐	Omit positioning belt				STD

ACCESSORIES						
AC03	☐	Anti-tippers				\$120
AC06	☐	Cane and crutch holder	Left ☐ Right ☐			\$115
AC08	☐	Spoke guards ¹	Available: 20", 22", 24", 26"			\$155
AC10	☐	Seat pouch				\$100
AC30	☐	Newton multi-purpose pouch				\$75
AC26	☐	BodyPoint Mobility Bag				\$145
AC23	☐	Newton Backpack				\$130
AC13	☐	Tool kit				\$55
AC16	☐	Motion Composites Polo Shirt	W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐			\$36

1- Not available with Mag wheels and Spinerigy

Colors																						
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)		
																						
AirGrip	☐ \$160		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$350	
Carbon Fiber Frame		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC	
Camber Tube ²	NC		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$75	
																						
Highlight ³	☐		☐					☐		☐	☐			☐			☐				NC	
FC99 ²	☐	Custom Color	Specify PPG Paintit color:																		<i>additional 10 days lead-time</i>	\$422

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;
2- only available with carbon fiber upgrade 3- To see different highlight, visit our website: https://www.motioncomposites.com/en_ca/products/rigid-wheelchairs/apex-c

Notes :

BioFit™ CUSHION		WIDTH									
DEPTH	NXCABF _____ (W" x D")	12"	13"	14"	15"	16"	17"	18"	19"	20"	
		☐ \$625	☐ \$625	☐ \$625							
		☐ \$625	☐ \$625	☐ \$625							
			☐ \$625	☐ \$625	☐ \$625						
			☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655	
					☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655	
					☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655	
					☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655	
					☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655	
					☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655	☐ \$655	
Option: Change cover for incontinent / infection control outer cover										☐ \$N/C	

SEATING AND CUSHION ACCESSORIES

	Model #	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	

THORACIC SHAPE			Optima™ THORACIC BACK SUPPORT		CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)	
	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum
	13"-15"	7"			NOACB1307	☐ \$725
	13"-15"	9"			NOACB1309	☐ \$725
	13"-15"	13"			NOACB1313	☐ \$725
	13"-15"	16"			NOACB1316	☐ \$725
	14"-16"	7"			NOACB1407	☐ \$725
	14"-16"	9"	NOCFACB1409	☐ \$1150	NOACB1409	☐ \$725
	14"-16"	13"	NOCFACB1413	☐ \$1150	NOACB1413	☐ \$725
	14"-16"	16"	NOCFACB1416	☐ \$1150	NOACB1416	☐ \$725
	15"-17"	7"			NOACB1507	☐ \$725
	15"-17"	9"	NOCFACB1509	☐ \$1150	NOACB1509	☐ \$725
	15"-17"	13"	NOCFACB1513	☐ \$1150	NOACB1513	☐ \$725
	15"-17"	16"	NOCFACB1516	☐ \$1150	NOACB1516	☐ \$725
	16"-18"	7"			NOACB1607	☐ \$725
	16"-18"	9"	NOCFACB1609	☐ \$1150	NOACB1609	☐ \$725
	16"-18"	13"	NOCFACB1613	☐ \$1150	NOACB1613	☐ \$725
	16"-18"	16"	NOCFACB1616	☐ \$1150	NOACB1616	☐ \$725
	17"-19"	7"			NOACB1707	☐ \$725
	17"-19"	9"	NOCFACB1709	☐ \$1150	NOACB1709	☐ \$725
	17"-19"	13"	NOCFACB1713	☐ \$1150	NOACB1713	☐ \$725
	17"-19"	16"	NOCFACB1716	☐ \$1150	NOACB1716	☐ \$725
	18"-20"	7"			NOACB1807	☐ \$725
	18"-20"	9"	NOCFACB1809	☐ \$1150	NOACB1809	☐ \$725
	18"-20"	13"	NOCFACB1813	☐ \$1150	NOACB1813	☐ \$725
	18"-20"	16"	NOCFACB1816	☐ \$1150	NOACB1816	☐ \$725
	20"-22"	7"			NOACB2007	☐ \$725
	20"-22"	9"	NOCFACB2009	☐ \$1150	NOACB2009	☐ \$725
	20"-22"	13"	NOCFACB2013	☐ \$1150	NOACB2013	☐ \$725
	20"-22"	16"	NOCFACB2016	☐ \$1150	NOACB2016	☐ \$725

		Optima™ DEEP THORACIC BACK SUPPORT		CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)	
Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum
13"-15"	7"			NOPCB1307	☐ \$825
13"-15"	9"			NOPCB1309	☐ \$825
13"-15"	13"			NOPCB1313	☐ \$825
13"-15"	16"			NOPCB1316	☐ \$825
14"-16"	7"			NOPCB1407	☐ \$825
14"-16"	9"	NOCFPCB1409	☐ \$1250	NOPCB1409	☐ \$825
14"-16"	13"	NOCFPCB1413	☐ \$1250	NOPCB1413	☐ \$825
14"-16"	16"	NOCFPCB1416	☐ \$1250	NOPCB1416	☐ \$825
15"-17"	7"			NOPCB1507	☐ \$825
15"-17"	9"	NOCFPCB1509	☐ \$1250	NOPCB1509	☐ \$825
15"-17"	13"	NOCFPCB1513	☐ \$1250	NOPCB1513	☐ \$825
15"-17"	16"	NOCFPCB1516	☐ \$1250	NOPCB1516	☐ \$825
16"-18"	7"			NOPCB1607	☐ \$825
16"-18"	9"	NOCFPCB1609	☐ \$1250	NOPCB1609	☐ \$825
16"-18"	13"	NOCFPCB1613	☐ \$1250	NOPCB1613	☐ \$825
16"-18"	16"	NOCFPCB1616	☐ \$1250	NOPCB1616	☐ \$825
17"-19"	7"			NOPCB1707	☐ \$825
17"-19"	9"	NOCFPCB1709	☐ \$1250	NOPCB1709	☐ \$825
17"-19"	13"	NOCFPCB1713	☐ \$1250	NOPCB1713	☐ \$825
17"-19"	16"	NOCFPCB1716	☐ \$1250	NOPCB1716	☐ \$825
18"-20"	7"			NOPCB1807	☐ \$825
18"-20"	9"	NOCFPCB1809	☐ \$1250	NOPCB1809	☐ \$825
18"-20"	13"	NOCFPCB1813	☐ \$1250	NOPCB1813	☐ \$825
18"-20"	16"	NOCFPCB1816	☐ \$1250	NOPCB1816	☐ \$825
20"-22"	7"			NOPCB2007	☐ \$825
20"-22"	9"	NOCFPCB2009	☐ \$1250	NOPCB2009	☐ \$825
20"-22"	13"	NOCFPCB2013	☐ \$1250	NOPCB2013	☐ \$825
20"-22"	16"	NOCFPCB2016	☐ \$1250	NOPCB2016	☐ \$825

ALL PRICES QUOTED IN CDN. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

BACK SUPPORT HARDWARE OPTIONS

All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.

Model #	Description	Weight of Hardware Only	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STANDARD
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over STANDARD	☐
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over STANDARD	☐

BACK SUPPORT ACCESSORIES – PRIVACY FLAP

	Model #	Description	Fits Back Width	\$	QTY
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	100	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	100	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	100	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	100	

ALL PRICES QUOTED IN CDN. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com