



1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

2- Dealer/Representative information

Dealer/Representative:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

3- Shipping information

Ship to:* _____

Name: _____

Address: _____

City: _____ Province: _____

Postal Code: _____

Phone: _____

* Required		MA040 ☐	MA041 ☐	Taxes not included	
		English Manual (STD)	Manuel Français		
MODEL					
WC11	☐	Ultralight Aluminum APEX Rigid Wheelchair (265 lb weight limit) Not available with painted frame - Frame will be black			
		Triple-butt aluminum frame / Aluminum back canes and back rigidizer / Aluminum seat rigidizer / Ultralight carbon fiber camber tube and rear frame rigidizer			
WC21	☐	Apex Carbon fiber frame upgrade (High Gloss Carbon Fiber)			
		Ultralight carbon fiber frame, back canes, back rigidizer, seat rigidizer, camber tube and rear frame rigidizer.			
EVO-R	☐	Evo Rigid - Chair resizing service*			
		To be used within 24 months of chair purchase			
				Aluminum	\$700
				Carbon	\$900

*By selecting this option, I agree to the terms and conditions of the EVO-RIGID program.

https://www.motioncomposites.com/en_us/terms-and-conditions

Frame											
SEAT WIDTH											
SW	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			
	☐		19" ☐	20" ☐					WAMA		\$360
SEAT DEPTH											
SD	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			NC
	☐		19" ☐	20" ☐					WAMB		\$275
FRAME LENGTH											
SP01	☐	Standard frame length configuration ¹									STD
SP02	☐	Frame length 1" longer than standard configuration									NC
SP03	☐	Frame length 2" longer than standard configuration									NC
SP04	☐	Frame length 1" shorter than standard configuration									NC
SP05	☐	Frame length 2" shorter than standard configuration									NC
TIE-DOWN											
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Short belt 20"-41"					\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Long belt 20"-46"					\$365
AC35	☐	WC-19 Transit Tie Down without belt ³									\$345


1- Distance of 4.37" from end of seat upholstery to bend

2- Not available with depth adjustable back; 3- May interfere with the swing away armrest and the clamp on height adjustable push handle; Add a 3" of frame length behind backrest

[4. Width calculator](#)


FRONT Seat-to-floor height			
Caster sizes		Height available +/- 1/4"	
☐	3" Caster	14" to 21"	
☐	4" Caster	14.5" to 21"	
☐	5" Caster	15.5" to 21"	
☐	6" Caster	16.5" to 21" (N/A with 90° front frame)	
		Specify desired height:	
		_____ (inches)	

Frog Legs FRONT Seat-to-floor height			
Caster Sizes		Height available +/- 1/4"	
☐	3" Caster	15.25" to 21"	
☐	4" Caster	15.75" to 21"	
☐	5" Caster	16.75" to 21"	
☐	6" Caster	17.75" to 21" (N/A with 90° front frame)	
		Specify desired height:	
		_____ (inches)	



CASTERS				Available		
CA01-03 to CA01-06	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6"		NC
CA10	☐	Pneumatic casters (1 ¼")		6"		\$170
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		\$105
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"		\$198
CASTER OPTIONS						
CA13	☐	Carbon fiber Frog Legs suspension forks				\$525

REAR Seat-to-floor height			
Wheel sizes		Height available + 1/4"	Specify desired height: (inches)
☐	20" (451) wheel	14" to 17.5"	
☐	22" (501) wheel	14" to 18.5"	
☐	24" (540) wheel	15" to 19.5"	
☐	25" (559) wheel	15.5" to 20"	
☐	26" (590) wheel	16" to 20"	



FRONT FRAME ANGLE						
FA70	☐	70° Front frame angle <i>(not available with the carbon upgrade)</i>				NC
FA75	☐	75° Front frame angle				NC
FA80	☐	80° Front frame angle				NC
FA85	☐	85° Front frame angle				NC
FA90	☐	90° Front frame angle				NC

Seat upholstery to footplate length		Specify desired length: _____ <i>Required</i>
12" to 19" without high mount		
7" to 13" with high mount ¹		



1- Choose high mount in the footplates section

Footrest width / Taper selection					
Seat Width	Straight	1" Taper	2" Taper		
Outside Measurement	2 ½" Narrower than Seat Width	4 ½" Narrower than Seat Width	6 ½" Narrower than Seat Width		
12"	9.5"	7.5"			
13"	10.5"	8.5"			
14"	11.5"	9.5"			
15"	12.5"	10.5"			
16"	13.5"	11.5"	9.5"		
17"	14.5"	12.5"	10.5"		
18"	15.5"	13.5"	11.5"		
19"	16.5"	14.5"	12.5"		
20"	17.5"	15.5"	13.5"		



Note: higher than 20" Front STFH will reduce the footrest width up to 1" with a 2" taper

FOOTPLATES						
FP12	☐	Tubular open loop ¹				STD
FP13	☐	Tubular with ABS cover				NC
FP31	☐	Newton adjustable angle - Aluminum <i>(one piece)</i>		WAMJ / SEFND0015		\$105
FP32	☐	Newton adjustable angle - Carbon fiber <i>(one piece with rubber inserts)</i>		WAMJ / SEFND0015		\$210
FP14	☐	Flip back, adjustable angle aluminum		WAMJ / SEFND0015		\$240
FP15	☐	Flip back, adjustable angle carbon fiber		WAMJ / SEFND0015		\$355
FR25	☐	High mount with adjustable angle footplate <i>(Aluminum - one piece)</i>				\$200
FR26	☐	High mount with adjustable angle footplate <i>(Carbon fiber with rubber inserts - one piece)</i>				\$280

FOOTPLATES ACCESSORIES						
FP16	☐	2" riser <i>(only available with aluminum angle adjustable footplate)</i> ²		SEFND0030		\$105
FP09	☐	Calf strap		SEFND0010		\$57
FP30	☐	Bodypoint Aeromesh Padded calf strap		SEFND0010		\$140

1 - Available on: all straight frames; 1" taper with seat width of 14" and greater; 2" taper with seat width of 16" and greater

2 - Not available with high mount

Backrest													
FOLD DOWN BACKREST													
BC20	☐	Locking backrest							STD				
BC21	☐	Ultralight non locking backrest (not locking in upright and down position) ²							\$105				
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (Not available with push handles)													
BC	☐	Fixed height without push handle	(30) 9" ☐	(31) 9.5" ☐	(32) 10" ☐	(33) 10.5" ☐	(34) 11" ☐		NC				
		(35) 11.5" ☐	(36) 12" ☐	(37) 12.5" ☐	(38) 13" ☐	(39) 13.5" ☐	(40) 14" ☐	(41) 14.5" ☐					
		(42) 15" ☐	(43) 15.5" ☐	(44) 16" ☐	(45) 16.5" ☐	(46) 17" ☐	(47) 17.5" ☐	(48) 18" ☐					
		(49) 18.5" ☐	(50) 19" ☐	(51) 19.5" ☐	(52) 20" ☐	(53) 20.5" ☐	(54) 21" ☐						
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)													
BC	☐	Straight back canes	(22) 9 - 12" ☐	(23) 12 - 15" ☐	(24) 15 - 18" ☐	(25) 18 - 21" ☐			NC				
Set height to: *		(in increments of 1/2", measured from seat sling to top of back upholstery) * If not indicated, default height setting is at the lowest position											
		Select back cane angle: ¹	101° ☐	99° ☐	96° ☐	93° ☐	90° ☐	87° ☐	83° ☐	80° ☐			STD
1- If not indicated default angle setting is at 93°; 2- Maximum back cane height of 19.5" with aluminum chair													
PUSH HANDLES OPTIONS (ONE option at a time)													
PH01	☐	Push handles							STD				
PH05	☐	Fold down push handles							\$165				
PH06-920	☐	Clamp on height adjustable push handles 9 - 20" ¹							\$345				
PH06-923	☐	Clamp on height adjustable push handles 9 - 23" ¹							\$345				
PH02	☐	Omit push handles							NC				
STROLLER HANDLE													
PH04	☐	Stroller handle (Push handles included)						WAMW	\$220				
1- Not compatible with swing away armrests;													
BACKRESTS OPTIONS													
BC61	☐	Depth adjustable back - 1" depth adjustment ^{1,4}							\$260				
BC62	☐	Depth adjustable back - 2" depth adjustment ^{2,4}							\$260				
BC56	☐	Depth adjustable back - 3" depth adjustment ^{3,4}							\$260				
BC57	☐	Standard 3 inch deep rigidizer bar							STD				
BC55	☐	Four inch deep Aluminum rigidizer bar							NC				
BC88	☐	Custom height rigidizer bar set at _____ (inches) Measured from the top of the seat sling to the center of the rigidizer - standard height is 5,7" Lowest position is 4,25"							\$135				
													
If used in combinaison with WC-19: 1- Maximum depth of 19"; 2- Maximum depth of 18"; 3- Maximum depth of 17"; 4- Only compatible with WC-19 transit tie down without Q'Straint belt													
BACK UPHOLSTERY													
BH03	☐	Slip-on Syntech-Suede back upholstery							STD				
BH04	☐	Adjustable tension Syntech-Suede back upholstery					WAMD/WAME		\$260				
BH99	☐	Omit Back upholstery							NC				
	☐	NXT back Support						See price list					
SEAT CUSHION													
SC01	☐	2" Cushion							\$205				
SC02	☐	3" Cushion							\$275				
SC99	☐	Omit seat cushion							STD				
	☐	NXT cushion						See price list					

Rear wheels						
REAR WHEELS				Available		
RW01	☐	Mag ¹		20", 22" 24"		\$140
RW02	☐	Newton One - spoke wheel ²		20", 22" 24"		STD
RW03	☐	Newton Gravity - ultralight wheel		20", 22", 24", 25", 26"		\$390
RW04	☐	Spinergy Spox	Blk STD ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐	22", 24", 25", 26"		\$875
RW05	☐	Spinergy LX	Blk STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐	22", 24", 25", 26"		\$1,095
RW07	☐	Spinergy CLX ⁴	Blk STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐	24", 25"		\$1,650
TIRES				Available		
AIRLESS						
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black		20", 22" 24"		NC
TI02	☐	Soft Urethane 1 3/8 " - Medium Tread, black ⁵		22", 24", 25", 26"		\$120
TI04	☐	Soft Urethane 1" - No tread, black - <i>Shox</i>		22", 24", 25", 26"		\$140
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread ⁶		22", 24", 26"		\$225
PNEUMATIC						
TI05	☐	Pneumatic 1 3/8" - Medium Tread		20", 22", 24", 25", 26"		STD
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - <i>SpeedLite</i>		20", 22", 24", 25", 26"		\$120
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>		24", 25", 26"		\$200
TI03	☐	Pneumatic 2" - Large Tread, black		22", 24", 25"		\$130

1- Not compatible with HP tires; Only available with aluminum or plastic coated handrim in standard position; 2- Not compatible with Shox tires; 3- Colour spokes require an additional 10 days lead-time; 4- Only available with 1" tires; 5- The 22" is only available with Mags and Newton One rear wheels; 6- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels

Handrims					
HANDRIM				Available	
HR01	☐	Aluminum anodized		20", 22", 24", 25", 26"	STD
HR61	☐	Aluminum black hard anodized ²		20", 22", 24", 25"	\$85
HR02	☐	Plastic coated ¹		20", 22", 24", 25", 26"	WAMO \$170
HR03	☐	High friction coated ^{1,2}		22", 24", 25", 26"	WAMO \$460
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See page 6 for the color selection and price</i>		20", 22", 24", 25", 26"	WAMO
HR28	☐	Surge ^{1,2,3} (1 1/2" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	\$485
HR05	☐	Surge LT ^{1,2,3} (1 1/8" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	\$515
HR04	☐	Natural Fit ^{1,2,3}		22", 24", 25", 26"	\$320
HR62	☐	Simi H ^{1,2} (1 3/8" Oval handrim with high friction strip)		22", 24", 25", 26"	\$485
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)		22", 24", 25", 26"	\$515
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)		22", 24", 25", 26"	\$320
HR99	☐	Omit handrim			NC


1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels 3- 25" and 26" are not available in narrow position; 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

Handrims option					
ASSEMBLY POSITION					
HR29	☐	Standard Handrim position	Full tab		STD
HR030	☐	Narrow Handrim position no cut	Full tab		NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions		
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions STD ☐ Short tab 1 position ☐		
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS					
HR23	☐	Standard grip			\$200
HR27	☐	Super grip			\$230
HR099	☐	Omit thumb piece			NC

3- Only available with Aluminum and Air Grip handrims;

AXLES					
AX01	☐	Quick release axle			STD
AX03	☐	Quad release axle			\$180
REAR WHEEL CAMBER					
CM00	☐	0° camber			STD
CM02	☐	2° camber			NC
CM04	☐	4° camber			NC
CM06	☐	6° camber			NC
CM08	☐	8° camber			NC

CENTER OF GRAVITY	
Specify the position of rear wheel axle plate:	
Measure distance from front of back post to center of axle receiver.	
0 - 6" range	Set At: _____ (inches)
If not indicated, default setting is at 2.5"	
Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG	



WHEEL LOCK							
WL08	☐	Newton wheel lock - push to lock	PRODUCT IMPROVED				STD
WL16	☐	Aluminum push to lock with extensions					\$73
WL02	☐	Pull to lock					NC
WL04	☐	Newton grade aid push to lock (<i>Works best with pneumatic or high pressure tire</i>)			WAMR		\$185
WL13 WL14	☐	6" removable extension handle ¹					\$73
WL05	☐	Scissors lock					\$185
WL99	☐	Omit wheel locks					NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

Armrests							
HEIGHT ADJUSTABLE “T” ARMREST ¹							
AR13-610	☐	10" Desk length armpad ³	6" - 10"				\$380
AR03-812	☐	10" Desk length armpad	8" - 12"				\$380
AR03-1014	☐	10" Desk length armpad	10" - 14"				\$380
AR14-610	☐	14" Full length armpad ³	6" - 10"				\$380
AR04-812	☐	14" Full length armpad	8" - 12"				\$380
AR04-1014	☐	14" Full length armpad	10" - 14"				\$380
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²							
AR05	☐	Tubular armrest - short pad	8" - 11"				\$315
AR23	☐	Tubular armrest - long pad	8" - 11"				\$315
AR06	☐	10" Desk length flat armpad	8" - 11"				\$315
AR17	☐	14" Full length flat armpad	8" - 11"				\$315
ARMREST OPTIONS							
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ⁴			SEAND0030		\$160
AR99	☐	Omit armrest					NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- not available with the Ultralight non-locking backrest; 3- May have some restriction with seat-to-floor height and rear wheel

4-Only available with "T" full length armrest; Not available with swing away and desk length armrests

SIDE GUARDS (not available with "T" Armrest)							
SG01	☐	Plastic side guards (removable)	Straight bracket -STD	Offset bracket ¹	WAMV		\$235
SG03	☐	Carbon fiber side guards (removable)	Straight bracket -STD	Offset bracket ¹	WAMV		\$320
SG06	☐	Plastic fender side guards (removable)	Straight bracket -STD	Offset bracket ¹	WAMV		\$340
SG04	☐	Carbon fiber fender side guards (removable)	Straight bracket -STD	Offset bracket ¹	WAMV		\$510
SG99	☐	Omit side guards					NC

1- only compatible with 0° and 2° camber; Increase width by 1/2" per side for a total of 1"

POSITIONING BELT							
SB01-S	☐	Velcro adjustable - Small 35" ¹					\$50
SB01-L	☐	Velcro adjustable - Long 60"					\$50
SB02-S	☐	Auto buckle - Small 35" ¹					\$60
SB02-M	☐	Auto buckle - Medium 48"					\$60
SB02-L	☐	Auto buckle - Long 60"					\$60
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"					\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"					\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"			SERND0030		\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"			SERND0030		\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"			SERND0030		\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"			SERND0020		\$210
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"			SERND0020		\$210
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"			SERND0020		\$210
SB03	☐	Hardware attachment for 2 extra points (1 pair)					\$15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"					\$355
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"					\$355
SB99	☐	Omit positioning belt					STD

1- Not recommended for seat width of 18" and more


ACCESSORIES							
AC03	☐	Anti-tippers					\$120
AC06	☐	Cane and crutch holder	Left ☐	Right ☐			\$115
AC08	☐	Spoke guards ¹	Available: 20", 22", 24", 26"				\$155
AC10	☐	Seat pouch					\$100
AC30	☐	Newton multi-purpose pouch					\$75
AC26	☐	BodyPoint Mobility Bag					\$145
AC23	☐	Newton Backpack					\$130
AC13	☐	Tool kit					\$55
AC16	☐	Motion Composites Polo Shirt	W/S ☐	W/M ☐	W/L ☐		\$36
			M/S ☐	M/M ☐	M/L ☐	M/XL ☐	M/XXXL ☐

1- Not available with Mag wheels and Spinerdy

Colors																							
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)			
																							
AirGrip	☐ \$160		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$350		
Carbon Fiber Frame		☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC		
Camber Tube	☐ STD/NC		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$75		
																							
Highlight ³	☐		☐					☐		☐	☐				☐				☐				NC
FC99 ²	☐	Custom Color	Specify PPG Paintit color:																		additional 10 days lead-time		\$422


1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.;
 Finish between Airgrip and frame might be different;
 2- Only available with carbon fiber upgrade; 3- To see different highlight, visit our website: https://www.motioncomposites.com/en_co/products/rigid-wheelchairs/apex-c

Notes :

BioFit™ CUSHION		WIDTH									
 Use wheelchair configuration Or use this size: NXCABF__ _ _ _ (W" x D")	DEPTH		12"	13"	14"	15"	16"	17"	18"	19"	20"
		12"	\$625	\$625	\$625						
		14"	\$625	\$625	\$625						
		15"		\$625	\$625	\$625	\$625				
		16"		\$625	\$625	\$625	\$625	\$625	\$625	\$655	\$655
		17"				\$625	\$625	\$625	\$625	\$655	\$655
		18"				\$625	\$625	\$625	\$625	\$655	\$655
		19"				\$625	\$625	\$625	\$625	\$655	\$655
		20"				\$625	\$625	\$625	\$655	\$655	\$655
		Option: Change cover for incontinent / infection control outer cover									

Green boxes are stocked sizes and the red boxes require customization.

SEATING AND CUSHION ACCESSORIES

	Model #	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	

THORACIC SHAPE			Optima™ THORACIC BACK SUPPORT CARBON FIBER SHELL (WEIGHT SAVINGS - 1lb)			
	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum
	13"-15"	7"			NOACB1307	\$725
	13"-15"	9"			NOACB1309	\$725
	13"-15"	13"			NOACB1313	\$725
	13"-15"	16"			NOACB1316	\$725
	14"-16"	7"			NOACB1407	\$725
	14"-16"	9"	NOCFACB1409	\$1150	NOACB1409	\$725
	14"-16"	13"	NOCFACB1413	\$1150	NOACB1413	\$725
	14"-16"	16"	NOCFACB1416	\$1150	NOACB1416	\$725
	15"-17"	7"			NOACB1507	\$725
	15"-17"	9"	NOCFACB1509	\$1150	NOACB1509	\$725
	15"-17"	13"	NOCFACB1513	\$1150	NOACB1513	\$725
	15"-17"	16"	NOCFACB1516	\$1150	NOACB1516	\$725
	16"-18"	7"			NOACB1607	\$725
	16"-18"	9"	NOCFACB1609	\$1150	NOACB1609	\$725
	16"-18"	13"	NOCFACB1613	\$1150	NOACB1613	\$725
	16"-18"	16"	NOCFACB1616	\$1150	NOACB1616	\$725
	17"-19"	7"			NOACB1707	\$725
	17"-19"	9"	NOCFACB1709	\$1150	NOACB1709	\$725
	17"-19"	13"	NOCFACB1713	\$1150	NOACB1713	\$725
	17"-19"	16"	NOCFACB1716	\$1150	NOACB1716	\$725
	18"-20"	7"			NOACB1807	\$725
	18"-20"	9"	NOCFACB1809	\$1150	NOACB1809	\$725
	18"-20"	13"	NOCFACB1813	\$1150	NOACB1813	\$725
	18"-20"	16"	NOCFACB1816	\$1150	NOACB1816	\$725
	20"-22"	7"			NOACB2007	\$725
	20"-22"	9"	NOCFACB2009	\$1150	NOACB2009	\$725
	20"-22"	13"	NOCFACB2013	\$1150	NOACB2013	\$725
	20"-22"	16"	NOCFACB2016	\$1150	NOACB2016	\$725

		Optima™ DEEP THORACIC BACK SUPPORT CARBON FIBER SHELL (WEIGHT SAVINGS - 1lb)			
Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum
13"-15"	7"			NOPCB1307	\$825
13"-15"	9"			NOPCB1309	\$825
13"-15"	13"			NOPCB1313	\$825
13"-15"	16"			NOPCB1316	\$825
14"-16"	7"			NOPCB1407	\$825
14"-16"	9"	NOCFPCB1409	\$1250	NOPCB1409	\$825
14"-16"	13"	NOCFPCB1413	\$1250	NOPCB1413	\$825
14"-16"	16"	NOCFPCB1416	\$1250	NOPCB1416	\$825
15"-17"	7"			NOPCB1507	\$825
15"-17"	9"	NOCFPCB1509	\$1250	NOPCB1509	\$825
15"-17"	13"	NOCFPCB1513	\$1250	NOPCB1513	\$825
15"-17"	16"	NOCFPCB1516	\$1250	NOPCB1516	\$825
16"-18"	7"			NOPCB1607	\$825
16"-18"	9"	NOCFPCB1609	\$1250	NOPCB1609	\$825
16"-18"	13"	NOCFPCB1613	\$1250	NOPCB1613	\$825
16"-18"	16"	NOCFPCB1616	\$1250	NOPCB1616	\$825
17"-19"	7"			NOPCB1707	\$825
17"-19"	9"	NOCFPCB1709	\$1250	NOPCB1709	\$825
17"-19"	13"	NOCFPCB1713	\$1250	NOPCB1713	\$825
17"-19"	16"	NOCFPCB1716	\$1250	NOPCB1716	\$825
18"-20"	7"			NOPCB1807	\$825
18"-20"	9"	NOCFPCB1809	\$1250	NOPCB1809	\$825
18"-20"	13"	NOCFPCB1813	\$1250	NOPCB1813	\$825
18"-20"	16"	NOCFPCB1816	\$1250	NOPCB1816	\$825
20"-22"	7"			NOPCB2007	\$825
20"-22"	9"	NOCFPCB2009	\$1250	NOPCB2009	\$825
20"-22"	13"	NOCFPCB2013	\$1250	NOPCB2013	\$825
20"-22"	16"	NOCFPCB2016	\$1250	NOPCB2016	\$825

BACK SUPPORT HARDWARE OPTIONS


All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.

Model #	Description	Weight of Hardware Only	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STANDARD
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over STANDARD	
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over STANDARD	

BACK SUPPORT ACCESSORIES – PRIVACY FLAP

	Model #	Description	Fits Back Width	\$	QTY
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	100	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	100	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	100	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	100	

EXTRA COVERS

 Extra Outer smartx^{3D} Cover  Extra Outer Incontinent Cover					
ITEM	WIDTH X DEPTH			\$	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	__ __ x __ __			130	
Extra Outer smartx ^{3D} Cover – For a cover 18" x 20" and above	__ __ x __ __			150	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	__ __ x __ __			130	
Extra Outer Incontinent Cover – For a cover 18" x 20" and above	__ __ x __ __			150	

ALL PRICES QUOTED IN CDN. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com