



1- Purchasing information

P.O. number: * _____ Date: _____

Company Name: * _____

Purchasing contact: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

Marked for: _____

3- Shipping information

Ship to: * _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

2- Clinician information

Clinician: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

		MA043 ☐	MA044 ☐	MA045 ☐	MA046 ☐	MA047 ☐	MA048 ☐	MA090 ☐		
		English Manual (STD)	German Manual	Italian Manual	Dutch Manual	Spanish Manual	French Manual	Portuguese Manual		
*Required										taxes not included
MODEL										USD
WC11	☐	Ultralight Aluminum APEX Rigid Wheelchair (120kg /265 lb weight limit) Not available with painted frame - Frame will be black		Triple-butt aluminum frame / Aluminum back canes and back rigidizer / Aluminum seat rigidizer / Ultralight carbon fiber camber tube and rear frame rigidizer						\$2,895
WC21	☐	Apex Carbon fiber frame upgrade (High Gloss Carbon Fiber)		Ultralight carbon fiber frame, back canes, back rigidizer, seat rigidizer, camber tube and rear frame rigidizer.						\$1,995
EVO-R	☐	Evo Rigid - Chair resizing service*		To be used within 24 months of chair purchase					Aluminum Carbon	\$750 \$1,000

*By selecting this option, I agree to the terms and conditions of the EVO-RIGID program.

https://www.motioncomposites.com/en_us/terms-and-conditions

Frame																	
SEAT WIDTH																	
SW	☐	30.48 (12")	☐	33.02 (13")	☐	35.56 (14")	☐	38.10(15")	☐	40.64(16")	☐	43.18 (17")	☐	45.72 (18")	☐		NC
	☐	48.26 (19")	☐	50.80 (20")	☐											\$535	
SEAT DEPTH																	
SD	☐	30.48 (12")	☐	33.02 (13")	☐	35.56 (14")	☐	38.10(15")	☐	40.64(16")	☐	43.18 (17")	☐	45.72 (18")	☐		NC
	☐	48.26 (19")	☐	50.80 (20")	☐											\$515	
FRAME LENGTH																	
SP01	☐	Standard frame length configuration ¹															STD
SP02	☐	Frame length 2.54cm (1") longer than standard configuration															NC
SP03	☐	Frame length 5.08cm (2") longer than standard configuration															NC
SP04	☐	Frame length 2.54cm (1") shorter than standard configuration															NC
SP05	☐	Frame length 5.08cm (2") shorter than standard configuration															NC
TIE-DOWN																	
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Short belt 50-104 (20-41")											\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Long belt 50-116 (20-46")											\$365
AC35	☐	WC-19 Transit Tie Down without belt ³															\$335

1- Distance of 4.37" from end of seat upholstery to bend

2- Not available with depth adjustable back; 3- May interfere with the swing away armrest and the clamp on height adjustable push handle; Add a 3" of frame length behind backrest

4. Width calculator

FRONT Seat-to-floor height			
Caster sizes		Height available +- 1/4"	
☐	3" Caster	35.6cm to 53.3cm (14" to 21")	
☐	4" Caster	36.8cm to 53.3cm (14.5" to 21")	
☐	5" Caster	39.4cm to 53.3cm (15.5" to 21")	
☐	6" Caster	41.9cm to 53.3cm (16.5" to 21") (N/A with 90° front frame)	
			Specify desired height: (inches) _____

Frog Legs FRONT Seat-to-floor height			
Caster Sizes		Height available +- 1/4"	
☐	3" Caster	38.7cm to 53.3cm (15.25" to 21")	
☐	4" Caster	40.0cm to 53.3cm (15.75" to 21")	
☐	5" Caster	42.54cm to 53.3cm (16.75" to 21")	
☐	6" Caster	45.08cm to 53.3cm (17.75" to 21") (N/A with 90° front frame)	
			Specify desired height: (inches) _____



Backrest						
FOLD DOWN BACKREST						
BC20	☐	Locking backrest				STD
BC21	☐	Ultralight non locking backrest (not locking in upright and down position) ²				\$105
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (Not available with push handles)						
BC	☐	Fixed height without push handle	(30) 22.8cm/9" ☐	(31) 24.1cm/9.5" ☐	(32) 25.4cm/10" ☐	(33) 26.7cm/10.5" ☐
			(35) 29.2cm/11.5" ☐	(36) 30.5cm/12" ☐	(37) 31.7cm/12.5" ☐	(38) 33cm/13" ☐
			(39) 34.3cm/13.5" ☐	(40) 35.5cm/14" ☐	(41) 35.8cm/14.5" ☐	(42) 38.1cm/15" ☐
			(43) 39.4cm/15.5" ☐	(44) 40.6cm/16" ☐	(45) 41.9cm/16.5" ☐	(46) 43.2cm/17" ☐
			(47) 44.5cm/17.5" ☐	(48) 45.7cm/18" ☐	(49) 47cm/18.5" ☐	(50) 48.3/19" ☐
			(51) 49.5cm/19.5" ☐	(52) 50.8cm/20" ☐	(53) 52.7cm/20.5" ☐	(54) 53.3cm/21" ☐
						NC
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)						
BC	☐	Straight back canes	(22) 22.8 - 30.5cm ☐	(23) 30.5 - 38.1cm ☐	(24) 38.1 - 45.7cm ☐	(25) 45.7 - 53.3cm ☐
						NC
Set height to: *		(in increments of 1/2", measured from seat sling to top of back upholstery) * If not indicated, default height setting is at the lowest position				
		Select back cane angle: ¹	101° ☐	99° ☐	96° ☐	93° ¹ ☐
			90° ☐	87° ☐	83° ☐	80° ☐
						STD
¹ - If not indicated default angle setting is at . 93°; ² - Maximum back cane height of 19.5" with aluminum chair						
PUSH HANDLES OPTIONS (ONE option at a time)						
PH01	☐	Push handles				STD
PH05	☐	Fold down push handles				\$140
PH06-920	☐	Clamp on height adjustable push handles 22.9-50.80cm (9 - 20") ¹				\$330
PH06-923	☐	Clamp on height adjustable push handles 22.9-58.4cm (9 - 23") ¹				\$330
PH02	☐	Omit push handles				NC
STROLLER HANDLE						
PH04	☐	Stroller handle (Push handles included)				\$175
¹ - Not compatible with swing away armrests;						
BACKRESTS OPTIONS						
BC61	☐	Depth adjustable back - 2.54cm (1") depth adjustment ^{1,4}				\$195
BC62	☐	Depth adjustable back - 5.08cm (2") depth adjustment ^{2,4}				\$195
BC56	☐	Depth adjustable back - 7.62cm (3") depth adjustment ^{3,4}				\$195
BC57	☐	Standard 7.62cm (3") deep rigidizer bar				STD
BC55	☐	Four inch deep Aluminum rigidizer bar				NC
BC88	☐	Custom height rigidizer bar set at _____ (inches) Measured from the top of the seat sling to the center of the rigidizer - standard height is 5,7" Lowest position is 4,25"				\$135
If used in combinaison with WC-19: ¹ - Maximum depth of 19"; ² - Maximum depth of 18"; ³ - Maximum depth of 17"; ⁴ - Only compatible with WC-19 transit tie down without Q'Straint belt						
BACK UPHOLSTERY						
BH03	☐	Slip-on Syntech-Suede back upholstery				STD
BH04	☐	Adjustable tension Syntech-Suede back upholstery				\$180
BH99	☐	Omit Back upholstery				NC
SEAT CUSHION						
SC01	☐	5.08cm (2") Cushion				\$180
SC02	☐	7.62cm (3") Cushion				\$200
SC99	☐	Omit seat cushion				STD

Rear wheels													
REAR WHEELS				Available									
RW01	☐	Mag ¹		20", 22" 24"		\$57							
RW02	☐	Newton One - spoke wheel ²		20", 22" 24"		STD							
RW03	☐	Newton Gravity - ultralight wheel		20", 22", 24", 25", 26"		\$335							
RW04	☐	Spinergy Spox	Blk STD ☐	Wht ³ ☐	Blue ³ ☐	Red ³ ☐	Yel ³ ☐	22", 24", 25", 26"	\$865				
RW05	☐	Spinergy LX	Blk STD ☐	Pur ³ ☐	Wht ³ ☐	Blue ³ ☐	Red ³ ☐	Yel ³ ☐	Pink ³ ☐	Grn ³ ☐	Org ³ ☐	22", 24", 25", 26"	\$1,095
RW07	☐	Spinergy CLX ⁴	Blk STD ☐	Pur ³ ☐	Wht ³ ☐	Blue ³ ☐	Red ³ ☐	Yel ³ ☐	Pink ³ ☐	Grn ³ ☐	Org ³ ☐	24", 25"	\$1,600
TIRES				Available									
AIRLESS													
TI01	☐	Soft Urethane 3.49cm (1 3/8") - Low Tread, black						20", 22" 24"			NC		
TI02	☐	Soft Urethane 3.49cm (1 3/8") - Medium Tread, black ⁵						22", 24", 25", 26"			\$105		
TI04	☐	Soft Urethane 2.54cm (1") - No tread, black - <i>Shox</i>						22", 24", 25", 26"			\$125		
TI08	☐	Pneumatic Airless insert 3.49cm (1 3/8") - Medium Tread ⁶						22", 24", 26"			\$90		
PNEUMATIC													
TI05	☐	Pneumatic 3.49cm (1 3/8") Medium Tread						20", 22", 24", 25", 26"			STD		
TI06	☐	Pneumatic HP 2.54cm (1") - Low Tread, Puncture resistant, black - <i>SpeedLite</i>						20", 22", 24", 25", 26"			\$110		
TI07	☐	Pneumatic HP 2.54cm (1") - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>						24", 25", 26"			\$140		
TI03	☐	Pneumatic 5.08cm (2") - Large Tread, black ⁷						22", 24", 25"			\$115		

1- Not compatible with HP tires; Only available with aluminum or plastic coated handrim in standard position; 2- Not compatible with Shox tires; 3- Colour spokes require an additionnal 10 days lead-time;
4- Only available with 1" tires; 5- The 22" is only available with Mags and Newton One rear wheels; 6- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels
7- Not available when armrests and 4", 6", 8" camber are selected.

Handrims					
HANDRIM				Available	
HR01	☐	Aluminum anodized		20", 22", 24", 25", 26"	STD
HR61	☐	Aluminum black hard anodized ²		20", 22", 24", 25"	\$75
HR02	☐	Plastic coated ¹		20", 22", 24", 25", 26"	\$110
HR03	☐	High friction coated ^{1,2}		22", 24", 25", 26"	\$380
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² See page 6 for the color selection and price		20", 22", 24", 25", 26"	
HR28	☐	Surge ^{1,2,3} (1 1/2" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	\$425
HR05	☐	Surge LT ^{1,2,3} (1 1/8" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	\$465
HR04	☐	Natural Fit ^{1,2,3}		22", 24", 25", 26"	\$335
HR62	☐	Simi H ^{1,2} (1 3/8" Oval handrim with high friction strip)		22", 24", 25", 26"	\$395
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)		22", 24", 25", 26"	\$425
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)		22", 24", 25", 26"	\$325
HR99	☐	Omit handrim			NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels
3- 25" and 26" are not available in narrow position; 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

Handrims option					
ASSEMBLY POSITION					
HR29	☐	Standard Handrim position Full tab			STD
HR030	☐	Narrow Handrim position no cut Full tab			NC
HR30	☐	Narrow Handrim position with cut ³ Short tab 2 positions			
HR31	☐	Super Narrow Handrim ³ Short tab 2 positions STD ☐ Short tab 1 position ☐			
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS					
HR23	☐	Standard grip			\$95
HR27	☐	Super grip			\$150
HR099	☐	Omit thumb piece			NC

3- Only available with Aluminum and Air Grip handrims;

AXLES					
AX01	☐	Quick release axle			STD
AX03	☐	Quad release axle			\$135
CAMBER					
CM00	☐	0° camber			STD
CM02	☐	2° camber			NC
CM04	☐	4° camber			NC
CM06	☐	6° camber			NC
CM08	☐	8° camber			NC

CENTER OF GRAVITY

Specify the position of rear wheel axle plate:
Measure distance from front of back post to center of axle receiver.

0 - 6" range

Set At: (inches)

If not indicated, default setting is at 2.5"

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

WHEEL LOCK							
WL08	☐	Newton wheel lock - push to lock		PRODUCT IMPROVED			STD
WL16	☐	Aluminum push to lock with extensions					\$83
WL02	☐	Pull to lock					NC
WL04	☐	Newton grade aid push to lock (<i>works best with pneumatic or high pressure tire</i>)					\$165
WL13	☐	6" removable extension handle ¹					\$83
WL14							
WL05	☐	Scissors lock					\$155
WL99	☐	Omit wheel locks					NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

Armrests							
HEIGHT ADJUSTABLE "T" ARMREST ¹							
AR13-610	☐	25.4cm (10") Desk Length armpad ³	15.25 - 25cm (6" - 10")				\$350
AR03-812	☐	25.4cm (10") Desk Length armpad	20.32 - 30.48cm (8" - 12")				\$350
AR03-1014	☐	25.4cm (10") Desk Length armpad	25.40 - 35.56cm (10" - 14")				\$350
AR14-610	☐	35.56cm (14") Full Length armpad ³	15.25 - 25cm (6" - 10")				\$350
AR04-812	☐	35.56cm (14") Full Length armpad	20.32 - 30.48cm (8" - 12")				\$350
AR04-1014	☐	35.56cm (14") Full Length armpad	25.40 - 35.56cm (10" - 14")				\$350
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²							
AR05	☐	Tubular armrest - Short pad	20.32 - 27.94cm (8 - 11")				\$240
AR23	☐	Tubular armrest - Long pad	20.32 - 27.94cm (8 - 11")				\$240
AR06	☐	25.4cm (10") Desk Length flat armpad	20.32 - 27.94cm (8 - 11")				\$240
AR17	☐	35.56cm (14") Full Length flat armpad	20.32 - 27.94cm (8 - 11")				\$240
ARMREST OPTIONS							
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ⁴					\$165
AR99	☐	Omit armrest					NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- not available with the Ultralight non-locking backrest; 3- May have some restriction with seat-to-floor height and rear wheel

4 - Only available with "T" full length armrest; Not available with swing away and desk lenght armrests

SIDE GUARDS (not available with "T" Armrest)							
SG01	☐	Plastic side guards (<i>removable</i>)	Straight bracket -STD	Offset bracket ¹			\$210
SG03	☐	Carbon fiber side guards (<i>removable</i>)	Straight bracket -STD	Offset bracket ¹			\$315
SG06	☐	Plastic fender side guards (<i>removable</i>)	Straight bracket -STD	Offset bracket ¹			\$295
SG04	☐	Carbon fiber fender side guards (<i>removable</i>)	Straight bracket -STD	Offset bracket ¹			\$550
SG99	☐	Omit side guards					NC

1- only compatible with 0° and 2° camber; Increase width by 1/2" per side for a total of 1"

POSITIONING BELT							
SB01-S	☐	Velcro adjustable - Small 88.9cm (35") ¹					\$50
SB01-L	☐	Velcro adjustable - Long 152.40cm (60")					\$50
SB02-S	☐	Auto buckle - Small 88.9cm (35") ¹					\$95
SB02-M	☐	Auto buckle - Medium 121.92cm (48")					\$95
SB02-L	☐	Auto buckle - Long 152.40cm (60")					\$95
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")					\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")					\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 129.54cm (51")					\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")					\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")					\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")					\$205
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")					\$205
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")					\$205
SB03	☐	Hardware attachment for 2 extra points (1 pair)					\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66cm (18")					\$310
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")					\$310
SB99	☐	Omit positioning belt					STD

1- Not recommended for seat width of 45.72cm (18") and more

ACCESSORIES							
AC03	☐	Anti-tippers					\$150
AC06	☐	Cane and crutch holder	Left ☐	Right ☐			\$130
AC08	☐	Spoke guards ¹	Available: 20", 22", 24", 26"				\$125
AC10	☐	Seat pouch					\$83
AC30	☐	Newton multi-purpose pouch					\$62
AC26	☐	BodyPoint Mobility Bag					\$135
AC23	☐	Newton Backpack					\$130
AC13	☐	Tool kit					\$50
AC16	☐	Motion Composites Polo Shirt	W/S ☐	W/M ☐	W/L ☐	M/XL ☐	M/XXL ☐
			M/S ☐	M/M ☐	M/L ☐	M/XXXL ☐	\$36

1- Not available with Mag wheels and Spinerigy

Colors																					
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
																					
AirGrip	☐ \$110		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$265
Carbon Fiber Frame		☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
Camber Tube	☐ STD/NC			☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$60
																					
Highlight ³	☐		☐					☐		☐	☐			☐			☐				NC
FC99 ²	☐	Custom Color	Specify PPG Paintit color: additional 10 days lead-time																		\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;
2- Only available with carbon fiber upgrade; 3- To see different highlight, visit our website:
https://www.motioncomposites.com/en_intl/products/rigid-wheelchairs/apex-c

Notes: