



1- Purchasing information

P.O. number: * _____ Date: _____

Company Name: * _____

Purchasing contact: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

Marked for: _____

3- Shipping information

Ship to: * _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

2- Clinician information

Clinician: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

		MA043 ☐	MA044 ☐	MA045 ☐	MA046 ☐	MA047 ☐	MA048 ☐	MA090 ☐		
		English Manual (STD)	German Manual	Italian Manual	Dutch Manual	Spanish Manual	French Manual	Portuguese Manual		
*Required										taxes not included
MODEL										USD
WC11	☐	Ultralight Aluminum APEX Rigid Wheelchair (120kg /265 lb weight limit)		Triple-buttet aluminum frame / Aluminum back canes and back rigidizer / Aluminum seat rigidizer / Ultralight carbon fiber camber tube and rear frame rigidizer						\$2,895
WC21	☐	Apex Carbon fiber frame upgrade (High Gloss Carbon Fiber)		Ultralight carbon fiber frame, back canes, back rigidizer, seat rigidizer, camber tube and rear frame rigidizer.						\$1,995
EVO-R	☐	Evo Rigid - Chair resizing service*		To be used within 24 months of chair purchase						Aluminum \$750 Carbon \$1,000

*By selecting this option, I agree to the terms and conditions of the EVO-RIGID program.

https://www.motioncomposites.com/en_us/terms-and-conditions

Frame																	
SEAT WIDTH																	
SW	☐	30.48 (12")	☐	33.02 (13")	☐	35.56 (14")	☐	38.10(15")	☐	40.64(16")	☐	43.18 (17")	☐	45.72 (18")	☐	NC	
	☐	48.26 (19")	☐	50.80 (20")	☐											\$535	
SEAT DEPTH																	
SD	☐	30.48 (12")	☐	33.02 (13")	☐	35.56 (14")	☐	38.10(15")	☐	40.64(16")	☐	43.18 (17")	☐	45.72 (18")	☐	NC	
	☐	48.26 (19")	☐	50.80 (20")	☐											\$515	
FRAME LENGTH																	
SP01	☐	Standard frame length configuration ¹															STD
SP02	☐	Frame length 2.54cm (1") longer than standard configuration															NC
SP03	☐	Frame length 5.08cm (2") longer than standard configuration															NC
SP04	☐	Frame length 2.54cm (1") shorter than standard configuration															NC
SP05	☐	Frame length 5.08cm (2") shorter than standard configuration															NC
TIE-DOWN																	
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}		Short belt 50-104 (20-41")												\$365	
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}		Long belt 50-116 (20-46")												\$365	
AC35	☐	WC-19 Transit Tie Down without belt ³															\$335


1- Distance of 4.37" from end of seat upholstery to bend




2- Not available with depth adjustable back; 3- May interfere with the swing away armrest and the clamp on height adjustable push handle; Add a 3" of frame length behind backrest

4. Width calculator

FRONT Seat-to-floor height			
Caster sizes		Height available +- 1/4"	
☐	3" Caster	35.6cm to 53.3cm (14" to 21")	
☐	4" Caster	36.8cm to 53.3cm (14.5" to 21")	
☐	5" Caster	39.4cm to 53.3cm (15.5" to 21")	
☐	6" Caster	41.9cm to 53.3cm (16.5" to 21") (N/A with 90° front frame)	
		Specify desired height: (inches) _____	

Frog Legs FRONT Seat-to-floor height			
Caster Sizes		Height available +- 1/4"	
☐	3" Caster	38.7cm to 53.3cm (15.25" to 21")	
☐	4" Caster	40.0cm to 53.3cm (15.75" to 21")	
☐	5" Caster	42.54cm to 53.3cm (16.75" to 21")	
☐	6" Caster	45.08cm to 53.3cm (17.75" to 21") (N/A with 90° front frame)	
		Specify desired height: (inches) _____	



AXLES						
AX01	☐	Quick release axle				STD
AX03	☐	Quad release axle				\$135
REAR WHEEL CAMBER						
CM00	☐	0° camber				STD
CM02	☐	2° camber				NC
CM04	☐	4° camber				NC
CM06	☐	6° camber				NC
CM08	☐	8° camber				NC
CENTER OF GRAVITY						
Specify the position of rear wheel axle plate:						
Measure distance from front of back post to center of axle receiver.						
0 - 6" range Set At: _____ (inches)						
If not indicated, default setting is at 2.5"						
Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG						
WHEEL LOCK						
WL08	☐	Newton wheel lock - push to lock				STD
WL02	☐	Pull to lock				NC
WL04	☐	Newton grade aid push to lock (works best with pneumatic or high pressure tire)				\$165
WL13	☐	6" removable extension handle ¹				\$83
WL14	☐					
WL05	☐	Scissors lock				\$155
WL99	☐	Omit wheel locks				NC
1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)						
FRONT FRAME ANGLE						
FA70	☐	70° Front frame angle (carbon upgrade available with at least 1" seat slope)				NC
FA75	☐	75° Front frame angle				NC
FA80	☐	80° Front frame angle				NC
FA85	☐	85° Front frame angle				NC
FA90	☐	90° Front frame angle				NC
Seat upholstery to footplate length						
30.48 to 48.26cm (12" to 19") without high mount			Specify desired length ² :			
17.78 to 33.02cm (7" to 13") with high mount ¹			_____ (inches)			
			Required			
1- Choose high mount in the footplates section; 2- The seat upholstery to footrest length requested may not be available, depending on the configuration requested						
Footrest width / Taper selection						
Seat Width		Straight		2,5 cm (1") Taper		5cm (2") Taper
Outside Measurement (cm)		6.4cm (2 1/2") Narrower than Seat Width		11.4cm (4 1/2") Narrower than Seat Width		16.6 cm (6 1/2") Narrower than Seat Width
30.5	12"	24.1	9.5"	19.1	7.5"	
33.0	13"	26.7	10.5"	21.6	8.5"	
35.6	14"	29.2	11.5"	24.1	9.5"	
38.1	15"	31.8	12.5"	26.7	10.5"	
40.6	16"	34.3	13.5"	29.2	11.5"	24.1 9.5"
43.2	17"	36.8	14.5"	31.8	12.5"	26.7 10.5"
45.7	18"	39.4	15.5"	34.3	13.5"	29.2 11.5"
48.3	19"	41.9	16.5"	36.8	14.5"	31.8 12.5"
50.8	20"	44.5	17.5"	39.4	15.5"	34.3 13.5"
						
Note: higher than 50,8cm (20"), front STFH will reduce the footrest width up to 2,5cm (1") with a 5cm (2") taper						
FOOTPLATES						
FP12	☐	Tubular open loop ¹				STD
FP13	☐	Tubular with ABS cover				NC
FP31	☐	Newton adjustable angle - Aluminum (one piece)				\$105
FP32	☐	Newton adjustable angle - Carbon fiber (one piece with rubber inserts)				\$190
FP14	☐	Flip back, adjustable angle aluminum				\$210
FP15	☐	Flip back, adjustable angle carbon fiber				\$300
FR25	☐	High mount with adjustable angle footplate (Aluminum - one piece)				\$180
FR26	☐	High mount with adjustable angle footplate (Carbon fiber with rubber inserts - one piece)				\$250
FOOTPLATES ACCESSORIES						
FP16	☐	5.08cm (2") riser (only available with aluminum angle adjustable footplate) ²				\$78
FP09	☐	Calf strap				\$43
FP30	☐	Bodypoint Aeromesh Padded calf strap				\$125


1 - Available on: all straight frames; 2,5cm (1") taper with seat width of 14" and greater; 5cm (2") taper with seat width of 16" and greater; 2- Not available with high mount

SEATING AND BACKREST					
BACK UPHOLSTERY					
BH03	☐	Slip-on Syntech-Suede back upholstery			STD
BH04	☐	Adjustable tension Syntech-Suede back upholstery			\$180
BH99	☐	Omit Back upholstery			NC
	☐	NXT back Support		See price list	
SEAT CUSHION					
SC01	☐	5.08cm (2") Cushion			\$194
SC02	☐	7.62cm (3") Cushion			\$200
SC99	☐	Omit seat cushion			STD
	☐	NXT cushion		See price list	
FOLD DOWN BACKREST					
BC20	☐	Locking backrest			STD
BC21	☐	Ultralight non locking backrest (not locking in upright and down position) ²			\$105
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (Not available with push handles)					
BC	☐	Fixed height without push handle (30) 22.8cm/9" ☐ (31) 24.1cm/9.5" ☐ (32) 25.4cm/10" ☐ (33) 26.7cm/10.5" ☐ (34) 27.9 cm/11" ☐ (35) 29.2cm/11.5" ☐ (36) 30.5cm/12" ☐ (37) 31.7cm/12.5" ☐ (38) 33cm/13" ☐ (39) 34.3cm/13.5" ☐ (40) 35.5cm/14" ☐ (41) 35.8cm/14.5" ☐ (42) 38.1cm/15" ☐ (43) 39.4cm/15.5" ☐ (44) 40.6cm/16" ☐ (45) 41.9cm/16.5" ☐ (46) 43.2cm/17" ☐ (47) 44.5cm/17.5" ☐ (48) 45.7cm/18" ☐ (49) 47cm/18.5" ☐ (50) 48.3/19" ☐ (51) 49.5cm/19.5" ☐ (52) 50.8cm/20" ☐ (53) 52.7cm/20.5" ☐ (54) 53.3cm/21" ☐			NC
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)					
BC	☐	Straight back canes (22) 22.8 - 30.5cm ☐ (23) 30.5 - 38.1cm ☐ (24) 38.1 - 45.7cm ☐ (25) 45.7 - 53.3cm ☐			NC
Set height to: *		<i>(in increments of 1/2", measured from seat sling to top of back upholstery)</i> <i>* If not indicated, default height setting is at the lowest position</i>			
		Select back cane angle: ¹ 101° ☐ 99° ☐ 96° ☐ 93° ¹ ☐ 90° ☐ 87° ☐ 83° ☐ 80° ☐			STD

1 - If not indicated default angle setting is at 93°; 2- Maximum back cane height of 19.5" with aluminum chair

PUSH HANDLES OPTIONS (ONE option at a time)					
PH01	☐	Push handles			STD
PH05	☐	Fold down push handles			\$150
PH06-920	☐	Clamp on height adjustable push handles 22.9-50.80cm (9 - 20") ¹			\$330
PH06-923	☐	Clamp on height adjustable push handles 22.9-58.4cm (9 - 23") ¹			\$330
PH02	☐	Omit push handles			NC
STROLLER HANDLE					
PH04	☐	Stroller handle (Push handles included)			\$175

1- Not compatible with swing away armrests; Not available with 9" to 12" back canes; When the WC-19 transit tie down is selected, only the 4" rigidizer bar is available

BACKRESTS OPTIONS					
BC61	☐	Depth adjustable back - 2.54cm (1") depth adjustment ^{1,4}			\$195
BC62	☐	Depth adjustable back - 5.08cm (2") depth adjustment ^{2,4}			\$195
BC56	☐	Depth adjustable back - 7.62cm (3") depth adjustment ^{3,4}			\$195
BC57	☐	Standard 7.62cm (3") deep rigidizer bar			STD
BC55	☐	Four inch deep Aluminum rigidizer bar			NC
BC88	☐	Custom height rigidizer bar set at _____ (inches) Measured from the top of the seat sling to the center of the rigidizer - standard height is 5,7" Lowest position is 4,25"			\$135

If used in combinaison with WC-19: 1- Maximum depth of 19"; 2- Maximum depth of 18"; 3- Maximum depth of 17"; 4- Only compatible with WC-19 transit tie down **without** Q'Straint belt

ARMREST					
HEIGHT ADJUSTABLE "T" ARMREST ¹					
AR13-610	☐	25.4cm (10") Desk Length armpad ³	15.25 - 25cm (6" - 10")		\$360
AR03-812	☐	25.4cm (10") Desk Length armpad	20.32 - 30.48cm (8" - 12")		\$360
AR03-1014	☐	25.4cm (10") Desk Length armpad	25.40 - 35.56cm (10" - 14")		\$360
AR14-610	☐	35.56cm (14") Full Length armpad ³	15.25 - 25cm (6" - 10")		\$360
AR04-812	☐	35.56cm (14") Full Length armpad	20.32 - 30.48cm (8" - 12")		\$360
AR04-1014	☐	35.56cm (14") Full Length armpad	25.40 - 35.56cm (10" - 14")		\$360
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²					
AR05	☐	Tubular armrest - Short pad	20.32 - 27.94cm (8 - 11")		\$250
AR23	☐	Tubular armrest - Long pad	20.32 - 27.94cm (8 - 11")		\$250
AR06	☐	25.4cm (10") Desk Length flat armpad	20.32 - 27.94cm (8 - 11")		\$250
AR17	☐	35.56cm (14") Full Length flat armpad	20.32 - 27.94cm (8 - 11")		\$250
ARMREST OPTIONS					
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ⁴			\$165
AR99	☐	Omit armrest			NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- not available with the Ultralight non-locking backrest; 3- May have some restriction with seat-to-floor height and rear wheel

4 - Only available with "T" full length armrest; Not available with swing away and desk length armrests

ACCESSORIES							
SIDE GUARDS (not available with "T" Armrest)							
SG01	☐	Plastic side guards (removable)	Straight bracket -STD	Offset bracket ¹			\$210
SG03	☐	Carbon fiber side guards (removable)	Straight bracket -STD	Offset bracket ¹			\$315
SG06	☐	Plastic fender side guards (removable)	Straight bracket -STD	Offset bracket ¹			\$295
SG04	☐	Carbon fiber fender side guards (removable)	Straight bracket -STD	Offset bracket ¹			\$550
SG99	☐	Omit side guards					NC

1- only compatible with 0° and 2° camber; Increase width by 1/2" per side for a total of 1"

POSITIONING BELT							
SB01-S	☐	Velcro adjustable - Small 88.9cm (35") ¹					\$50
SB01-L	☐	Velcro adjustable - Long 152.40cm (60")					\$50
SB02-S	☐	Auto buckle - Small 88.9cm (35") ¹					\$95
SB02-M	☐	Auto buckle - Medium 121.92cm (48")					\$95
SB02-L	☐	Auto buckle - Long 152.40cm (60")					\$95
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")					\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")					\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 129.54cm (51")					\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")					\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")					\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")					\$205
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")					\$205
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")					\$205
SB03	☐	Hardware attachment for 2 extra points (1 pair)					\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66cm (18")					\$310
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")					\$310
SB99	☐	Omit positioning belt					STD

1- Not recommended for seat width of 45.72cm (18") and more

ACCESSORIES							
AC03	☐	Anti-tippers					\$155
AC06	☐	Cane and crutch holder	Left ☐	Right ☐			\$130
AC08	☐	Spoke guards ¹	Available: 20", 22", 24", 25" 26"				\$125
AC10	☐	Seat pouch					\$83
AC30	☐	Newton multi-purpose pouch					\$62
AC26	☐	BodyPoint Mobility Bag					\$135
AC23	☐	Newton Backpack					\$130
AC13	☐	Tool kit					\$50

1- Not available with Mag wheels and Spinergy; the 24" spoke guard will be installed on the 25" wheel

Colors																				
Options ¹	Black ⁴	High Gloss Carbon Fiber ⁴	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)
																				
AirGrip	☐	\$125	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Frame (NC)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Camber Tube	☐	STD/NC	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
																				
Highlight ³	☐	STD	☐					☐		☐	☐			☐			☐			
FC99 ²	☐	Custom Color	Specify PPG Paintit color: https://www.ppg.com/en-us/paints-and-coatings																additional 10 days lead-time	
																				\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

2- Only available with carbon fiber upgrade; 3- To see different highlight, visit our website: https://www.motioncomposites.com/en_intl/products/rigid-wheelchairs/apex-c

4- Black frame will be STD for the aluminum/High Gloss Carbon Fiber will be STD for the Carbon frame upgrade; 5- The frame color will be confirmed with the quote conversion into an order (in absence of selection, the color will be black)



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :

THORACIC SHAPE			Optima™ DEEP THORACIC BACK SUPPORT					
	WIDTH	HEIGHT	MODEL # ALUMINUM	RETAIL	✓	Repl. cover & foam	Retail	✓
	13"	7"	NOPCB1307	\$695		NIB-2240V	\$125	
	13"	9"	NOPCB1309	\$695		NIB-2241V	\$125	
	13"	13"	NOPCB1313	\$695		NIB-2242V	\$125	
	13"	16"	NOPCB1316	\$695		NIB-2243V	\$125	
	14"	7"	NOPCB1407	\$695		NIB-2244V	\$125	
	14"	9"	NOPCB1409	\$695		NIB-2245V	\$125	
	14"	13"	NOPCB1413	\$695		NIB-2246V	\$125	
	14"	16"	NOPCB1416	\$695		NIB-2247V	\$125	
	15"	7"	NOPCB1507	\$695		NIB-2248V	\$125	
	15"	9"	NOPCB1509	\$695		NIB-2249V	\$125	
	15"	13"	NOPCB1513	\$695		NIB-2250V	\$125	
	15"	16"	NOPCB1516	\$695		NIB-2251V	\$125	
	16"	7"	NOPCB1607	\$695		NIB-2252V	\$125	
	16"	9"	NOPCB1609	\$695		NIB-2253V	\$125	
	16"	13"	NOPCB1613	\$695		NIB-2254V	\$125	
	16"	16"	NOPCB1616	\$695		NIB-2255V	\$125	
	17"	7"	NOPCB1707	\$695		NIB-2257V	\$125	
	17"	9"	NOPCB1709	\$695		NIB-2258V	\$125	
	17"	13"	NOPCB1713	\$695		NIB-2259V	\$125	
	17"	16"	NOPCB1716	\$695		NIB-2260V	\$125	
	18"	7"	NOPCB1807	\$695		NIB-2262V	\$125	
	18"	9"	NOPCB1809	\$695		NIB-2263V	\$125	
	18"	13"	NOPCB1813	\$695		NIB-2264V	\$125	
	18"	16"	NOPCB1816	\$695		NIB-2265V	\$125	
	20"	7"	NOPCB2007	\$695		NIB-2269V	\$125	
	20"	9"	NOPCB2009	\$695		NIB-2270V	\$125	
	20"	13"	NOPCB2013	\$695		NIB-2271V	\$125	
	20"	16"	NOPCB2016	\$695		NIB-2272V	\$125	

PLEASE NOTE: Each back will fit widths up to 2" wider.

BACK SUPPORT HARDWARE OPTIONS

All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.

MODEL #	DESCRIPTION	WEIGHT OF HARDWARE ONLY	RETAIL	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STD	
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over standard	NC	
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over standard	NC	

BACK SUPPORT ACCESSORIES

	MODEL #	DESCRIPTION	FITS BACK WIDTH	RETAIL	QTY
	Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	\$160	
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	\$65	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	\$65	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	\$65	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	\$65	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	\$65	



Extra Outer smartx3D Cover



Extra Outer Incontinent Cover



ITEM	WIDTH X DEPTH	RETAIL	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	NXCCBF _____ V	\$125	
Extra Outer smartx ^{3D} Cover – For a cover 18" x 20" and above	NXCCBF _____ V	\$145	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	NXCCAF _____ V	\$125	
Extra Outer Incontinent Cover – For a cover 18" x 20" and above	NXCCAF _____ V	\$145	

ALL PRICES QUOTED IN USD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

		Optima Carbon™ DEEP THORACIC BACK SUPPORT CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)					
WIDTH	HEIGHT	MODEL # CARBON	RETAIL	✓	Repl. cover &	Retail	✓
13"	7"						
13"	9"						
13"	13"						
13"	16"						
14"	7"						
14"	9"	NOCFPCB1409	\$965		NIB-2245V	\$125	
14"	13"	NOCFPCB1413	\$985		NIB-2246V	\$125	
14"	16"	NOCFPCB1416	\$1,025		NIB-2247V	\$125	
15"	7"						
15"	9"	NOCFPCB1509	\$965		NIB-2249V	\$125	
15"	13"	NOCFPCB1513	\$985		NIB-2250V	\$125	
15"	16"	NOCFPCB1516	\$1,025		NIB-2251V	\$125	
16"	7"						
16"	9"	NOCFPCB1609	\$965		NIB-2253V	\$125	
16"	13"	NOCFPCB1613	\$985		NIB-2254V	\$125	
16"	16"	NOCFPCB1616	\$1,025		NIB-2255V	\$125	
17"	7"						
17"	9"	NOCFPCB1709	\$965		NIB-2258V	\$125	
17"	13"	NOCFPCB1713	\$985		NIB-2259V	\$125	
17"	16"	NOCFPCB1716	\$1,025		NIB-2260V	\$125	
18"	7"						
18"	9"	NOCFPCB1809	\$965		NIB-2263V	\$125	
18"	13"	NOCFPCB1813	\$985		NIB-2264V	\$125	
18"	16"	NOCFPCB1816	\$1,025		NIB-2265V	\$125	
20"	7"						
20"	9"	NOCFPCB2009	\$965		NIB-2270V	\$125	
20"	13"	NOCFPCB2013	\$985		NIB-2271V	\$125	
20"	16"	NOCFPCB2016	\$1,025		NIB-2272V	\$125	