


1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

3- Shipping information

Ship to:* _____

Name: _____

Address: _____

City: _____ Province: _____

Postal Code: _____

Phone: _____

2- Dealer/Representative information

Dealer/Representative:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

* Required			English Manual (STD)	Manuel Français	Taxes not included	
MODEL						
WC11	☐	Ultralight Aluminum APEX Rigid Wheelchair (265 lb weight limit)	Triple-butt aluminum frame / Aluminum back canes and back rigidizer / Aluminum seat rigidizer / Ultralight carbon fiber camber tube and rear frame rigidizer	WM0001305		\$3,745
WC21	☐	Apex Carbon fiber frame upgrade (High Gloss Carbon Fiber)	Ultralight carbon fiber frame, back canes, back rigidizer, seat rigidizer, camber tube and rear frame rigidizer.	WAMZ		\$1,450
EVO-R	☐	Evo Rigid - Chair resizing service*	To be used within 24 months of chair purchase		Aluminum Carbon	\$700 \$900

*By selecting this option, I agree to the terms and conditions of the EVO-RIGID program.

https://www.motioncomposites.com/en_us/terms-and-conditions

FRAME											
SEAT WIDTH											
SW	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			NC
	☐		19" ☐	20" ☐					WAMA		\$365
SEAT DEPTH											
SD	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			NC
	☐		19" ☐	20" ☐					WAMB		\$280
FRAME LENGTH											
SP01	☐	Standard frame length configuration ¹									STD
SP02	☐	Frame length 1" longer than standard configuration									NC
SP03	☐	Frame length 2" longer than standard configuration									NC
SP04	☐	Frame length 1" shorter than standard configuration									NC
SP05	☐	Frame length 2" shorter than standard configuration									NC
TIE-DOWN											
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Short belt 20"-41"					\$370
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}				Long belt 20"-46"					\$370
AC35	☐	WC-19 Transit Tie Down without belt ³									\$345


1- Distance of 4.37" from end of seat upholstery to bend

2- Not available with depth adjustable back; 3- May interfere with the swing away armrest and the clamp on height adjustable push handle; Add a 3" of frame length behind backrest

[4. Width calculator](#)

FRONT Seat-to-floor height		
Caster sizes	Height available +/- 1/4"	
☐ 3" Caster	14" to 21"	Specify desired height: _____ (inches)
☐ 4" Caster	14.5" to 21"	
☐ 5" Caster	15.5" to 21"	
☐ 6" Caster	16.5" to 21" (N/A with 90° front frame)	

Frog Legs FRONT Seat-to-floor height		
Caster Sizes	Height available +/- 1/4"	
☐ 3" Caster	15.25" to 21"	Specify desired height: _____ (inches)
☐ 4" Caster	15.75" to 21"	
☐ 5" Caster	16.75" to 21"	
☐ 6" Caster	17.75" to 21" (N/A with 90° front frame)	




FRONT CASTERS					
CASTERS				Available	
CA01-03 to CA01-06	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6"	NC
CA10	☐	Pneumatic casters (1 ¼")		6"	\$170
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"	\$120
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"	\$198
CASTER OPTIONS					
CA13	☐	Carbon fiber Frog Legs suspension forks			\$525

REAR Seat-to-floor height		
Wheel sizes	Height available +/- 1/4"	
☐ 20" (451) wheel	14" to 17.5"	
☐ 22" (501) wheel	14" to 18.5"	
☐ 24" (540) wheel	15" to 19.5"	
☐ 25" (559) wheel	15.5" to 20"	
☐ 26" (590) wheel	16" to 20"	

Specify desired height:

(inches)



Rear wheels													
REAR WHEELS							Available						
RW01	☐	Mag ¹					20", 22" 24"		\$150				
RW02	☐	Newton One - spoke wheel ²					20", 22" 24"		STD				
RW03	☐	Newton Gravity - ultralight wheel					20", 22", 24", 25", 26"		\$390				
RW04	☐	Spinergy Spox	Blk STD ☐	Wht ³ ☐	Blue ³ ☐	Red ³ ☐	Yel ³ ☐	22", 24", 25", 26"	\$915				
RW05	☐	Spinergy LX	Blk STD ☐	Pur ³ ☐	Wht ³ ☐	Blue ³ ☐	Red ³ ☐	Yel ³ ☐	Pink ³ ☐	Grn ³ ☐	Org ³ ☐	22", 24", 25", 26"	\$1,135
RW07	☐	Spinergy CLX ⁴	Blk STD ☐	Pur ³ ☐	Wht ³ ☐	Blue ³ ☐	Red ³ ☐	Yel ³ ☐	Pink ³ ☐	Grn ³ ☐	Org ³ ☐	24", 25"	\$1,690
TIRES <i>(The brand and color may vary depending on parts availability)</i>										Available			
AIRLESS													
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black							20", 22" 24"		NC		
TI02	☐	Soft Urethane 1 3/8 " - Medium Tread, black ⁵							22", 24", 25", 26"		\$120		
TI13	☐	Soft Urethane 1" - No tread, black - <i>Sentinel</i>							20", 22", 24", 25", 26"		\$150		
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread ⁶							22", 24", 26"		\$235		
PNEUMATIC													
TI05	☐	Pneumatic 1 3/8" - Medium Tread							20", 22", 24", 26"		STD		
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - <i>SpeedLite</i>							20", 22", 24", 25", 26"		\$130		
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>							24", 25", 26"		\$210		
TI03	☐	Pneumatic 2" - Large Tread, black							22", 24", 25"		\$140		

¹- Not compatible with HP tires; Only available with aluminum or plastic coated handrim in standard position; ²- Not compatible with Shox tires; ³- Colour spokes require an additional 10 days lead-time;

⁴- Only available with 1" tires; ⁵- The 22" is only available with Mags, Newton One and Newton Gravity wheels; ⁶- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels

Handrims					
HANDRIM				Available	
HR01	☐	Aluminum anodized		20", 22", 24", 25", 26"	STD
HR61	☐	Aluminum black hard anodized ²		20", 22", 24", 25"	\$95
HR02	☐	Plastic coated ¹		20", 22", 24", 25", 26"	WAMO \$180
HR03	☐	High friction coated ^{1,2}		22", 24", 25", 26"	WAMO \$460
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See page 6 for the color selection and price</i>		20", 22", 24", 25", 26"	WAMO
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	\$485
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"	\$515
HR04	☐	Natural Fit ^{1,2}		22", 24", 25", 26"	\$320
HR62	☐	Simi H ^{1,2} (1 3/8" Oval handrim with high friction strip)		22", 24", 25", 26"	\$485
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)		22", 24", 25", 26"	\$515
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)		22", 24", 25", 26"	\$320
HR99	☐	Omit handrim			NC

¹- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; ²- Not available with Mag wheels


³- 25" and 26" are not available in narrow position; 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

Handrims option					
ASSEMBLY POSITION					
HR29	☐	Standard Handrim position	Full tab		STD
HR030	☐	Narrow Handrim position no cut ⁴	Full tab		NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions		\$29
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions STD ☐ Short tab 1 position ⁴ ☐		\$29
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS					
HR23	☐	Standard grip			\$200
HR27	☐	Super grip			\$230
HR099	☐	Omit thumb piece			NC

³- Only available with Aluminum and Air Grip handrims; ⁴- Not available with the combination of 24" Newton Gravity, Spinergy Spox, LX, wheels and a 1 3/8" Airless insert pneumatic tire with any handrim;

AXLES				
AX01	☐	Quick release axle		\$100
AX03	☐	Quad release axle		\$280
REAR WHEEL CAMBER				
CM00	☐	0° camber		STD
CM02	☐	2° camber		NC
CM04	☐	4° camber		NC
CM06	☐	6° camber		NC
CM08	☐	8° camber		NC


CENTER OF GRAVITY	
Specify the position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver.	
0 - 6" range	Set At: _____ (inches)
If not indicated, default setting is at 2.5" Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG	




WHEEL LOCK				
WL08	☐	Newton wheel lock - push to lock		STD
WL02	☐	Pull to lock		NC
WL04	☐	Newton grade aid push to lock (<i>Works best with pneumatic or high pressure tire</i>)	WAMR	\$200
WL13 WL14	☐	6" removable extension handle ¹		\$75
WL05	☐	Scissors lock		\$200
WL99	☐	Omit wheel locks		NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

FRONT FRAME ANGLE				
FA70	☐	70° Front frame angle (<i>carbon upgrade available with at least 1" seat slope</i>)		NC
FA75	☐	75° Front frame angle		NC
FA80	☐	80° Front frame angle		NC
FA85	☐	85° Front frame angle		NC
FA90	☐	90° Front frame angle		NC




Seat upholstery to footplate length	
12" to 19" without high mount 7" to 13" with high mount ¹	Specify desired length ² : _____ (inches) Required



1- Choose high mount in the footplates section; 2- The seat upholstery to footrest length requested may not be available, depending on the configuration requested

Footrest width / Taper selection				
Seat Width	Straight	1" Taper	2" Taper	
Outside Measurement	2 ½" Narrower than Seat Width	4 ½" Narrower than Seat Width	6 ½" Narrower than Seat Width	
12"	9.5"	7.5"		
13"	10.5"	8.5"		
14"	11.5"	9.5"		
15"	12.5"	10.5"		
16"	13.5"	11.5"	9.5"	
17"	14.5"	12.5"	10.5"	
18"	15.5"	13.5"	11.5"	
19"	16.5"	14.5"	12.5"	
20"	17.5"	15.5"	13.5"	




Note: higher than 20" Front STFH will reduce the footrest width up to 1" with a 2" taper

FOOTPLATES				
FP12	☐	Tubular open loop ¹		STD
FP13	☐	Tubular with ABS cover		NC
FP31	☐	Newton adjustable angle - Aluminum (<i>one piece</i>)	WAMJ / SEFND0015	\$105
FP32	☐	Newton adjustable angle - Carbon fiber (<i>one piece with rubber inserts</i>)	WAMJ / SEFND0015	\$210
FP14	☐	Flip back, adjustable angle aluminum	WAMJ / SEFND0015	\$240
FP15	☐	Flip back, adjustable angle carbon fiber	WAMJ / SEFND0015	\$355
FR25	☐	High mount with adjustable angle footplate (<i>Aluminum - one piece</i>)		\$200
FR26	☐	High mount with adjustable angle footplate (<i>Carbon fiber with rubber inserts - one piece</i>)		\$280
FOOTPLATES ACCESSORIES				
FP16	☐	2" riser (<i>only available with aluminum angle adjustable footplate</i>) ²	SEFND0030	\$105
FP09	☐	Calf strap	SEFND0010	\$62
FP30	☐	Bodypoint Aeromesh Padded calf strap	SEFND0010	\$145

1 - Available on: all straight frames; 1" taper with seat width of 14" and greater; 2" taper with seat width of 16" and greater

2 - Not available with high mount


SEATING AND BACKREST

BACK UPHOLSTERY											
BH03	☐	Slip-on Syntech-Suede back upholstery			STD						
BH04	☐	Adjustable tension Syntech-Suede back upholstery	WAMD/WAME		\$260						
BH99	☐	Omit Back upholstery			NC						
	☐	NXT back Support		See price list							
SEAT CUSHION											
SC01	☐	2" Cushion			\$205						
SC02	☐	3" Cushion			\$275						
SC99	☐	Omit seat cushion			STD						
	☐	NXT cushion		See price list							
FOLD DOWN BACKREST											
BC20	☐	Locking backrest			STD						
BC21	☐	Ultralight non locking backrest (not locking in upright and down position) ²			\$105						
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (Not available with push handles)											
BC	☐	Fixed height without push handle	(30) 9" ☐	(31) 9.5" ☐	(32) 10" ☐	(33) 10.5" ☐	(34) 11" ☐	NC			
		(35) 11.5" ☐	(36) 12" ☐	(37) 12.5" ☐	(38) 13" ☐	(39) 13.5" ☐	(40) 14" ☐		(41) 14.5" ☐		
		(42) 15" ☐	(43) 15.5" ☐	(44) 16" ☐	(45) 16.5" ☐	(46) 17" ☐	(47) 17.5" ☐		(48) 18" ☐		
		(49) 18.5" ☐	(50) 19" ☐	(51) 19.5" ☐	(52) 20" ☐	(53) 20.5" ☐	(54) 21" ☐				
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)											
BC	☐	Straight back canes						NC			
		(22) 9 - 12" ☐	(23) 12 - 15" ☐	(24) 15 - 18" ☐	(25) 18 - 21" ☐						
Set height to: *		(in increments of 1/2", measured from seat sling to top of back upholstery) * If not indicated, default height setting is at the lowest position									
Select back cane angle: ¹		101° ☐	99° ☐	96° ☐	93° ☐	90° ☐	87° ☐	83° ☐	80° ☐		STD

1- If not indicated default angle setting is at 93"; 2- Maximum back cane height of 19.5" with aluminum chair

PUSH HANDLES OPTIONS (ONE option at a time)					
PH01	☐	Push handles			STD
PH05	☐	Fold down push handles			\$165
PH06-920	☐	Clamp on height adjustable push handles 9 - 20" ¹			\$345
PH06-923	☐	Clamp on height adjustable push handles 9 - 23" ¹			\$345
PH02	☐	Omit push handles			NC
STROLLER HANDLE					
PH04	☐	Stroller handle (Push handles included)		WAMW	\$220

1- Not compatible with swing away armrests; Not available with 9" to 12" back canes; When the WC-19 transit tie down is selected, only the 4" rigidizer bar is available

BACKRESTS OPTIONS					
BC61	☐	Depth adjustable back - 1" depth adjustment ^{1,4}			\$260
BC62	☐	Depth adjustable back - 2" depth adjustment ^{2,4}			\$260
BC56	☐	Depth adjustable back - 3" depth adjustment ^{3,4}			\$260
BC57	☐	Standard 3 inch deep rigidizer bar			STD
BC55	☐	Four inch deep Aluminum rigidizer bar			NC
BC88	☐	Custom height rigidizer bar set at _____ (inches) <i>Measured from the top of the seat sling to the center of the rigidizer - standard height is 5,7"</i> <i>Lowest position is 4,25"</i>			\$135

If used in combinaison with WC-19: 1- Maximum depth of 19"; 2- Maximum depth of 18"; 3- Maximum depth of 17"; 4- Only compatible with WC-19 transit tie down without Q'Straint belt

ARMREST					
HEIGHT ADJUSTABLE "T" ARMREST ¹					
AR13-610	☐	10" Desk length armpad ³	6" - 10"		\$385
AR03-812	☐	10" Desk length armpad	8" - 12"		\$385
AR03-1014	☐	10" Desk length armpad	10" - 14"		\$385
AR14-610	☐	14" Full length armpad ³	6" - 10"		\$385
AR04-812	☐	14" Full length armpad	8" - 12"		\$385
AR04-1014	☐	14" Full length armpad	10" - 14"		\$385
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²					
AR05	☐	Tubular armrest - short pad	8" - 11"		\$325
AR23	☐	Tubular armrest - long pad	8" - 11"		\$325
AR06	☐	10" Desk length flat armpad	8" - 11"		\$325
AR17	☐	14" Full length flat armpad	8" - 11"		\$325
ARMREST OPTIONS					
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ⁴		SEAND0030	\$160
AR99	☐	Omit armrest			NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- not available with the Ultralight non-locking backrest; 3- May have some restriction with seat-to-floor height and rear wheel

4-Only available with "T" full length armrest; Not available with swing away and desk lenght armrests

ACCESSORIES								
SIDE GUARDS (not available with "T" Armrest)								
SG01	☐	Plastic side guards (removable)	Straight bracket -STD	Offset bracket ¹	WAMV			\$235
SG03	☐	Carbon fiber side guards (removable)	Straight bracket -STD	Offset bracket ¹	WAMV			\$320
SG06	☐	Plastic fender side guards (removable)	Straight bracket -STD	Offset bracket ¹	WAMV			\$340
SG04	☐	Carbon fiber fender side guards (removable)	Straight bracket -STD	Offset bracket ¹	WAMV			\$535
SG99	☐	Omit side guards						NC


1- only compatible with 0° and 2° camber; Increase width by 1/2" per side for a total of 1"

POSITIONING BELT								
SB01-S	☐	Velcro adjustable - Small 35" ¹						\$50
SB01-L	☐	Velcro adjustable - Long 60"						\$50
SB02-S	☐	Auto buckle - Small 35" ¹						\$80
SB02-M	☐	Auto buckle - Medium 48"						\$80
SB02-L	☐	Auto buckle - Long 60"						\$80
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"						\$105
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"						\$105
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"			SERND0030			\$195
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"			SERND0030			\$195
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"			SERND0030			\$195
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"			SERND0020			\$220
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"			SERND0020			\$220
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"			SERND0020			\$220
SB03	☐	Hardware attachment for 2 extra points (1 pair)						\$15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"						\$365
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"						\$365
SB99	☐	Omit positioning belt						STD

1- Not recommended for seat width of 18" and more

ACCESSORIES								
AC03	☐	Anti-tippers						\$125
AC06	☐	Cane and crutch holder	Left ☐	Right ☐				\$115
AC08	☐	Spoke guards ¹	Available: 20", 22", 24", 25", 26"			WAMP		\$165
AC10	☐	Seat pouch						\$105
AC30	☐	Newton multi-purpose pouch						\$80
AC26	☐	BodyPoint Mobility Bag						\$150
AC23	☐	Newton Backpack						\$135
AC13	☐	Tool kit						\$60

1- Not available with Mag wheels and Spinerigy; the 24" spoke guard will be installed on the 25" wheel

Colors																					
Options ¹	Black ⁴	High Gloss Carbon Fiber ⁴	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
																					
AirGrip	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$350
Frame (NC)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	TBD ⁵
Camber Tube	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$75
																					
Highlight ³	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
FC99 ²	☐	Custom Color	Specify PPG Paintit color: additional 10 days lead-time																		\$422

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.;

Finish between Airgrip and frame might be different;

2- Only available with carbon fiber upgrade; 3- To see different highlight, visit our website: https://www.motioncomposites.com/en_ca/products/rigid-wheelchairs/apex-c

4 - Black frame will be STD for the aluminum/High Gloss Carbon Fiber will be STD for the Carbon frame upgrade;

5 - The frame color will be confirmed with the quote conversion into an order (in absence of selection, the color will be black)



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :

THORACIC SHAPE			Optima™ DEEP THORACIC BACK SUPPORT					
	WIDTH	HEIGHT	MODEL # ALUMINUM	RETAIL	✓	Repl. cover & foam	Retail	✓
	13"	7"	NOPCB1307	\$990		NIB-2240V	\$156	
	13"	9"	NOPCB1309	\$990		NIB-2241V	\$156	
	13"	13"	NOPCB1313	\$990		NIB-2242V	\$156	
	13"	16"	NOPCB1316	\$990		NIB-2243V	\$156	
	14"	7"	NOPCB1407	\$990		NIB-2244V	\$156	
	14"	9"	NOPCB1409	\$990		NIB-2245V	\$156	
	14"	13"	NOPCB1413	\$990		NIB-2246V	\$156	
	14"	16"	NOPCB1416	\$990		NIB-2247V	\$156	
	15"	7"	NOPCB1507	\$990		NIB-2248V	\$156	
	15"	9"	NOPCB1509	\$990		NIB-2249V	\$156	
	15"	13"	NOPCB1513	\$990		NIB-2250V	\$156	
	15"	16"	NOPCB1516	\$990		NIB-2251V	\$156	
	16"	7"	NOPCB1607	\$990		NIB-2252V	\$156	
	16"	9"	NOPCB1609	\$990		NIB-2253V	\$156	
	16"	13"	NOPCB1613	\$990		NIB-2254V	\$156	
	16"	16"	NOPCB1616	\$990		NIB-2255V	\$156	
	17"	7"	NOPCB1707	\$990		NIB-2257V	\$156	
	17"	9"	NOPCB1709	\$990		NIB-2258V	\$156	
	17"	13"	NOPCB1713	\$990		NIB-2259V	\$156	
	17"	16"	NOPCB1716	\$990		NIB-2260V	\$156	
	18"	7"	NOPCB1807	\$990		NIB-2262V	\$156	
	18"	9"	NOPCB1809	\$990		NIB-2263V	\$156	
	18"	13"	NOPCB1813	\$990		NIB-2264V	\$156	
	18"	16"	NOPCB1816	\$990		NIB-2265V	\$156	
	20"	7"	NOPCB2007	\$990		NIB-2269V	\$156	
	20"	9"	NOPCB2009	\$990		NIB-2270V	\$156	
	20"	13"	NOPCB2013	\$990		NIB-2271V	\$156	
	20"	16"	NOPCB2016	\$990		NIB-2272V	\$156	

PLEASE NOTE: Each back will fit widths up to 2" wider.

BACK SUPPORT HARDWARE OPTIONS

All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.


MODEL #	DESCRIPTION	WEIGHT OF HARDWARE ONLY	RETAIL	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STD	
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over standard	NC	
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over standard	NC	

BACK SUPPORT ACCESSORIES

	MODEL #	DESCRIPTION	FITS BACK WIDTH	RETAIL	QTY
	Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	\$246	
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	\$84	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	\$84	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	\$84	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	\$84	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	\$84	

EXTRA COVERS

Extra Outer smartx3D Cover



Extra Outer Incontinent Cover



ITEM	WIDTH X DEPTH	RETAIL	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	NXCCBF _____ V	\$156	
Extra Outer smartx ^{3D} Cover – For a cover 18" x 20" and above	NXCCBF _____ V	\$180	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	NXCCAF _____ V	\$156	
Extra Outer Incontinent Cover – For a cover 18" x 20" and above	NXCCAF _____ V	\$180	

ALL PRICES QUOTED IN CAD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

		Optima Carbon™ DEEP THORACIC BACK SUPPORT CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)					
WIDTH	HEIGHT	MODEL # CARBON	RETAIL	✓	Repl. cover &	Retail	✓
13"	7"						
13"	9"						
13"	13"						
13"	16"						
14"	7"						
14"	9"	NOCFPCB1409	\$1,500		NIB-2245V	\$156	
14"	13"	NOCFPCB1413	\$1,500		NIB-2246V	\$156	
14"	16"	NOCFPCB1416	\$1,500		NIB-2247V	\$156	
15"	7"						
15"	9"	NOCFPCB1509	\$1,500		NIB-2249V	\$156	
15"	13"	NOCFPCB1513	\$1,500		NIB-2250V	\$156	
15"	16"	NOCFPCB1516	\$1,500		NIB-2251V	\$156	
16"	7"						
16"	9"	NOCFPCB1609	\$1,500		NIB-2253V	\$156	
16"	13"	NOCFPCB1613	\$1,500		NIB-2254V	\$156	
16"	16"	NOCFPCB1616	\$1,500		NIB-2255V	\$156	
17"	7"						
17"	9"	NOCFPCB1709	\$1,500		NIB-2258V	\$156	
17"	13"	NOCFPCB1713	\$1,500		NIB-2259V	\$156	
17"	16"	NOCFPCB1716	\$1,500		NIB-2260V	\$156	
18"	7"						
18"	9"	NOCFPCB1809	\$1,500		NIB-2263V	\$156	
18"	13"	NOCFPCB1813	\$1,500		NIB-2264V	\$156	
18"	16"	NOCFPCB1816	\$1,500		NIB-2265V	\$156	
20"	7"						
20"	9"	NOCFPCB2009	\$1,500		NIB-2270V	\$156	
20"	13"	NOCFPCB2013	\$1,500		NIB-2271V	\$156	
20"	16"	NOCFPCB2016	\$1,500		NIB-2272V	\$156	