



P.O. number:*	Date:
Company Name: *	Phone:*
Purchasing contact:*	
Clinician/Sales rep/ATP:	
Email:	
Marked for:	


Ship to:*	
Name:	
Address:	
City:	State:
Postal Code:	
Phone:	

MA042 ☐	MA049 ☐	
English Manual (STD)	Spanish Manual	Taxes not included

SEAT WIDTH												
3	SW	Seat width:	12" □	13" □	14" □	15" □	16" □	17" □	18" □	19" □	NC	□
4	SW	Seat width:	20" □							E2201	\$495	□


FRAME LENGTH					
7	SP01	Standard frame length configuration ¹		STD	☐
8	SP02	Frame length 1" longer than standard configuration		NC	☐
9	SP03	Frame length 2" longer than standard configuration		NC	☐
10	SP04	Frame length 1" shorter than standard configuration		NC	☐
11	SP05	Frame length 2" shorter than standard configuration		NC	☐

FRONT Seat-to-floor height		
Caster sizes	Height available +/- 1/4"	
3" Caster	14" to 21"	Specify desired height: (inches)
4" Caster	14.5" to 21"	
5" Caster	15.5" to 21"	
6" Caster	16.5" to 21" (N/A with 90° front frame)	




CASTERS									
12	CA01	Composite wheel w/ PU tire (1" width)	3" ☐	4" ☐	5" ☐	6" ☐		NC	☐
13	CA10	Pneumatic casters 6" x 1 ¼"					E2214/E2215	\$160	☐
14	CA14	Newton UltraCaster Soft-Roll Composite	4" x 1 ½ "					\$85	☐
15	CA15		5" x 1 ½ "					\$85	☐
16	CA16		6" x 1 ½ "					\$85	☐
17	CA17		4" x 1 ½ "					\$185	☐
18	CA18		5" x 1 ½ "					\$195	☐
19	CA19	Newton UltraCaster Soft-Roll Aluminum	6" x 1 ½ "					\$205	☐
CASTER OPTIONS									
20	CA13	Carbon fiber Frog Legs suspension forks					E1015	\$475	☐

REAR Seat-to-floor height		
Wheel sizes	Height available +- 1/4"	
20" (451) wheel ☐	14" to 17.5"	Specify desired height: _____ (inches)
22" (501) wheel ☐	14" to 18.5"	
24" (540) wheel ☐	15" to 19.5"	
25" (559) wheel ☐	15.5" to 20"	
26" (590) wheel ☐	16" to 20"	



FRONT FRAME ANGLE					
21	FA70	70° Front frame angle		NC	☐
22	FA75	75° Front frame angle		NC	☐
23	FA80	80° Front frame angle		NC	☐
24	FA85	85° Front frame angle		NC	☐
25	FA90	90° Front frame angle		NC	☐

Seat upholstery to footplate length	
12" to 19" without high mount	Specify desired length: _____ (inches) <i>Required</i>
7" to 13" with high mount ¹	



1- Choose high mount in the footplates section

Footrest width / Taper selection					
Seat Width	Straight	1" Taper	2" Taper		
Outside Measurement	2 ½" Narrower than Seat Width	4 ½" Narrower than Seat Width	6 ½" Narrower than Seat Width		
12"	9.5"	7.5"			
13"	10.5"	8.5"			
14"	11.5"	9.5"			
15"	12.5"	10.5"			
16"	13.5"	11.5"	9.5"		
17"	14.5"	12.5"	10.5"		
18"	15.5"	13.5"	11.5"		
19"	16.5"	14.5"	12.5"		
20"	17.5"	15.5"	13.5"		


Note: higher than 20" Front STFH will reduce the footrest width up to 1" with a 2" taper

FOOTPLATES					
26	FP12	Tubular open loop ¹		STD	☐
27	FP13	Tubular with ABS cover	K0040	NC	☐
28	FP31	Adjustable angle - Aluminum (<i>one piece</i>)	K0040	\$95	☐
29	FP32	Newton adjustable angle - Carbon fiber (<i>one piece with rubber inserts</i>)		\$185	☐
30	FP14	Flip back, adjustable angle aluminum	K0040	\$195	☐
31	FP15	Flip back, adjustable angle carbon fiber		\$290	☐
32	FR25	High mount with adjustable angle footplate (<i>Aluminum - one piece</i>)	K0040	\$165	☐
33	FR26	High mount with adjustable angle footplate (<i>Carbon fiber with rubber inserts - one piece</i>)		\$245	☐
FOOTPLATES ACCESSORIES					
34	FP16	2" riser (<i>only available with aluminum angle adjustable footplate</i>) ²		\$75	☐
35	FP09	Calf strap	K0038	\$35	☐
36	FP30	Bodypoint Aeromesh Padded calf strap	K0038	\$115	☐

1 - Available on: all straight frames; 1" taper with seat width of 14" and greater; 2" taper with seat width of 16" and greater

2 - Not available with high mount

Backrest					
FOLD DOWN BACKREST					
37	BC20	Locking backrest		STD	☐
38	BC21	Ultralight non locking backrest (not locking in upright and down position)		\$100	☐
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (NO PUSH HANDLE)					
39	BC	Fixed height without push handle	(30) 9" ☐	(31) 9.5" ☐	(32) 10" ☐
			(33) 10.5" ☐	(34) 11" ☐	
			(35) 11.5" ☐	(36) 12" ☐	(37) 12.5" ☐
			(38) 13" ☐	(39) 13.5" ☐	(40) 14" ☐
			(41) 14.5" ☐	(42) 15" ☐	(43) 15.5" ☐
			(44) 16" ☐	(45) 16.5" ☐	(46) 17" ☐
			(47) 17.5" ☐	(48) 18" ☐	
			(49) 18.5" ☐	(50) 19" ☐	(51) 19.5" ☐
			(52) 20" ☐	(53) 20.5" ☐	(54) 21" ☐
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS					
40	BC	Straight back canes	(22) 9 - 12" ☐	(23) 12 - 15" ☐	(24) 15 - 18" ☐
			(25) 18 - 21" ☐		
Set height to: *		(in increments of 1/2", measured from seat sling to top of back upholstery) * If not indicated, default height setting is at the lowest position			
41		Select back cane angle: ¹	101° ☐	99° ☐	96° ☐
			93° ¹ ☐	90° ☐	87° ☐
			83° ☐	80° ☐	




1 - If not indicated default angle setting is at 93°

PUSH HANDLE OPTIONS					
42	PH01	Push handles		STD	☐
43	PH05	Fold down push handles ¹		\$126	☐
44	PH06	Clamp on height adjustable push handle ^{1,2}	9 - 20" STD ☐	\$315	☐
45	PH02	Omit push handles	9-23" ☐	NC	☐

1- 265 pounds weight limit

2 - Not compatible with swing away armrests;

BACKRESTS OPTIONS					
46	BC56	Depth adjustable back (<i>provides 3" of depth adjustment</i>) ^{2,3}		\$190	☐
47	BC57	Standard 3 inch deep rigidizer bar		STD	☐
48	BC55	Four inch deep Aluminum rigidizer bar ¹		NC	☐
49	BC88	Custom height rigidizer bar set at _____ (inches) Measured from the top of the seat sling to the center of the rigidizer - standard height is 5,7" Lowest position is 4,25"		\$130	☐



1- Only available with seat width of 14" and more

2- Not available with seat depths of 18" and more

3- Not available with WC-19

BACK UPHOLSTERY									
50	BH03	Slip-on Syntech-Suede back upholstery						STD	☐
51	BH04	Adjustable tension Syntech-Suede back upholstery					E2611	\$300	☐
52	BH99	Omit Back upholstery						NC	☐
SEAT CUSHION									
53	SC01	2" Cushion					E2601	\$165	☐
54	SC02	3" Cushion					E2601	\$185	☐
55	SC99	Omit seat cushion						STD	☐

Rear wheels													
REAR WHEELS													
56	RW01	Mag ¹	20" ☐	22" ☐	24" ☐						\$55	☐	
57	RW02	Newton One - spoke wheel ²	20" ☐	22" ☐	24" ☐						STD	☐	
58	RW03	Newton Gravity - ultralight wheel	20" ☐	22" ☐	24" ☐	25" ☐	26" ☐				\$315	☐	
59	RW04	Spinergy Spox		22" ☐	24" ☐	25" ☐	26" ☐				\$835	☐	
60		Spinergy Spox spokes colors ³	Blk STD ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐				NC	☐	
61	RW05	Spinergy LX		22" ☐	24" ☐	25" ☐	26" ☐				\$1 045	☐	
62		Spinergy LX spokes colors ³	Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐	NC	☐
63	RW07	Spinergy CLX Carbon Blade ²			24" ☐	25" ☐						\$1 555	☐
64		Spinergy CLX spokes colors ³	Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐	NC	☐
TIRES										Available			
65	TI01	Soft Urethane 1 3/8 "				20", 22" 24"				E2218	NC	☐	
66	TI02	Soft Urethane knobby 1 3/8"				22", 24", 25", 26"				E2218	\$95	☐	
67	TI04	Soft Urethane - Shox 1"				22", 24", 25", 26"				E2218	\$115	☐	
68	TI05	Pneumatic 1 3/8 "				20", 22", 24", 25", 26"				E2211/E2212	STD	☐	
69	TI08	Pneumatic with Airless insert 1 3/8" ⁴				22", 24", 26"				E2211/E2213	\$80	☐	
70	TI06	Pneumatic HP - 1"				20", 22", 24", 25", 26"				E2211/E2212	\$95	☐	
71	TI07	Pneumatic HP - Puncture resistant, black 1"				24", 25", 26"				E2211/E2212	\$125	☐	

1 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position
2- Not compatible with Shox tires


3 - Colour spokes require an additionnal 10 days lead-time
4- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims												
HANDRIMS												
72	HR01	Aluminum anodized									STD	☐
73	HR61	Black aluminum hard anodized ^{1,3}									\$70	☐
74	HR02	Plastic coated ²									\$100	☐
75	HR03	Q-Grip High friction Neoprene coated ^{2,3,4}									\$370	☐
76	HR07	Newton Air Grip ³	Black ☐								\$100	☐
77	HR	Newton Air Grip ³	(08) Sunkissed Orange ☐	(09) Burgundy ☐	(10) Sapphire Blue ☐	(11) Monster Green ☐	(12) Charcoal ☐	(13) Fuchsia ☐	(14) Steel Blue ☐		\$250	☐
			(15) Ferrari Red ☐	(16) Acid Green ☐	(17) White ☐	(18) Sky Blue ☐						
78	HR99	Omit handrim									NC	☐

1 - Not available in 26"
2 - Only standard handrim position available
3 - Not available with Mag wheels
4 - Not available in 20"

Handrims option												
Assembly position for aluminum and Newton AirGrip handrims												
79	HR29	Standard Handrim position			Full tab						STD	☐
80	HR30	Narrow Handrim position			Short tab 2 positions						\$27	☐
81	HR31	Super Narrow Handrim			Short tab 2 positions STD ☐			Short tab 1 position ☐			\$27	☐

AXLES				
82	AX01	Quick release axle		☐
83	AX03	Quad release axle	K0108	STD \$125 ☐
REAR WHEEL CAMBER				
84	CM00	0° camber		STD ☐
85	CM02	2° camber		NC ☐
86	CM04	4° camber		NC ☐
87	CM06	6° camber		NC ☐
88	CM08	8° camber		NC ☐

CENTER OF GRAVITY	
Specify the position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver. 0 - 6" range Set At: _____ (inches) <i>If not indicated, default setting is at 2.5"</i> <i>If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.</i>	
	

WHEEL LOCK				
89	WL08	Newton wheel lock - push to lock		STD ☐
90	WL04	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)	E0974	\$150 ☐
91	WL13 WL14	6" removable extension handle	E0961	\$75 ☐
92	WL05	Scissor lock		\$150 ☐
93	WL99	Omit wheel locks		NC ☐

Armrests					
"T" ARMREST ¹			Height Adjustment		
94	AR03	10" Desk Length	8 - 12" STD ☐	10 - 14" ☐	E0973 \$325 ☐
95	AR04	14" Full Length	8 - 12" STD ☐	10 - 14" ☐	E0973 \$325 ☐
SWING AWAY ARMREST ²			Height Adjustment		
96	AR05	Tubular arm pad	8 - 11"		E0973 \$225 ☐
97	AR06	10" Desk length arm pad	8 - 11"		E0973 \$225 ☐
98	AR99	Omit armrest			NC ☐

1 - May have a 1/2 " adjustment restriction on both limits of the range 2 - not available with the Ultralight non-locking backrest

SIDE GUARDS (not available with "T" Armrest)				
99	SG01	Plastic side guards (removable)	K0108	\$195 ☐
100	SG03	Carbon fiber side guards (removable)	K0108	\$290 ☐
101	SG06	Plastic fender side guards (removable) ¹		\$285 ☐
102	SG04	Carbon fiber fender side guards (removable)	K0108	\$540 ☐
103	SG99	Omit side guards		NC ☐
SIDE GUARDS OPTION				
104	SG07	Side guard clip (pair)		NC ☐

1 - Not compatible with 20" and 22" rear wheels

POSITIONING BELT								
105	SB01	Velcro adjustable	Standard 35" ☐	Long 60" ☐		E0978	\$45	☐
106	SB02	Auto buckle	Standard 35" ☐	Long 60" ☐		E0978	\$85	☐
107	SB07	Hardware attachment for 2 point seatbelt <i>(pair)</i>					NC	☐
108	SB03	Additional hardware for 2 extra attachment points <i>(needed for the 4 point seat belt) (pair)</i>					\$16	☐
109	SB04	BodyPoint Hip Belt - 2 point non padded		Medium 56" ☐ Long 61" ☐		E0978	\$80	☐
110	SB05	BodyPoint Hip Belt - 2 point padded	Small 51" ☐	Medium 56" ☐ Long 61" ☐		E0978	\$170	☐
111	SB06	BodyPoint Hip Belt - 4 point padded	Small 51" ☐	Medium 56" ☐ Long 61" ☐		E0978	\$190	☐
112	SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps		Medium 18" ☐ Long 24" ☐		K0108	\$300	☐
113	SB99	Omit positioning belt					STD	☐

ACCESSORIES								
114	AC03	Anti-tippers				E0971	\$140	☐
115	AC05	WC-19 Transit Tie Down w/Q'straint belt ¹	Short belt 20-41" ☐	Long belt 20-46" ☐			\$335	☐
116	AC08	Spoke guards ²	Available: 20", 22", 24", 26"			K0065	\$115	☐
117	AC10	Seat pouch					\$80	☐
118	AC30	Newton sanitizing multi-purpose pouch					\$60	☐
119	AC26	BodyPoint Mobility Bag					\$130	☐
120	AC23	Newton Backpack					\$125	☐
121	AC13	Tool kit					\$50	☐
122	AC16	Motion Composites Polo Shirt	W/S ☐ M/S ☐	W/M ☐ M/M ☐	W/L ☐ M/L ☐	M/XL ☐ M/XXL ☐ M/XXXL ☐ M/XXXXL ☐	\$35	☐
123	AC15	Military Patches	Army ☐	Navy ☐	Air Force ☐	Marines ☐ Coast Guard ☐	\$95	☐
124	AC15	Combat Wounded Purple Heart Patch					\$95	☐


1 - May interfere with the swing away armrest and the clamp on height adjustable push handle
2 - Not available with Mag wheels and Spinergy

COLOR								
125	FC	Highlight color:	(10) Ferrari Red ☐	(11) White ☐	(12) Black ☐ (13) Sunkissed Orange ☐		NC	☐
			(14) Sky Blue ☐	(15) Fuchsia ☐	(16) Acid Green ☐			

						Total		
--	--	--	--	--	--	-------	--	--

Notes :

BioFit™ CUSHION		WIDTH									
DEPTH		12"	13"	14"	15"	16"	17"	18"	19"	20"	
	12"	☐ \$425	☐ \$425	☐ \$425							
	14"	☐ \$425	☐ \$425	☐ \$425							
	15"		☐ \$425	☐ \$425	☐ \$425						
	16"		☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	
	17"				☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	
	18"				☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	
	19"				☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	
	20"				☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	☐ \$455	
		Optional Incontinent / Infection Control Outer Cover NXCCAF__ __ __ V ☐ \$N/C									


NXCBF__ __ __
(W" x D")

HCPCS CODE: E2607-E2608

THORACIC SHAPE	Optima™ THORACIC BACK SUPPORT						Optima™ DEEP THORACIC BACK SUPPORT					
	CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)						CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)					
	HCPCS CODE: E2620-E2621						HCPCS CODE: E2620-E2621					
	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum
	13"-15"	7"			NOACB1307	☐ \$660	13"-15"	7"			NOPCB1307	☐ \$660
	13"-15"	9"			NOACB1309	☐ \$660	13"-15"	9"			NOPCB1309	☐ \$660
	13"-15"	13"			NOACB1313	☐ \$660	13"-15"	13"			NOPCB1313	☐ \$660
	13"-15"	16"			NOACB1316	☐ \$660	13"-15"	16"			NOPCB1316	☐ \$660
	14"-16"	7"			NOACB1407	☐ \$660	14"-16"	7"			NOPCB1407	☐ \$660
	14"-16"	9"	NOCFACB1409	☐ \$870	NOACB1409	☐ \$660	14"-16"	9"	NOCFPCB1409	☐ \$965	NOPCB1409	☐ \$660
	14"-16"	13"	NOCFACB1413	☐ \$900	NOACB1413	☐ \$660	14"-16"	13"	NOCFPCB1413	☐ \$985	NOPCB1413	☐ \$660
	14"-16"	16"	NOCFACB1416	☐ \$930	NOACB1416	☐ \$660	14"-16"	16"	NOCFPCB1416	☐ \$1025	NOPCB1416	☐ \$660
	15"-17"	7"			NOACB1507	☐ \$660	15"-17"	7"			NOPCB1507	☐ \$660
	15"-17"	9"	NOCFACB1509	☐ \$870	NOACB1509	☐ \$660	15"-17"	9"	NOCFPCB1509	☐ \$965	NOPCB1509	☐ \$660
	15"-17"	13"	NOCFACB1513	☐ \$900	NOACB1513	☐ \$660	15"-17"	13"	NOCFPCB1513	☐ \$985	NOPCB1513	☐ \$660
	15"-17"	16"	NOCFACB1516	☐ \$930	NOACB1516	☐ \$660	15"-17"	16"	NOCFPCB1516	☐ \$1025	NOPCB1516	☐ \$660
	16"-18"	7"			NOACB1607	☐ \$660	16"-18"	7"			NOPCB1607	☐ \$660
	16"-18"	9"	NOCFACB1609	☐ \$870	NOACB1609	☐ \$660	16"-18"	9"	NOCFPCB1609	☐ \$965	NOPCB1609	☐ \$660
	16"-18"	13"	NOCFACB1613	☐ \$900	NOACB1613	☐ \$660	16"-18"	13"	NOCFPCB1613	☐ \$985	NOPCB1613	☐ \$660
	16"-18"	16"	NOCFACB1616	☐ \$930	NOACB1616	☐ \$660	16"-18"	16"	NOCFPCB1616	☐ \$1025	NOPCB1616	☐ \$660
	17"-19"	7"			NOACB1707	☐ \$660	17"-19"	7"			NOPCB1707	☐ \$660
	17"-19"	9"	NOCFACB1709	☐ \$870	NOACB1709	☐ \$660	17"-19"	9"	NOCFPCB1709	☐ \$965	NOPCB1709	☐ \$660
	17"-19"	13"	NOCFACB1713	☐ \$900	NOACB1713	☐ \$660	17"-19"	13"	NOCFPCB1713	☐ \$985	NOPCB1713	☐ \$660
	17"-19"	16"	NOCFACB1716	☐ \$930	NOACB1716	☐ \$660	17"-19"	16"	NOCFPCB1716	☐ \$1025	NOPCB1716	☐ \$660
	18"-20"	7"			NOACB1807	☐ \$660	18"-20"	7"			NOPCB1807	☐ \$660
	18"-20"	9"	NOCFACB1809	☐ \$870	NOACB1809	☐ \$660	18"-20"	9"	NOCFPCB1809	☐ \$965	NOPCB1809	☐ \$660
	18"-20"	13"	NOCFACB1813	☐ \$900	NOACB1813	☐ \$660	18"-20"	13"	NOCFPCB1813	☐ \$985	NOPCB1813	☐ \$660
	18"-20"	16"	NOCFACB1816	☐ \$930	NOACB1816	☐ \$660	18"-20"	16"	NOCFPCB1816	☐ \$1025	NOPCB1816	☐ \$660
	20"-22"	7"			NOACB2007	☐ \$660	20"-22"	7"			NOPCB2007	☐ \$660
	20"-22"	9"	NOCFACB2009	☐ \$870	NOACB2009	☐ \$660	20"-22"	9"	NOCFPCB2009	☐ \$965	NOPCB2009	☐ \$660
	20"-22"	13"	NOCFACB2013	☐ \$900	NOACB2013	☐ \$660	20"-22"	13"	NOCFPCB2013	☐ \$985	NOPCB2013	☐ \$660
	20"-22"	16"	NOCFACB2016	☐ \$930	NOACB2016	☐ \$660	20"-22"	16"	NOCFPCB2016	☐ \$1025	NOPCB2016	☐ \$660

BACK SUPPORT HARDWARE OPTIONS

All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.

Model #	DESCRIPTION	WEIGHT OF HARDWARE ONLY	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STANDARD
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over STANDARD	☐
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over STANDARD	☐

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com