


1- Purchasing information

P.O. number:* _____ Date: _____
Company Name:* _____
Purchasing contact:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐
Marked for: _____

2- ATP/Clinician information

ATP/Clinician:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐
3- Shipping information

Ship to:* _____
Name: _____
Address: _____
City: _____ State: _____
Zip Code: _____
Phone: _____

* Required

MA082 ☐
English Manual (STD)

MA089 ☐
Spanish Manual

Taxes not included

MODEL									USD		
WC11	☐	Ultralight Aluminum APEX Rigid Wheelchair (265 lb weight limit) <i>Not available with painted frame - Frame will be black</i>			Triple-buttressed aluminum frame / Aluminum back canes and back rigidizer / Aluminum seat rigidizer / Ultralight carbon fiber camber tube and rear frame rigidizer					K0005	\$2,595
WC21	☐	Apex Carbon fiber frame upgrade (High Gloss Carbon Fiber)			Ultralight carbon fiber frame, back canes, back rigidizer, seat rigidizer, camber tube and rear frame rigidizer.						\$2,323
Frame											
SEAT WIDTH											
SW	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC
	☐	20" ☐								E2201	\$505
SEAT DEPTH											
SD	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC
	☐	20" ☐								E2203	\$485
FRAME LENGTH											
SP01	☐	Standard frame length configuration ¹									STD
SP02	☐	Frame length 1" longer than standard configuration									NC
SP03	☐	Frame length 2" longer than standard configuration									NC
SP04	☐	Frame length 1" shorter than standard configuration									NC
SP05	☐	Frame length 2" shorter than standard configuration									NC
TIE-DOWN											
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}		Short belt 20"-41"						\$360	
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ^{2,3}		Long belt 20"-46"						\$360	
AC35	☐	WC-19 Transit Tie Down without belt ³									\$330

1- Distance of 4.37" from end of seat upholstery to bend

2- Not available with dept adjustable back; 3- May interfere with the swing away armrest and the clamp on height adjustable push handle; Add a 3" of frame length behind backrest


FRONT Seat-to-floor height

Caster sizes	Height available +- 1/4"	Specify desired height: _____ (inches)
3" Caster	14" to 21"	
4" Caster	14.5" to 21"	
5" Caster	15.5" to 21"	
6" Caster	16.5" to 21" (N/A with 90° front frame)	




CASTERS						
CA01-03	☐	Composite wheel w/ PU tire	3" x 1"			NC
CA01-04	☐		4" x 1"			NC
CA01-05	☐		5" x 1"			NC
CA01-06	☐		6" x 1"			NC
CA10	☐	Pneumatic casters	6" x 1 ¼"			\$165
CA14	☐	Newton UltraCaster Composite	4" x 1 ½ "			\$87
CA15	☐		5" x 1 ½ "			\$87
CA16	☐		6" x 1 ½ "			\$87
CA17	☐		4" x 1 ½ "			\$190
CA18	☐	Newton UltraCaster Aluminum	5" x 1 ½ "			\$200
CA19	☐		6" x 1 ½ "			\$210
CASTER OPTIONS						
CA13	☐	Carbon fiber Frog Legs suspension forks			E1015	\$485

REAR Seat-to-floor height		
Wheel sizes	Height available +/- 1/4"	
20" (451) wheel ☐	14" to 17.5"	Specify desired height: _____ (inches)
22" (501) wheel ☐	14" to 18.5"	
24" (540) wheel ☐	15" to 19.5"	
25" (559) wheel ☐	15.5" to 20"	
26" (590) wheel ☐	16" to 20"	



FRONT FRAME ANGLE					
FA70	☐	70° Front frame angle			NC
FA75	☐	75° Front frame angle			NC
FA80	☐	80° Front frame angle			NC
FA85	☐	85° Front frame angle			NC
FA90	☐	90° Front frame angle			NC

Seat upholstery to footplate length	
12" to 19" without high mount	Specify desired length: _____ (inches) <i>Required</i>
7" to 13" with high mount ¹	



1- Choose high mount in the footplates section



Footrest width / Taper selection				
Seat Width	Straight	1" Taper	2" Taper	
Outside Measurement	2 1/2" Narrower than Seat Width	4 1/2" Narrower than Seat Width	6 1/2" Narrower than Seat Width	
12"	9.5"	7.5"		
13"	10.5"	8.5"		
14"	11.5"	9.5"		
15"	12.5"	10.5"		
16"	13.5"	11.5"	9.5"	
17"	14.5"	12.5"	10.5"	
18"	15.5"	13.5"	11.5"	
19"	16.5"	14.5"	12.5"	
20"	17.5"	15.5"	13.5"	

Note: higher than 20" Front STFH will reduce the footrest width up to 1" with a 2" taper

FOOTPLATES					
FP12	☐	Tubular open loop ¹			STD
FP13	☐	Tubular with ABS cover		K0040	NC
FP31	☐	Adjustable angle - Aluminum (<i>one piece</i>)		K0040	\$97
FP32	☐	Newton adjustable angle - Carbon fiber (<i>one piece with rubber inserts</i>)		K0040	\$190
FP14	☐	Flip back, adjustable angle aluminum		K0040	\$200
FP15	☐	Flip back, adjustable angle carbon fiber			\$295
FR25	☐	High mount with adjustable angle footplate (<i>Aluminum - one piece</i>)		K0040	\$170
FR26	☐	High mount with adjustable angle footplate (<i>Carbon fiber with rubber inserts - one piece</i>)			\$250
FOOTPLATES ACCESSORIES					
FP16	☐	2" riser (<i>only available with aluminum angle adjustable footplate</i>) ²			\$77
FP09	☐	Calf strap		K0038	\$36
FP30	☐	Bodypoint Aeromesh Padded calf strap		K0038	\$118

1 - Available on: all straight frames; 1" taper with seat width of 14" and greater; 2" taper with seat width of 16" and greater

2- Not available with high mount

Backrest										
FOLD DOWN BACKREST										
BC20	☐	Locking backrest							STD	
BC21	☐	Ultralight non locking backrest (not locking in upright and down position)							\$102	
FIXED HEIGHT, ADJUSTABLE ANGLE FOLD DOWN BACKREST (Not available with push handles)										
BC	☐	Fixed height without push handle							NC	
		(30) 9" ☐	(31) 9.5" ☐	(32) 10" ☐	(33) 10.5" ☐	(34) 11" ☐				
		(35) 11.5" ☐	(36) 12" ☐	(37) 12.5" ☐	(38) 13" ☐	(39) 13.5" ☐	(40) 14" ☐			(41) 14.5" ☐
		(42) 15" ☐	(43) 15.5" ☐	(44) 16" ☐	(45) 16.5" ☐	(46) 17" ☐	(47) 17.5" ☐			(48) 18" ☐
		(49) 18.5" ☐	(50) 19" ☐	(51) 19.5" ☐	(52) 20" ☐	(53) 20.5" ☐	(54) 21" ☐			
HEIGHT AND ANGLE ADJUSTABLE FOLD DOWN BACKREST WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)										
BC	☐	Straight back canes							NC	
		(22) 9 - 12" ☐	(23) 12 - 15" ☐	(24) 15 - 18" ☐	(25) 18 - 21" ☐					
Set height to: *		<i>(in increments of 1/2", measured from seat sling to top of back upholstery)</i> <i>* If not indicated, default height setting is at the lowest position</i>								
		Select back cane angle: ¹ 101° ☐ 99° ☐ 96° ☐ 93° ☐ 90° ☐ 87° ☐ 83° ☐ 80° ☐							STD	
<i>1 - If not indicated default angle setting is at 93°</i>										
PUSH HANDLES OPTIONS (ONE option at a time)										
PH01	☐	Push handles							STD	
PH05	☐	Fold down push handles							\$130	
PH06-920	☐	Clamp on height adjustable push handles 9 - 20" ¹							\$320	
PH06-923	☐	Clamp on height adjustable push handles 9 - 23" ¹							\$320	
PH02	☐	Omit push handles							NC	
<i>1- Not compatible with swing away armrests;</i>										
BACKRESTS OPTIONS										
BC61	☐	Depth adjustable back - 1" depth adjustment ^{1,4}							\$195	
BC62	☐	Depth adjustable back - 2" depth adjustment ^{2,4}							\$195	
BC56	☐	Depth adjustable back - 3" depth adjustment ^{3,4}							\$195	
BC57	☐	Standard 3 inch deep rigidizer bar							STD	
BC55	☐	Four inch deep Aluminum rigidizer bar							NC	
BC88	☐	Custom height rigidizer bar set at _____ (inches) Measured from the top of the seat sling to the center of the rigidizer - standard height is 5,7 Lowest position is 4,25"							\$135	
<i>If used in combinaison with WC-19: 1- Maximum depth of 19"; 2- Maximum depth of 18"; 3- Maximum depth of 17"; 4- Only compatible with WC-19 transit tie down without Q'Straint belt</i>										
BACK UPHOLSTERY										
BH03	☐	Slip-on Syntech-Suede back upholstery							STD	
BH04	☐	Adjustable tension Syntech-Suede back upholstery						E2611	\$305	
BH99	☐	Omit Back upholstery							NC	
	☐	NXT back Support						See price list		
SEAT CUSHION										
SC01	☐	2" Cushion							\$170	
SC02	☐	3" Cushion							\$190	
SC99	☐	Omit seat cushion							STD	
	☐	NXT cushion						See price list		

Rear wheels					
REAR WHEELS			Available		
RW01	☐	Mag ¹	20", 22" 24"		\$57
RW02	☐	Newton One - spoke wheel ²	20", 22" 24"		STD
RW03	☐	Newton Gravity - ultralight wheel	20", 22", 24", 25", 26"		\$320
RW04	☐	Spinergy Spox Blk STD ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐	22", 24", 25", 26"		\$850
RW05	☐	Spinergy LX Blk STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐	22", 24", 25", 26"		\$1,065
RW07	☐	Spinergy CLX ⁴ Blk STD ☐ Pur ³ ☐ Wht ³ ☐ Blue ³ ☐ Red ³ ☐ Yel ³ ☐ Pink ³ ☐ Grn ³ ☐ Org ³ ☐	24", 25"		\$1,585
TIRES			Available		
TI01	☐	Soft Urethane 1 3/8 "	20", 22" 24"	E2218	NC
TI02	☐	Soft Urethane knobby 1 3/8"	22", 24", 25", 26"	E2218	\$97
TI04	☐	Soft Urethane - Shox 1"	22", 24", 25", 26"	E2218	\$118
TI05	☐	Pneumatic 1 3/8"	20", 22", 24", 25", 26"	E2211/E2212	STD
TI08	☐	Pneumatic with Airless insert 1 3/8" ⁵	22", 24", 26"	E2211/E2213	\$82
TI06	☐	Pneumatic HP - 1"	20", 22", 24", 25", 26"	E2211/E2212	\$97
TI07	☐	Pneumatic HP - Puncture resistant, black 1"	24", 25", 26"	E2211/E2212	\$130

1- Not compatible with HP tires; Only available with aluminum or plastic coated handrim in standard position; 2- Not compatible with Shox tires
3- color spokes require an additionnal 10 days lead-time; 4- Only available with 1" tires; 5- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims					
HANDRIM			Available		
HR01	☐	Aluminum anodized	20", 22", 24", 25", 26"		STD
HR61	☐	Aluminum black hard anodized ²	20", 22", 24", 25"		\$72
HR02	☐	Plastic coated ¹	20", 22", 24", 25", 26"		\$102
HR03	☐	High friction coated ^{1,2}	22", 24", 25", 26"		\$375
HR07 to HR18	☐	Newton Air Grip ² <i>See page 6 for the color selection and price</i>	20", 22", 24", 25", 26"		
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"		\$395
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"		\$425
HR04	☐	Natural Fit ^{1,2}	22", 24", 25", 26"		\$325
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)	22", 24", 25", 26"		\$425
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)	22", 24", 25", 26"		\$325
HR99	☐	Omit handrim			NC


1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels

Handrims option					
ASSEMBLY POSITION					
HR29	☐	Standard Handrim position <i>Full tab</i>			STD
HR030	☐	Narrow Handrim position no cut <i>Full tab</i>			NC
HR30	☐	Narrow Handrim position with cut ³ <i>Short tab 2 positions</i>			\$30
HR31	☐	Super Narrow Handrim ³ <i>Short tab 2 positions STD</i> ☐ <i>Short tab 1 position</i> ☐			\$30
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS					
HR23	☐	Standard grip			\$92
HR27	☐	Super grip			\$150
HR099	☐	Omit thumb piece			NC

3- Only available with Aluminum and Air Grip handrims;

AXLES					
AX01	☐	Quick release axle			STD
AX03	☐	Quad release axle		K0108	\$130
REAR WHEEL CAMBER					
CM00	☐	0° camber			STD
CM02	☐	2° camber			NC
CM04	☐	4° camber			NC
CM06	☐	6° camber			NC
CM08	☐	8° camber			NC

CENTER OF GRAVITY	
Specify the position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver.	
0 - 6" range	Set At: _____ (inches)
If not indicated, default setting is at 2.5" Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG	



WHEEL LOCK					
WL08	☐	Newton wheel lock - push to lock			STD
WL16		Aluminum push to lock and extension		E0961	\$77
WL04	☐	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)		E0974	\$155
WL13 WL14	☐	6" removable extension handle		E0961	\$77
WL05	☐	Scissors lock			\$155
WL99	☐	Omit wheel locks			NC

Armrests					
HEIGHT ADJUSTABLE "T" ARMREST ¹					
AR13-610	☐	10" Desk length armpad ³	6" - 10"		\$330
AR03-812	☐	10" Desk length armpad	8" - 12"		\$330
AR03-1014	☐	10" Desk length armpad	10" - 14"		\$330
AR14-610	☐	14" Full length armpad ³	6" - 10"		\$330
AR04-812	☐	14" Full length armpad	8" - 12"		\$330
AR04-1014	☐	14" Full length armpad	10" - 14"		\$330
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²					
AR05	☐	Tubular armrest without plastic side guards - Short pad	8" - 11"	E0973	\$230
AR19	☐	Tubular armrest with plastic side guards - short pad	8" - 11"	E0973	\$395
AR23	☐	Tubular armrest without plastic side guards - long pad	8" - 11"	E0973	\$230
AR24	☐	Tubular armrest with plastic side guards - long pad	8" - 11"	E0973	\$395
AR06	☐	10" Desk length flat armpad without plastic side guards	8" - 11"	E0973	\$230
AR20	☐	10" Desk length flat armpad with plastic side guards	8" - 11"	E0973	\$395
AR17	☐	14" Full length flat armpad without plastic side guards	8" - 11"	E0973	\$230
AR21	☐	14" Full length flat armpad with plastic side guards	8" - 11"	E0973	\$395
AR99	☐	Omit armrest			NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- not available with the Ultralight non-locking backrest; 3- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with "T" Armrest)					
SG01	☐	Plastic side guards (removable)		K0108	\$200
SG03	☐	Carbon fiber side guards (removable)		K0108	\$295
SG06	☐	Plastic fender side guards - straight bracket (removable)			\$290
SG08	☐	Plastic fender side guards - offset bracket (removable) ¹			\$290
SG04	☐	Carbon fiber fender side guards (removable)		K0108	\$550
SG99	☐	Omit side guards			NC
SIDE GUARDS OPTION					
SG07	☐	Side guard clip (pair)			NC

1- only compatible with 0° and 2° camber; Increase distance between fender side guards by 1 1/8"

POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Standard 35"		E0978	\$46
SB01-L	☐	Velcro adjustable - Long 60"		E0978	\$46
SB02-S	☐	Auto buckle - Standard 35"		E0978	\$87
SB02-L	☐	Auto buckle - Long 60"		E0978	\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"		E0978	\$82
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"		E0978	\$82
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		E0978	\$175
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		E0978	\$175
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		E0978	\$175
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		E0978	\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		E0978	\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		E0978	\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)			\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"		K0108	\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"		K0108	\$305
SB99	☐	Omit positioning belt			STD

ACCESSORIES					
AC03	☐	Anti-tippers		E0971	\$145
AC06	☐	Cane and crutch holder Left ☐ Right ☐		E2207	\$200
AC08	☐	Spoke guards ¹ Available: 20", 22", 24", 26"		K0065	\$118
AC10	☐	Seat pouch			\$82
AC30	☐	Newton multi-purpose pouch			\$61
AC26	☐	BodyPoint Mobility Bag			\$135
AC23	☐	Newton Backpack			\$130
AC13	☐	Tool kit			\$51
AC16	☐	Motion Composites Polo Shirt W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐			\$36
AC15	☐	Military Patches Army ☐ Navy ☐ Air Force ☐ Marines ☐ Coast Guard ☐ Combat Wounded Purple Heart ☐			\$97

1- Not available with Mag wheels and Spinergy

Colors																							
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)			
																							
AirGrip	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$255		
Carbon Fiber Frame		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC		
Camber Tube ²	NC		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$60		
																							
Highlight ³	☐		☐					☐		☐	☐				☐			☐				NC	
FC99 ²	☐	Custom Color	Specify PPG Paintit color:																			additional 10 days lead-time	\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;
2- only available with carbon fiber upgrade 3- To see different highlight, visit our website: https://www.motioncomposites.com/en_us/products/rigid-wheelchairs/apex-c

Notes :

BioFit™ CUSHION		WIDTH									
		12"	13"	14"	15"	16"	17"	18"	19"	20"	
DEPTH	12"	☐ \$445	☐ \$445	☐ \$445							
	14"	☐ \$445	☐ \$445	☐ \$445							
	15"		☐ \$445	☐ \$445	☐ \$445						
	16"		☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	
	17"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	
	18"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	
	19"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	
	20"				☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	
NXCABF _____ (W" x D")		Option: Change cover for incontinent/infection control outer cover ☐ \$N/C									
HCPCS CODE: E2607-E2608											

SEATING AND CUSHION ACCESSORIES

	MODEL NO.	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	

THORACIC SHAPE	Optima™ THORACIC BACK SUPPORT						Optima™ DEEP THORACIC BACK SUPPORT					
	CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)						CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)					
	HCPCS CODE: E2620-E2621						HCPCS CODE: E2620-E2621					
	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum
	13"-15"	7"			NOACB1307	☐ \$695	13"-15"	7"			NOPCB1307	☐ \$695
	13"-15"	9"			NOACB1309	☐ \$695	13"-15"	9"			NOPCB1309	☐ \$695
	13"-15"	13"			NOACB1313	☐ \$695	13"-15"	13"			NOPCB1313	☐ \$695
	13"-15"	16"			NOACB1316	☐ \$695	13"-15"	16"			NOPCB1316	☐ \$695
	14"-16"	7"			NOACB1407	☐ \$695	14"-16"	7"			NOPCB1407	☐ \$695
	14"-16"	9"	NOCFACB1409	☐ \$895	NOACB1409	☐ \$695	14"-16"	9"	NOCFPCB1409	☐ \$995	NOPCB1409	☐ \$695
	14"-16"	13"	NOCFACB1413	☐ \$925	NOACB1413	☐ \$695	14"-16"	13"	NOCFPCB1413	☐ \$1015	NOPCB1413	☐ \$695
	14"-16"	16"	NOCFACB1416	☐ \$960	NOACB1416	☐ \$695	14"-16"	16"	NOCFPCB1416	☐ \$1055	NOPCB1416	☐ \$695
	15"-17"	7"			NOACB1507	☐ \$695	15"-17"	7"			NOPCB1507	☐ \$695
	15"-17"	9"	NOCFACB1509	☐ \$895	NOACB1509	☐ \$695	15"-17"	9"	NOCFPCB1509	☐ \$995	NOPCB1509	☐ \$695
	15"-17"	13"	NOCFACB1513	☐ \$925	NOACB1513	☐ \$695	15"-17"	13"	NOCFPCB1513	☐ \$1015	NOPCB1513	☐ \$695
	15"-17"	16"	NOCFACB1516	☐ \$960	NOACB1516	☐ \$695	15"-17"	16"	NOCFPCB1516	☐ \$1055	NOPCB1516	☐ \$695
	16"-18"	7"			NOACB1607	☐ \$695	16"-18"	7"			NOPCB1607	☐ \$695
	16"-18"	9"	NOCFACB1609	☐ \$895	NOACB1609	☐ \$695	16"-18"	9"	NOCFPCB1609	☐ \$995	NOPCB1609	☐ \$695
	16"-18"	13"	NOCFACB1613	☐ \$925	NOACB1613	☐ \$695	16"-18"	13"	NOCFPCB1613	☐ \$1015	NOPCB1613	☐ \$695
	16"-18"	16"	NOCFACB1616	☐ \$960	NOACB1616	☐ \$695	16"-18"	16"	NOCFPCB1616	☐ \$1055	NOPCB1616	☐ \$695
	17"-19"	7"			NOACB1707	☐ \$695	17"-19"	7"			NOPCB1707	☐ \$695
	17"-19"	9"	NOCFACB1709	☐ \$895	NOACB1709	☐ \$695	17"-19"	9"	NOCFPCB1709	☐ \$995	NOPCB1709	☐ \$695
	17"-19"	13"	NOCFACB1713	☐ \$925	NOACB1713	☐ \$695	17"-19"	13"	NOCFPCB1713	☐ \$1015	NOPCB1713	☐ \$695
	17"-19"	16"	NOCFACB1716	☐ \$960	NOACB1716	☐ \$695	17"-19"	16"	NOCFPCB1716	☐ \$1055	NOPCB1716	☐ \$695
	18"-20"	7"			NOACB1807	☐ \$695	18"-20"	7"			NOPCB1807	☐ \$695
	18"-20"	9"	NOCFACB1809	☐ \$895	NOACB1809	☐ \$695	18"-20"	9"	NOCFPCB1809	☐ \$995	NOPCB1809	☐ \$695
	18"-20"	13"	NOCFACB1813	☐ \$925	NOACB1813	☐ \$695	18"-20"	13"	NOCFPCB1813	☐ \$1015	NOPCB1813	☐ \$695
	18"-20"	16"	NOCFACB1816	☐ \$960	NOACB1816	☐ \$695	18"-20"	16"	NOCFPCB1816	☐ \$1055	NOPCB1816	☐ \$695
	20"-22"	7"			NOACB2007	☐ \$695	20"-22"	7"			NOPCB2007	☐ \$695
	20"-22"	9"	NOCFACB2009	☐ \$895	NOACB2009	☐ \$695	20"-22"	9"	NOCFPCB2009	☐ \$995	NOPCB2009	☐ \$695
	20"-22"	13"	NOCFACB2013	☐ \$925	NOACB2013	☐ \$695	20"-22"	13"	NOCFPCB2013	☐ \$1015	NOPCB2013	☐ \$695
	20"-22"	16"	NOCFACB2016	☐ \$960	NOACB2016	☐ \$695	20"-22"	16"	NOCFPCB2016	☐ \$1055	NOPCB2016	☐ \$695

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

 For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

BACK SUPPORT HARDWARE OPTIONS

All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.

Model #	DESCRIPTION	WEIGHT OF HARDWARE ONLY	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STANDARD
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over STANDARD	☐
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over STANDARD	☐

BACK SUPPORT ACCESSORIES – PRIVACY FLAP

	Model #	Description	Fits Back Width	\$	QTY
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	70	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	70	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	70	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	70	