



2915 Ogletown RD # 2270
 Newark, DE 19713
 T.+1-866-650-6555 F. +1-888-966-6555
orders@motioncomposites.com
www.motioncomposites.com



5.2



**AWARD 2010
 HARDING 2013
 INNOVATIVE
 PRODUCT 2016**



Helio A6
 ORDER FORM - USA

P.O. number:* _____ Date: _____

Company Name:* _____ Phone:* _____

Purchasing contact:* _____

Clinician/Sales rep/ATP: _____

Email: _____

Marked for: _____

Ship to:* _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

* Required

MA082 ☐

English Manual USA (STD)

MA089 ☐

Spanish Manual USA

Taxes not included

MODEL								USD			
1	WC19	Ultralight folding Helio A6 Wheelchair - 6000 series aluminum (265lb weight capacity)							K0005	\$2 095	☐
2	WC09	HD Heavy Duty package (350 lb weight capacity)								\$500	☐
SEAT WIDTH ³											
3	SW14	Seat width:	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐		NC	☐
4	SW19	Seat width:		20" ¹ ☐	21" ² ☐	22" ² ☐			E2201	\$495	☐
SEAT DEPTH											
5	SD14	Seat depth:	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC	☐
6	SD19	Seat depth:		20" ☐					E2203	\$475	☐

1 - Available with HD Kit (350 lb)

2 - Only with HD Kit (350 lb)

[3. Width calculator](#)

A6 FRONT Seat-to-floor Height - Please select your choice

		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
Fork/Position		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12	13	14	12 1/2	13 1/2	14 1/2												
	P2	12 1/2	13 1/2	14 1/2	13	14	15	13 1/2	14 1/2	15 1/2									
5"	P1																		
	P2				13	14	15	13 1/2	14 1/2	15 1/2									
	P3	13	14	15	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2						
	P4	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2			
7"	P1										15 1/2	16 1/2	17 1/2	16	17	18			
	P2							15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2			
	P3							16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2
	P4	15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20
	P5	16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS												
7	CA01	Composite wheel w/ PU tire (1" width)	3" ☐	4" ☐	5" ☐	6" ☐	7" ☐	8" ☐			NC	☐
8	CA10	Pneumatic casters 6" x 1 ¼"								E2214/E2215	\$160	☐
9	CA11	Pneumatic casters 8" x 1 ¼"								E2214/E2215	\$160	☐
10	CA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "								\$80	☐
11	CA15		5" x 1 ½ "								\$80	☐
12	CA16		6" x 1 ½ "								\$80	☐
13	CA17	Newton UltraCaster <i>Soft-Roll</i> Aluminum	4" x 1 ½ "								\$175	☐
14	CA18		5" x 1 ½ "								\$185	☐
15	CA19		6" x 1 ½ "								\$195	☐
CASTER OPTIONS												
16	CA12	Caster Pin Locks <i>(Available with +1" or +2" Stem bolt ONLY)</i> ¹								K0073	\$295	☐
17	CA13	Carbon fiber Frog Legs suspension forks <i>(Not available with caster pin locks)</i>								E1015	\$475	☐

1 - Not available with WC-19

Helio A6 - REAR Seat-to-floor Height - Please select your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
12	13	13 3/4	14 1/4	14 3/4
12 1/2	13 1/2	14 1/4	14 3/4	15 1/4
13	14	14 3/4	15 1/4	15 3/4
13 1/2	14 1/2	15 1/4	15 3/4	16 1/4
14	15	15 3/4	16 1/4	16 3/4
14 1/2	15 1/2	16 1/4	16 3/4	17 1/4
15	16	16 3/4	17 1/4	17 3/4
15 1/2	16 1/2	17 1/4	17 3/4	18 1/4
16	17	17 3/4	18 1/4	18 3/4
16 1/2	17 1/2	18 1/4	18 3/4	19 1/4
17	18	18 3/4	19 1/4	19 3/4
17 1/2	18 1/2	19 1/4	19 3/4	20 1/4

Configuration used: 1" seat slope with a center of gravity at 2"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest									
SWING-IN/SWING-OUT FOOTREST									
18	FR03	60° Swing-in/swing-out footrest	13.5 - 17" □	14.5 - 19.5" □	15.5 - 20.5" □	Set at: *		NC	□
19	FR04	70° Swing-in/swing-out footrest	13.5 - 17" □	14.5 - 19.5" □	15.5 - 20.5" □	Set at: *		NC	□
20	FR15	80° Swing-in/swing-out footrest	13.5 - 16" □	14.5 - 19.5" □	15.5 - 20.5" □	Set at: *		NC	□
21	FR06	90° swing-in/swing-out with front mount - Standard (no extension) ¹			7.5 - 11"	Set at: *		NC	□
22	FR07	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}			9.5 - 13"	Set at: *		NC	□
23	FR08	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}			9.5 - 14.5"	Set at: *		NC	□
FOOTREST OPTIONS									
24	FR09	High mount <i>(footplate attached to the hanger with clamps)</i> ³			5 - 13.5" □	Set at: *		\$75	□
25	FR10	Elevating legrest with calf pad, 14" - 22" Length adjustable ⁴			Left □ Right □	Set at:	E0990	\$240	□
26	FR99	Omit Footrest						NC	□

1 - Available only with two pieces adjustable footplates

2 - May interfere with front casters

3- Not available with front mount

* +/- 1/2"

4 -The elevating legrest replace the footrest side selected

FOOTPLATES									
27	FP01	Standard <i>(Composite)</i>						STD	☐
28	FP02	Newton adjustable angle <i>(Composite)</i>					K0040	\$210	☐
29	FP03	Newton adjustable angle <i>(Aluminum)</i>					K0040	\$230	☐
30	FP06	One piece adjustable angle flip-up <i>(Aluminum)</i>					K0040	\$190	☐
FOOTPLATE ACCESSORIES									
31	FP08	Length adjustable heel loop <i>(not available with one piece footplate)</i>					E0951	\$40	☐
32	FP09	Calf strap					K0038	\$35	☐
33	FP30	Bodypoint Aeromesh Padded calf strap					K0038	\$115	☐

SWING AWAY RESIDUAL LIMB SUPPORT								
34	FR27	Residual limb support - flat 6"x8"	Left ☐	Right ☐		E1020	\$405	☐
35	FR28	Residual limb support - flat 8"x10"	Left ☐	Right ☐		E1020	\$405	☐
36	FR29	Residual limb support - flat 10"x10"	Left ☐	Right ☐		E1020	\$405	☐
37	FR30	Residual limb support - flat 10"x14"	Left ☐	Right ☐		E1020	\$405	☐
38	FR32	Residual limb support - contour 6"x8"	Left ☐	Right ☐		E1020	\$405	☐
39	FR33	Residual limb support - contour 8"x10"	Left ☐	Right ☐		E1020	\$405	☐

Backrest								
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE								
40	BC58	Straight aluminum back cane	14" ☐	16" ☐	18" ☐	20" ☐		
41	BC01	8° bend aluminum back cane	16" ☐	18" ☐	20" ☐		NC	☐
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS								
42	BC11	Straight aluminum back cane	12 - 15" ☐	15 - 18" ☐	18 - 21" STD ☐		NC	☐
43	BC12	8° bend aluminum back cane	13.5 - 15" ☐	15 - 18" ☐	18 - 21" STD ☐		\$50	☐
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS								
44	BC13	Straight aluminum back cane	15 - 18" ☐	18 - 21" STD ☐			\$200	☐
45	BC14	8° bend aluminum back cane	15 - 18" ☐	18 - 21" STD ☐			\$250	☐
46		Select back cane angle:	85° ¹ ☐	90° STD ☐	95° ☐	100° ☐	105° ☐	110° ☐
Set height to: ²		(measured from seat sling to top of back upholstery)						
PUSH HANDLE OPTIONS								
47	PH01	Push handles					STD	☐
48	PH05	Folding push handles ^{3, 5}					\$120	☐
49	PH06	Clamp on height adjustable push handle ^{3, 4, 5}	9 - 20" STD ☐	9-23" ☐			\$300	☐
50	PH02	Omit push handles					NC	☐

1 - Not compatible with 8 degree bent back 2 - If not indicated, default height setting is at the lowest position 3 - 265 pounds weight limit
4 - Not compatible with swing away armrests , 8° bend back canes and amputee axle plates.
5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

STROLLER HANDLE AND STABILIZER BAR ¹ (only available with push handle)								
51	PH04	Stroller handle (not available with the HD option)				K0108	\$160	☐
52	PH03	Newton folding stabilizer bar					\$250	☐

1 - Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY								
53	BH05	Slip-on Nylon back upholstery					STD	☐
54	BH06	Adjustable tension Nylon back upholstery				E2611	\$300	☐
55	BH99	Omit Back upholstery					NC	☐

SEAT CUSHION								
56	SC01	2" Cushion					\$165	☐
57	SC02	3" Cushion					\$185	☐
58	SC99	Omit seat cushion					STD	☐

Rear wheels													
ONE ARM DRIVE ¹ <i>Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims</i>													
59	HR22	One arm drive ^{2,3} 24"	Left ☐	Right ☐								1 395 \$	☐
60	HR98	Omit handrim on opposite side of the One Arm Drive (OAD)										NC	☐
REAR WHEELS													
61	RW01	Mag ⁴	20" ☐	22" ☐	24" ☐					\$50	☐		
62	RW02	Newton One - spoke wheel ⁵	20" ☐	22" ☐	24" ☐					NC	☐		
63	RW03	Newton Gravity - ultralight wheel	20" ☐	22" ☐	24" ☐	25" ☐	26" ☐			\$300	☐		
64	RW04	Spinergy Spox		22" ☐	24" ☐	25" ☐	26" ☐			\$795	☐		
65		Spinergy Spox spokes colors ⁶	Blk STD ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐			NC	☐		
66	RW05	Spinergy LX		22" ☐	24" ☐	25" ☐	26" ☐			\$995	☐		
67		Spinergy LX spokes colors ⁶	Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐	NC	☐
68	RW07	Spinergy CLX Carbon Blade			24" ☐	25" ☐				\$1 480	☐		
69		Spinergy CLX spokes colors ⁶	Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐	NC	☐
TIRES								Available					
70	TI01	Soft Urethane 1 1/4"			20", 22" 24"				E2218	STD	☐		
71	TI02	Soft Urethane knobby 1 3/8 "			22", 24", 25", 26"				E2218	\$95	☐		
72	TI04	Soft Urethane - Shox 1"			22", 24", 25", 26"				E2218	\$115	☐		
73	TI05	Pneumatic 1 3/8 "			20", 22", 24", 25", 26"				E2211/E2212	NC	☐		
74	TI08	Pneumatic with Airless insert 1 3/8" ⁷			22", 24", 26"				E2211/E2213	\$80	☐		
75	TI06	Pneumatic HP - 1"			20", 22", 24", 25", 26"				E2211/E2212	\$95	☐		
76	TI07	Pneumatic HP - Schwalbe Marathon Plus 1"			24", 25", 26"				E2211/E2212	\$125	☐		

1- Offered with handrims on each side of the wheelchair
2- Only standard handrim position available
3 - Not available with HD option

4 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position
5 - Not compatible with Shox tires

6 - Colour spokes require an additionnal 10 days lead-time
7- Only available with Newton One and Newton Gravity rear wheels

Handrims									
HANDRIM									
77	HR01	Aluminum anodized						STD	☐
78	HR61	Aluminum black hard anodized ^{1,3}					New	\$60	☐
79	HR02	Plastic coated ²					WAMO	\$95	☐
80	HR03	Q-Grip High friction Neoprene coated ^{2,3,4}					WAMO	\$350	☐
81	HR07	Newton Air Grip ³	Black ☐				WAMO	\$95	☐
82	HR	Newton Air Grip ³	(08) Sunkissed Orange ☐	(09) Burgundy ☐	(10) Sapphire Blue ☐		WAMO	\$240	☐
		(11) Monster Green ☐	(12) Charcoal ☐	(13) Fuchsia ☐	(14) Steel Blue ☐				
		(15) Ferrari Red ☐	(16) Acid Green ☐	(17) White ☐	(18) Sky Blue ☐				
83	HR28	Surge ^{2,3,4}	(1-1/2" Oval handrim w/ Gripton high friction strip)					\$375	☐
84	HR05	Surge LT ^{2,3,4}	(1-1/8" Oval handrim w/ Gripton high friction strip)					\$405	☐
85	HR04	Natural Fit ^{2,3,4}						\$310	☐
86	HR99	Omit handrim						NC	☐

1 - Not available in 26"
2- Only standard handrim position available
3 - Not available with Mag wheels or OAD
4- Not available in 20"


Handrims option									
Assembly position for aluminum and Newton Air Grip handrim									
87	HR29	Standard Handrim position	Full tab					STD	☐
88	HR30	Narrow Handrim position	Short tab 2 positions					\$25	☐
89	HR31	Super Narrow Handrim	Short tab 2 positions STD ☐	Short tab 1 position ☐				\$25	☐
Thumb piece ⁴ selection for Natural Fit handrims									
90	HR23	Standard grip						\$85	☐
91	HR27	Super grip						\$140	☐
92	HR099	Omit thumb piece						NC	☐

4- Compatible with Surge, Surge LT handrims

AXLE ¹					
93	AX01	Quick release axle			STD ☐
94	AX02	Permanent axle			NC ☐
95	AX03	Quad release axle		K0108	\$125 ☐
AXLE PLATE					
96	AX04	Amputee adjustable axle plate (<i>may interfere with swing away armrest</i>)		E0959	\$195 ☐

1- Not required with one arm drive

REAR WHEEL CAMBER					
97	CM00	0° camber			STD ☐
98	CM03	3° camber			NC ☐

CENTER OF GRAVITY																							
		Choose position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver. Default setting is at 1" 1/4" <table border="1"> <thead> <tr> <th>Most stable</th> <th></th> <th></th> <th></th> <th></th> <th>Most responsive</th> </tr> </thead> <tbody> <tr> <td>AMPUTÉ</td> <td>3/4"</td> <td>1" 1/4</td> <td>1" 3/4</td> <td>2" 1/4</td> <td>2" 3/4</td> </tr> <tr> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table> <i>If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.</i>				Most stable					Most responsive	AMPUTÉ	3/4"	1" 1/4	1" 3/4	2" 1/4	2" 3/4	☐	☐	☐	☐	☐	☐
Most stable					Most responsive																		
AMPUTÉ	3/4"	1" 1/4	1" 3/4	2" 1/4	2" 3/4																		
☐	☐	☐	☐	☐	☐																		

WHEEL LOCK					
99	WL08	Newton Wheel lock - push to lock			STD ☐
100	WL02	Pull to lock			NC ☐
101	WL04	Newton grade aid push to lock (<i>suggested with pneumatic or high pressure tire</i>)		E0974	\$150 ☐
102	WL13 WL14	6" removable extension handle		E0961	\$75 ☐
103	WL05	Scissor Lock			\$140 ☐
104	WL06	Attendant Lock (additional set of wheel lock mounted to the back)			\$200 ☐
105	WL99	Omit wheel locks			NC ☐

Armrests									
FLIP BACK ARMREST (<i>Convertible to "T" armrest</i>) ¹			Height Adjustment						
106	AR01	10" Desk length arm pad	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐	STD	E0973	\$365 ☐
107	AR02	14" Full length arm pad	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐	STD	E0973	\$365 ☐
"T" ARMREST ¹			Height Adjustment						
108	AR13	10" Desk length arm pad	8 - 12" STD ☐	10 - 14" ☐				E0973	\$325 ☐
109	AR14	14" Full length arm pad	8 - 12" STD ☐	10 - 14" ☐				E0973	\$325 ☐
SWING AWAY ARMREST ²			Height Adjustment						
110	AR05	Tubular arm pad	8 - 11"					E0973	\$225 ☐
111	AR06	10" Desk length arm pad	8 - 11"					E0973	\$225 ☐
GEL ARM PAD ³									
112	AR12	14" Full Length Arm Pad - Gel Ovation (<i>pair</i>)							\$150 ☐
113	AR99	Omit armrest							NC ☐

1 - May have a 1/2" adjustment restriction on both limits of the range

2 - Could interfere with some rigid back rests; Not compatible with attendant lock

3 - Not available with the swing away armrest


SIDE GUARDS (<i>not available with Flip Back and "T" Armrest</i>)					
114	SG01	Plastic side guards (<i>removable</i>)			\$195 ☐
115	SG02	Carbon fiber side guards (<i>fixed</i>)			\$250 ☐
116	SG03	Carbon fiber side guards (<i>removable</i>)			\$290 ☐
117	SG06	Plastic fender side guards (<i>removable</i>) ¹			\$270 ☐
118	SG04	Carbon fiber fender side guards (<i>removable</i>)			\$540 ☐
119	SG99	Omit side guard			NC ☐
SIDE GUARDS OPTION					
120	SG07	Side guards clip (<i>pair</i>) ²			NC ☐

1- Not compatible with 20" and 22" rear wheels

2- Not available with fixed carbon fiber side guard

POSITIONING BELT									
121	SB01	Velcro adjustable	Standard 35"	Long 60"	☐		E0978	\$45	☐
122	SB02	Auto buckle	Standard 35"	Long 60"	☐		E0978	\$85	☐
123	SB07	Hardware attachment for 2 point seatbelt (1 pair)						NC	☐
124	SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)						\$15	☐
125	SB04	BodyPoint Hip Belt - 2 point not padded	Medium 56"	Long 61"	☐		E0978	\$80	☐
126	SB05	BodyPoint Hip Belt - 2 point padded	Small 51"	Medium 56"	Long 61"	☐	E0978	\$170	☐
127	SB06	BodyPoint Hip Belt - 4 point padded	Small 51"	Medium 56"	Long 61"	☐	E0978	\$190	☐
128	SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	Medium 18"	Long 24"	☐		E0978	\$285	☐
129	SB99	Omit positioning belt						STD	☐
HEADREST									
130	AC01	Profiled Headrest	Small (3.5"x6") ☐	Medium (4.5"x7") ☐	Large (5.5"x8") ☐		E0955	\$180	☐
131	AC28	Headrest mounting hardware with removable non folding stabilizer bar ¹					E1028	\$295	☐
1 - Only available with push handles - Not available with a stroller handle or a folding stabiliser bar									
ACCESSORIES									
132	AC03	Anti tippers					E0971	\$140	☐
133	AC29	Swing-away anti-tippers ¹	Left ☐	Right ☐		New		\$150	☐
134	AC27	Tip assist ²						\$60	☐
135	AC04	Transit Tie Down (Unoccupied)						NC	☐
136	AC05	WC-19 Transit Tie Down w/Q'straint belt ³	Short belt 20-41"	Long belt 20-46"	☐			\$320	☐
137	AC06	Cane Carrier	Left ☐	Right ☐			E2207	\$195	☐
138	AC07	Oxygen tank holder - E Type	Left				E2208	\$310	☐
139	AC08	Spoke guards ⁴	Available: 20", 22", 24", 26"				K0065	\$115	☐
140	AC09	Footrest neoprene impact guard (pair) - Black					K0108	\$90	☐
141	AC10	Seat pouch						\$75	☐
142	AC30	Newton sanitizing multi-purpose pouch				New		\$58	☐
143	AC26	BodyPoint Mobility Bag						\$125	☐
144	AC23	Newton Backpack						\$120	☐
145	AC12	Velcro Closing Strap						\$50	☐
146	AC13	Tool kit						\$45	☐
147	AC16	Motion Composites Polo Shirt	W/S ☐ M/S ☐	W/M ☐ M/M ☐	W/L ☐ M/L ☐	M/XL ☐	M/XXL ☐	M/XXXL ☐	\$32 ☐
148	AC15	Military Patches	Army ☐	Navy ☐	Air Force ☐	Marines ☐	Coast Guard ☐		\$90 ☐
149	AC15	Combat Wounded Purple Heart Patch							\$90 ☐
1 - Must select the pair (left and right) with HD option 2 - Cannot be combined with Anti Tippers									
3 - May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option 4 - Not available with Mag wheels and Spinerigy									
FRAME COLOR (with black hydroformed aluminum crossbrace)									
150	FC01	Black ☐						NC	☐
151	FC	(03) Sunkissed Orange ☐	(04) Burgundy ☐	(05) Sapphire Blue ☐	(06) Monster Green ☐			NC	☐
		(07) Charcoal ☐	(08) Fuchsia ☐	(09) Steel Blue ☐	(17) Ferrari Red ☐	(18) Acid Green ☐			
152	FC99	Custom Color	Specify PPG Paintit color:				additional 10 days lead-time	\$360	☐
TOTAL									

Fork and Stem bolt combinations



Notes :



BioFit™ CUSHION

 HCPCS CODE: E2607-E2608	BioFit™	Fits Width	Depth	\$	✓
	NXCABF1616	15"-16"	16"	425	
	NXCABF1618	15"-16"	18"	425	
	NXCABF1620	15"-16"	20"	425	
	NXCABF1816	17"-18"	16"	425	
	NXCABF1818	17"-18"	18"	425	
	NXCABF1820	17"-18"	20"	425	

	BioFit™	Fits Width	Depth	\$	✓
	NXCABF2016	19"-20"	16"	425	
	NXCABF2018	19", -20"	18"	425	
	NXCABF2020	19"-20"	20"	425	
	NXCABF2216	21"-22"	16"	455	
	NXCABF2218	21"-22"	18"	455	
	NXCABF2220	21"-22"	20"	455	

Optima™ THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™	Fits Width	Height	\$	✓
	NOACB1613	16"-18"	13"	660	
	NOACB1616	16"-18"	16"	660	
	NOACB1619	16"-18"	19"	660	
	NOACB1813	18"-20"	13"	660	
	NOACB1816	18"-20"	16"	660	
	NOACB1819	18"-20"	19"	660	
	NOACB2016	20"-22"	16"	660	
	NOACB2019	20"-22"	19"	660	
	NOACB2213	22"-24"	13"	710	
	NOACB2216	22"-24"	16"	710	
	NOACB2219	22"-24"	19"	710	

Optima™ DEEP THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™ DEEP	Fits Width	Height	\$	✓
	NOPCB1616	16"-18"	16"	660	
	NOPCB1619	16"-18"	19"	660	
	NOPCB1816	18"-20"	16"	660	
	NOPCB1819	18"-20"	19"	660	
	NOPCB2016	20"-22"	16"	660	
	NOPCB2019	20"-22"	19"	660	
	NOPCB2213	22"-24"	13"	710	
	NOPCB2216	22"-24"	16"	710	
	NOPCB2219	22"-24"	19"	710	

Xtend™ HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Xtend™	Fits Width	Height	\$	✓
	NHAACB1616/20	16"-18"	16"-20"	660	
	NHAACB1816/20	18"-20"	16"-20"	660	
	NHAACB2016/20	20"-22"	16"-20"	660	
	NHAACB2216/20	22"-24"	16"-20"	710	

Xtend™ DEEP HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Xtend™ DEEP	Fits Width	Height	\$	✓
	NHAACB1616/20	16"-18"	16"-20"	660	
	NHAACB1816/20	18"-20"	16"-20"	660	
	NHAACB2016/20	20"-22"	16"-20"	660	
	NHAPCB2216/20	22"-24"	16"-20"	710	

Classic™ PELVIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Classic™	Fits Width	Height	\$	✓
	NACB1616	16"-18"	16"	660	
	NACB1618	16"-18"	18"	660	
	NACB1816	18"-20"	16"	660	
	NACB1818	18"-20"	18"	660	
	NACB1820	18"-20"	20"	660	
	NACB2020	20"-22"	20"	660	
	NACB2216	22"-24"	16"	710	
	NACB2218	22"-24"	18"	710	
	NACB2220	22"-24"	20"	710	

Classic™ DEEP PELVIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Classic™ DEEP	Fits Width	Height	\$	✓
	NPCB1616	16"-18"	16"	660	
	NPCB1618	16"-18"	18"	660	
	NPCB1818	18"-20"	18"	660	
	NPCB1820	18"-20"	20"	660	
	NPCB2020	20"-22"	20"	660	
	NPCB2216	22"-24"	16"	710	
	NPCB2218	22"-24"	18"	710	
	NPCB2220	22"-24"	20"	710	

MultiFit™ HEAD SUPPORT – MULTI-ADJUSTABLE PADS

 HCPCS CODE: E0955			 HCPCS CODE: E0955		
Model #NIB-0784	\$	✓	Model # NIB-0818	\$	✓
10" x 5" Large Rectangular	195		14" x 5" Extra-Large Rectangular	195	

MultiFit™ HEAD SUPPORT – FIXTURES

					
Model #NIB-0747	\$	✓	Model # NIB-0823	\$	✓
Multi-Axis Hardware	145		Head Support Receiver Bracket	55	

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com