

160 Armand-Majeau Sud Saint-Roch-de-l'Achigan, QC, Canada JOK 3H0 T.+1-866-650-6555 F.+1-888-966-6555 guotes@motioncomposites.com

orders@motioncomposites.com www.motioncomposites.com



Helio A6

																	ORDE	R FORM	I - AADL #V	V332
1- Purchasi	ing info	rmation	1							3- Ship	ping inf	formatio	n							
P.O. numbe	er:*				Date	2:				Ship to	:*									
Company N	Name:*									Name:										
Purchasing	contac	:t:*							_	Addres	s:									
Phone:*									-	City:						Provin	ce:			
Email:*									-	Postal	Code:									
Contact pre	eferenc	e:*	Phone		Email				-	Phone:										
Marked for									-											
2- Dealer/F	Represe	entative	inform	ation					-											
Dealer/Rep	•																			
Phone:*									-											
Email:*									-											
Contact pre	oforono	۰۰۰*	Phone		Email				-											
Contact pre	ererenc	. С.	FIIOHE		LIIIaii				-			MA080			MA081					
* Required MODEL												English M	lanual (ST	D)	French Mo	anual		Taxes no	t included	
WC19	П	Ultralia	ght fold	ling Heli	o A6 Wł	neelchai	r - 6000) series (aluminu	m (2651	b weiah	nt capaci	tv)						\$2,39	5
WC09				y kit <i>(35</i>									-77						\$825	
										Frame									<u> </u>	
SEAT WIDT	'H ³											1								
SW				14" 🗆		15" 🗆		16" 🗆		17" 🗆		18" 1							NC 6245	
SEAT DEPT				19" ¹ □		20" ¹ □		21" ² □		22" ² □									\$315	,
				14" □		15" 🗆		16" □		17" 🗆		18" □							NC	
SD				19" □		20" □													\$235	,
TRANSIT TI	E DOW	'N																		
AC04		Transit	t Tie Do	wn (Und	occupied	d)													NC	
AC05-S				t Tie Dov					Short b	elt 20"-	41"						Client c	ost	\$365	
AC05-L				t Tie Dov					Long b	elt 20"-4	16"						Client c	ost	\$365	
AC35				t Tie Dov													Client c		\$345)
1- Available w	ith HD Kit	(350 lb); i	2- Only w	ith HD Kit ((350 lb)	3. Width			-	_							t available	with HD o	ption	
					1			RONTS			Height	- Pleas		ct your			,			
		Cho	3" caster m bolt Le		Cto	4" caster		Cho	5" caster		Car	6" caster		c.	7" caster		E to	8" caster em bolt Le		
Forks / Position	,	STD	m bolt Le	ngtn +2"	STD	m bolt Ler +1"	igtn +2"	STD	m bolt Le	ngtn +2"	STD	em bolt Ler	ngtn +2"	STD	em bolt Le	ngtn +2"	STD	+1"	ngtn +2"	
POSITION	P1	12"	13"	14"	12 1/2"	13 1/2"	14 1/2"	310	71	72	310	71	72	310	71	72	310	71	72	
4"	P2	12 1/2"	13 1/2"	14 1/2"	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"										
	r'2	1	l	1		1	l	1	1	1										

			3" caster			4" caster			5" caster			6" caster			7" caster			8" caster	
		Ste	m bolt Ler	ngth	Ste	m bolt Len	gth	Ste	m bolt Ler	ngth									
Forks / Position	n	STD	+1"	+2"															
4"	P1	12"	13"	14"	12 1/2"	13 1/2"	14 1/2"												
4	P2	12 1/2"	13 1/2"	14 1/2"	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
	P1																		
5"	P2				13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
3	Р3	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"						
	P4	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"			
	P1										15 1/2"	16 1/2"	17 1/2"	16"	17"	18"			
	P2							15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	Р3							16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"
	P4	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"
	P5	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"

Height available +- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS				Availability		
CA01-03 to		Composite wheel w/ PU tire (1")		3", 4", 5", 6", 7", 8"		NC
CA01-08	_					
CA10 to	П	Pneumatic casters (1 ¼")		6", 8"		\$170
CA11		Thedinatic casters (1 /4)		0,0		7170
CA14 to	_	November I Illian Contant Community (1.1/ II)		4". 5". 6"		\$105
CA16		Newton UltraCaster Composite (1 ½ ")		4,5,6		\$105
CA17 to		November Ultra Contan November (4 1/ 1)		4". 5". 6"	Client cost	\$198
CA19		Newton UltraCaster Aluminum (1 ½ ")		4,5,6	Client cost	\$198
CASTER OF	PTIONS					
CA12		Caster Pin Locks (Available with +1" or +2" St	em bolt ONLY) ¹		Client cost	\$275
CA13		Carbon fiber Frog Legs suspension forks (Not	available with caster pin locks)		Client cost	\$525

¹⁻ Not available with WC-19

Helio A6 - REAR Seat-to-floor Height - Please select your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
12"	13"	13 3/4" ¹	14 1/4"	14 3/4"
12 1/2"	13 1/2"	14 1/4"	14 3/4"	15 1/4"
13"	14"	14 3/4"	15 1/4"	15 3/4"
13 1/2"	14 1/2"	15 1/4"	15 3/4"	16 1/4"
14"	15"	15 3/4"	16 1/4"	16 3/4"
14 1/2"	15 1/2"	16 1/4"	16 3/4"	17 1/4"
15"	16"	16 3/4"	17 1/4"	17 3/4"
15 1/2"	16 1/2"	17 1/4"	17 3/4"	18 1/4"
16"	17"	17 3/4"	18 1/4"	18 3/4"
16 1/2"	17 1/2"	18 1/4"	18 3/4"	19 1/4"
17"	18"	18 3/4"	19 1/4"	19 3/4"
17 1/2"	18 1/2"	19 1/4" ¹	19 3/4"	20 1/4"

Configuration used: 1" seat slope with a center of gravity at 2"

1- Not available with One Arm Drive

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

		Footrest			
SWING-IN	/swine	OUT FOOTREST			
FR03-01		60° Swing-in/swing-out footrest - 13.5" - 17"		Set at*	NC
FR03-02		60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at*	NC
FR03-03		60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at*	NC
FR04-01		70° Swing-in/swing-out footrest - 13.5" - 17"		Set at*	NC
FR04-02		70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at*	NC
FR04-03		70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at*	NC
FR15-01		80° Swing-in/swing-out footrest - 13.5" - 16" 5		Set at*	NC
FR15-02		80° Swing-in/swing-out footrest - 14.5" - 19.5" 5		Set at*	NC
FR15-03		80° Swing-in/swing-out footrest - 15.5" - 20.5" 5		Set at*	NC
FR06		90° swing-in/swing-out with front mount - Standard (no extension) 1	7.5" - 11"	Set at*	NC
FR07		90° swing-in/swing-out with front mount - Short extension 2" 1,2	9.5"- 13"	Set at*	NC
FR08		90° swing-in/swing-out with front mount - Medium extension 4" 1,2	9.5" - 14.5"	Set at*	NC
FOOTREST	OPTIO	NS			
FR09		High mount (footplate attached to the hanger with clamps) ³	5" - 13.5"	Set at*	\$105
FR10		Elevating legrest with calf pad, Length adjustable 4 Left Right	14" - 22"	Set at:	\$295
FR99		Omit Footrest			NC

¹⁻ Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount and the elevating legrest; * +/- 1/2"

⁴⁻ The elevating legrest replace the footrest side selected; Not available with one piece footplate; 5- Not available with 8" caster

FOOTPLAT	ES			
FP01		Standard - Composite ¹		STD
FP02		Newton adjustable angle - Composite		\$155
FP03		Newton adjustable angle - Aluminum		\$175
FP06		One piece adjustable angle flip-up - Aluminum		\$215
FOOTPLAT	E ACCE	SSORIES		
FP08		Length adjustable heel loop ²		NC
FP09		Calf strap		\$57
FP30		Bodypoint Aeromesh Padded calf strap	Seating benefit	\$140

¹⁻ Not available with front mount; 2- not available with one piece footplate

SWING AW	/AY RES	SIDUAL LIMB SUPPORT			
FR27		Residual limb support - flat 6"x8"	Left □	Right □	\$505
FR28		Residual limb support - flat 8"x10"	Left □	Right □	\$505
FR29		Residual limb support - flat 10"x10"	Left □	Right □	\$505
FR30		Residual limb support - flat 10"x14"	Left □	Right □	\$505
FR32		Residual limb support - contour 6"x8"	Left □	Right □	\$505
FR33		Residual limb support - contour 8"x10"	Left □	Right □	\$505

			Backrest			
FIXED ANG	LE BAC	K CANES WITH INTEGRATED PUSH HANDLE (push hand	le included - no further selection n	eeded)		
BC58-915		Straight aluminum back cane 9" - 15"	increment of 1/2"	Set at ² :		NC
BC58-1521		Straight aluminum back cane 15" - 21"	increment of 1/2"	Set at ² :		NC
BC60		Straight aluminum back cane 21" - 24"	increment of 1"	Set at ² :		\$100
BC01-16		8° bend aluminum back cane 16"				NC
BC01-18		8° bend aluminum back cane 18"				NC
BC01-20		8° bend aluminum back cane 20"				NC
BC59		8° bend aluminum back cane 21" - 24"	increment of 1"	Set at ² :		\$100
	LE, HEI	GHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OF	PTIONS (MUST select ONE push ha			
BC11-912		Straight aluminum back cane 9" - 12"	increment of 1/2"	Set at ² :		\$80
BC11-1215		Straight aluminum back cane 12" - 15"	increment of 1/2"	Set at ² :		\$80
BC11-1518		Straight aluminum back cane 15" - 18"	increment of 1/2"	Set at ² :		\$80
BC11-1821		Straight aluminum back cane 18" - 21"	increment of 1/2"	Set at ² :		\$80
BC12-1315		8° bend aluminum back cane 13.5" - 15"	increment of 1/2"	Set at ² :		\$85
BC12-1518		8° bend aluminum back cane 15" - 18"	increment of 1/2"	Set at ² :		\$85
BC12-1821		8° bend aluminum back cane 18" - 21"	increment of 1/2"	Set at ² :		\$85
	D HEIGI	T ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIC				
BC13-1518		Straight aluminum back cane 15" - 18"	increment of 1/2"	Set at ² :		\$275
BC13-1821		Straight aluminum back cane 18" - 21"	increment of 1/2"	Set at ² :		\$275
BC14-1518		8° bend aluminum back cane 15" - 18"	increment of 1/2"	Set at ² :		\$330
BC14-1821		8° bend aluminum back cane 18" - 21"	increment of 1/2"	Set at ² :		\$330
		Select back cane angle: 85° ¹ □ 90° STD	□ 95° □ 100° □	105° □ 110° □		
		PTIONS (ONE option at a time)				
PH01		Push handles				STD
PH05		Fold down push handles ^{3, 5}			Client cost	\$165
PH06-920		Clamp on height adjustable push handles 9"-20" 3,4,5			Client cost	\$345
PH06-923		Clamp on height adjustable push handles 9"-23" 3,4,5			Client cost	\$345
PH02		Omit push handles				NC
		E AND STABILIZER BAR (only available with push handle	· · · · · · · · · · · · · · · · · · ·			4222
PH04		Stroller handle (not available with the HD option)			Client cost	\$220
PH03		Newton folding stabilizer bar (not available with strolle	er handle)			\$275

¹⁻ Not compatible with 8 degree bent back cane; 2- If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; 3- 265lb weight limit

⁴⁻ Not compatible with swing away armrests, 8° bend back canes, 21-24" back canes and amputee axle plates; 5- Not compatible with stroller handler, stabilizer bar, headrest and attendant lock;

BACK UPH	OLSTER	Y		
BH05		Slip-on Nylon back upholstery		NC
BH06		Adjustable tension Nylon back upholstery	Seating benefit	\$260
BH99		Omit Back upholstery		STD
SEAT CUSH	IION			
SC01		2" Cushion	Seating benefit	\$185
SC02		3" Cushion	Seating benefit	\$205
SC99		Omit seat cushion		STD
			Seating benefit	

		Rear wheels		
ONE ARM	DRIVE 1	Only available with Newton One rear wheel, permanent axles and 0° camber		
HR22		One arm drive - aluminum inner handrim ² Left \square Right \square		\$1,480
HR60		One arm drive - plastic coated inner handrim ² Left \square Right \square		\$1,595
HR98		Omit handrim on opposite side of the One Arm Drive (OAD)		NC
REAR WHE	EELS		Available	·
RW01		Mag ³	20", 22" 24"	\$140
RW02		Newton One - spoke wheel ⁴	20", 22" 24"	NC
RW03		Newton Gravity - ultralight wheel	20", 22", 24", 25", 26"	st \$390
RW04		Spinergy Spox Blk STD Wht 5 Blue 5 Red 5 Yel 5	22", 24", 25", 26"	st \$875
RW05		Spinergy LX Blk STD = Pur 5 = Wht 5 = Blue 5 = Red 5 = Yel 5 = Pink 5 = Grn 5 = Org 5 =	22", 24", 25", 26"	st \$1,095
RW07		Spinergy CLX ⁶ Blk STD □ Pur ⁵ □ Wht ⁵ □ Blue ⁵ □ Red ⁵ □ Yel ⁵ □ Pink ⁵ □ Grn ⁵ □ Org ⁵ □	24", 25" <i>Client co</i>	st \$1,650
TIRES			Available	
		AIRLESS		
TI01		Soft Urethane 1 3/8" - Low Tread, black	20", 22" 24"	STD
TI02		Soft Urethane 1 3/8 " - Medium Tread, black 7	22", 24", 25", 26"	st \$120
TI04		Soft Urethane 1" - No tread, black - Shox	22", 24", 25", 26"	st \$140
TI08		Pneumatic Airless insert 1 3/8" - Medium Tread ⁸	22", 24", 26"	st \$225
		PNEUMATIC		·
TI05		Pneumatic 1 3/8" - Medium Tread	20", 22", 24", 25", 26"	NC
TI06		Pneumatic HP 1" - Low Tread, Puncture resistant, black - SpeedLite	20", 22", 24", 25", 26"	st \$120
TI07		Pneumatic HP 1" - Medium Tread, Puncture resistant, black - TrailBlazer	24", 25", 26"	st \$200

¹⁻ Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; Only available with 24" wheel size; Not available with 21" and 22" wide;

8- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels

	Handrims		
HANDRIM		Available	
HR01	Aluminum anodized	20", 22", 24", 25", 26"	STD
HR61	Aluminum black hard anodized ²	20", 22", 24", 25"	\$85
HR02	Plastic coated ¹	20", 22", 24", 25", 26"	\$170
HR03	High friction coated ^{1,2,3}	22", 24", 25", 26"	\$460
HR07-HR18 and HR65-HR71	Newton Air Grip ² See page 6 for the color selection and price	20", 22", 24", 25", 26"	
HR28	Surge 1,2,3,4 (1 1/2" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"	\$485
HR05	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"	\$515
HR04	Natural Fit 1,2,3,4	22", 24", 25", 26"	\$320
HR62	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)	22", 24", 25", 26"	\$485
HR63	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)	22", 24", 25", 26"	\$515
HR64	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)	22", 24", 25", 26"	\$320
HR99	Omit handrim		NC


¹⁻ Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;

4- 25" and 26" are not available in narrow position; 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

4- 25" and 26	" are not	available in narrow position; 24" is not available wit	h the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece	
			Handrims option	
ASSEMBLY	POSITI	ON		
HR29		Standard Handrim position	Full tab	STD
HR030		Narrow Handrim position no cut	Full tab	NC
HR30		Narrow Handrim position with cut ⁵	Short tab 2 positions	\$29
HR31		Super Narrow Handrim 5	Short tab 2 positions STD Short tab 1 position \Box	\$29
HUMB PIE	ECE SEL	ECTION FOR NATURAL FIT, SURGE, SU	RGE LT HANDRIMS	
HR23		Standard grip	Client cos	\$200
HR27		Super grip	Client cos	\$230
HR099		Omit thumb piece		NC
5 - Only availa	able with .	Aluminum and Air Grip handrims;		
AXLE				
AX01		Quick release axle 1		STD
AX02		Permanent axle		NC
AX03		Quad release axle ¹	Clinical justifica	tion \$180
XLE PLAT	Έ			
AX04		Amputee adjustable axle plate ²		\$275
1- Not require	ed with oi		nrest and limit seat to floor height; Not available with WC-19 transit tie down	
EAR WHE	EL CAN	/IBER		
CM00		0° camber		STD
CM03		3° camber		NC

²⁻ Only standard handrim position available; 3- Not compatible with HP tires; Only available with aluminum or plastic coated handrim, standard position; 4- Not compatible with Shox tires;

⁵⁻ color spokes require an additionnal 10 days lead-time; 6- Only available with 1" tires; 7- 22" is only available with Mags and Newton One rear wheels; 25" and 26" are not available with Newton Gravity wheels



Choose position of rear wheel axle plate:

Measure distance from front of back post to center of axle receiver.

Default setting is at 1 1/4"

Most stable					Most responsive
AMPUTEE ¹	3/4"	1" 1/4	1" 3/4	2" 1/4	2" 3/4

Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1- Only available with amputee axle plate

WHEEL LO	CK			
WL08		Newton Wheel lock - push to lock PRODUCT IMPROVED		STD
WL16		Aluminum push to lock with extensions		\$73
WL02		Pull to lock		NC
WL04		Newton grade aid push to lock (works best with pneumatic or high pressure tire)		\$185
WL13		□ 6" removable extension handle ¹		\$73
WL14				
WL05		Scissors Lock		\$185
WL06		Attendant Lock (additional set of wheel lock mounted to the back)		\$240
WL15		Unilateral wheel lock - pull to lock 2 Left □ Right □		\$335
WL99		Omit wheel locks		NC

¹⁻ Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

 $\underline{\ \ }\underline{\ \ \ }\underline{\ \ }\underline{\ \ }\underline{\ \ }\underline{\ \ }\underline{\ \ \ \ }\underline{\ \ \ }\underline{\ \ \ }\underline{\ \ \ \ }\underline{\ \ }\underline{\ \ \ }\underline{\$

			Armres	sts	
HEIGHT AD	DJUSTA	BLE FLIP BACK ARMREST (Convertible to "T" armre	st) ^{1 , 4}		
AR01-812		10" Desk length armp 8" - 12"	Locked □	Unlocked STD □	\$395
AR01-1014		10" Desk length armp10" - 14"	Locked □	Unlocked STD □	\$395
AR02-812		14" Full length armpa(8" - 12"	Locked 🗆	Unlocked STD □	\$395
AR02-1014		14" Full length armpa10" - 14"	Locked 🗆	Unlocked STD □	\$395
HEIGHT AD	JUSTA	BLE "T" ARMREST ¹			
AR13-610		10" Desk length armpad ⁵ 6" - 10"			\$380
AR13-812		10" Desk length armpad 8" - 12"			\$380
AR13-1014		10" Desk length armpad 10" - 14"			\$380
AR14-610		14" Full length armpad ⁵ 6" - 10"			\$380
AR14-812		14" Full length armpad 8" - 12"			\$380
AR14-1014		14" Full length armpad 10" - 14"			\$380
SWING AW	AY AR	MREST ²			
AR05		Tubular armrest - Short pad 8" - 11"			\$315
AR23		Tubular armrest - long pad 8" - 11"			\$315
AR06		10" Desk length flat armpad 8" - 11"			\$315
AR17		14" Full length flat armpad 8" - 11"			\$315
ARMREST (OPTION	NS .			
AR12		14" Full Length armpad - Gel Ovation (pair) ³			\$160
AR99		Omit armrest			NC

¹⁻ May have 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; Not available with attendant lock and fixed carbon fiber side guards;

3- Only available with full length armrest; Not available with swing away and desk length armrests; 4- Not available with attendant lock; 5- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with Flip Back and "T" Armrest)					
SG01		Plastic side guards (removable)		\$235	
SG02		Carbon fiber side guards (fixed)	Client cost	\$285	
SG03		Carbon fiber side guards (removable)	Client cost	\$320	
SG06		Plastic fender side guards - straight bracket (removable)	Client cost	\$340	
SG08		Plastic fender side guards - offset bracket (removable) 1	Client cost	\$340	
SG04		Carbon fiber fender side guards (removable)	Client cost	\$510	
SG99		Omit side guard		NC	

¹⁻ only compatible with 0 $^{\circ}$ camber; Increase distance between fender side guards by 1 1/8" ;

²⁻ For more information about incompatibilties and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

POSITIONII	NG BEI	Т		
SB01-S		Velcro adjustable - Small 35" 1	Seating benefit	\$50
SB01-L		Velcro adjustable - Long 60"	Seating benefit	\$50
SB02-S		Auto buckle - Small 35" 1		\$22
SB02-M		Auto buckle - Medium 48"		\$22
SB02-L		Auto buckle - Long 60"		\$22
SB04-M		BodyPoint Hip Belt - 2 point not padded - Medium 56 "	Seating benefit	\$95
SB04-L		BodyPoint Hip Belt - 2 point not padded - Long 61"	Seating benefit	\$95
SB05-S		BodyPoint Hip Belt - 2 point padded - Small 51"	Seating benefit	\$185
SB05-M		BodyPoint Hip Belt - 2 point padded - Medium 56"	Seating benefit	\$185
SB05-L		BodyPoint Hip Belt - 2 point padded - Long 61"	Seating benefit	\$185
SB06-S		BodyPoint Hip Belt - 4 point padded - Small 51"	Seating benefit	\$210
SB06-M		BodyPoint Hip Belt - 4 point padded - Medium 56"	Seating benefit	\$210
SB06-L		BodyPoint Hip Belt - 4 point padded - Long 61"	Seating benefit	\$210
SB03		Hardware attachment for 2 extra points (1 pair)	Seating benefit	\$15
SB08-M		BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"	Seating benefit	\$355
SB08-L		BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"	Seating benefit	\$355
SB99		Omit positioning belt		STD

1- Not recommended for seat width of 18" and more


AC01-S	Profiled Headrest - Small (3.5"X6")	Seating benefit	\$215
AC01-M	Profiled Headrest - Medium (4.5"X7")	Seating benefit	\$215
AC01-L	Profiled Headrest - Large (5.5"X8")	Seating benefit	\$215
AC28	Headrest mounting hardware with removable non folding stabilizer bar ¹	Seating benefit	\$360

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

AC03	Anti-tippers						\$120
AC29	Swing-away anti-tipper¹ Left □ Right □					Client cost	\$185
AC27	Tip assist ²					Client cost	\$65
AC06	Cane and crutch holder Left Right					Client cost	\$115
AC07	Oxygen tank holder ⁴ - D and E Type - <i>Installed to the left</i>					Client cost	\$395
AC08	Spoke guards ³ Available: 20", 22", 24", 26"					Client cost	\$155
AC09	Footrest neoprene impact guard (pair) - Black					Client cost	\$85
AC10	Seat pouch					Client cost	\$100
AC30	Newton multi-purpose pouch					Client cost	\$75
AC26	BodyPoint Mobility Bag					Client cost	\$145
AC23	Newton Backpack					Client cost	\$130
AC12	Velcro Closing Strap					Client cost	\$55
AC13	Tool kit					Client cost	\$55
AC16	Motion Compositos Polo W/S U W/M U	W/L □				Client cost	\$26
AC16	Motion Composites Polo M/S □ M/M □	M/L □	M/XL □	M/XXL □	M/XXXL □	Cheff Cost	\$36

¹⁻ Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"; 2- Cannot be combined with Anti Tippers


3- Not available with Mag wheels and Spinergy; 4- Not compatible with swing away armrest, amputee axle plate and WC-19 transit tie-down



¹⁻ Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

 $^{{\}bf 2-}\ with\ black\ hydroformed\ aluminum\ crossbrace$

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater							
Rear wheel: shall be 24	Rear wheel: shall be 24 in and less						
"T" or flip-back armres	"T" or flip-back armrest only compatible with 0° Camber						
One arm drive: Not cor	One arm drive: Not compatible with "T" or flip-back armrest						
"T" or flip-back armres	t may require to move t	he rear wheels outwards					
Not compatible with wheel lock lever extension							
Dear wheel diameter	Coot double (in)	COG Compatibility					
Rear wheel diameter	Seat depth (In)	Range (in)					
20 in	16+	1.25 to 2.75					
22 in	16	0.75 to 2.25					
22 111	17+	0.75 to 2.75					
	16	0.75 to 1.75					
24 in	17	0.75 to 2.25					
	18+	0.75 to 2.75					



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the **EVO Custom Catalog**.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.