



2915 Ogletown RD # 2270
Newark, DE 19713
T.+1-866-650-6555 F. +1-888-966-6555
quotes@motioncomposites.com
orders@motioncomposites.com
www.motioncomposites.com



5.2a

Helio A6

ORDER FORM - USA

P.O. number:* _____ Date:* _____

Company Name:* _____ Phone:* _____

Purchasing contact:* _____

Clinician/Sales rep/ATP: _____

Email: _____

Marked for: _____

Ship to:* _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

* Required							English Manual USA (STD)	Spanish Manual USA	Taxes not included		
MODEL							USD				
1	WC19	Ultralight folding Helio A6 Wheelchair - 6000 series aluminum (265lb weight capacity)						K0005	\$2 095	☐	
2	WC09	HD Heavy Duty package (350 lb weight capacity)							\$525	☐	
SEAT WIDTH ³											
3	SW14	Seat width:	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐		NC	☐
4	SW19	Seat width:		20" ¹ ☐	21" ² ☐	22" ² ☐			E2201	\$495	☐
SEAT DEPTH											
5	SD14	Seat depth:	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC	☐
6	SD19	Seat depth:		20" ☐					E2203	\$475	☐

1 - Available with HD Kit (350 lb)

2 - Only with HD Kit (350 lb)

3. Width calculator

A6 FRONT Seat-to-floor Height - Please select your choice

		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
Fork/Position		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12	13	14	12 1/2	13 1/2	14 1/2												
	P2	12 1/2	13 1/2	14 1/2	13	14	15	13 1/2	14 1/2	15 1/2									
5"	P1																		
	P2				13	14	15	13 1/2	14 1/2	15 1/2									
	P3	13	14	15	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2						
7"	P4	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2			
	P1										15 1/2	16 1/2	17 1/2	16	17	18			
	P2							15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2			
	P3							16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2
	P4	15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20
	P5	16	17	18	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2

Height available + 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS												
7	CA01	Composite wheel w/ PU tire (1" width)	3" ☐	4" ☐	5" ☐	6" ☐	7" ☐	8" ☐			NC	☐
8	CA10	Pneumatic casters 6" x 1 ¼"								E2214/E2215	\$160	☐
9	CA11	Pneumatic casters 8" x 1 ¼"								E2214/E2215	\$160	☐
10	CA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "								\$85	☐
11	CA15		5" x 1 ½ "								\$85	☐
12	CA16		6" x 1 ½ "								\$85	☐
13	CA17	Newton UltraCaster <i>Soft-Roll</i> Aluminum	4" x 1 ½ "								\$185	☐
14	CA18		5" x 1 ½ "								\$195	☐
15	CA19		6" x 1 ½ "								\$205	☐
CASTER OPTIONS												
16	CA12	Caster Pin Locks (<i>Available with +1" or +2" Stem bolt ONLY</i>) ¹								K0073	\$295	☐
17	CA13	Carbon fiber Frog Legs suspension forks (<i>Not available with caster pin locks</i>)								E1015	\$475	☐

1 - Not available with WC-19

Helio A6 - REAR Seat-to-floor Height - Please select your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
12	13	13 3/4	14 1/4	14 3/4
12 1/2	13 1/2	14 1/4	14 3/4	15 1/4
13	14	14 3/4	15 1/4	15 3/4
13 1/2	14 1/2	15 1/4	15 3/4	16 1/4
14	15	15 3/4	16 1/4	16 3/4
14 1/2	15 1/2	16 1/4	16 3/4	17 1/4
15	16	16 3/4	17 1/4	17 3/4
15 1/2	16 1/2	17 1/4	17 3/4	18 1/4
16	17	17 3/4	18 1/4	18 3/4
16 1/2	17 1/2	18 1/4	18 3/4	19 1/4
17	18	18 3/4	19 1/4	19 3/4
17 1/2	18 1/2	19 1/4	19 3/4	20 1/4

Configuration used: 1" seat slope with a center of gravity at 2"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest											
SWING-IN/SWING-OUT FOOTREST											
18	FR03	60° Swing-in/swing-out footrest	13.5 - 17" □	14.5 - 19.5" □	15.5 - 20.5" □		Set at: *			NC	□
19	FR04	70° Swing-in/swing-out footrest	13.5 - 17" □	14.5 - 19.5" □	15.5 - 20.5" □		Set at: *			NC	□
20	FR15	80° Swing-in/swing-out footrest	13.5 - 16" □	14.5 - 19.5" □	15.5 - 20.5" □		Set at: *			NC	□
21	FR06	90° swing-in/swing-out with front mount - Standard (no extension) ¹			7.5 - 11"		Set at: *			NC	□
22	FR07	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}			9.5 - 13"		Set at: *			NC	□
23	FR08	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}			9.5 - 14.5"		Set at: *			NC	□
FOOTREST OPTIONS											
24	FR09	High mount <i>(footplate attached to the hanger with clamps)</i> ³			5 - 13.5"		Set at: *			\$80	□
25	FR10	Elevating legrest with calf pad, 14" - 22" Length adjustable ⁴			Left □ Right □		Set at:	E0990		\$240	□
26	FR99	Omit Footrest								NC	□

1 - Available only with two pieces adjustable footplates

2 - May interfere with front casters

3- Not available with front mount

* +/- 1/2"

4 -The elevating legrest replace the footrest side selected

FOOTPLATES											
27	FP01	Standard <i>(Composite)</i> ¹								STD	☐
28	FP02	Newton adjustable angle <i>(Composite)</i>							K0040	\$210	☐
29	FP03	Newton adjustable angle <i>(Aluminum)</i>							K0040	\$230	☐
30	FP06	One piece adjustable angle flip-up <i>(Aluminum)</i>							K0040	\$190	☐
FOOTPLATE ACCESSORIES											
31	FP08	Length adjustable heel loop <i>(not available with one piece footplate)</i>							E0951	\$40	☐
32	FP09	Calf strap							K0038	\$35	☐
33	FP30	Bodypoint Aeromesh Padded calf strap							K0038	\$115	☐

1- Not available with front mount

SWING AWAY RESIDUAL LIMB SUPPORT								
34	FR27	Residual limb support - flat 6"x8"	Left ☐	Right ☐		E1020	\$405	☐
35	FR28	Residual limb support - flat 8"x10"	Left ☐	Right ☐		E1020	\$405	☐
36	FR29	Residual limb support - flat 10"x10"	Left ☐	Right ☐		E1020	\$405	☐
37	FR30	Residual limb support - flat 10"x14"	Left ☐	Right ☐		E1020	\$405	☐
38	FR32	Residual limb support - contour 6"x8"	Left ☐	Right ☐		E1020	\$405	☐
39	FR33	Residual limb support - contour 8"x10"	Left ☐	Right ☐		E1020	\$405	☐

Backrest									
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE									
40	BC58	Straight aluminum back cane	9-15"	15-21"	increment of 1/2"	Set at:		NC	☐
41	BC01	8° bend aluminum back cane	16-20"		increment of 2"	Set at:		NC	☐
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS									
42	BC11	Straight aluminum back cane	12 - 15" ☐	15 - 18" ☐	18 - 21" STD ☐			NC	☐
43	BC12	8° bend aluminum back cane	13.5 - 15" ☐	15 - 18" ☐	18 - 21" STD ☐			\$55	☐
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS									
44	BC13	Straight aluminum back cane		15 - 18" ☐	18 - 21" STD ☐			\$210	☐
45	BC14	8° bend aluminum back cane		15 - 18" ☐	18 - 21" STD ☐			\$265	☐
46		Select back cane angle:	85° ¹ ☐	90° STD ☐	95° ☐	100° ☐	105° ☐	110° ☐	
Set height to: ²		(measured from seat sling to top of back upholstery)							
PUSH HANDLE OPTIONS									
47	PH01	Push handles						STD	☐
48	PH05	Folding push handles ^{3, 5}						\$126	☐
49	PH06	Clamp on height adjustable push handle ^{3, 4, 5}		9 - 20" STD ☐	9-23" ☐			\$315	☐
50	PH02	Omit push handles						NC	☐

1 - Not compatible with 8 degree bent back 2 - If not indicated, default height setting is at the lowest position 3 - 265 pounds weight limit
4 - Not compatible with swing away armrests , 8° bend back canes and ampute axle plates.
5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

STROLLER HANDLE AND STABILIZER BAR ¹ (only available with push handle)									
51	PH04	Stroller handle (not available with the HD option)				K0108	\$160	☐	
52	PH03	Newton folding stabilizer bar					\$265	☐	

1 - Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY									
53	BH05	Slip-on Nylon back upholstery					STD	☐	
54	BH06	Adjustable tension Nylon back upholstery				E2611	\$300	☐	
55	BH99	Omit Back upholstery					NC	☐	

SEAT CUSHION									
56	SC01	2" Cushion				E2601	\$165	☐	
57	SC02	3" Cushion				E2601	\$185	☐	
58	SC99	Omit seat cushion					STD	☐	

Rear wheels															
ONE ARM DRIVE ¹ <i>Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims</i>															
59	HR22	One arm drive ^{2,3} 24"		Left ☐	Right ☐					\$1 465	☐				
60	HR98	Omit handrim on opposite side of the One Arm Drive (OAD)								NC	☐				
REAR WHEELS															
61	RW01	Mag ⁴		20" ☐	22" ☐	24" ☐				\$55	☐				
62	RW02	Newton One - spoke wheel ⁵		20" ☐	22" ☐	24" ☐				NC	☐				
63	RW03	Newton Gravity - ultralight wheel		20" ☐	22" ☐	24" ☐	25" ☐	26" ☐		\$315	☐				
64	RW04	Spinergy Spox			22" ☐	24" ☐	25" ☐	26" ☐		\$835	☐				
65		Spinergy Spox spokes colors ⁶		Blk STD ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐		NC	☐				
66	RW05	Spinergy LX			22" ☐	24" ☐	25" ☐	26" ☐		\$1 045	☐				
67		Spinergy LX spokes colors ⁶		Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐		NC	☐
68	RW07	Spinergy CLX Carbon Blade ⁵				24" ☐	25" ☐			\$1 555	☐				
69		Spinergy CLX spokes colors ⁶		Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐		NC	☐
TIRES							Available								
70	TI01	Soft Urethane 1 1/4"					20", 22" 24"			E2218	STD	☐			
71	TI02	Soft Urethane knobby 1 3/8 "					22", 24", 25", 26"			E2218	\$95	☐			
72	TI04	Soft Urethane - <i>Shox 1"</i>					22", 24", 25", 26"			E2218	\$115	☐			
73	TI05	Pneumatic 1 3/8 "					20", 22", 24", 25", 26"			E2211/E2212	NC	☐			
74	TI08	Pneumatic with Airless insert 1 3/8" ⁷					22", 24", 26"			E2211/E2213	\$80	☐			
75	TI06	Pneumatic HP - 1"					20", 22", 24", 25", 26"			E2211/E2212	\$95	☐			
76	TI07	Pneumatic HP - <i>Schwalbe Marathon Plus 1"</i>					24", 25", 26"			E2211/E2212	\$125	☐			

1- Offered with handrims on each side of the wheelchair
2- Only standard handrim position available
3 - Not available with HD option

4 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position
5 - Not compatible with Shox tires

6 - Colour spokes require an additionnal 10 days lead-time
7- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims										
HANDRIM										
77	HR01	Aluminum anodized							STD	☐
78	HR61	Aluminum black hard anodized ^{1,3}							\$70	☐
79	HR02	Plastic coated ²							\$100	☐
80	HR03	Q-Grip High friction Neoprene coated ^{2,3,4}							\$370	☐
81	HR07	Newton Air Grip ³ <i>Black</i> ☐							\$100	☐
82	HR	Newton Air Grip ³		<i>(08) Sunkissed Orange</i> ☐	<i>(09) Burgundy</i> ☐	<i>(10) Sapphire Blue</i> ☐		\$250	☐	
		<i>(11) Monster Green</i> ☐	<i>(12) Charcoal</i> ☐	<i>(13) Fuchsia</i> ☐	<i>(14) Steel Blue</i> ☐					
		<i>(15) Ferrari Red</i> ☐	<i>(16) Acid Green</i> ☐	<i>(17) White</i> ☐	<i>(18) Sky Blue</i> ☐					
83	HR28	Surge ^{2,3,4}		<i>(1-1/2" Oval handrim w/ Gripton high friction strip)</i>					\$395	☐
84	HR05	Surge LT ^{2,3,4}		<i>(1-1/8" Oval handrim w/ Gripton high friction strip)</i>					\$425	☐
85	HR04	Natural Fit ^{2,3,4}							\$325	☐
86	HR99	Omit handrim							NC	☐

1 - Not available in 26"
2- Only standard handrim position available
3 - Not available with Mag wheels or OAD
4 - Not available in 20"


Handrims option							
Assembly position for aluminum and Newton Air Grip handrim							
87	HR29	Standard Handrim position	Full tab			STD	☐
88	HR30	Narrow Handrim position	Short tab 2 positions			\$27	☐
89	HR31	Super Narrow Handrim	Short tab 2 positions STD ☐	Short tab 1 position ☐		\$27	☐
Thumb piece ⁴ selection for Natural Fit handrims							
90	HR23	Standard grip				\$90	☐
91	HR27	Super grip				\$145	☐
92	HR099	Omit thumb piece				NC	☐

4- Compatible with Surge, Surge LT handrims

AXLE ¹					
93	AX01	Quick release axle			STD ☐
94	AX02	Permanent axle			NC ☐
95	AX03	Quad release axle		K0108	\$125 ☐
AXLE PLATE					
96	AX04	Amputee adjustable axle plate <i>(may interfere with swing away armrest)</i>		E0959	\$195 ☐

1- Not required with one arm drive

REAR WHEEL CAMBER					
97	CM00	0° camber			STD ☐
98	CM03	3° camber			NC ☐

CENTER OF GRAVITY																							
		Choose position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver. Default setting is at 1" 1/4" <table border="1"> <thead> <tr> <th>Most stable</th> <th></th> <th></th> <th></th> <th></th> <th>Most responsive</th> </tr> </thead> <tbody> <tr> <td>AMPUTÉ</td> <td>3/4"</td> <td>1" 1/4</td> <td>1" 3/4</td> <td>2" 1/4</td> <td>2" 3/4</td> </tr> <tr> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table> <i>If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.</i>				Most stable					Most responsive	AMPUTÉ	3/4"	1" 1/4	1" 3/4	2" 1/4	2" 3/4	☐	☐	☐	☐	☐	☐
Most stable					Most responsive																		
AMPUTÉ	3/4"	1" 1/4	1" 3/4	2" 1/4	2" 3/4																		
☐	☐	☐	☐	☐	☐																		

WHEEL LOCK					
99	WL08	Newton Wheel lock - push to lock			STD ☐
100	WL02	Pull to lock			NC ☐
101	WL04	Newton grade aid push to lock <i>(suggested with pneumatic or high pressure tire)</i>		E0974	\$150 ☐
102	WL13 WL14	6" removable extension handle		E0961	\$75 ☐
103	WL05	Scissor Lock			\$150 ☐
104	WL06	Attendant Lock (additional set of wheel lock mounted to the back)			\$210 ☐
105	WL99	Omit wheel locks			NC ☐

Armrests									
FLIP BACK ARMREST <i>(Convertible to "T" armrest)</i> ¹				Height Adjustment					
106	AR01	10" Desk length arm pad	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐	STD	E0973	\$365 ☐
107	AR02	14" Full length arm pad	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐	STD	E0973	\$365 ☐
"T" ARMREST ¹				Height Adjustment					
108	AR13	10" Desk length arm pad	8 - 12" STD ☐	10 - 14" ☐				E0973	\$325 ☐
109	AR14	14" Full length arm pad	8 - 12" STD ☐	10 - 14" ☐				E0973	\$325 ☐
SWING AWAY ARMREST ²				Height Adjustment					
110	AR05	Tubular arm pad	8 - 11"					E0973	\$225 ☐
111	AR06	10" Desk length arm pad	8 - 11"					E0973	\$225 ☐
GEL ARM PAD ³									
112	AR12	14" Full Length Arm Pad - Gel Ovation <i>(pair)</i>							\$160 ☐
113	AR99	Omit armrest							NC ☐

1 - May have a 1/2" adjustment restriction on both limits of the range

2 - Could interfere with some rigid back rests; Not compatible with attendant lock 3- Not available with swing away and flip back arm

SIDE GUARDS <i>(not available with Flip Back and "T" Armrest)</i>						
114	SG01	Plastic side guards <i>(removable)</i>		K0108	\$195	☐
115	SG02	Carbon fiber side guards <i>(fixed)</i>			\$265	☐
116	SG03	Carbon fiber side guards <i>(removable)</i>		K0108	\$290	☐
117	SG06	Plastic fender side guards <i>(removable)</i> ¹			\$285	☐
118	SG04	Carbon fiber fender side guards <i>(removable)</i>		K0108	\$540	☐
119	SG99	Omit side guard			NC	☐
SIDE GUARDS OPTION						
120	SG07	Side guards clip <i>(pair)</i> ²			NC	☐

1- Not compatible with 20" and 22" rear wheels

2- Not available with fixed carbon fiber side guard

POSITIONING BELT								
121	SB01	Velcro adjustable	Standard 35" ☐	Long 60" ☐		E0978	\$45	☐
122	SB02	Auto buckle	Standard 35" ☐	Long 60" ☐		E0978	\$85	☐
123	SB07	Hardware attachment for 2 point seatbelt (1 pair)					NC	☐
124	SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)					\$16	☐
125	SB04	BodyPoint Hip Belt - 2 point not padded	Medium 56" ☐	Long 61" ☐		E0978	\$80	☐
126	SB05	BodyPoint Hip Belt - 2 point padded	Small 51" ☐	Medium 56" ☐	Long 61" ☐	E0978	\$170	☐
127	SB06	BodyPoint Hip Belt - 4 point padded	Small 51" ☐	Medium 56" ☐	Long 61" ☐	E0978	\$190	☐
128	SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	Medium 18" ☐	Long 24" ☐		K0108	\$300	☐
129	SB99	Omit positioning belt					STD	☐

HEADREST									
130	AC01	Profiled Headrest	Small (3.5"x6") ☐	Medium (4.5"x7") ☐	Large (5.5"x8") ☐		E0955	\$180	☐
131	AC28	Headrest mounting hardware with removable non folding stabilizer bar ¹					E1028	\$295	☐

1- Only available with push handles - Not available with a stroller handle or a folding stabiliser bar

ACCESSORIES											
132	AC03	Anti tippers				E0971	\$140	☐			
133	AC29	Swing-away anti-tippers ¹	Left ☐	Right ☐			\$160	☐			
134	AC27	Tip assist ²					\$65	☐			
135	AC04	Transit Tie Down <i>(Unoccupied)</i>					NC	☐			
136	AC05	WC-19 Transit Tie Down w/Q'straint belt ³		Short belt 20-41" ☐ Long belt 20-46" ☐			\$335	☐			
137	AC06	Cane Carrier	Left ☐	Right ☐		E2207	\$195	☐			
138	AC07	Oxygen tank holder - D and E Type	Left			E2208	\$310	☐			
139	AC08	Spoke guards ⁴	Available: 20", 22", 24", 26"			K0065	\$115	☐			
140	AC09	Footrest neoprene impact guard (pair) - Black				K0108	\$90	☐			
141	AC10	Seat pouch					\$80	☐			
142	AC30	Newton sanitizing multi-purpose pouch					\$60	☐			
143	AC26	BodyPoint Mobility Bag					\$130	☐			
144	AC23	Newton Backpack					\$125	☐			
145	AC12	Velcro Closing Strap					\$55	☐			
146	AC13	Tool kit					\$50	☐			
147	AC16	Motion Composites Polo Shirt	W/S ☐ M/S ☐	W/M ☐ M/M ☐	W/L ☐ M/L ☐	M/XL ☐	M/XXL ☐	M/XXXL ☐	M/XXXXL ☐	\$35	☐
148	AC15	Military Patches	Army ☐	Navy ☐	Air Force ☐	Marines ☐	Coast Guard ☐			\$95	☐
149	AC15	Combat Wounded Purple Heart Patch						\$95	☐		

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height of 13 1/2" and 19 3/4"


2 - Cannot be combined with Anti Tippers

3 - May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

4 - Not available with Mag wheels and Spinergy

FRAME COLOR (with black hydroformed aluminum crossbrace)							
150	FC01	Black ☐				NC	☐
151	FC	(03) Sunkissed Orange ☐ (04) Burgundy ☐ (05) Sapphire Blue ☐ (06) Monster Green ☐ (07) Charcoal ☐ (08) Fuchsia ☐ (09) Steel Blue ☐ (17) Ferrari Red ☐ (18) Acid Green ☐				NC	☐
152	FC99	Custom Color	Specify PPG Paintit color:		additional 10 days lead-time	\$380	☐

Fork and Stem bolt combinations



Notes :

BioFit™ CUSHION

 HCPCS CODE: E2607-E2608	BioFit™	Fits Width	Depth	\$	✓	425	BioFit™	Fits Width	Depth	\$	✓
	NXCABF1616	15"-16"	16"				NXCABF2016	19" - 20"	16"		
	NXCABF1618	15"-16"	18"				NXCABF2018	19", - 20"	18"	425	
	NXCABF1620	15"-16"	20"				NXCABF2020	19" - 20"	20"		
	NXCABF1816	17"-18"	16"				NXCABF2216	21" - 22"	16"		
	NXCABF1818	17"-18"	18"				NXCABF2218	21" - 22"	18"	455	
	NXCABF1820	17"-18"	20"				NXCABF2220	21" - 22"	20"		

Optima™ THORACIC BACK SUPPORT

THORACIC SHAPE

 HCPCS CODE: E2620-E2621	Optima™	Fits Width	Height	\$	✓
	NOACB1613	16"-18"	13"		
	NOACB1616	16"-18"	16"		
	NOACB1619	16"-18"	19"		
	NOACB1813	18"-20"	13"		
	NOACB1816	18"-20"	16"		
	NOACB1819	18"-20"	19"		
	NOACB2016	20"-22"	16"		
	NOACB2019	20"-22"	19"		
	NOACB2213	22"-24"	13"		
	NOACB2216	22"--24"	16"		
	NOACB2219	22"-24"	19"		

Optima™ DEEP THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™ DEEP	Fits Width	Height	\$	✓
	NOPCB1616	16"-18"	16"		
	NOPCB1619	16"-18"	19"		
	NOPCB1816	18"-20"	16"		
	NOPCB1819	18"-20"	19"		
	NOPCB2016	20"-22"	16"		
	NOPCB2019	20"-22"	19"		
	NOPCB2213	22"-24"	13"		
	NOPCB2216	22"-24"	16"		
	NOPCB2219	22"-24"	19"		

Xtend™ HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

THORACIC SHAPE

 HCPCS CODE: E2620-E2621	Xtend™	Fits Width	Height	\$	✓
	NHAACB1616/20	16"-18"	16"-20"		
	NHAACB1816/20	18"-20"	16"-20"		
	NHAACB2016/20	20"-22"	16"-20"		
	NHAACB2216/20	22"-24"	16"-20"		

Xtend™ DEEP HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Xtend™	Fits Width	Height	\$	✓
	NHAPCB1616/20	16"-18"	16"-20"		
	NHAPCB1816/20	18"-20"	16"-20"		
	NHAPCB2016/20	20"-22"	16"-20"		
	NHAPCB2216/20	22"-24"	16"-20"		

Classic™ PELVIC BACK SUPPORT

PELVIC SHAPE

 HCPCS CODE: E2620-E2621	Classic™	Fits Width	Height	\$	✓
	NACB1616	16"-18"	16"		
	NACB1618	16"-18"	18"		
	NACB1816	18"-20"	16"		
	NACB1818	18"-20"	18"		
	NACB1820	18"-20"	20"		
	NACB2020	20"-22"	20"		
	NACB2216	22"-24"	16"		
	NACB2218	22"-24"	18"		
	NACB2220	22"-24"	20"		

Classic™ DEEP PELVIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Classic DEEP™	Fits Width	Height	\$	✓
	NPCB1616	16"-18"	16"		
	NPCB1618	16"-18"	18"		
	NPCB1818	18"-20"	18"		
	NPCB1820	18"-20"	20"		
	NPCB2020	20"-22"	20"		
	NPCB2216	22"-24"	16"		
	NPCB2218	22"-24"	18"		
	NPCB2220	22"-24"	20"		

MultiFit™ HEAD SUPPORT – MULTI-ADJUSTABLE PADS

 HCPCS CODE: E0955	 HCPCS CODE: E0955
Model #NIB-0784	Model # NIB-0818
10" x 5" Large Rectangular	14" x 5" Extra-Large Rectangular
\$ 195	\$ 195

MultiFit™ HEAD SUPPORT – FIXTURES

 Model #NIB-0747	 Model # NIB-0823
Multi-Axis Hardware	Head Support Receiver Bracket
\$ 145	\$ 55