



Helio A6

ORDER FORM - USA

1- Purchasing information

P.O. number:* _____ Date: _____
Company Name:* _____
Purchasing contact:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐
Marked for: _____

3- Shipping information

Ship to:* _____
Name: _____
Address: _____
City: _____ State: _____
Zip Code: _____
Phone: _____

2- ATP/Clinician information

ATP/Clinician:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐

* Required

MA082 ☐

English Manual USA (STD)

MA089 ☐

Spanish Manual USA

Taxes not included

MODEL		English Manual C&T (1912)					Spanish Manual C&T		Values Not Included
									USD
WC19	☐	Ultralight folding Helio A6 Wheelchair - 6000 series aluminum (265lb weight capacity)						K0005	\$2 095
WC09	☐	HD Heavy duty kit (350 lb weight capacity)							\$535
Frame									
SEAT WIDTH ³									
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐		NC
	☐	20" ¹ ☐			21" ² ☐	22" ² ☐		E2201	\$505
SEAT DEPTH									
SD	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC
	☐	20" ☐						E2203	\$485
TRANSIT TIE DOWN									
AC04	☐	Transit Tie Down (Unoccupied)							NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 20"-41"							\$360
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 20"-46"							\$360
AC35	☐	WC-19 Transit Tie Down without belt ⁴							\$330

1- Available with HD kit; 2- Only with HD Kit (350 lb); 3- [Width calculator](#) 4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

A6 FRONT Seat-to-floor Height - Please select your choice

Fork/Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12"	13"	14"	12 1/2"	13 1/2"	14 1/2"												
	P2	12 1/2"	13 1/2"	14 1/2"	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
5"	P1																		
	P2				13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
	P3	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"						
	P4	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"			
7"	P1										15 1/2"	16 1/2"	17 1/2"	16"	17"	18"			
	P2							15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
	P3							16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"
	P4	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"
	P5	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"

Height available + - 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS						
CA01-03	☐	Composite wheel w/ PU tire	3" x 1"			NC
CA01-04	☐		4" x 1"			NC
CA01-05	☐		5" x 1"			NC
CA01-06	☐		6" x 1"			NC
CA01-07	☐		7" x 1"			NC
CA01-08	☐		8" x 1"			NC
CA10	☐	Pneumatic casters	6" x 1 ¼"		E2214/E2215	\$165
CA11	☐		8" x 1 ¼"		E2214/E2215	\$165
CA14	☐	Newton UltraCaster Composite	4" x 1 ½ "			\$87
CA15	☐		5" x 1 ½ "			\$87
CA16	☐		6" x 1 ½ "			\$87
CA17	☐	Newton UltraCaster Aluminum	4" x 1 ½ "			\$190
CA18	☐		5" x 1 ½ "			\$200
CA19	☐		6" x 1 ½ "			\$210
CASTER OPTIONS						
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹			K0073	\$300
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)			E1015	\$485

1 - Not available with WC-19

Helio A6 - REAR Seat-to-floor Height - Please select your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
12"	13"	13 3/4"	14 1/4"	14 3/4"
12 1/2"	13 1/2"	14 1/4"	14 3/4"	15 1/4"
13"	14"	14 3/4"	15 1/4"	15 3/4"
13 1/2"	14 1/2"	15 1/4"	15 3/4"	16 1/4"
14"	15"	15 3/4"	16 1/4"	16 3/4"
14 1/2"	15 1/2"	16 1/4"	16 3/4"	17 1/4"
15"	16"	16 3/4"	17 1/4"	17 3/4"
15 1/2"	16 1/2"	17 1/4"	17 3/4"	18 1/4"
16"	17"	17 3/4"	18 1/4"	18 3/4"
16 1/2"	17 1/2"	18 1/4"	18 3/4"	19 1/4"
17"	18"	18 3/4"	19 1/4"	19 3/4"
17 1/2"	18 1/2"	19 1/4"	19 3/4"	20 1/4"

Configuration used: 1" seat slope with a center of gravity at 2"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest								
SWING-IN/SWING-OUT FOOTREST								
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"				Set at: *		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"				Set at: *		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"				Set at: *		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"				Set at: *		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"				Set at: *		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"				Set at: *		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16"				Set at: *		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5"				Set at: *		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5"				Set at: *		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹			7.5" - 11"	Set at: *		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}			9.5"- 13"	Set at: *		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}			9.5" - 14.5"	Set at: *		NC
FOOTREST OPTIONS								
FR09	☐	High mount (footplate attached to the hanger with clamps) ³			5" - 13.5"	Set at: *		\$82
FR10	☐	Elevating legrest with calf pad, Length adjustable ⁴		Left ☐	Right ☐	Set at:	E0990	\$245
FR99	☐	Omit Footrest						NC

1- Available only with two pieces adjustable footplate; 2- May interfere with front casters; 3- Not available with front mount; * +/- 1/2"

4- The elevating legrest replace the footrest side selected; Not available with one piece footplate

FOOTPLATES						
FP01	☐	Standard - Composite ¹				STD
FP02	☐	Newton adjustable angle - Composite			K0040	\$215
FP03	☐	Newton adjustable angle - Aluminum			K0040	\$235
FP06	☐	One piece adjustable angle flip-up - Aluminum			K0040	\$195
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop <i>(not available with one piece footplate)</i>			E0951	\$41
FP09	☐	Calf strap			K0038	\$36
FP30	☐	Bodypoint Aeromesh Padded calf strap			K0038	\$118

1- Not available with front mount

SWING AWAY RESIDUAL LIMB SUPPORT						
FR27	☐	Residual limb support - flat 6"x8"	Left ☐ Right ☐		E1020	\$415
FR28	☐	Residual limb support - flat 8"x10"	Left ☐ Right ☐		E1020	\$415
FR29	☐	Residual limb support - flat 10"x10"	Left ☐ Right ☐		E1020	\$415
FR30	☐	Residual limb support - flat 10"x14"	Left ☐ Right ☐		E1020	\$415
FR32	☐	Residual limb support - contour 6"x8"	Left ☐ Right ☐		E1020	\$415
FR33	☐	Residual limb support - contour 8"x10"	Left ☐ Right ☐		E1020	\$415

Backrest						
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE <i>(Not available with push handles options)</i>						
BC58-915	☐	Straight aluminum back cane	9" - 15" <i>increment of 1/2"</i>	Set at ² :		NC
BC58-1521	☐	Straight aluminum back cane	15" - 21" <i>increment of 1/2"</i>	Set at ² :		NC
BC60	☐	Straight aluminum back cane	21" - 24" <i>increment of 1"</i>	Set at ² :		\$77
BC01-16	☐	8° bend aluminum back cane	16"			NC
BC01-18	☐	8° bend aluminum back cane	18"			NC
BC01-20	☐	8° bend aluminum back cane	20"			NC
BC59	☐	8° bend aluminum back cane	21" - 24" <i>increment of 1"</i>	Set at ² :		\$77
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS <i>(MUST select ONE push handle options)</i>						
BC11-912	☐	Straight aluminum back cane	9" - 12" <i>increment of 1/2"</i>	Set at ² :		NC
BC11-1215	☐	Straight aluminum back cane	12" - 15" <i>increment of 1/2"</i>	Set at ² :		NC
BC11-1518	☐	Straight aluminum back cane	15" - 18" <i>increment of 1/2"</i>	Set at ² :		NC
BC11-1821	☐	Straight aluminum back cane	18" - 21" <i>increment of 1/2"</i>	Set at ² :		NC
BC12-1315	☐	8° bend aluminum back cane	13.5" - 15" <i>increment of 1/2"</i>	Set at ² :		\$57
BC12-1518	☐	8° bend aluminum back cane	15" - 18" <i>increment of 1/2"</i>	Set at ² :		\$57
BC12-1821	☐	8° bend aluminum back cane	18" - 21" <i>increment of 1/2"</i>	Set at ² :		\$57
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS <i>(MUST select ONE push handle options)</i>						
BC13-1518	☐	Straight aluminum back cane	15" - 18" <i>increment of 1/2"</i>	Set at ² :		\$215
BC13-1821	☐	Straight aluminum back cane	18" - 21" <i>increment of 1/2"</i>	Set at ² :		\$215
BC14-1518	☐	8° bend aluminum back cane	15" - 18" <i>increment of 1/2"</i>	Set at ² :		\$270
BC14-1821	☐	8° bend aluminum back cane	18" - 21" <i>increment of 1/2"</i>	Set at ² :		\$270
		Select back cane angle:	85° ¹ ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐			

PUSH HANDLES OPTIONS <i>(ONE option at a time)</i>						
PH01	☐	Push handles				STD
PH05	☐	Fold down push handles ^{3, 5}				\$130
PH06-920	☐	Clamp on height adjustable push handles 9"-20" ^{3, 4, 5}				\$320
PH06-923	☐	Clamp on height adjustable push handles 9"-23" ^{3, 4, 5}				\$320
PH02	☐	Omit push handles				NC

STROLLER HANDLE AND STABILIZER BAR <i>(only available with push handle)</i>						
PH04	☐	Stroller handle <i>(not available with the HD option)</i>			K0108	\$165
PH03	☐	Newton folding stabilizer bar <i>(not available with stroller handle)</i>				\$270

1 - Not compatible with 8 degree bend back cane 2 - If not indicated, default height setting is at the lowest position - measured from seat sling to top of back upholstery; 3 - 265 lb weight limit

4 - Not compatible with swing away armrests, 8° bend back canes, 21-24" back canes and amputee axle plates; 5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

BACK UPHOLSTERY						
BH05	☐	Slip-on Nylon back upholstery				STD
BH06	☐	Adjustable tension Nylon back upholstery			E2611	\$305
BH99	☐	Omit Back upholstery				NC
	☐	NXT back Support			See price list	
SEAT CUSHION						
SC01	☐	2" Cushion			E2601	\$170
SC02	☐	3" Cushion			E2601	\$190
SC99	☐	Omit seat cushion				STD
	☐	NXT cushion			See price list	

Rear wheels						
ONE ARM DRIVE ¹ <i>Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims, permanent axles, 0° camber</i>						
HR22	☐	One arm drive - aluminum inner handrim ^{2,3}	24"	Left ☐	Right ☐	\$1 495
HR60	☐	One arm drive - plastic coated inner handrim ^{2,3}	24"	Left ☐	Right ☐	\$1 495
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)				NC
REAR WHEELS						
RW01	☐	Mag ⁴				\$57
RW02	☐	Newton One - spoke wheel ⁵				NC
RW03	☐	Newton Gravity - ultralight wheel				\$320
RW04	☐	Spinergy Spox Blk STD ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐				\$850
RW05	☐	Spinergy LX Blk STD ☐ Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐				\$1 065
RW07	☐	Spinergy CLX ⁷ Blk STD ☐ Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐				\$1 585
TIRES						
TI01	☐	Soft Urethane - 1 3/8"				STD
TI02	☐	Soft Urethane - knobby 1 3/8 "				\$97
TI04	☐	Soft Urethane - Shox 1"				\$118
TI05	☐	Pneumatic - 1 3/8"				NC
TI08	☐	Pneumatic with Airless insert - 1 3/8" ⁸				\$82
TI06	☐	Pneumatic HP - 1"				\$97
TI07	☐	Pneumatic HP - Puncture resistant, black 1"				\$130

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; 2- Only standard handrim position available; 3- Not available with HD option

4- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 5- Not compatible with Shox tires; 6- color spokes require an additionnal 10 days lead-time

7- Not available with Soft Urethane Knobby tires; 8- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims						
HANDRIM						
HR01	☐	Aluminum anodized				STD
HR61	☐	Aluminum black hard anodized ²				\$72
HR02	☐	Plastic coated ¹				\$102
HR03	☐	High friction coated ^{1,2}				\$375
HR07	☐	Newton Air Grip ² Black ☐				\$102
HR	☐	Newton Air Grip ² (08) Sunkissed Orange ☐ (09) Burgundy ☐ (10) Sapphire Blue ☐ (11) Monster Green ☐ (12) Charcoal ☐ (13) Fuchsia ☐ (14) Steel Blue ☐ (15) Ferrari Red ☐ (16) Acid Green ☐ (17) White ☐ (18) Sky Blue ☐				\$255
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip) **Limited availability				\$395
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip) **Limited availability				\$425
HR04	☐	Natural Fit ^{1,2} **Limited availability				\$325
HR62	☐	Tour H ^{1,2} (1 5/16" Oval handrim with high friction strip)			New	\$395
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)			New	\$425
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)			New	\$325
HR99	☐	Omit handrim				NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels

Handrims option						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	Full tab			STD
HR030	☐	Narrow Handrim position no cut	Full tab			NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions			\$30
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions STD ☐ Short tab 1 position ☐			\$30
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip	**Limited availability			\$92
HR27	☐	Super grip	**Limited availability			\$150
HR099	☐	Omit thumb piece				NC


3- Only available with Aluminum and Air Grip handrims;

AXLE ¹						
AX01	☐	Quick release axle				STD
AX02	☐	Permanent axle				NC
AX03	☐	Quad release axle			K0108	\$130
AXLE PLATE						
AX04	☐	Amputee adjustable axle plate ²			E0959	\$200

1- Not required with one arm drive 2-May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER							
CM00	☐	0° camber					STD
CM03	☐	3° camber					NC

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance from front of back post to center of axle receiver.

Default setting is at 1" 1/4"

Most stable							Most responsive	
AMPUTEE ¹		3/4"	1" 1/4	1" 3/4	2" 1/4	2" 3/4		
☐		☐	☐	☐	☐	☐		

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1- Only available with amputee axle plate

WHEEL LOCK							
WL08	☐	Newton Wheel lock - push to lock					STD
WL02	☐	Pull to lock					NC
WL04	☐	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)			E0974		\$155
WL13	☐	6" removable extension handle			E0961		\$77
WL14	☐						
WL05	☐	Scissors Lock					\$155
WL06	☐	Attendant Lock (additional set of wheel lock mounted to the back)					\$215
WL15	☐	Unilateral wheel lock - pull to lock ¹	Left ☐	Right ☐			\$330
WL99	☐	Omit wheel locks					NC

1- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_us/support-and-education/how-to-documents

Armrests							
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,3}							
AR01-812	☐	10" Desk length armpad 8" - 12"	Locked ☐	Unlocked STD ☐		E0973	\$355
AR01-1014	☐	10" Desk length armpad 10" - 14"	Locked ☐	Unlocked STD ☐		E0973	\$355
AR02-812	☐	14" Full length armpad 8" - 12"	Locked ☐	Unlocked STD ☐		E0973	\$355
AR02-1014	☐	14" Full length armpad 10" - 14"	Locked ☐	Unlocked STD ☐		E0973	\$355
HEIGHT ADJUSTABLE "T" ARMREST ¹							
AR13-610	☐	10" Desk length armpad ⁵ 6" - 10"				E0973	\$330
AR13-812	☐	10" Desk length armpad 8" - 12"				E0973	\$330
AR13-1014	☐	10" Desk length armpad 10" - 14"				E0973	\$330
AR14-610	☐	14" Full length armpad ⁵ 6" - 10"				E0973	\$330
AR14-812	☐	14" Full length armpad 8" - 12"				E0973	\$330
AR14-1014	☐	14" Full length armpad 10" - 14"				E0973	\$330
SWING AWAY ARMREST ^{2,3}							
AR05	☐	Tubular armrest without plastic side guards - Short pad	8" - 11"			E0973	\$230
AR19	☐	Tubular armrest with plastic side guards - Short pad	8" - 11"			E0973	\$395
AR23	☐	Tubular armrest without plastic side guards - Long pad	8" - 11"		New	E0973	\$230
AR24	☐	Tubular armrest with plastic side guards - Long pad	8" - 11"		New	E0973	\$395
AR06	☐	10" Desk length flat armpad without plastic side guards	8" - 11"			E0973	\$230
AR20	☐	10" Desk length flat armpad with plastic side guards	8" - 11"			E0973	\$395
AR17	☐	14" Full length flat armpad without plastic side guards	8" - 11"			E0973	\$230
AR21	☐	14" Full length flat armpad with plastic side guards	8" - 11"			E0973	\$395
ARMREST OPTION							
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ³					\$165
AR99	☐	Omit armrest					NC

1- May have 1/2" restriction on both limits of the range; 2- Could interfere with some rigid backrests; 3- Not compatible with attendant lock; 4- Not available with swing away and flip back armrests

5- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS <i>(not available with Flip Back and "T" Armrest)</i>					
SG01	☐	Plastic side guards <i>(removable)</i>		K0108	\$200
SG02	☐	Carbon fiber side guards <i>(fixed)</i>			\$270
SG03	☐	Carbon fiber side guards <i>(removable)</i>		K0108	\$295
SG06	☐	Plastic fender side guards - straight bracket <i>(removable)</i>			\$290
SG08	☐	Plastic fender side guards - offset bracket <i>(removable)</i> ¹			\$290
SG04	☐	Carbon fiber fender side guards <i>(removable)</i>		K0108	\$550
SG99	☐	Omit side guard			NC
SIDE GUARDS OPTION					
SG07	☐	Side guards clip <i>(pair)</i> ²			NC

1- only compatible with 0° and 2° camber; Increase distance between fender side guards by 1 1/8"; 2- Not available with fixed carbon fiber side guard

POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Standard 35"		E0978	\$46
SB01-L	☐	Velcro adjustable - Long 60"		E0978	\$46
SB02-S	☐	Auto buckle - Standard 35"		E0978	\$87
SB02-L	☐	Auto buckle - Long 60"		E0978	\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"		E0978	\$82
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"		E0978	\$82
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		E0978	\$175
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		E0978	\$175
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		E0978	\$175
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		E0978	\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		E0978	\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		E0978	\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)			\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"		K0108	\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"		K0108	\$305
SB99	☐	Omit positioning belt			STD

HEADREST					
AC01-S	☐	Profiled Headrest - Small (3.5"X6")		E0955	\$185
AC01-M	☐	Profiled Headrest - Medium (4.5"X7")		E0955	\$185
AC01-L	☐	Profiled Headrest - Large (5.5"X8")		E0955	\$185
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹		E1028	\$300

1 - Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

ACCESSORIES					
AC03	☐	Anti-tippers		E0971	\$145
AC29	☐	Swing-away anti-tipper ¹ Left ☐ Right ☐			\$165
AC27	☐	Tip assist ²			\$67
AC06	☐	Cane and crutch holder Left ☐ Right ☐		E2207	\$200
AC07	☐	Oxygen tank holder - D and E Type <i>Not compatible with swing away armrest or amputee axle plate</i> Left		E2208	\$315
AC08	☐	Spoke guards ³ Available: 20", 22", 24", 26"		K0065	\$118
AC09	☐	Footrest neoprene impact guard <i>(pair)</i> - Black		K0108	\$92
AC10	☐	Seat pouch			\$82
AC30	☐	Newton multi-purpose pouch			\$61
AC26	☐	BodyPoint Mobility Bag			\$135
AC23	☐	Newton Backpack			\$130
AC12	☐	Velcro Closing Strap			\$57
AC13	☐	Tool kit			\$51
AC16	☐	Motion Composites Polo Shirt W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐			\$36
AC15	☐	Military Patches Army ☐ Navy ☐ Air Force ☐ Marines ☐ Coast Guard ☐ Combat Wounded Purple Heart ☐			\$96


1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"

2- Cannot be combined with Anti Tippers

3- Not available with Mag wheels and Spinegy

FRAME COLOR <i>(with black hydroformed aluminum crossbrace)</i>					
FC01	☐	Black			NC
FC	☐	(03) Sunkissed Orange ☐ (04) Burgundy ☐ (05) Sapphire Blue ☐ (06) Monster Green ☐ (07) Charcoal ☐ (08) Fuchsia ☐ (09) Steel Blue ☐ (17) Ferrari Red ☐ (18) Acid Green ☐			NC
FC99	☐	Custom Color Specify PPG Paintit color:		additional 10 days lead-time	\$390

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.25 to 2.75
22 in	16	0.75 to 2.25
	17+	0.75 to 2.75
24 in	16	0.75 to 1.75
	17	0.75 to 2.25
	18+	0.75 to 2.75

Notes :

FOLDING ON CHAIR - U.S.A ORDER FORM


BioFit™ CUSHION		WIDTH										
DEPTH		12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
	12"	☐ \$445	☐ \$445	☐ \$445								
	14"	☐ \$445	☐ \$445	☐ \$445								
	15"		☐ \$445	☐ \$445	☐ \$445	☐ \$445						
	16"		☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480
	17"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480		
	18"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480
	19"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480		
	20"				☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480	☐ \$480
Option: Change cover for incontinent/infection control outer cover ☐ N/C												



NXCABF _____
(W" x D")

HCPCS CODE: E2607-E2608

SEATING AND CUSHION ACCESSORIES

	MODEL NO.	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	

Optima™ THORACIC BACK SUPPORT

THORACIC SHAPE	Optima™	Fits Width	Height	✓	\$
	NOACB1613	16"-18"	13"	☐	\$695
	NOACB1616	16"-18"	16"	☐	\$695
	NOACB1619	16"-18"	19"	☐	\$695
	NOACB1813	18"-20"	13"	☐	\$695
	NOACB1816	18"-20"	16"	☐	\$695
	NOACB1819	18"-20"	19"	☐	\$695
	NOACB2016	20"-22"	16"	☐	\$695
	NOACB2019	20"-22"	19"	☐	\$695
	NOACB2213	22"-24"	13"	☐	\$745
	NOACB2216	22"-24"	16"	☐	\$745
	NOACB2219	22"-24"	19"	☐	\$745

HCPCS CODE: E2620-E2621

Optima™ DEEP THORACIC BACK SUPPORT

Optima™ DEEP	Fits Width	Height	✓	\$
NOPCB1616	16"-18"	16"	☐	\$695
NOPCB1619	16"-18"	19"	☐	\$695
NOPCB1816	18"-20"	16"	☐	\$695
NOPCB1819	18"-20"	19"	☐	\$695
NOPCB2016	20"-22"	16"	☐	\$695
NOPCB2019	20"-22"	19"	☐	\$695
NOPCB2213	22"-24"	13"	☐	\$745
NOPCB2216	22"-24"	16"	☐	\$745
NOPCB2219	22"-24"	19"	☐	\$745

HCPCS CODE: E2620-E2621

Optima™ CARBON THORACIC BACK SUPPORT

THORACIC SHAPE	Optima™ Carbon	Fits Width	Height	✓	\$
	NOCFACB1413	14"-16"	13"	☐	\$925
	NOCFACB1416	14"-16"	16"	☐	\$960
	NOCFACB1513	15"-17"	13"	☐	\$925
	NOCFACB1516	15"-17"	16"	☐	\$960
	NOCFACB1613	16"-18"	13"	☐	\$925
	NOCFACB1616	16"-18"	16"	☐	\$960
	NOCFACB1713	17"-19"	13"	☐	\$925
	NOCFACB1716	17"-19"	16"	☐	\$960
	NOCFACB1813	18"-20"	13"	☐	\$925
	NOCFACB1816	18"-20"	16"	☐	\$960
	NOCFACB2013	20"-22"	13"	☐	\$925

HCPCS CODE: E2620-E2621

Optima™ CARBON DEEP THORACIC BACK SUPPORT

Optima™ Carbon DEEP	Fits Width	Height	✓	\$
NOCFPCB1413	14"-16"	13"	☐	\$1015
NOCFPCB1416	14"-16"	16"	☐	\$1055
NOCFPCB1513	15"-17"	13"	☐	\$1015
NOCFPCB1516	15"-17"	16"	☐	\$1055
NOCFPCB1613	16"-18"	13"	☐	\$1015
NOCFPCB1616	16"-18"	16"	☐	\$1055
NOCFPCB1713	17"-19"	13"	☐	\$1015
NOCFPCB1716	17"-19"	16"	☐	\$1055
NOCFPCB1813	18"-20"	13"	☐	\$1015
NOCFPCB1816	18"-20"	16"	☐	\$1055
NOCFPCB2013	20"-22"	13"	☐	\$1015
NOCFPCB2016	20"-22"	16"	☐	\$1055

HCPCS CODE: E2620-E2621

THORACIC SHAPE



HCPCS CODE:
E2620-E2621

Xtend™	Fits Width	Height	✓	\$
**NHAACB (L)1213/17	12"-14"	13"-17"	☐	\$695
NHAACB (L)1413/17	14"-16"	13"-17"	☐	\$695
NHAACB (L)1613/17	16"-18"	13"-17"	☐	\$695
NHAACB (L)1813/17	18"-20"	13"-17"	☐	\$745
NHAACB (L)2013/17	20"-22"	13"-17"	☐	\$745
NHAACB (L)2213/17	22"-24"	13"-17"	☐	\$745



HCPCS CODE:
E2620-E2621

Xtend™ DEEP	Fits Width	Height	✓	\$
NHAPCB1616/20	16"-18"	16"-20"	☐	\$695
NHAPCB1816/20	18"-20"	16"-20"	☐	\$695
NHAPCB2016/20	20"-22"	16"-20"	☐	\$695
NHAPCB2216/20	22"-24"	16"-20"	☐	\$745

PELVIC SHAPE



HCPCS CODE:

F2620-F2621

Classic™	Fits Width	Height	✓	\$
NACB1616	16"-18"	16"	☐	\$695
NACB1618	16"-18"	18"	☐	\$695
NACB1816	18"-20"	16"	☐	\$695
NACB1818	18"-20"	18"	☐	\$695
NACB1820	18"-20"	20"	☐	\$695
NACB2020	20"-22"	20"	☐	\$695
NACB2216	22"-24"	16"	☐	\$745
NACB2218	22"-24"	18"	☐	\$745
NACB2220	22"-24"	20"	☐	\$745



HCPCS CODE:

E2620-E2621

Classic DEEP™	Fits Width	Height	✓	\$
NPCB1616	16"-18"	16"	☐	\$695
NPCB1618	16"-18"	18"	☐	\$695
NPCB1818	18"-20"	18"	☐	\$695
NPCB1820	18"-20"	20"	☐	\$695
NPCB2020	20"-22"	20"	☐	\$695
NPCB2216	22"-24"	16"	☐	\$745
NPCB2218	22"-24"	18"	☐	\$745
NPCB2220	22"-24"	20"	☐	\$745

BACK SUPPORT ACCESSORIES - PRIVACY FLAP

	Model #	Description	Fits Back Width	\$	QTY
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	70	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	70	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	70	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	70	

MultiFit™ HEAD SUPPORT - MULTI-ADJUSTABLE PADS

					
HCPCS CODE: E0955			HCPCS CODE: E0955		
Model #NIB-0784	✓	\$	Model # NIB-0818	✓	\$
10" x 5" Large Rectangular	☐	\$205	14" x 5" Extra-Large Rectangular	☐	\$205

MultiFit™ HEAD SUPPORT - FIXTURES

					
Model #NIB-0747			Model # NIB-0823		
Model #NIB-0747	✓	\$	Model # NIB-0823	✓	\$
Multi-Axis Hardware	☐	\$150	Head Support Receiver Bracket	☐	\$60