



Helio A6

ORDER FORM - USA

1- Purchasing information

P.O. number:* _____ Date: _____
Company Name:* _____
Purchasing contact:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐
Marked for: _____

2- ATP/Clinician information

ATP/Clinician:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐

3- Shipping information

Ship to:* _____
Name: _____
Address: _____
City: _____ State: _____
Zip Code: _____
Phone: _____

* Required

MA082 ☐

English Manual USA (STD)

MA089 ☐

Spanish Manual USA

Taxes not included

MODEL							USD	
WC19	☐	Ultralight folding Helio A6 Wheelchair - 6000 series aluminum (265lb weight capacity)					K0005	\$2,095
WC09	☐	HD Heavy duty kit (350 lb weight capacity)						\$535
Frame								
SEAT WIDTH ³								
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐	NC
	☐	20" ¹ ☐ 21" ² ☐ 22" ² ☐					E2201	\$505
SEAT DEPTH								
SD	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐	NC
	☐	20" ☐					E2203	\$485
TRANSIT TIE DOWN								
AC04	☐	Transit Tie Down (Unoccupied)						NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 20"-41"						\$360
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 20"-46"						\$360
AC35	☐	WC-19 Transit Tie Down without belt ⁴						\$330

1- Available with HD kit; 2- Only with HD Kit (350 lb); [3. Width calculator](#) 4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

A6 FRONT Seat-to-floor Height - Please select your choice

Fork/Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12"	13"	14"	12 1/2"	13 1/2"	14 1/2"												
	P2	12 1/2"	13 1/2"	14 1/2"	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
5"	P1																		
	P2				13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
	P3	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"						
	P4	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"			
7"	P1										15 1/2"	16 1/2"	17 1/2"	16"	17"	18"			
	P2							15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
	P3							16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"
	P4	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"
	P5	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS						
CA01-03	☐	Composite wheel w/ PU tire	3" x 1"			NC
CA01-04	☐		4" x 1"			NC
CA01-05	☐		5" x 1"			NC
CA01-06	☐		6" x 1"			NC
CA01-07	☐		7" x 1"			NC
CA01-08	☐		8" x 1"			NC
CA10	☐	Pneumatic casters	6" x 1 ¼"		E2214/E2215	\$165
CA11	☐		8" x 1 ¼"		E2214/E2215	\$165
CA14	☐	Newton UltraCaster Composite	4" x 1 ½ "			\$87
CA15	☐		5" x 1 ½ "			\$87
CA16	☐		6" x 1 ½ "			\$87
CA17	☐	Newton UltraCaster Aluminum	4" x 1 ½ "			\$190
CA18	☐		5" x 1 ½ "			\$200
CA19	☐		6" x 1 ½ "			\$210
CASTER OPTIONS						
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹			K0073	\$300
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)			E1015	\$485

1 - Not available with WC-19

Helio A6 - REAR Seat-to-floor Height - Please select your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
12"	13"	13 3/4"	14 1/4"	14 3/4"
12 1/2"	13 1/2"	14 1/4"	14 3/4"	15 1/4"
13"	14"	14 3/4"	15 1/4"	15 3/4"
13 1/2"	14 1/2"	15 1/4"	15 3/4"	16 1/4"
14"	15"	15 3/4"	16 1/4"	16 3/4"
14 1/2"	15 1/2"	16 1/4"	16 3/4"	17 1/4"
15"	16"	16 3/4"	17 1/4"	17 3/4"
15 1/2"	16 1/2"	17 1/4"	17 3/4"	18 1/4"
16"	17"	17 3/4"	18 1/4"	18 3/4"
16 1/2"	17 1/2"	18 1/4"	18 3/4"	19 1/4"
17"	18"	18 3/4"	19 1/4"	19 3/4"
17 1/2"	18 1/2"	19 1/4"	19 3/4"	20 1/4"

Configuration used: 1" seat slope with a center of gravity at 2"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest

Footrest							
SWING-IN/SWING-OUT FOOTREST							
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"			Set at: *		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"			Set at: *		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"			Set at: *		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"			Set at: *		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"			Set at: *		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"			Set at: *		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16"			Set at: *		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5"			Set at: *		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5"			Set at: *		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹		7.5" - 11"	Set at: *		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}		9.5"- 13"	Set at: *		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}		9.5" - 14.5"	Set at: *		NC
FOOTREST OPTIONS							
FR09	☐	High mount (footplate attached to the hanger with clamps) ³		5" - 13.5"	Set at: *		\$82
FR10	☐	Elevating legrest with calf pad, Length adjustable ⁴		Left ☐ Right ☐	14" - 22"	Set at:	E0990 \$245
FR99	☐	Omit Footrest					NC

1- Available only with two pieces adjustable footplate; 2- May interfere with front casters; 3- Not available with front mount; * +/- 1/2"

4- The elevating legrest replace the footrest side selected; Not available with one piece footplate

FOOTPLATES						
FP01	☐	Standard - Composite ¹				STD
FP02	☐	Newton adjustable angle - Composite			K0040	\$215
FP03	☐	Newton adjustable angle - Aluminum			K0040	\$235
FP06	☐	One piece adjustable angle flip-up - Aluminum			K0040	\$195
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop <i>(not available with one piece footplate)</i>			E0951	\$41
FP09	☐	Calf strap			K0038	\$36
FP30	☐	Bodypoint Aeromesh Padded calf strap			K0038	\$118

1- Not available with front mount

SWING AWAY RESIDUAL LIMB SUPPORT							
FR27	☐	Residual limb support - flat 6"x8"	Left ☐	Right ☐		E1020	\$415
FR28	☐	Residual limb support - flat 8"x10"	Left ☐	Right ☐		E1020	\$415
FR29	☐	Residual limb support - flat 10"x10"	Left ☐	Right ☐		E1020	\$415
FR30	☐	Residual limb support - flat 10"x14"	Left ☐	Right ☐		E1020	\$415
FR32	☐	Residual limb support - contour 6"x8"	Left ☐	Right ☐		E1020	\$415
FR33	☐	Residual limb support - contour 8"x10"	Left ☐	Right ☐		E1020	\$415

Backrest							
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE (Not available with push handles options)							
BC58-915	☐	Straight aluminum back cane	9" - 15"	increment of 1/2"	Set at ² :		NC
BC58-1521	☐	Straight aluminum back cane	15" - 21"	increment of 1/2"	Set at ² :		NC
BC60	☐	Straight aluminum back cane	21" - 24"	increment of 1"	Set at ² :		\$77
BC01-16	☐	8° bend aluminum back cane	16"				NC
BC01-18	☐	8° bend aluminum back cane	18"				NC
BC01-20	☐	8° bend aluminum back cane	20"				NC
BC59	☐	8° bend aluminum back cane	21" - 24"	increment of 1"	Set at ² :		\$77
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)							
BC11-912	☐	Straight aluminum back cane	9" - 12"	increment of 1/2"	Set at ² :		NC
BC11-1215	☐	Straight aluminum back cane	12" - 15"	increment of 1/2"	Set at ² :		NC
BC11-1518	☐	Straight aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :		NC
BC11-1821	☐	Straight aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :		NC
BC12-1315	☐	8° bend aluminum back cane	13.5" - 15"	increment of 1/2"	Set at ² :		\$57
BC12-1518	☐	8° bend aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :		\$57
BC12-1821	☐	8° bend aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :		\$57
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)							
BC13-1518	☐	Straight aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :		\$215
BC13-1821	☐	Straight aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :		\$215
BC14-1518	☐	8° bend aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :		\$270
BC14-1821	☐	8° bend aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :		\$270
		Select back cane angle:	85° ¹ ☐	90° ☐	95° STD ☐	100° ☐	105° ☐ 110° ☐
PUSH HANDLES OPTIONS (ONE option at a time)							
PH01	☐	Push handles					STD
PH05	☐	Fold down push handles ^{3, 5}					\$130
PH06-920	☐	Clamp on height adjustable push handles 9"-20" ^{3, 4, 5}					\$320
PH06-923	☐	Clamp on height adjustable push handles 9"-23" ^{3, 4, 5}					\$320
PH02	☐	Omit push handles					NC
STROLLER HANDLE AND STABILIZER BAR (only available with push handle)							
PH04	☐	Stroller handle (not available with the HD option)				K0108	\$165
PH03	☐	Newton folding stabilizer bar (not available with stroller handle)					\$270

1 - Not compatible with 8 degree bend back cane 2 - If not indicated, default height setting is at the lowest position - measured from seat sling to top of back upholstery; 3 - 265 lb weight limit

4 - Not compatible with swing away armrests, 8° bend back canes, 21-24" back canes and amputee axle plates; 5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

BACK UPHOLSTERY							
BH05	☐	Slip-on Nylon back upholstery					STD
BH06	☐	Adjustable tension Nylon back upholstery				E2611	\$305
BH99	☐	Omit Back upholstery					NC
	☐	NXT back Support				See price list	
SEAT CUSHION							
SC01	☐	2" Cushion					\$170
SC02	☐	3" Cushion					\$190
SC99	☐	Omit seat cushion					STD
	☐	NXT cushion				See price list	

Rear wheels						
ONE ARM DRIVE ¹ <i>Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims, permanent axles, 0° camber</i>						
HR22	☐	One arm drive - aluminum inner handrim ^{2,3}	24"	Left ☐	Right ☐	E0958 \$1,495
HR60	☐	One arm drive - plastic coated inner handrim ^{2,3}	24"	Left ☐	Right ☐	E0958 \$1,495
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)				NC
REAR WHEELS						
RW01	☐	Mag ⁴				20", 22" 24" \$57
RW02	☐	Newton One - spoke wheel ⁵				20", 22" 24" NC
RW03	☐	Newton Gravity - ultralight wheel				20", 22", 24", 25", 26" \$320
RW04	☐	Spinergy Spox Blk STD ☐	Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐			22", 24", 25", 26" \$850
RW05	☐	Spinergy LX Blk STD ☐	Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐			22", 24", 25", 26" \$1,065
RW07	☐	Spinergy CLX ⁷ Blk STD ☐	Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐			24", 25" \$1,585
TIRES						
TI01	☐	Soft Urethane - 1 3/8"				20", 22" 24" E2218 STD
TI02	☐	Soft Urethane - knobby 1 3/8 "				22", 24", 25", 26" E2218 \$97
TI04	☐	Soft Urethane - Shox 1"				22", 24", 25", 26" E2218 \$118
TI05	☐	Pneumatic - 1 3/8"				20", 22", 24", 25" 26" E2211/E2212 NC
TI08	☐	Pneumatic with Airless insert - 1 3/8" ⁸				22", 24", 26" E2211/E2213 \$82
TI06	☐	Pneumatic HP - 1"				20", 22", 24", 25", 26" E2211/E2212 \$97
TI07	☐	Pneumatic HP - Puncture resistant, black 1"				24", 25", 26" E2211/E2212 \$130

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; 2- Only standard handrim position available; 3- Not available with HD option

4- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 5- Not compatible with Shox tires; 6- color spokes require an additionnal 10 days lead-time

7- Only available with 1" tires; 8- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims						
HANDRIM						
HR01	☐	Aluminum anodized				20", 22", 24", 25", 26" STD
HR61	☐	Aluminum black hard anodized ²				20", 22", 24", 25" \$72
HR02	☐	Plastic coated ¹				20", 22", 24", 25", 26" \$102
HR03	☐	High friction coated ^{1,2}				22", 24", 25", 26" \$375
HR07 to HR18	☐	Newton Air Grip ² <i>See page 6 for the color selection and price</i>				20", 22", 24", 25", 26"
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip)		**Limited availability		22", 24", 25", 26" \$395
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip)		**Limited availability		22", 24", 25", 26" \$425
HR04	☐	Natural Fit ^{1,2}		**Limited availability		22", 24", 25", 26" \$325
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)				22", 24", 25", 26" \$425
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)				22", 24", 25", 26" \$325
HR99	☐	Omit handrim				NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels

Handrims option						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	Full tab			STD
HR030	☐	Narrow Handrim position no cut	Full tab			NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions			\$30
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions STD ☐ Short tab 1 position ☐			\$30
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip		**Limited availability		\$92
HR27	☐	Super grip		**Limited availability		\$150
HR099	☐	Omit thumb piece				NC


3- Only available with Aluminum and Air Grip handrims;

AXLE ¹						
AX01	☐	Quick release axle				STD
AX02	☐	Permanent axle				NC
AX03	☐	Quad release axle			K0108	\$130
AXLE PLATE						
AX04	☐	Amputee adjustable axle plate ²			E0959	\$200

1- Not required with one arm drive 2 -May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER						
CM00	☐	0° camber				STD
CM03	☐	3° camber				NC

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance from front of back post to center of axle receiver.

Default setting is at 1" 1/4"

Most stable						Most responsive
AMPUTEE ¹	3/4"	1" 1/4	1" 3/4	2" 1/4	2" 3/4	
☐	☐	☐	☐	☐	☐	

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1- Only available with amputee axle plate

WHEEL LOCK					
WL08	☐	Newton Wheel lock - push to lock			
WL16		Aluminum push to lock with extension			
				E0961	\$77
WL02	☐	Pull to lock			
					NC
WL04	☐	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)			
				E0974	\$155
WL13		6" removable extension handle			
WL14	☐			E0961	\$77
WL05	☐	Scissors Lock			
					\$155
WL06	☐	Attendant Lock (additional set of wheel lock mounted to the back)			
					\$215
WL15	☐	Unilateral wheel lock - pull to lock ¹		Left ☐ Right ☐	\$330
WL99	☐	Omit wheel locks			
					NC

1- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_us/support-and-education/how-to-documents

https://www.mechcon.com/products/en_us/support-and-education/new-to-documents

Armrests					
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,3}					
AR01-812	☐	10" Desk length armpad	8" - 12"	Locked ☐ Unlocked STD ☐	E0973 \$355
AR01-1014	☐	10" Desk length armpad	10" - 14"	Locked ☐ Unlocked STD ☐	E0973 \$355
AR02-812	☐	14" Full length armpad	8" - 12"	Locked ☐ Unlocked STD ☐	E0973 \$355
AR02-1014	☐	14" Full length armpad	10" - 14"	Locked ☐ Unlocked STD ☐	E0973 \$355
HEIGHT ADJUSTABLE "T" ARMREST ¹					
AR13-610	☐	10" Desk length armpad ⁵	6" - 10"		E0973 \$330
AR13-812	☐	10" Desk length armpad	8" - 12"		E0973 \$330
AR13-1014	☐	10" Desk length armpad	10" - 14"		E0973 \$330
AR14-610	☐	14" Full length armpad ⁵	6" - 10"		E0973 \$330
AR14-812	☐	14" Full length armpad	8" - 12"		E0973 \$330
AR14-1014	☐	14" Full length armpad	10" - 14"		E0973 \$330
SWING AWAY ARMREST ^{2,3}					
AR05	☐	Tubular armrest without plastic side guards - Short pad		8" - 11"	E0973 \$230
AR19	☐	Tubular armrest with plastic side guards - Short pad		8" - 11"	E0973 \$395
AR23	☐	Tubular armrest without plastic side guards - Long pad		8" - 11"	E0973 \$230
AR24	☐	Tubular armrest with plastic side guards - Long pad		8" - 11"	E0973 \$395
AR06	☐	10" Desk length flat armpad without plastic side guards		8" - 11"	E0973 \$230
AR20	☐	10" Desk length flat armpad with plastic side guards		8" - 11"	E0973 \$395
AR17	☐	14" Full length flat armpad without plastic side guards		8" - 11"	E0973 \$230
AR21	☐	14" Full length flat armpad with plastic side guards		8" - 11"	E0973 \$395
ARMREST OPTION					
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ³			\$165
AR99	☐	Omit armrest			NC

1- May have 1/2" restriction on both limits of the range; 2- Could interfere with some rigid backrests; 3- Not compatible with attendant lock; 4- Not available with swing away and flip back armrests

5- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with Flip Back and "T" Armrest)						
SG01	☐	Plastic side guards (removable)			K0108	\$200
SG02	☐	Carbon fiber side guards (fixed)				\$270
SG03	☐	Carbon fiber side guards (removable)			K0108	\$295
SG06	☐	Plastic fender side guards - straight bracket (removable)				\$290
SG08	☐	Plastic fender side guards - offset bracket (removable) ¹				\$290
SG04	☐	Carbon fiber fender side guards (removable)			K0108	\$550
SG99	☐	Omit side guard				NC
SIDE GUARDS OPTION						
SG07	☐	Side guards clip (pair) ²				NC

1- only compatible with 0° and 2° camber; Increase distance between fender side guards by 1 1/8"; 2- Not available with fixed carbon fiber side guard

POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Standard 35"		E0978	\$46
SB01-L	☐	Velcro adjustable - Long 60"		E0978	\$46
SB02-S	☐	Auto buckle - Standard 35"		E0978	\$87
SB02-L	☐	Auto buckle - Long 60"		E0978	\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"		E0978	\$82
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"		E0978	\$82
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		E0978	\$175
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		E0978	\$175
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		E0978	\$175
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		E0978	\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		E0978	\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		E0978	\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)			\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"		K0108	\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"		K0108	\$305
SB99	☐	Omit positioning belt			STD

HEADREST					
AC01-S	☐	Profiled Headrest - Small (3.5"X6")		E0955	\$185
AC01-M	☐	Profiled Headrest - Medium (4.5"X7")		E0955	\$185
AC01-L	☐	Profiled Headrest - Large (5.5"X8")		E0955	\$185
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹		E1028	\$300

1 - Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

ACCESSORIES					
AC03	☐	Anti-tippers		E0971	\$145
AC29	☐	Swing-away anti-tipper ¹ Left ☐ Right ☐			\$165
AC27	☐	Tip assist ²			\$67
AC06	☐	Cane and crutch holder Left ☐ Right ☐		E2207	\$200
AC07	☐	Oxygen tank holder ⁴ - D and E Type - <i>Installed to the left</i>		E2208	\$315
AC08	☐	Spoke guards ³ Available: 20", 22", 24", 26"		K0065	\$118
AC09	☐	Footrest neoprene impact guard (<i>pair</i>) - Black		K0108	\$92
AC10	☐	Seat pouch			\$82
AC30	☐	Newton multi-purpose pouch			\$61
AC26	☐	BodyPoint Mobility Bag			\$135
AC23	☐	Newton Backpack			\$130
AC12	☐	Velcro Closing Strap			\$57
AC13	☐	Tool kit			\$51
AC16	☐	Motion Composites Polo Shirt W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐			\$36
AC15	☐	Military Patches Army ☐ Navy ☐ Air Force ☐ Marines ☐ Coast Guard ☐ Combat Wounded Purple Heart ☐			\$96

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"


2- Cannot be combined with Anti Tipplers

3- Not available with Mag wheels and Spinergy; 4- Not compatible with swing away armrest, amputee axle plate and WC-19 transit tie-down

Colors																			
Options ¹	Black	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)
																			
AirGrip	☐ \$102	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Frame ²	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
FC99	☐	Custom Color Specify PPG Paintit color: <i>additional 10 days lead-time</i>																	\$390

1- Finish between Airgrip and frame might be different; 2- with black hydroformed aluminum crossbrace

Fork and Stem bolt combinations




Unilateral wheel lock restrictions


Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.25 to 2.75
22 in	16	0.75 to 2.25
	17+	0.75 to 2.75
24 in	16	0.75 to 1.75
	17	0.75 to 2.25
	18+	0.75 to 2.75

Notes :

FOLDING ON CHAIR - U.S.A ORDER FORM

BioFit™ CUSHION		WIDTH											
 NXCABF _____ (W" x D") HCPCS CODE: E2607-E2608	DEPTH	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	
		12"	☐ \$445	☐ \$445	☐ \$445								
		14"	☐ \$445	☐ \$445	☐ \$445								
		15"		☐ \$445	☐ \$445	☐ \$445	☐ \$445						
		16"		☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480
		17"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480		
		18"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480
		19"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480		
20"				☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480	☐ \$480		
Option: Change cover for incontinent/infection control outer cover												☐ N/C	

SEATING AND CUSHION ACCESSORIES

	MODEL NO.	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	

Optima™ THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™	Fits Width	Height	✓	\$
	NOACB1613	16"-18"	13"	☐	\$695
	NOACB1616	16"-18"	16"	☐	\$695
	NOACB1619	16"-18"	19"	☐	\$695
	NOACB1813	18"-20"	13"	☐	\$695
	NOACB1816	18"-20"	16"	☐	\$695
	NOACB1819	18"-20"	19"	☐	\$695
	NOACB2016	20"-22"	16"	☐	\$695
	NOACB2019	20"-22"	19"	☐	\$695
	NOACB2213	22"-24"	13"	☐	\$745
	NOACB2216	22"-24"	16"	☐	\$745
	NOACB2219	22"-24"	19"	☐	\$745

Optima™ DEEP THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™ DEEP	Fits Width	Height	✓	\$
	NOPCB1616	16"-18"	16"	☐	\$695
	NOPCB1619	16"-18"	19"	☐	\$695
	NOPCB1816	18"-20"	16"	☐	\$695
	NOPCB1819	18"-20"	19"	☐	\$695
	NOPCB2016	20"-22"	16"	☐	\$695
	NOPCB2019	20"-22"	19"	☐	\$695
	NOPCB2213	22"-24"	13"	☐	\$745
	NOPCB2216	22"-24"	16"	☐	\$745
	NOPCB2219	22"-24"	19"	☐	\$745

Optima™ CARBON THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™ Carbon	Fits Width	Height	✓	\$
	NOCFACB1413	14"-16"	13"	☐	\$925
	NOCFACB1416	14"-16"	16"	☐	\$960
	NOCFACB1513	15"-17"	13"	☐	\$925
	NOCFACB1516	15"-17"	16"	☐	\$960
	NOCFACB1613	16"-18"	13"	☐	\$925
	NOCFACB1616	16"-18"	16"	☐	\$960
	NOCFACB1713	17"-19"	13"	☐	\$925
	NOCFACB1716	17"-19"	16"	☐	\$960
	NOCFACB1813	18"-20"	13"	☐	\$925
	NOCFACB1816	18"-20"	16"	☐	\$960
	NOCFACB2013	20"-22"	13"	☐	\$925
	NOCFACB2016	20"-22"	16"	☐	\$960

Optima™ CARBON DEEP THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™ Carbon DEEP	Fits Width	Height	✓	\$
	NOCFPCB1413	14"-16"	13"	☐	\$1015
	NOCFPCB1416	14"-16"	16"	☐	\$1055
	NOCFPCB1513	15"-17"	13"	☐	\$1015
	NOCFPCB1516	15"-17"	16"	☐	\$1055
	NOCFPCB1613	16"-18"	13"	☐	\$1015
	NOCFPCB1616	16"-18"	16"	☐	\$1055
	NOCFPCB1713	17"-19"	13"	☐	\$1015
	NOCFPCB1716	17"-19"	16"	☐	\$1055
	NOCFPCB1813	18"-20"	13"	☐	\$1015
	NOCFPCB1816	18"-20"	16"	☐	\$1055
	NOCFPCB2013	20"-22"	13"	☐	\$1015
	NOCFPCB2016	20"-22"	16"	☐	\$1055

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

