



Helio A7 - FiveDay

ORDER FORM - CANADA

P.O. number:* _____ Date: _____

Company Name:* _____ Phone:* _____

Purchasing contact:* _____

Clinician/Sales rep: _____

Email: _____

Marked for: _____

Ship to:* _____

Name: _____

Address: _____

City: _____ Prov: _____

Postal Code: _____

Phone: _____

* Required

MA080 ☐

English Manual (STD)

MA081 ☐

Manuel Français

Taxes not included

MODEL				
WC02	Ultralight Helio A7 wheelchair 7000 series aluminum (265 lb weight capacity)		WM0001020	\$2 745 ☐
WC09	HD Heavy duty kit (350 lb weight capacity)		WAMF	\$800 ☐
WC10	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6" camber			\$32 ☐

FREE Growth Kit within the first 5 years of the Helio A7 wheelchair ownership

The growth kit includes aluminum crossbraces, crossbrace links, seat sling, back upholstery and footplates.

SEAT WIDTH ³								
SW	Seat width:	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐		NC ☐
SW	Seat width:	19" ¹ ☐	20" ¹ ☐	21" ² ☐	22" ² ☐		WAMA	\$305 ☐
SEAT DEPTH								
SD	Seat depth:	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐		NC ☐
SD	Seat depth:	19" ☐	20" ☐				WAMB	\$230 ☐

1 - Available with HD option

2 - Only available with HD option

[3. Width calculator](#)

A7 FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
4"	P1	13	14	15	13 1/2	14 1/2	15 1/2												
	P2	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2									
5"	P1																		
	P2				14	15	16	14 1/2	15 1/2	16 1/2									
	P3	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2						
	P4	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2			
7"	P1										16 1/2	17 1/2	18 1/2	17	18	19			
	P2							16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2			
	P3							17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2
	P4	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21
	P5	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21	19 1/2	20 1/2	21 1/2

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS											
CA01	Composite wheel w/ PU tire (1" width)	3" ☐	4" ☐	5" ☐	6" ☐	7" ☐	8" ☐			NC	☐
CA10	Pneumatic casters 6" x 1 ¼"									\$165	☐
CA11	Pneumatic casters 8" x 1 ¼"									\$165	☐
CA14	Newton UltraCaster Soft-Roll Composite	4" x 1 ½ "								\$98	☐
CA15		5" x 1 ½ "								\$98	☐
CA16		6" x 1 ½ "								\$98	☐
CA17	Newton UltraCaster Soft-Roll Aluminum	4" x 1 ½"								\$180	☐
CA18		5" x 1 ½"								\$190	☐
CA19		6" x 1 ½"								\$200	☐
CASTER OPTIONS											
CA12	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹								WAMS	\$265	☐
CA13	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)									\$495	☐

1 - Not available with WC-19

A7 - REAR Seat-to-floor Height

WHEEL SIZES	Height available	Specify desired height:
20" (451) wheel ☐	12 1/2 to 17 1/4	
22" (501) wheel ☐	13 1/2 to 18 1/4	
24" (540) wheel ☐	14 1/2 to 19 1/4	
25" (559) wheel ☐	15 to 19 3/4	
26" (590) wheel ☐	15 1/2 to 20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest													
SWING-IN/SWING-OUT FOOTREST													
FR03	60° Swing-in/swing-out footrest	13.5 - 17" ☐	14.5 - 19.5" ☐	15.5 - 20.5" ☐					Set at:*			NC	☐
FR04	70° Swing-in/swing-out footrest	13.5 - 17" ☐	14.5 - 19.5" ☐	15.5 - 20.5" ☐					Set at:*			NC	☐
FR15	80° Swing-in/swing-out footrest	13.5 - 16" ☐	14.5 - 19.5" ☐	15.5 - 20.5" ☐					Set at:*			NC	☐
FR06	90° swing-in/swing-out with front mount - Standard (no extension) ¹			7.5 - 11"					Set at:*			NC	☐
FR07	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}			9.5 - 13"					Set at:*			NC	☐
FR08	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}			9.5 - 14.5"					Set at:*			NC	☐
FOOTREST OPTIONS ³													
FR09	High mount (footplate attached to the hanger with clamps) ³		5 - 13.5" ☐						Set at:*			\$95	☐
FR10	Elevating legrest with calf pad, 14" - 22" Length adjustable ⁴			Left ☐		Right ☐			Set at:	WAMK		\$290	☐
FR99	Omit Footrest											NC	☐

1 - Available only with adjustable footplates

2 - May interfere with front casters

3- Not available with front mount

* +/- 1/2"

4- The elevating legrest replace the footrest side selected

FOOTPLATES													
FP01	Standard - Composite ¹											STD	☐
FP02	Newton adjustable angle - Composite									WAMJ		\$150	☐
FP03	Newton adjustable angle - Aluminum									WAMJ		\$170	☐
FP04	Newton adjustable angle - Carbon fiber (with rubber inserts)									WAMJ		\$390	☐
FP06	One piece adjustable angle flip-up - Aluminum								WAMJ	SEFND0015		\$210	☐
FP07	One piece adjustable angle flip-up - Carbon fiber (with rubber inserts)								WAMJ	SEFND0015		\$465	☐
FOOTPLATE ACCESSORIES													
FP08	Length adjustable heel loop (not available with one piece footplate)											NC	☐
FP09	Calf strap									SEFND0010		\$55	☐
FP30	Bodypoint Aeromesh Padded calf strap									SEFND0010		\$135	☐

1- Not available with front mount

SWING AWAY RESIDUAL LIMB SUPPORT													
FR27	Residual limb support - flat 6"x8"			Left ☐		Right ☐				SEFND0005		\$490	☐
FR28	Residual limb support - flat 8"x10"			Left ☐		Right ☐				SEFND0005		\$490	☐
FR29	Residual limb support - flat 10"x10"			Left ☐		Right ☐				SEFND0005		\$490	☐
FR30	Residual limb support - flat 10"x14"			Left ☐		Right ☐				SEFND0005		\$490	☐
FR32	Residual limb support - contour 6"x8"			Left ☐		Right ☐				SEFND0005		\$490	☐
FR33	Residual limb support - contour 8"x10"			Left ☐		Right ☐				SEFND0005		\$490	☐

Backrest										
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE										
BC01	8° bend aluminum back cane	16-20"	increment of 2"		Set at:				NC	☐
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS										
BC11	Straight aluminum back cane	9-12" ☐	12 - 15" ☐	15 - 18" ☐	18 - 21" STD ☐				\$77	☐
BC12	8° bend aluminum back cane	13.5 - 15" ☐		15 - 18" ☐	18 - 21" STD ☐				\$77	☐
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS										
BC13	Straight aluminum back cane				15 - 18" ☐	18 - 21" STD ☐			\$265	☐
BC14	8° bend aluminum back cane				15 - 18" ☐	18 - 21" STD ☐			\$320	☐
	Select back cane angle:	85° ¹ ☐	90° ☐	95° STD ☐	100° ☐	105° ☐	110° ☐			
Set height to: ²		(measured from seat sling to top of back upholstery)								
PUSH HANDLE OPTIONS										
PH01	Push handles								STD	☐
PH05	Fold down push handles ^{3, 5}								\$155	☐
PH06	Clamp on height adjustable push handle ^{3,4, 5}		9 - 20" STD ☐		9-23" ☐				\$335	☐
PH02	Omit push handles								NC	☐
1 - Not available with a 8 degree bend cane 2 - If not indicated, default height setting is at the lowest position 3 - 265 pounds weight limit										
4 - Not compatible with swing away armrests, 8° bend back canes and amputee axle plates.										
5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock										
STROLLER HANDLE AND STABILIZER BAR ¹ (only available with push handle)										
PH04	Stroller handle (not available with the HD option)							WAMW	\$215	☐
PH03	Newton folding stabilizer bar								\$265	☐
1 - Stroller handle and stabilizer bar can't be combined										
BACK UPHOLSTERY										
BH07	Slip-on Active-Mesh back upholstery								NC	☐
BH08	Adjustable tension Active-Mesh back upholstery							WAMD/WAME	\$250	☐
BH99	Omit Back upholstery								STD	☐
	NXT back series						See pricelist			☐
SEAT CUSHION										
SC01	2" Cushion								\$180	☐
SC02	3" Cushion								\$200	☐
SC99	Omit seat cushion								STD	☐
	NXT FIT cushion series						See pricelist			☐
Rear wheels										
ONE ARM DRIVE ¹ Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims										
HR22	One arm drive ^{2, 3}		24"	left ☐	right ☐				\$1 435	☐
HR98	Omit handrim on opposite side of the One Arm Drive (OAD)								NC	☐
REAR WHEELS										
RW01	Mag ⁴	20" ☐	22" ☐	24" ☐					\$135	☐
RW02	Newton One - spoke wheel ⁵		20" ☐	22" ☐	24" ☐				NC	☐
RW03	Newton Gravity - ultralight wheel		20" ☐	22" ☐	24" ☐	25" ☐	26" ☐		\$370	☐
RW04	Spinergy Spox			22" ☐	24" ☐	25" ☐	26" ☐		\$825	☐
	Spinergy Spox spokes colors ⁶		Blk STD ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐		NC	☐
RW05	Spinergy LX			22" ☐	24" ☐	25" ☐	26" ☐		\$1 025	☐
	Spinergy LX spokes colors ⁶		Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	NC	☐
					Pink ☐	Grn ☐	Org ☐			
RW07	Spinergy CLX Carbon Blade ⁵				24" ☐	25" ☐			\$1 585	☐
	Spinergy CLX spokes colors ⁶		Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	NC	☐
					Pink ☐	Grn ☐	Org ☐			

TIRES		Available				
TI01	Soft Urethane 1 1/4 "	20", 22" 24"			STD	☐
TI02	Soft Urethane knobby 1 3/8 "	22", 24", 25", 26"			\$115	☐
TI04	Soft Urethane - Shox 1"	22", 24", 25", 26"			\$135	☐
TI05	Pneumatic 1 3/8 "	20", 22", 24", 25", 26"			NC	☐
TI08	Pneumatic with Airless insert 1 3/8" ⁷	22", 24", 26"			\$220	☐
TI06	Pneumatic HP - 1"	20", 22", 24", 25", 26"			\$115	☐
TI07	Pneumatic HP - Schwalbe Marathon Plus 1"	24", 25", 26"			\$195	☐

1- Offered with handrims on each side of the wheelchair

2- Only standard handrim position available

3 - Not available with HD option

4 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position 5 - Not compatible with Shox tires

6 - Colour spokes require an additionnal 10 days lead-time 7- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims						
HANDRIMS						
HR01	Aluminum anodized				STD	☐
HR61	Aluminum black hard anodized ^{1,3}				\$77	☐
HR02	Plastic coated ²			WAMO	\$165	☐
HR03	Q-Grip High friction Neoprene coated ^{2,3,4}			WAMO	\$445	☐
HR07	Newton Air Grip ³ Black ☐			WAMO	\$155	☐
HR	Newton Air Grip ³ (08) Sunkissed Orange ☐ (09) Burgundy ☐ (10) Sapphire Blue ☐ (11) Monster Green ☐ (12) Charcoal ☐ (13) Fuchsia ☐ (14) Steel Blue ☐ (15) Ferrari Red ☐ (16) Acid Green ☐ (17) White ☐ (18) Sky Blue ☐			Additionnal 5 day lead-time	WAMO	\$340 ☐
HR28	Surge ^{2,3,4} (1-1/2" Oval handrim w/ Gripton high friction strip)				\$485	☐
HR05	Surge LT ^{2,3,4} (1-1/8" Oval handrim w/ Gripton high friction strip)				\$515	☐
HR04	Natural Fit ^{2,3,4} (1-1/2" Oval handrim w/standard thumb piece)				\$320	☐
HR99	Omit handrim				NC	☐

1 - Not available in 26"

2- Only standard handrim position available

3 - Not available with Mag wheels or OAD

4 - Not available in 20"

Handrims option						
Assembly position for aluminum and Newton AirGrip handrims						
HR29	Standard Handrim position Full tab				STD	☐
HR30	Narrow Handrim position Short tab 2 positions				\$26	☐
HR31	Super Narrow Handrim Short tab 2 positions STD ☐ Short tab 1 position ☐				\$26	☐
Thumb piece ⁴ selection Natural Fit handrims						
HR23	Standard grip				\$195	☐
HR27	Super grip				\$225	☐
HR099	Omit thumb piece				NC	☐


4- Compatible with Surge, Surge LT handrims

AXLE ¹						
AX01	Quick release axle			WAMU	STD	☐
AX02	Permanent axle				NC	☐
AX03	Quad release axle			WAMU	\$175	☐
AXLE PLATE						
AX04	Amputee adjustable axle plate ²			WAMT	\$260	☐

1- Not required with one arm drive

2 -May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER					
CM00	0° camber			STD	☐
CM03	3° camber			NC	☐
CM06	6° camber (not available with amputee axle plate)			\$82	☐

CENTER OF GRAVITY																																															
		Choose position of rear wheel axle plate: Measure distance X from front of back post to center of axle receiver.																																													
		<table border="1"> <thead> <tr> <th colspan="4">Most stable</th> <th colspan="4"></th> <th colspan="4">Most responsive</th> </tr> <tr> <th>1"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>2"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>3"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> </tr> </thead> <tbody> <tr> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table>										Most stable								Most responsive				1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Most stable								Most responsive																																					
		1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"																																		
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																																				
If not indicated, default setting is at 1.5" Possible conflict between a seat depth under 16" and a center of gravity over 2.5". Possible conflict between a 26" rear wheel and a center of gravity over 2.5". If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.																																															
X =																																															

WHEEL LOCK					
WL08	Newton Wheel lock - push to lock			STD	☐
WL02	Pull to lock			NC	☐
WL04	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)			WAMR	\$180
WL13 WL14	6" removable extension handle				\$70
WL05	Scissor Lock				\$180
WL06	Attendant Lock (additional set of wheel lock mounted to the back)				\$235
WL99	Omit wheel locks			NC	☐

Armrests					
FLIP BACK ARMREST (Convertible to "T" armrest) ^{1, 4}		Height Adjustment		Removable function	
AR01	10" Desk length arm pad	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐ STD \$390 ☐
AR02	14" Full length arm pad	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐ STD \$390 ☐
"T" ARMREST ¹		Height Adjustment			
AR03	10" Desk length arm pad	8 - 12" STD ☐	10 - 14" ☐		\$370 ☐
AR04	14" Full length arm pad	8 - 12" STD ☐	10 - 14" ☐		\$370 ☐
SWING AWAY ARMREST ^{2, 4}		Height Adjustment			
AR05	Tubular arm pad	8 - 11"			\$305 ☐
AR06	10" Desk length arm pad	8 - 11"			\$305 ☐
GEL ARM PAD ³					
AR12	14" Full Length Arm Pad - Gel Ovation			SEAND0030	\$155 ☐
AR99	Omit armrest				NC ☐

1 - May have a 1/2" adjustment restriction on both limits of travel 2 - Could interfere with some rigid back rests 3 - Not available with swing away and flip back armrests 4 - Not available with attendant lock

SIDE GUARDS (not available with Flip Back and "T" Armrest)					
SG01	Plastic side guards (removable)			WAMV	\$230 ☐
SG02	Carbon fiber side guards (fixed)			WAMV	\$265 ☐
SG03	Carbon fiber side guards (removable)			WAMV	\$305 ☐
SG06	Plastic fender side guards (removable) ¹			WAMV	\$330 ☐
SG04	Carbon fiber fender side guards (removable)			WAMV	\$495 ☐
SG99	Omit side guard			NC	☐
SIDE GUARDS OPTION					
SG07	Side guards clip (pair) ²				NC ☐

1 - Not compatible with 20" and 22" rear wheels 2 - Not available with fixed carbon fiber side guard

POSITIONING BELT							
SB01	Velcro adjustable	Standard 35" ☐	Long 60" ☐			\$47	☐
SB02	Auto buckle	Standard 35" ☐	Long 60" ☐			\$57	☐
SB07	Hardware attachment for 2 point seatbelt (pair)					NC	☐
SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (pair)					\$14	☐
SB04	BodyPoint Hip Belt - 2 point not padded		Medium 56" ☐ Long 61" ☐			\$85	☐
SB05	BodyPoint Hip Belt - 2 point padded	Small 51" ☐ Medium 56" ☐ Long 61" ☐			SERND0030	\$175	☐
SB06	BodyPoint Hip Belt - 4 point padded	Small 51" ☐ Medium 56" ☐ Long 61" ☐			SERND0020	\$200	☐
SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	Medium 18" ☐ Long 24" ☐				\$335	☐
SB99	Omit positioning belt					STD	☐

HEADREST ¹							
AC01	Profiled Headrest	Small (3.5"X6") ☐ Medium (4.5"X7") ☐ Large (5.5"X8") ☐				\$210	☐
AC28	Headrest mounting hardware with removable non folding stabilizer bar					\$350	☐

1 - Only available with push handles - Not available with a stroller handle or a folding stabiliser bar

ACCESSORIES							
AC03	Anti tippers					\$120	☐
AC29	Swing-away anti-tippers ¹	Left ☐ Right ☐				\$175	☐
AC27	Tip assist ²					\$62	☐
AC04	Transit Tie Down (Unoccupied)					NC	☐
AC05	WC-19 Transit Tie Down w/Q'straint belt ³	Short belt 20-41" ☐ Long belt 20-46" ☐				\$355	☐
AC06	Cane carrier	Left ☐ Right ☐				\$110	☐
AC07	Oxygen tank holder - D and E Type Not compatible with swing away armrest or amputee axle plate	Left			WAMX	\$385	☐
AC08	Spoke guards ⁴	Available: 20", 22", 24", 26"			WAMP	\$150	☐
AC09	Footrest neoprene impact guard (pair) - Black				SEFND0035	\$82	☐
AC10	Seat pouch					\$98	☐
AC30	Newton sanitizing multi-purpose pouch					\$72	☐
AC26	BodyPoint Mobility Bag					\$140	☐
AC23	Newton Backpack					\$125	☐
AC12	Velcro Closing Strap					\$52	☐
AC13	Tool kit					\$52	☐
AC16	Motion Composites Polo Shirt	W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐ M/XXXXL ☐				\$35	☐

1 - Must select the pair (left and right) with HD option; Only available with rear seat to floor height of 13 1/2" and 19 3/4"


2 - Cannot be combined with Anti Tippers

3 - May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

4 - Not available with Mag wheels and Spinerger

FRAME COLOR							
FC01	Black ☐					NC	☐
FC	(03) Sunkissed Orange ☐ (04) Burgundy ☐ (05) Sapphire Blue ☐ (06) Monster Green ☐ (07) Charcoal ☐ (08) Fuchsia ☐ (09) Steel Blue ☐ (17) Ferrari Red ☐ (18) Acid Green ☐				additional 5 day lead-time	\$270	☐
FC99	Custom Color Specify PPG Paintit color:				additional 15 days lead-time	\$410	☐

Fork and Stem bolt combinations



NOTES :

