



Helio A7

ORDER FORM - AADL #W421

1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

3- Shipping information

Ship to:* _____

Name: _____

Address: _____

City: _____ Province: _____

Postal Code: _____

Phone: _____

2- Dealer/Representative information

Dealer/Representative:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

* Required

MA080 ☐
English Manual (STD)

MA081 ☐
Manuel Français

Taxes not included

MODEL									
WC02	☐	Ultralight Helio A7 wheelchair 7000 series aluminum (265 lb weight capacity)							\$2,895
WC09	☐	HD Heavy duty kit (350 lb weight capacity)							\$825
WC10	☐	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6° camber							\$35
Frame									
FREE Growth Kit within the first 5 years of the Helio A7 wheelchair ownership									
The growth kit includes aluminum crossbraces, crossbrace links, seat sling, back upholstery and footplates.									
SEAT WIDTH ³									
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐			NC
	☐	19" ¹ ☐	20" ¹ ☐	21" ² ☐	22" ² ☐			\$315	
SEAT DEPTH									
SD	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			NC
	☐	19" ☐	20" ☐						\$235
TRANSIT TIE DOWN									
AC04	☐	Transit Tie Down (Unoccupied)							NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴				Short belt 20"-41"		Client cost	\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴				Long belt 20"-46"		Client cost	\$365
AC35	☐	WC-19 Transit Tie Down without belt ⁴						Client cost	\$345

1- Available with HD option; 2- Only available with HD option 3- Width calculator 4- May interfere with swing away armrest and Clamp on height adjustable push handle;

A7 FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"												
	P2	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
5"	P1																		
	P2				14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
	P3	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"						
	P4	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	P1										16 1/2"	17 1/2"	18 1/2"	17"	18"	19"			
	P2							16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"			
	P3							17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"
	P4	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"
	P5	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"	19 1/2"	20 1/2"	21 1/2"

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS				Availability		
CA01-03 to CA01-08	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6", 7", 8"		NC
CA10 to CA11	☐	Pneumatic casters (1 ¼")		6", 8"		\$170
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		\$105
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"	<i>Client cost</i>	\$198
CASTER OPTIONS						
CA12	☐	Caster Pin Locks (<i>Available with +1" or +2" Stem bolt ONLY</i>) ¹			<i>Client cost</i>	\$275
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)			<i>Client cost</i>	\$525

1- Not available with WC-19

A7 - REAR Seat-to-floor Height

WHEEL SIZES		Height available		Specify desired height: _____
☐	20" (451) wheel	12 1/2	to 17 1/4	
☐	22" (501) wheel	13 1/2	to 18 1/4	
☐	24" (540) wheel	14 1/2	to 19 1/4	
☐	25" (559) wheel	15	to 19 3/4	
☐	26" (590) wheel	15 1/2	to 20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest						
SWING-IN/SWING-OUT FOOTREST						
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"		Set at:*		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at:*		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at:*		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"		Set at:*		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at:*		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at:*		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16" ⁵		Set at:*		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5" ⁵		Set at:*		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5" ⁵		Set at:*		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹	7.5" - 11"	Set at:*		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}	9.5" - 13"	Set at:*		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}	9.5" - 14.5"	Set at:*		NC
FOOTREST OPTIONS ³						
FR09	☐	High mount (<i>footplate attached to the hanger with clamps</i>) ³	5" - 13.5"	Set at:*		\$105
FR10	☐	Elevating legrest with calf pad, Length adjustable ⁴ Left ☐ Right ☐	14" - 22"	Set at:		\$295
FR99	☐	Omit Footrest				NC

1- Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount and elevating legrest;

* +/- 1/2"

4- The elevating legrest replace the footrest side selected; Not available with one piece footplate; 5- Not available with 8" caster

FOOTPLATES						
FP01	☐	Standard - Composite ¹				STD
FP02	☐	Newton adjustable angle - Composite				\$155
FP03	☐	Newton adjustable angle - Aluminum				\$175
FP04	☐	Newton adjustable angle - Carbon fiber (<i>with rubber inserts</i>)				\$395
FP06	☐	One piece adjustable angle flip-up - Aluminum				\$215
FP07	☐	One piece adjustable angle flip-up - Carbon fiber (<i>with rubber inserts</i>)				\$480
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop ²				NC
FP09	☐	Calf strap				\$57
FP30	☐	Bodypoint Aeromesh Padded calf strap			<i>Seating benefit</i>	\$140

1- Not available with front mount; 2- not available with one piece footplate

SWING AWAY RESIDUAL LIMB SUPPORT						
FR27	☐	Residual limb support - flat 6"x8"	Left ☐ Right ☐			\$505
FR28	☐	Residual limb support - flat 8"x10"	Left ☐ Right ☐			\$505
FR29	☐	Residual limb support - flat 10"x10"	Left ☐ Right ☐			\$505
FR30	☐	Residual limb support - flat 10"x14"	Left ☐ Right ☐			\$505
FR32	☐	Residual limb support - contour 6"x8"	Left ☐ Right ☐			\$505
FR33	☐	Residual limb support - contour 8"x10"	Left ☐ Right ☐			\$505

Backrest						
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE (push handle included - no further selection needed)						
BC01-16	☐	8° bend aluminum back cane	16"			NC
BC01-18	☐	8° bend aluminum back cane	18"			NC
BC01-20	☐	8° bend aluminum back cane	20"			NC
BC59	☐	8° bend aluminum back cane	21" - 24"	increment of 1"	Set at ² :	\$100
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)						
BC11-912	☐	Straight aluminum back cane	9" - 12"	increment of 1/2"	Set at ² :	\$80
BC11-1215	☐	Straight aluminum back cane	12" - 15"	increment of 1/2"	Set at ² :	\$80
BC11-1518	☐	Straight aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :	\$80
BC11-1821	☐	Straight aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :	\$80
BC12-1315	☐	8° bend aluminum back cane	13.5" - 15"	increment of 1/2"	Set at ² :	\$85
BC12-1518	☐	8° bend aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :	\$85
BC12-1821	☐	8° bend aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :	\$85
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)						
BC13-1518	☐	Straight aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :	\$275
BC13-1821	☐	Straight aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :	\$275
BC14-1518	☐	8° bend aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :	\$330
BC14-1821	☐	8° bend aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :	\$330
		Select back cane angle: 85° ¹ ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐				
PUSH HANDLES OPTIONS (ONE option at a time)						
PH01	☐	Push handles				STD
PH05	☐	Fold down push handles ^{3, 5}			Client cost	\$165
PH06-920	☐	Clamp on height adjustable push handles 9"-20" ^{3, 4, 5}			Client cost	\$345
PH06-923	☐	Clamp on height adjustable push handles 9"-23" ^{3, 4, 5}			Client cost	\$345
PH02	☐	Omit push handles				NC
STROLLER HANDLE AND STABILIZER BAR (only available with push handle)						
PH04	☐	Stroller handle (not available with the HD option)			Client cost	\$220
PH03	☐	Newton folding stabilizer bar (not available with stroller handle)				\$275
¹ - Not available with a 8 degree bend back cane; ² - If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; ³ - 265lb weight limit ⁴ - Not compatible with swing away armrests, 8° bend back canes, 21-24" back canes and amputee axle plates; ⁵ - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock						
BACK UPHOLSTERY						
BH07	☐	Slip-on Active-Mesh back upholstery				NC
BH08	☐	Adjustable tension Active-Mesh back upholstery			Seating benefit	\$260
BH99	☐	Omit Back upholstery				STD
SEAT CUSHION						
SC01	☐	2" Cushion			Seating benefit	\$185
SC02	☐	3" Cushion			Seating benefit	\$205
SC99	☐	Omit seat cushion				STD

Rear wheels						
ONE ARM DRIVE ¹ <i>Only available with Newton One rear wheels permanent axles, 0° camber</i>						
HR22	☐	One arm drive - aluminum inner handrim ²	Left ☐	Right ☐		\$1,480
HR60	☐	One arm drive - plastic coated inner handrim ²	Left ☐	Right ☐		\$1,595
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)				NC
REAR WHEELS					Available	
RW01	☐	Mag ³			20", 22" 24"	\$140
RW02	☐	Newton One - spoke wheel ⁴			20", 22" 24"	NC
RW03	☐	Newton Gravity - ultralight wheel			20", 22", 24", 25", 26"	<i>Client cost</i> \$390
RW04	☐	Spinergy Spox Blk STD ☐ Wht ⁵ ☐ Blue ⁵ ☐ Red ⁵ ☐ Yel ⁵ ☐			22", 24", 25", 26"	<i>Client cost</i> \$875
RW05	☐	Spinergy LX Blk STD ☐ Pur ⁵ ☐ Wht ⁵ ☐ Blue ⁵ ☐ Red ⁵ ☐ Yel ⁵ ☐ Pink ⁵ ☐ Grn ⁵ ☐ Org ⁵ ☐			22", 24", 25", 26"	<i>Client cost</i> \$1,095
RW07	☐	Spinergy CLX ⁶ Blk STD ☐ Pur ⁵ ☐ Wht ⁵ ☐ Blue ⁵ ☐ Red ⁵ ☐ Yel ⁵ ☐ Pink ⁵ ☐ Grn ⁵ ☐ Org ⁵ ☐			24", 25"	<i>Client cost</i> \$1,650
TIRES						
AIRLESS						
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black			20", 22" 24"	STD
TI02	☐	Soft Urethane 1 3/8" - Medium Tread, black ⁷			22", 24", 25", 26"	<i>Client cost</i> \$120
TI04	☐	Soft Urethane 1" - No tread, black - <i>Shox</i>			22", 24", 25", 26"	<i>Client cost</i> \$140
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread ⁸			22", 24", 26"	<i>Client cost</i> \$225
PNEUMATIC						
TI05	☐	Pneumatic 1 3/8" - Medium Tread			20", 22", 24", 25", 26"	NC
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - <i>SpeedLite</i>			20", 22", 24", 25", 26"	<i>Client cost</i> \$120
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>			24", 25", 26"	<i>Client cost</i> \$200

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; *Only available with 24" wheel size; Not available with 21" and 22" wide ;*

2- Only standard handrim position available; 3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 4- Not compatible with Shox tires;

5- color spokes require an additional 10 days lead-time; 6- Only available with 1" tires; 7- 22" is only available with Mags and Newton One rear wheels; 25" and 26" are not available with Newton Gravity wheels

8- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels

Handrims						
HANDRIM					Available	
HR01	☐	Aluminum anodized			20", 22", 24", 25", 26"	STD
HR61	☐	Aluminum black hard anodized ²			20", 22", 24", 25"	<i>Client cost</i> \$85
HR02	☐	Plastic coated ¹			20", 22", 24", 25", 26"	\$170
HR03	☐	High friction coated ^{1,2,3}			22", 24", 25", 26"	<i>Client cost</i> \$460
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See page 6 for the color selection and price</i>			20", 22", 24", 25", 26"	<i>Client cost</i>
HR28	☐	Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip)			22", 24", 25", 26"	<i>Client cost</i> \$485
HR05	☐	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)			22", 24", 25", 26"	<i>Client cost</i> \$515
HR04	☐	Natural Fit ^{1,2,3,4}			22", 24", 25", 26"	<i>Client cost</i> \$320
HR62	☐	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)			22", 24", 25", 26"	<i>Client cost</i> \$485
HR63	☐	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)			22", 24", 25", 26"	<i>Client cost</i> \$515
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)			22", 24", 25", 26"	<i>Client cost</i> \$320
HR99	☐	Omit handrim				NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;

4- 25" and 26" are not available in narrow position; 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

Handrims option						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	Full tab			STD
HR030	☐	Narrow Handrim position no cut	Full tab			NC
HR30	☐	Narrow Handrim position with cut ⁵	Short tab 2 positions			\$29
HR31	☐	Super Narrow Handrim ⁵	Short tab 2 positions STD Short tab 1 position ☐			\$29
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip				\$200
HR27	☐	Super grip				\$230
HR099	☐	Omit thumb piece				NC


5- Only available with Aluminum and Air Grip handrims;

AXLE						
AX01	☐	Quick release axle ¹				STD
AX02	☐	Permanent axle				NC
AX03	☐	Quad release axle ¹			<i>Clinical justification</i>	\$180
AXLE PLATE						
AX04	☐	Amputee adjustable axle plate ²				\$275

1- Not required with one arm drive; 2 - May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down

REAR WHEEL CAMBER						
CM00	☐	0° camber				STD
CM03	☐	3° camber				NC
CM06	☐	6° camber (not available with amputee axle plate)				\$85

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

X =	Most stable										Most responsive			
	AMPUTEE ¹	1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1-Only available with the amputee axle plate

WHEEL LOCK									
WL08	☐	Newton Wheel lock - push to lock	PRODUCT IMPROVED						STD
WL16	☐	Aluminum push to lock with extensions							\$73
WL02	☐	Pull to lock							NC
WL04	☐	Newton grade aid push to lock (<i>works best with pneumatic or high pressure tire</i>)							\$185
WL13	☐	6" removable extension handle ¹							\$73
WL14	☐	Scissors Lock							\$185
WL06	☐	Attendant Lock (<i>additional set of wheel lock mounted to the back</i>)							\$240
WL15	☐	Unilateral wheel lock - pull to lock ² Left ☐ Right ☐							\$335
WL99	☐	Omit wheel locks							NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

Armrests									
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,4}									
AR01-812	☐	10" Desk length armpad	8" - 12"	Locked ☐	Unlocked STD ☐				\$395
AR01-1014	☐	10" Desk length armpad	10" - 14"	Locked ☐	Unlocked STD ☐				\$395
AR02-812	☐	14" Full length armpad	8" - 12"	Locked ☐	Unlocked STD ☐				\$395
AR02-1014	☐	14" Full length armpad	10" - 14"	Locked ☐	Unlocked STD ☐				\$395
HEIGHT ADJUSTABLE "T" ARMREST ¹									
AR13-610	☐	10" Desk length armpad ⁵	6" - 10"						\$380
AR03-812	☐	10" Desk length armpad	8" - 12"						\$380
AR03-1014	☐	10" Desk length armpad	10" - 14"						\$380
AR14-610	☐	14" Full length armpad ⁵	6" - 10"						\$380
AR04-812	☐	14" Full length armpad	8" - 12"						\$380
AR04-1014	☐	14" Full length armpad	10" - 14"						\$380
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²									
AR05	☐	Tubular armrest - Short pad	8" - 11"						\$315
AR23	☐	Tubular armrest - Long pad	8" - 11"						\$315
AR06	☐	10" Desk length flat armpad	8" - 11"						\$315
AR17	☐	14" Full length flat armpad	8" - 11"						\$315
ARMREST OPTIONS									
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ³							\$160
AR99	☐	Omit armrest							NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; Not available with attendant lock and fixed carbon fiber side guards;

3- Only available with full length armrest; Not available with swing away and desk length armrests; 4- Not available with attendant lock; 5- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with Flip Back and "T" Armrest)									
SG01	☐	Plastic side guards (<i>removable</i>)							\$235
SG02	☐	Carbon fiber side guards (<i>fixed</i>)						Client cost	\$285
SG03	☐	Carbon fiber side guards (<i>removable</i>)						Client cost	\$320
SG06	☐	Plastic fender side guards - straight bracket (<i>removable</i>)						Client cost	\$340
SG08	☐	Plastic fender side guards - offset bracket (<i>removable</i>) ¹						Client cost	\$340
SG04	☐	Carbon fiber fender side guards (<i>removable</i>)						Client cost	\$510
SG99	☐	Omit side guard							NC

1- only compatible with 0° camber; Increase distance between fender side guards by 1 1/8";

POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Small 35" ¹		Seating benefit	\$50
SB01-L	☐	Velcro adjustable - Long 60"		Seating benefit	\$50
SB02-S	☐	Auto buckle - Small 35" ¹			\$22
SB02-M		Auto buckle - Medium 48"			\$22
SB02-L	☐	Auto buckle - Long 60"			\$22
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"		Seating benefit	\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"		Seating benefit	\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		Seating benefit	\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		Seating benefit	\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		Seating benefit	\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		Seating benefit	\$210
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		Seating benefit	\$210
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		Seating benefit	\$210
SB03	☐	Hardware attachment for 2 extra points (1 pair)		Seating benefit	\$15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"		Seating benefit	\$355
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"		Seating benefit	\$355
SB99	☐	Omit positioning belt			STD

1- Not recommended for seat width of 18" and more

AC01-S	☐	Profiled Headrest - Small (3.5"X6")		Seating benefit	\$215
AC01-M	☐	Profiled Headrest - Medium (4.5"X7")		Seating benefit	\$215
AC01-L	☐	Profiled Headrest - Large (5.5"X8")		Seating benefit	\$215
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹		Seating benefit	\$360

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

AC03	☐	Anti-tippers			\$120
AC29	☐	Swing-away anti-tipper ¹ Left ☐ Right ☐		Client cost	\$185
AC27	☐	Tip assist ²		Client cost	\$65
AC06	☐	Cane and crutch holder Left ☐ Right ☐		Client cost	\$115
AC07	☐	Oxygen tank holder - D and E Type - installed to the left ⁴		Client cost	\$390
AC08	☐	Spoke guards ³ Available: 20", 22", 24", 26"		Client cost	\$155
AC09	☐	Footrest neoprene impact guard (pair) - Black		Client cost	\$85
AC10	☐	Seat pouch		Client cost	\$100
AC30	☐	Newton multi-purpose pouch		Client cost	\$75
AC26	☐	BodyPoint Mobility Bag		Client cost	\$145
AC23	☐	Newton Backpack		Client cost	\$130
AC12	☐	Velcro Closing Strap		Client cost	\$55
AC13	☐	Tool kit		Client cost	\$55
AC16	☐	Motion Composites Polo W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐		Client cost	\$36

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"; 2- Cannot be combined with Anti Tippers

3- Not available with Mag wheels and Spinergy; 4- Not compatible with swing away armrest, amputee axle plate and WC-19 transit tie-down


3 - Not available with mag wheels and spinner; 4 - Not compatible with swing away armrest, amputee axle plate and WC 15 Transit tie down

Colors																				
Options ¹	Black	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
																				
AirGrip	☐ \$160	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$350
Frame ²	☐ STD			☐																NC
FC99	☐	Custom Color <u>Specify PPG Paintit color:</u>														additional 10 days lead-time				\$422

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

2- with black hydroformed aluminum crossbrace

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
22 in	16	1.0 to 2.75
	17	1.0 to 3.25
	18+	1.0 to 3.75
24 in	16	1.0 to 2.0
	17	1.0 to 2.75
	18+	1.0 to 3.75



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :