



**Helio**

**ORDER FORM - AADL # W156**

P.O. number: \* \_\_\_\_\_ Date: \_\_\_\_\_

Company Name: \* \_\_\_\_\_ Phone: \* \_\_\_\_\_

Ordered by: \* \_\_\_\_\_

Clinician/ATP/RTS: \_\_\_\_\_

Email: \_\_\_\_\_

Marked for: \_\_\_\_\_

Ship to: \* \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ Prov: \_\_\_\_\_

Postal Code: \_\_\_\_\_

Phone: \_\_\_\_\_

\* Required A7MA010 / C2MA020  A7MA011 / C2MA021   
 English Manual (STD) Manuel Français  Taxes not included

MODEL											
1	HEWC03	Ultralight Folding Carbon Fiber Helio C2 Wheelchair (265 lb weight capacity)								\$3 545	<input type="checkbox"/>
2	HEWC09	HD Heavy Duty package (350 lb weight capacity)								\$170	<input type="checkbox"/>
3	HEWC10	E-Motion adaptor Kit (2 adaptors)								\$75	<input type="checkbox"/>
SEAT WIDTH <sup>3</sup>											
4	HESW	Seat width:	14" <input type="checkbox"/>	15" <input type="checkbox"/>	16" <input type="checkbox"/>	17" <input type="checkbox"/>	18" <sup>1</sup> <input type="checkbox"/>			NC	<input type="checkbox"/>
5	HESW	Seat width:	19" <sup>1</sup> <input type="checkbox"/>	20" <sup>1</sup> <input type="checkbox"/>	21" <sup>2</sup> <input type="checkbox"/>	22" <sup>2</sup> <input type="checkbox"/>				\$338	<input type="checkbox"/>
SEAT DEPTH											
6	HESD	Seat depth:	14" <input type="checkbox"/>	15" <input type="checkbox"/>	16" <input type="checkbox"/>	17" <input type="checkbox"/>	18" <input type="checkbox"/>			NC	<input type="checkbox"/>
7	HESD	Seat depth:	19" <input type="checkbox"/>	20" <input type="checkbox"/>						\$255	<input type="checkbox"/>

1: Available with HD option      2: Only available with HD option      [3. Width calculator](#)

NEWTON ULTRALIGHT PACKAGE												
8	HEPK01	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels								Save \$245	\$495	<input type="checkbox"/>

**Helio FRONT Seat-to-floor Height - Please select your choice**

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13	14	15	13 1/2	14 1/2	15 1/2												
	P2	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2									
5"	P1																		
	P2				14	15	16	14 1/2	15 1/2	16 1/2									
	P3	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2						
	P4	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2			
7"	P1										16 1/2	17 1/2	18 1/2	17	18	19			
	P2							16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2			
	P3							17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2
	P4	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21
	P5	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21	19 1/2	20 1/2	21 1/2

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS											
9	HECA01	Composite wheel w/ PU tire (1" width)	3" <input type="checkbox"/>	4" <input type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	7" <input type="checkbox"/>	8" <input type="checkbox"/>		NC <input type="checkbox"/>	
10	HECA10	Pneumatic casters 6" x 1 1/4"								\$160 <input type="checkbox"/>	
11	HECA11	Pneumatic casters 8" x 1 1/4"								\$160 <input type="checkbox"/>	
12	HECA14	Newton UltraCaster Soft-Roll Composite	4" x 1 1/2"								\$120 <input type="checkbox"/>
13	HECA15		5" x 1 1/2"								\$130 <input type="checkbox"/>
14	HECA16		6" x 1 1/2"								\$140 <input type="checkbox"/>
15	HECA17		4" x 1 1/2"								\$175 <input type="checkbox"/>
16	HECA18	Newton UltraCaster Soft-Roll Aluminum	5" x 1 1/2"								\$185 <input type="checkbox"/>
17	HECA19		6" x 1 1/2"								\$195 <input type="checkbox"/>
CASTER OPTIONS											
18	HECA12	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY)									\$255 <input type="checkbox"/>
19	HECA13	Frog Legs suspension forks (Not available with caster pin locks)				User weight :					\$489 <input type="checkbox"/>

### Helio - REAR Seat-to-floor Height

WHEEL SIZES	Height available	Specify desired height: _____
20" wheel	12 1/2 to 17 1/4	
22" wheel	13 1/2 to 18 1/4	
24" wheel	14 1/2 to 19 1/4	
25" wheel	15 to 19 3/4	
26" wheel	15 1/2 to 20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

SWING-IN/SWING-OUT FOOTREST											
20	HEFR03	60° Swing-in/swing-out footrest	see line 23 (5 - 13.5") <input type="checkbox"/>	13.5 - 17" <input type="checkbox"/>	14.5 - 19.5" <input type="checkbox"/>	15.5 - 20.5" <input type="checkbox"/>	Set at:**		NC	<input type="checkbox"/>	
21	HEFR04	70° Swing-in/swing-out footrest	see line 23 (5 - 13.5") <input type="checkbox"/>	13.5 - 17" <input type="checkbox"/>	14.5 - 19.5" <input type="checkbox"/>	15.5 - 20.5" <input type="checkbox"/>	Set at:**		NC	<input type="checkbox"/>	
22	HEFR15	80° Swing-in/swing-out footrest	see line 23 (5 - 13.5") <input type="checkbox"/>	13.5 - 16" <input type="checkbox"/>	14.5 - 19.5" <input type="checkbox"/>	15.5 - 20.5" <input type="checkbox"/>	Set at:**		NC	<input type="checkbox"/>	
FOOTREST OPTIONS											
23	HEFR09	High mount (footplate attached to the hanger with clamps)				Range: 5 - 13.5"		Set at:**		\$90	<input type="checkbox"/>

90° SWING-IN/SWING-OUT FOOTREST WITH FRONT MOUNT (Footplate mounted to hanger tube)											
24	HEFR06	90° swing-in/swing-out with front mount - Standard (no extension) <sup>1</sup>	7.5 - 11"			Set at:**			NC	<input type="checkbox"/>	
25	HEFR07	90° swing-in/swing-out with front mount - Short extension 2" <sup>1,2</sup>	9.5 - 13"			Set at:**			NC	<input type="checkbox"/>	
26	HEFR08	90° swing-in/swing-out with front mount - Medium extension 4" <sup>1,2</sup>	9.5 - 14.5"			Set at:**			NC	<input type="checkbox"/>	
							** +/- 1/2"				
27	HEFR99	Omit Footrest								NC	<input type="checkbox"/>

1: Available only with adjustable footplates 2: May interfere with front casters

ELEVATING LEGREST <span style="float: right;">The elevating legrest replace the footrest side selected</span>										
28	HEFR10	Elevating legrest with calf pad, 14" - 19" Length adjustable	Left <input type="checkbox"/>		Right <input type="checkbox"/>		Set at:		\$290	<input type="checkbox"/>

FOOTPLATES											
29	HEFP01	Standard - Composite								STD	<input type="checkbox"/>
30	HEFP02	Newton adjustable angle - Composite								\$145	<input type="checkbox"/>
31	HEFP03	Newton adjustable angle - Aluminum								\$165	<input type="checkbox"/>
32	HEFP04	Newton adjustable angle - Carbon fiber (with rubber inserts)								\$380	<input type="checkbox"/>
33	HEFP06	One piece adjustable angle flip-up - Aluminum								\$206	<input type="checkbox"/>
34	HEFP07	One piece adjustable angle flip-up - Carbon fiber (with rubber inserts)								\$450	<input type="checkbox"/>

FOOTPLATE ACCESSORIES											
35	HEFP08	Length adjustable heel loop (not available with one piece footplate)								NC	<input type="checkbox"/>
36	HEFP09	Calf strap								\$52	<input type="checkbox"/>
37	HEFP10	Standard Padded Calf strap								\$80	<input type="checkbox"/>
38	HEFP30	Bodypoint Aeromesh Padded calf strap								\$120	<input type="checkbox"/>

RESIDUAL LIMB SUPPORT (Height and angle adjustable)										
39	HEFR23	Swing away residual limb support - 7" x 9"	Left <input type="checkbox"/>		Right <input type="checkbox"/>				\$390	<input type="checkbox"/>
40	HEFR12	Swing away residual limb support - 8" x 11"	Left <input type="checkbox"/>		Right <input type="checkbox"/>				\$390	<input type="checkbox"/>

Back canes, height adjustable, with option

FIXED ANGLE BACK										
41	HEBC11 HEBC06	Straight height adjustable back cane*	12 - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD			\$75	<input type="checkbox"/>
42	HEBC12 HEBC08	8° Bend height adjustable back cane*	13 ½ - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD			\$100	<input type="checkbox"/>

\* fixed height Carbon fiber back canes are unavailable until Fall 2023. If this option is selected, Aluminum back canes will be installed  
Otherwise, carbon fiber angle and height adjustable are still available. See options below

ADJUSTABLE ANGLE BACK										
43	HEBC13 HEBC09	Adjustable angle, straight back cane		15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD			\$250	<input type="checkbox"/>
44	HEBC14 HEBC10	Adjustable angle, 8° bend back cane		15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD			\$325	<input type="checkbox"/>
45		Select back cane angle:	85° <sup>1</sup> <input type="checkbox"/>	90° <input type="checkbox"/>	95° <input type="checkbox"/>	STD	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>	

Set height to: \* (measured from seat sling to top of back upholstery)

PUSH HANDLE OPTION										
46	HEPH01	Push handles							STD	<input type="checkbox"/>
47	HEPH05	Fold down push handles							\$150	<input type="checkbox"/>
48	HEPH06	Clamp on height adjustable push handle							\$325	<input type="checkbox"/>
49	HEPH02	Without push handles							NC	<input type="checkbox"/>

1- Not available with a 8 degree bend cane \* If not indicated, default height setting is at the lowest position

STROLLER HANDLE AND STABILIZER BAR * (only available with push handle)										
50	HEPH04	Stroller handle (not available with the HD option)							\$210	<input type="checkbox"/>
51	HEPH03	Newton folding stabilizer bar							\$258	<input type="checkbox"/>

\* Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY										
52	HEBH07	Slip on Active-Mesh back upholstery							NC	<input type="checkbox"/>
53	HEBH08	Adjustable tension Active-Mesh back upholstery							\$245	<input type="checkbox"/>
54	HEBH99	Omit Back upholstery							STD	<input type="checkbox"/>

RIGID BACK										
55		nXt back series (See nXt back pricelist)						See pricelist		<input type="checkbox"/>

SEAT CUSHION										
56	HESC01	2" Cushion							\$175	<input type="checkbox"/>
57	HESC02	3" Cushion							\$195	<input type="checkbox"/>
58	HESC99	Omit seat cushion							STD	<input type="checkbox"/>
59		nXt FIT cushion series (See nXt FIT pricelist)						See pricelist		<input type="checkbox"/>

REAR WHEELS											
60	HERW01	Mag <sup>1</sup>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				\$129	<input type="checkbox"/>	
61	HERW02	Newton One - spoke wheel	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				NC	<input type="checkbox"/>	
62	HERW03	Newton Gravity - ultralight wheel	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>		\$360	<input type="checkbox"/>	
63	HERW04	Spinergy Spox		22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>		\$800	<input type="checkbox"/>	
64		Spinergy Spox spokes colors* <b>Blk</b> <input type="checkbox"/> STD	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>			NC	<input type="checkbox"/>	
65	HERW05	Spinergy LX	22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>			\$995	<input type="checkbox"/>	
66		Spinergy LX spokes colors * <b>Blk</b> <input type="checkbox"/> STD	Pur <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>	Pink <input type="checkbox"/>	Grn <input type="checkbox"/>	Org <input type="checkbox"/>	NC <input type="checkbox"/>

\* Colour spokes require an additional 10 days lead-time

1 - HP tires are not available on Mag Wheels -use only aluminum or plastic coated handrim in standard position

TIRES			Available				
67	HETI01	Soft Urethane 1 3/8 "	20", 22" 24"				STD <input type="checkbox"/>
68	HETI02	Soft Urethane knobby 1 3/8 "	22", 24", 25", 26"				\$110 <input type="checkbox"/>
69	HETI04	Soft Urethane - <i>Shox 1"</i>	22", 24", 25", 26"				\$130 <input type="checkbox"/>
70	HETI05	Pneumatic 1 3/8 "	20", 22", 24", 26"				NC <input type="checkbox"/>
71	HETI08	Pneumatic 1 3/8" with Airless insert	22", 24"				\$215 <input type="checkbox"/>
72	HETI06	Pneumatic HP - 1" *	20", 22", 24", 25", 26"				\$110 <input type="checkbox"/>
73	HETI07	Pneumatic HP - <i>Puncture resistant, black 1" *</i>	24", 25", 26"				\$190 <input type="checkbox"/>

\* Not available with Mag Wheels

HANDRIM							
74	HEHR01	Aluminum anodized					STD <input type="checkbox"/>
75	HEHR07	Newton Air Grip* <span style="float:right">Black <input type="checkbox"/></span>					\$150 <input type="checkbox"/>
76	HEHR08	Newton Air Grip * <span style="float:right">(08) Sunkissed Orange <input type="checkbox"/> (09) Burgundy <input type="checkbox"/> (10) Blue Sapphire <input type="checkbox"/> (11) Monster Green <input type="checkbox"/> (12) Charcoal <input type="checkbox"/> (13) Fuchsia <input type="checkbox"/> (14) Steel Blue <input type="checkbox"/> (15) Ferrari Red <input type="checkbox"/> (16) Acid Green <input type="checkbox"/> (17) White <input type="checkbox"/> (18) Sky Blue <input type="checkbox"/></span>					\$330 <input type="checkbox"/>

**Assembly position for aluminum and Newton AirGrip handrims**

77	HEHR29	Standard Handrim position					STD <input type="checkbox"/>
78	HEHR30	Narrow Handrim position - <i>Short tab (not available in 22")</i>					\$25 <input type="checkbox"/>
79	HEHR31	Super Narrow Handrim - <i>Short tab (not available in 22")</i>					\$25 <input type="checkbox"/>

HANDRIM							
80	HEHR02	Plastic coated					\$160 <input type="checkbox"/>
81	HEHR03	Q-Grip High friction Neoprene coated* <sup>1</sup>					\$430 <input type="checkbox"/>
82	HEHR28	Surge * <span style="float:right">(1-1/2" Oval handrim w/ Gripton high friction strip)</span>					\$470 <input type="checkbox"/>
83	HEHR05	Surge LT* <span style="float:right">(1-1/8" Oval handrim w/ Gripton high friction strip)</span>					\$500 <input type="checkbox"/>
84	HEHR04	Natural Fit* Standard Grip <sup>1</sup> <span style="float:right">(1-1/2" Oval handrim w/standard thumb piece)</span>					\$500 <input type="checkbox"/>
85	HEHR25	Natural Fit* Super Grip <sup>1</sup> <span style="float:right">(1-1/2" Oval handrim w/super grip thumb piece)</span>					\$530 <input type="checkbox"/>
86	HEHR99	Omit handrim					NC <input type="checkbox"/>

\* Not available with Mag wheels

1 - Not available in 20"

2 - Not available in 20" and 22"


AXLE							
87	HEAX01	Quick release axle					STD <input type="checkbox"/>
88	HEAX02	Permanent axle					NC <input type="checkbox"/>
89	HEAX03	Quad release axle					\$170 <input type="checkbox"/>

AXLE PLATE							
90	HEAX04	Amputee adjustable axle plate *					\$250 <input type="checkbox"/>

\* May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER							
91	HECM00	0° camber					STD <input type="checkbox"/>
92	HECM03	3° camber					NC <input type="checkbox"/>
93	HECM06	6° camber <i>(not available with amputee axle plate)</i>					\$80 <input type="checkbox"/>

**CENTER OF GRAVITY**



**Choose position of rear wheel axle plate:**

Measure distance X from front of back post to center of axle receiver.

X =	Most stable								Most responsive				
	1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**If not indicated, default setting is at 1.5"**

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.

Only on carbon frame

WHEEL LOCK										
94	HEWL08	Newton Wheel lock - push to lock							STD	<input type="checkbox"/>
95	HEWL02	Pull to lock						NC	<input type="checkbox"/>	
96	HEWL04	Newton grade aid push to lock <i>(suggested with pneumatic or high pressure tire)</i>						\$175	<input type="checkbox"/>	
97	HEWL13 HEWL14	6" removable extension handle						\$67	<input type="checkbox"/>	
98	HEWL05	Scissor Lock						\$300	<input type="checkbox"/>	
99	HEWL06	Attendant Lock <i>(additional set of wheel lock mounted to the back)</i>						\$230	<input type="checkbox"/>	
100	HEWL99	Omit wheel locks						NC	<input type="checkbox"/>	

FLIP BACK ARMREST				Height Adjustment		Removable function			
101	HEAR01	10" Desk length arm pad		8 - 12" <input type="checkbox"/> STD	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	\$380	<input type="checkbox"/>
102	HEAR02	14" Full length arm pad		8 - 12" <input type="checkbox"/> STD	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	\$380	<input type="checkbox"/>

"T" ARMREST		Height Adjustment							
103	HEAR03	10" Desk length arm pad		8 - 12" <input type="checkbox"/> STD	10 - 14" <input type="checkbox"/>			\$360	<input type="checkbox"/>
104	HEAR04	14" Full length arm pad		8 - 12" <input type="checkbox"/> STD	10 - 14" <input type="checkbox"/>			\$360	<input type="checkbox"/>

GEL ARM PAD - Option for "T" Armrest										
105	HEAR12	14" Full Length Arm Pad - Gel Ovation							\$150	<input type="checkbox"/>

SWING AWAY ARMREST *		Height Adjustment							
106	HEAR05	Tubular arm pad		8 - 11"				\$295	<input type="checkbox"/>
107	HEAR06	10" Desk length arm pad		8 - 11"				\$295	<input type="checkbox"/>

\* Could interfere with some rigid back rests

108	HEAR99	Omit armrest						NC	<input type="checkbox"/>
-----	--------	--------------	--	--	--	--	--	----	--------------------------

SIDE GUARDS <i>(not available with Flip Back and "T" Armrest)</i>									
109	HESG01	Plastic side guards <i>(removable)</i>						\$225	<input type="checkbox"/>
110	HESG02	Carbon fiber side guards <i>(fixed)*</i>						\$255	<input type="checkbox"/>
111	HESG03	Carbon fiber side guards <i>(removable)</i>						\$295	<input type="checkbox"/>
112	HESG06	Composite fender side guards <i>(removable)</i>						\$320	<input type="checkbox"/>
113	HESG04	Carbon fiber mud guards <i>(removable)</i>						\$495	<input type="checkbox"/>
114	HESG99	Omit side guard						NC	<input type="checkbox"/>

\* Not available with back upholstery

POSITIONING BELT									
115	HESB01	Velcro adjustable		Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>			\$45	<input type="checkbox"/>
116	HESB02	Auto buckle		Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>			\$55	<input type="checkbox"/>
117	HESB07	Hardware attachment for 2 point seatbelt <i>(1 pair)</i>						NC	<input type="checkbox"/>
118	HESB03	Additional hardware for 2 extra attachment points <i>(needed for the 4 point seat belt) (1 pair)</i>						\$13	<input type="checkbox"/>
119	HESB04	BodyPoint Hip Belt - 2 point not padded		M <input type="checkbox"/>	L <input type="checkbox"/>			\$82	<input type="checkbox"/>
120	HESB05	BodyPoint Hip Belt - 2 point padded		S <input type="checkbox"/>	M <input type="checkbox"/>	L <input type="checkbox"/>		\$155	<input type="checkbox"/>
121	HESB06	BodyPoint Hip Belt - 4 point padded		S <input type="checkbox"/>	M <input type="checkbox"/>	L <input type="checkbox"/>		\$195	<input type="checkbox"/>
122	HESB99	Omit positioning belt						STD	<input type="checkbox"/>

HEADREST *									
123	HEAC01	Profiled Headrest	Small (3.5"X6") <input type="checkbox"/>	Medium (4.5"X7") <input type="checkbox"/>	Large (5.5"X8") <input type="checkbox"/>			\$205	<input type="checkbox"/>
124	HEAC02	Headrest mounting hardware with removable non folding stabilizer bar						\$338	<input type="checkbox"/>


\* Only available with push handles - Not available with a stroller handle or a folding stabiliser bar

ACCESSORIES										
125	HEAC03	Anti tippers							\$115	<input type="checkbox"/>
126	HEAC04	Transit Tie Down ( <i>Unoccupied</i> )							NC	<input type="checkbox"/>
127	HEAC05	WC-19 Transit Tie Down w/Q'straint belt <i>Not available with the swing away armrest</i>		Short belt 20-41" <input type="checkbox"/>		Long belt 20-46" <input type="checkbox"/>			\$345	<input type="checkbox"/>
128	HEAC06	Cane carrier		Left <input type="checkbox"/>		Right <input type="checkbox"/>			\$105	<input type="checkbox"/>
129	HEAC07	Oxygen tank holder - D Type <i>Not compatible with swing away armrest or amputee axle plate</i>		Left					\$375	<input type="checkbox"/>
130	HEAC08	Spoke guards*		Available: 20", 22", 24", 26"					\$145	<input type="checkbox"/>
131	HEAC09	Footrest neoprene impact guard (pair) - Black							\$80	<input type="checkbox"/>
132	HEAC10	Seat pouch							\$95	<input type="checkbox"/>
133	HEAC23	Newton Backpack							\$120	<input type="checkbox"/>
134	HEAC12	Velcro Closing Strap							\$50	<input type="checkbox"/>
135	HEAC13	Tool kit							\$50	<input type="checkbox"/>
136	HEAC16	Motion Composites Polo Shirt	W/S <input type="checkbox"/>	W/M <input type="checkbox"/>	W/L <input type="checkbox"/>				\$32	<input type="checkbox"/>
			M/S <input type="checkbox"/>	M/M <input type="checkbox"/>	M/L <input type="checkbox"/>	M/XL <input type="checkbox"/>	M/XXL <input type="checkbox"/>	M/XXXL <input type="checkbox"/>		

\* Not available with Mag wheels

FRAME COLOR											
137	HEFC01	Carbon Fiber Black <input type="checkbox"/>							NC	<input type="checkbox"/>	
138	HEFC03	Sunkissed Orange <input type="checkbox"/>	Burgundy <input type="checkbox"/>	Sapphire Blue <input type="checkbox"/>	Monster Green <input type="checkbox"/>				NC	<input type="checkbox"/>	
		Charcoal <input type="checkbox"/>	Fuchsia <input type="checkbox"/>	Steel Blue <input type="checkbox"/>	Ferrari Red <input type="checkbox"/>	Acid Green <input type="checkbox"/>					
139	HEFC99	Custom Color	<a href="#">Specify PPG Paintit color:</a>							\$410	<input type="checkbox"/>
<b>TOTAL</b>											

### Fork and Stem bolt combinations



### Notes :