



Helio C2

ORDER FORM - CANADA

1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

2- Dealer/Representative information

Dealer/Representative:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

3- Shipping information

Ship to:* _____

Name: _____

Address: _____

City: _____ Province: _____

Postal Code: _____

Phone: _____

* Required			English Manual (STD)			Manuel Français		Taxes not included	
MODEL									
WC05	☐	Ultralight Folding Carbon Fiber Helio C2 Wheelchair (265 lb weight capacity)					WM0000964/ WAMZ	\$3,995	
WC09	☐	HD Heavy Duty package (350 lb weight capacity)					WAMF	\$180	
WC10	☐	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6" camber						\$35	
Frame									
FREE Growth Kit within the first 5 years of the Helio C2 wheelchair ownership The growth kit includes carbon crossbraces, crossbrace links, seat sling, back upholstery and footplates.									
SEAT WIDTH ³									
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐			NC
	☐	19" ¹ ☐	20" ¹ ☐	21" ² ☐	22" ² ☐		WAMA	\$360	
SEAT DEPTH									
SD	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐			NC
	☐	19" ☐	20" ☐				WAMB	\$275	
TRANSIT TIE DOWN									
AC04	☐	Transit Tie Down (Unoccupied)						NC	
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴		Short belt 20"-41"				\$365	
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴		Long belt 20"-46"				\$365	
AC35	☐	WC-19 Transit Tie Down without belt ⁴						\$335	

1- Available with HD option; 2- Only available with HD option [3. Width calculator](#) 3- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

NEWTON ULTRALIGHT PACKAGE					
PK01	☐	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels			
				Save \$245	\$530

C2 FRONT Seat-to-floor Height - Please select your choice

		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
Forks / Position		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"												
	P2	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
5"	P1																		
	P2				14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
	P3	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"						
	P4	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	P1										16 1/2"	17 1/2"	18 1/2"	17"	18"	19"			
	P2							16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"			
	P3							17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"
	P4	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"
	P5	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"	19 1/2"	20 1/2"	21 1/2"

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS							
CA01-03	☐	Composite wheel w/ PU tire	3" x 1"				NC
CA01-04	☐		4" x 1"				NC
CA01-05	☐		5" x 1"				NC
CA01-06	☐		6" x 1"				NC
CA01-07	☐		7" x 1"				NC
CA01-08	☐		8" x 1"				NC
CA10	☐	Pneumatic casters	6" x 1 ¼"				\$170
CA11	☐		8" x 1 ¼"				\$170
CA14	☐	Newton UltraCaster Composite	4" x 1 ½ "				\$100
CA15	☐		5" x 1 ½ "				\$100
CA16	☐		6" x 1 ½ "				\$100
CA17	☐		4" x 1 ½"				\$185
CA18	☐	Newton UltraCaster Aluminum	5" x 1 ½"				\$195
CA19	☐		6" x 1 ½"				\$205
CASTER OPTIONS							
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹				WAMS	\$275
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)					\$510

1 - Not available with WC-19

C2 - REAR Seat-to-floor Height

WHEEL SIZES	Height available		Specify desired height: _____
20" (451) wheel ☐	12 1/2	to 17 1/4	
22" (501) wheel ☐	13 1/2	to 18 1/4	
24" (540) wheel ☐	14 1/2	to 19 1/4	
25" (559) wheel ☐	15	to 19 3/4	
26" (590) wheel ☐	15 1/2	to 20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest

SWING-IN/SWING-OUT FOOTREST						
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16"		Set at: *		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹	7.5" - 11"	Set at: *		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}	9.5"- 13"	Set at: *		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}	9.5" - 14.5"	Set at: *		NC
FOOTREST OPTIONS ³						
FR09	☐	High mount (footplate attached to the hanger with clamps) ³	5" - 13.5"	Set at: *		\$100
FR10	☐	Elevating legrest with calf pad, Length adjustable ⁴	Left ☐ Right ☐ 14" - 22"	Set at:	WAMK	\$295
FR99	☐	Omit Footrest				NC

1- Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount; * +/- 1/2"

4- The elevating legrest replace the footrest side selected; Not available with one piece footplate

FOOTPLATES						
FP01	☐	Standard - Composite ¹				STD
FP02	☐	Newton adjustable angle - Composite			WAMJ	\$155
FP03	☐	Newton adjustable angle - Aluminum			WAMJ	\$175
FP04	☐	Newton adjustable angle - Carbon fiber (with rubber inserts)			WAMJ	\$395
FP06	☐	One piece adjustable angle flip-up - Aluminum		WAMJ	SEFND0015	\$215
FP07	☐	One piece adjustable angle flip-up - Carbon fiber (with rubber inserts)		WAMJ	SEFND0015	\$480
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop (not available with one piece footplate)				NC
FP09	☐	Calf strap			SEFND0010	\$57
FP30	☐	Bodypoint Aeromesh Padded calf strap			SEFND0010	\$140

1- Not available with front mount

SWING AWAY RESIDUAL LIMB SUPPORT						
FR27	☐	Residual limb support - flat 6"x8"	Left ☐ Right ☐		SEFND0005	\$505
FR28	☐	Residual limb support - flat 8"x10"	Left ☐ Right ☐		SEFND0005	\$505
FR29	☐	Residual limb support - flat 10"x10"	Left ☐ Right ☐		SEFND0005	\$505
FR30	☐	Residual limb support - flat 10"x14"	Left ☐ Right ☐		SEFND0005	\$505
FR32	☐	Residual limb support - contour 6"x8"	Left ☐ Right ☐		SEFND0005	\$505
FR33	☐	Residual limb support - contour 8"x10"	Left ☐ Right ☐		SEFND0005	\$505

Backrest

FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)								
BC06-912		Straight Carbon fiber back cane	9" - 12"	*Not available until Fall 2023			NC	
BC06-1215		Straight Carbon fiber back cane	12" - 15"	*Not available until Fall 2023			NC	
BC06-1518		Straight Carbon fiber back cane	15" - 18"	*Not available until Fall 2023			NC	
BC06-1821		Straight Carbon fiber back cane	18" - 21"	*Not available until Fall 2023			NC	
BC08-1315		8° Bend Carbon fiber back cane	13.5" - 15"	*Not available until Fall 2023			\$165	
BC08-1518		8° Bend Carbon fiber back cane	15" - 18"	*Not available until Fall 2023			\$165	
BC08-1821		8° Bend Carbon fiber back cane	18" - 21"	*Not available until Fall 2023			\$165	
* Replacement options below: Aluminum fixed angle and height adjustable or straight carbon fiber angle and height adjustable								
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)								
BC11-912	☐	Straight Aluminum back cane	9" - 12"	increment of 1/2"	Set at ² :		NC	
BC11-1215	☐	Straight Aluminum back cane	12" - 15"	increment of 1/2"	Set at ² :		NC	
BC11-1518	☐	Straight Aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :		NC	
BC11-1821	☐	Straight Aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :		NC	
BC12-1315	☐	8° Bend Aluminum back cane	13.5" - 15"	increment of 1/2"	Set at ² :		\$80	
BC12-1518	☐	8° Bend Aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :		\$80	
BC12-1821	☐	8° Bend Aluminum back cane	18" - 21"		Set at ² :		\$80	
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)								
BC09-1215	☐	Straight Carbon fiber back cane	12" - 15"	increment of 1/2"	Set at ² :		\$330	
BC09-1518	☐	Straight Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :		\$330	
BC09-1821	☐	Straight Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :		\$330	
BC10-1315		8° bend Carbon fiber back cane	13.5" - 15"	*Not available until Fall 2023			\$380	
BC10-1518		8° bend Carbon fiber back cane	15" - 18"	*Not available until Fall 2023			\$380	
BC10-1821		8° bend Carbon fiber back cane	18" - 21"	*Not available until Fall 2023			\$380	
		Select back cane angle:	85° ¹ ☐	90° ☐	95° STD ☐	100° ☐	105° ☐	110° ☐
PUSH HANDLES OPTIONS (ONE option at a time)								
PH01	☐	Push handles					STD	
PH05	☐	Fold down push handles ^{3,5}					\$160	
PH06-920	☐	Clamp on height adjustable push handles 9"-20" ^{3,4,5}					\$345	
PH06-923	☐	Clamp on height adjustable push handles 9"-23" ^{3,4,5}					\$345	
PH02	☐	Omit push handles					NC	
STROLLER HANDLE AND STABILIZER BAR (only available with push handle)								
PH04	☐	Stroller handle (not available with the HD option)				WAMW	\$220	
PH03	☐	Newton folding stabilizer bar (not available with stroller handle)					\$275	
1- Not available with 8 degree bend cane; 2- If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; 3- 265 lb weight limit; 4- Not compatible with swing away armrests, 8° bend back canes and amputee axle plates; 5- Not compatible with stroller handle, stabilizer bar, headrest and attendant lock								
BACK UPHOLSTERY								
BH07	☐	Slip-on Active-Mesh back upholstery					NC	
BH08	☐	Adjustable tension Active-Mesh back upholstery				WAMD/WAME	\$260	
BH99	☐	Omit Back upholstery					STD	
	☐	NXT back Support			See pricelist			
SEAT CUSHION								
SC01	☐	2" Cushion					\$185	
SC02	☐	3" Cushion					\$205	
SC99	☐	Omit seat cushion					STD	
	☐	NXT cushion				See price list		

Rear wheels								
ONE ARM DRIVE ¹ <i>Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims, permanent axles, 0° camber</i>								
HR22	☐	One arm drive - aluminum inner handrim ^{2,3}	24"	Left ☐	Right ☐		WAML	\$1,480
HR60	☐	One arm drive - plastic coated inner handrim ^{2,3}	24"	Left ☐	Right ☐		WAML	\$1,480
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)						NC
REAR WHEELS						Available		
RW01	☐	Mag ⁴				20", 22" 24"		\$140
RW02	☐	Newton One - spoke wheel ⁵				20", 22" 24"		NC
RW03	☐	Newton Gravity - ultralight wheel				20", 22", 24", 25", 26"		\$380
RW04	☐	Spinergy Spox Blk STD ☐	Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐			22", 24", 25", 26"		\$850
RW05	☐	Spinergy LX Blk STD ☐	Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐			22", 24", 25", 26"		\$1,055
RW07	☐	Spinergy CLX ⁷ Blk STD ☐	Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐			24", 25"		\$1,635
TIRES						Available		
TI01	☐	Soft Urethane - 1 3/8"				20", 22" 24"		STD
TI02	☐	Soft Urethane - knobby 1 3/8 "				22", 24", 25", 26"		\$120
TI04	☐	Soft Urethane - Shox 1"				22", 24", 25", 26"		\$140
TI05	☐	Pneumatic - 1 3/8"				20", 22", 24", 25" 26"		NC
TI08	☐	Pneumatic with Airless insert - 1 3/8" ⁸				22", 24", 26"		\$225
TI06	☐	Pneumatic HP - 1"				20", 22", 24", 25", 26"		\$120
TI07	☐	Pneumatic HP - Puncture resistant, black 1"				24", 25", 26"		\$200

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; 2- Only standard handrim position available; 3- Not available with HD option
4- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 5- Not compatible with Shox tires; 6- Colour spokes require an additionnal 10 days lead-time
7- Only available with 1" tires; 8- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims								
HANDRIM						Available		
HR01	☐	Aluminum anodized				20", 22", 24", 25", 26"		STD
HR61	☐	Aluminum black hard anodized ²				20", 22", 24", 25"		\$80
HR02	☐	Plastic coated ¹				20", 22", 24", 25", 26"	WAMO	\$170
HR03	☐	High friction coated ^{1,2}				22", 24", 25", 26"	WAMO	\$460
HR07 to HR18	☐	Newton Air Grip ² <i>See on page 6 for color choice and price</i>				20", 22", 24", 25", 26"	WAMO	
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip)				22", 24", 25", 26"		\$485
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip)				22", 24", 25", 26"		\$515
HR04	☐	Natural Fit ^{1,2}				22", 24", 25", 26"		\$320
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)				22", 24", 25", 26"		\$515
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)				22", 24", 25", 26"		\$320
HR99	☐	Omit handrim						NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels

Handrims option								
ASSEMBLY POSITION								
HR29	☐	Standard Handrim position	Full tab					STD
HR030	☐	Narrow Handrim position no cut	Full tab					NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions					\$27
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions STD ☐ Short tab 1 position ☐					\$27
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS								
HR23	☐	Standard grip						\$200
HR27	☐	Super grip						\$230
HR099	☐	Omit thumb piece						NC


3- Only available with Aluminum and Air Grip handrims;

AXLE ¹								
AX01	☐	Quick release axle					WAMU	STD
AX02	☐	Permanent axle						NC
AX03	☐	Quad release axle					WAMU	\$180
AXLE PLATE								
AX04	☐	Amputee adjustable axle plate ²					WAMT	\$270

1- Not required with one arm drive 2 - May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER							
CM00	☐	0° camber					STD
CM03	☐	3° camber					NC
CM06	☐	6° camber (not available with amputee axle plate)					\$85

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

Most stable											
1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

WHEEL LOCK							
WL08	☐	Newton Wheel lock - push to lock					STD
WL16	☐	Aluminum push to lock with extension					\$73
WL02	☐	Pull to lock					NC
WL04	☐	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)				WAMR	\$185
WL13 WL14	☐	6" removable extension handle					\$73
WL05	☐	Scissors Lock					\$185
WL06	☐	Attendant Lock (additional set of wheel lock mounted to the back)					\$240
WL15	☐	Unilateral wheel lock - pull to lock ¹	Left ☐	Right ☐		WAMN	\$335
WL99	☐	Omit wheel locks					NC

1- For more information about incompatibilities and restriction, refer to the table at page 8 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

Armrests							
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,4}							
AR01-812	☐	10" Desk length armpad	8" - 12"	Locked ☐	Unlocked STD ☐		\$395
AR01-1014	☐	10" Desk length armpad	10" - 14"	Locked ☐	Unlocked STD ☐		\$395
AR02-812	☐	14" Full length armpad	8" - 12"	Locked ☐	Unlocked STD ☐		\$395
AR02-1014	☐	14" Full length armpad	10" - 14"	Locked ☐	Unlocked STD ☐		\$395
HEIGHT ADJUSTABLE "T" ARMREST ¹							
AR13-610	☐	10" Desk length armpad ⁵	6" - 10"				\$380
AR03-812	☐	10" Desk length armpad	8" - 12"				\$380
AR03-1014	☐	10" Desk length armpad	10" - 14"				\$380
AR14-610	☐	14" Full length armpad ⁵	6" - 10"				\$380
AR04-812	☐	14" Full length armpad	8" - 12"				\$380
AR04-1014	☐	14" Full length armpad	10" - 14"				\$380
HEIGHT ADJUSTABLE SWING AWAY ARMREST ^{2,4}							
AR05	☐	Tubular armrest - short pad	8" - 11"				\$315
AR23	☐	Tubular armrest - long pad	8" - 11"				\$315
AR06	☐	10" Desk length flat armpad	8" - 11"				\$315
AR17	☐	14" Full length flat armpad	8" - 11"				\$315
ARMRESTS OPTIONS							
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ³				SEAND0030	\$160
AR99	☐	Omit armrest					NC

1- May have 1/2" adjust. restriction on both limits of the range; 2- Could interfere with some rigid backrests; 3- Not available with swing away & flip back armrest; 4- Not available with attendant lock

5- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with Flip Back and "T" Armrest)							
SG01	☐	Plastic side guards (removable)				WAMV	\$235
SG02	☐	Carbon fiber side guards (fixed)				WAMV	\$275
SG03	☐	Carbon fiber side guards (removable)				WAMV	\$315
SG06	☐	Plastic fender side guards - straight bracket (removable)				WAMV	\$340
SG08	☐	Plastic fender side guards - offset bracket (removable) ¹				WAMV	\$340
SG04	☐	Carbon fiber fender side guards (removable)				WAMV	\$510
SG99	☐	Omit side guard					NC
SIDE GUARDS OPTION							
SG07	☐	Side guards clip (pair) ²					NC

1- only compatible with 0° camber; Increase distance between fender side guards by 1 1/8"; 2- Not available with fixed carbon fiber side guard


POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Standard 35"			\$50
SB01-L	☐	Velcro adjustable - Long 60"			\$50
SB02-S	☐	Auto buckle - Standard 35"			\$60
SB02-L	☐	Auto buckle - Long 60"			\$60
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"			\$90
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"			\$90
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		SERND0030	\$180
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		SERND0030	\$180
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		SERND0030	\$180
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		SERND0020	\$205
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		SERND0020	\$205
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		SERND0020	\$205
SB03	☐	Hardware attachment for 2 extra points (1 pair)			\$15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"			\$345
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"			\$345
SB99	☐	Omit positioning belt			STD

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

1- Must select the pair (left and right) with HD option. Only available with rear seat to floor height between 13 1/2" and 19 3/4"

Colors																					
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
																					
AirGrip	☐ \$160	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$350	
Frame ²	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC	
FC99	☐	Custom Color	Specify PPG Paintit color:																	additional 10 days lead-time	\$422

Fork and Stem bolt combinations




Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
	16	1.0 to 2.75
22 in	17	1.0 to 3.25
	18+	1.0 to 3.75
24 in	16	1.0 to 2.0
	17	1.0 to 2.75
	18+	1.0 to 3.75

Notes :

FOLDING ON CHAIR - CDN ORDER FORM

BioFit™ CUSHION		WIDTH										
DEPTH		12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
	12"	☐ \$625	☐ \$625	☐ \$625								
	14"	☐ \$625	☐ \$625	☐ \$625								
	15"		☐ \$625	☐ \$625	☐ \$625	☐ \$625						
	16"		☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655	☐ \$655	☐ \$655
	17"				☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655		
	18"				☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655	☐ \$655	☐ \$655
	19"				☐ \$625	☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655		
	20"				☐ \$625	☐ \$625	☐ \$625	☐ \$655	☐ \$655	☐ \$655	☐ \$655	☐ \$655
Option: Change cover for incontinent / infection control outer cover												☐ N/C



NXCABF _ _ _ _
(W" x D")

SEATING AND CUSHION ACCESSORIES

	Model #	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	

Optima™ THORACIC BACK SUPPORT

Optima™	Fits Width	Height	✓	\$
NOACB1613	16"-18"	13"	☐	\$725
NOACB1616	16"-18"	16"	☐	\$725
NOACB1619	16"-18"	19"	☐	\$725
NOACB1813	18"-20"	13"	☐	\$725
NOACB1816	18"-20"	16"	☐	\$725
NOACB1819	18"-20"	19"	☐	\$725
NOACB2016	20"-22"	16"	☐	\$725
NOACB2019	20"-22"	19"	☐	\$725
NOACB2213	22"--24"	13"	☐	\$755
NOACB2216	22"--24"	16"	☐	\$755
NOACB2219	22"--24"	19"	☐	\$755

Optima™ DEEP THORACIC BACK SUPPORT

Optima™ DEEP	Fits Width	Height	✓	\$
NOPCB1616	16"-18"	16"	☐	\$825
NOPCB1619	16"-18"	19"	☐	\$825
NOPCB1816	18"-20"	16"	☐	\$825
NOPCB1819	18"-20"	19"	☐	\$825
NOPCB2016	20"-22"	16"	☐	\$825
NOPCB2019	20"-22"	19"	☐	\$825
NOPCB2213	22"-24"	13"	☐	\$860
NOPCB2216	22"-24"	16"	☐	\$860
NOPCB2219	22"-24"	19"	☐	\$860

Optima™ CARBON THORACIC BACK SUPPORT

Optima™ Carbon	Fits Width	Height	✓	\$
NOCFACB1413	14"-16"	13"	☐	\$1150
NOCFACB1416	14"-16"	16"	☐	\$1150
NOCFACB1513	15"-17"	13"	☐	\$1150
NOCFACB1516	15"-17"	16"	☐	\$1150
NOCFACB1613	16"-18"	13"	☐	\$1150
NOCFACB1616	16"-18"	16"	☐	\$1150
NOCFACB1713	17"-19"	13"	☐	\$1150
NOCFACB1716	17"-19"	16"	☐	\$1150
NOCFACB1813	18"-20"	13"	☐	\$1150
NOCFACB1816	18"-20"	16"	☐	\$1150
NOCFACB2013	20"-22"	13"	☐	\$1150
NOCFACB2016	20"-22"	16"	☐	\$1150

Optima™ CARBON DEEP THORACIC BACK SUPPORT

Optima™ Carbon DEEP	Fits Width	Height	✓	\$
NOCFPCB1413	14"-16"	13"	☐	\$1250
NOCFPCB1416	14"-16"	16"	☐	\$1250
NOCFPCB1513	15"-17"	13"	☐	\$1250
NOCFPCB1516	15"-17"	16"	☐	\$1250
NOCFPCB1613	16"-18"	13"	☐	\$1250
NOCFPCB1616	16"-18"	16"	☐	\$1250
NOCFPCB1713	17"-19"	13"	☐	\$1250
NOCFPCB1716	17"-19"	16"	☐	\$1250
NOCFPCB1813	18"-20"	13"	☐	\$1250
NOCFPCB1816	18"-20"	16"	☐	\$1250
NOCFPCB2013	20"-22"	13"	☐	\$1250
NOCFPCB2016	20"-22"	16"	☐	\$1250

THORACIC SHAPE

FOLDING ON CHAIR - CDN ORDER FORM

Xtend™ LOW HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

THORACIC SHAPE		Xtend™	Fits Width	Height	✓	\$
		**NHAACB (L)1213/17	12"-14"	13"-17"	☐	\$725
		NHAACB (L)1413/17	14"-16"	13"-17"	☐	\$725
		NHAACB (L)1613/17	16"-18"	13"-17"	☐	\$725
		NHAACB (L)1813/17	18"-20"	13"-17"	☐	\$755
		NHAACB (L)2013/17	20"-22"	13"-17"	☐	\$755
		NHAACB (L)2213/17	22"-24"	13"-17"	☐	\$755

Xtend™ DEEP HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

	Xtend™ DEEP	Fits Width	Height	✓	\$
	NHAPCB1616/20	16"-18"	16"-20"	☐	\$725
	NHAPCB1816/20	18"-20"	16"-20"	☐	\$725
	NHAPCB2016/20	20"-22"	16"-20"	☐	\$725
	NHAPCB2216/20	22"-24"	16"-20"	☐	\$755

Classic™ PELVIC BACK SUPPORT

PELVIC SHAPE		Classic™	Fits Width	Height	✓	\$
		NACB1616	16"-18"	16"	☐	\$720
		NACB1618	16"-18"	18"	☐	\$720
		NACB1816	18"-20"	16"	☐	\$720
		NACB1818	18"-20"	18"	☐	\$720
		NACB1820	18"-20"	20"	☐	\$720
		NACB2020	20"-22"	20"	☐	\$720
		NACB2216	22"-24"	16"	☐	\$755
		NACB2218	22"-24"	18"	☐	\$755
		NACB2220	22"-24"	20"	☐	\$755

Classic™ DEEP PELVIC BACK SUPPORT

	Classic DEEP™	Fits Width	Height	✓	\$
	NPCB1616	16"-18"	16"	☐	\$825
	NPCB1618	16"-18"	18"	☐	\$825
	NPCB1818	18"-20"	18"	☐	\$825
	NPCB1820	18"-20"	20"	☐	\$825
	NPCB2020	20"-22"	20"	☐	\$825
	NPCB2216	22"-24"	16"	☐	\$860
	NPCB2218	22"-24"	18"	☐	\$860
	NPCB2220	22"-24"	20"	☐	\$860

BACK SUPPORT ACCESSORIES - PRIVACY FLAP

	Model #	Description	Fits Back Width	\$	QTY
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	70	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	70	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	70	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	70	

MultiFit™ HEAD SUPPORT - MULTI-ADJUSTABLE PADS

	Model # NIB-0784		✓	\$
	10" x 5" Large Rectangular	☐	\$205	
	Model # NIB-0818		✓	\$
	14" x 5" Extra-Large Rectangular	☐	\$205	

MultiFit™ HEAD SUPPORT - FIXTURES

	Model # NIB-0747		✓	\$
	Multi-Axis Hardware	☐	\$150	
	Model # NIB-0823		✓	\$
	Head Support Receiver Bracket	☐	\$60	