



Helio C2

ORDER FORM - USA

1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

2- ATP/Clinician information

ATP/Clinician:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

3- Shipping information

Ship to:* _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

* Required

MA082 ☐
English Manual (STD)

MA089 ☐
Spanish Manual

Taxes not included

MODEL							USD		
WC05	☐	Ultralight Folding Carbon Fiber Helio C2 Wheelchair (265 lb weight capacity)						K0005	\$4 340
WC09	☐	HD Heavy Duty package (350 lb weight capacity)							\$535
WC10	☐	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6° camber							\$36
Frame									
SEAT WIDTH									
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐		NC
	☐	20" ¹ ☐ 21" ² ☐ 22" ² ☐						E2201	\$505
SEAT DEPTH									
SD	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC
	☐	20" ☐						E2203	\$485
TRANSIT TIE DOWN									
AC04	☐	Transit Tie Down (Unoccupied)							NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 20"-41"							\$360
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 20"-46"							\$360
AC35	☐	WC-19 Transit Tie Down without belt ⁴							\$330

1- Available with HD option; 2- Only available with HD option [3. Width calculator](#) 4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

NEWTON ULTRALIGHT PACKAGE					
PK01	☐	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels		Save \$275	\$490

C2 FRONT Seat-to-floor Height - Please select your choice

		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
Forks / Position		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"												
	P2	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
5"	P1																		
	P2				14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
	P3	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"						
	P4	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	P1										16 1/2"	17 1/2"	18 1/2"	17"	18"	19"			
	P2							16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"			
	P3							17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"
	P4	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"
	P5	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"	19 1/2"	20 1/2"	21 1/2"

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS						
CA01-03	☐	Composite wheel w/ PU tire	3" x 1"			NC
CA01-04	☐		4" x 1"			NC
CA01-05	☐		5" x 1"			NC
CA01-06	☐		6" x 1"			NC
CA01-07	☐		7" x 1"			NC
CA01-08	☐		8" x 1"			NC
CA10	☐	Pneumatic casters	6" x 1 ¼"		E2214/E2215	\$165
CA11	☐		8" x 1 ¼"		E2214/E2215	\$165
CA14	☐	Newton UltraCaster Composite	4" x 1 ½ "			\$87
CA15	☐		5" x 1 ½ "			\$87
CA16	☐		6" x 1 ½ "			\$87
CA17	☐	Newton UltraCaster Aluminum	4" x 1 ½ "			\$190
CA18	☐		5" x 1 ½ "			\$200
CA19	☐		6" x 1 ½ "			\$210
CASTER OPTIONS						
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹			K0073	\$300
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)			E1015	\$485

1- Not available with WC-19

C2 - REAR Seat-to-floor Height

WHEEL SIZES	Height available	
20" (451) wheel ☐	12 1/2 to 17 1/4	Specify desired height:
22" (501) wheel ☐	13 1/2 to 18 1/4	
24" (540) wheel ☐	14 1/2 to 19 1/4	
25" (559) wheel ☐	15 to 19 3/4	
26" (590) wheel ☐	15 1/2 to 20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest							
SWING-IN/SWING-OUT FOOTREST							
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *			NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *			NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *			NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *			NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *			NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *			NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16"		Set at: *			NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *			NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *			NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹	7.5" - 11"	Set at: *			NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}	9.5"- 13"	Set at: *			NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}	9.5" - 14.5"	Set at: *			NC
FOOTREST OPTIONS							
FR09	☐	High mount (footplate attached to the hanger with clamps) ³	5" - 13.5"	Set at: *			\$82
FR10	☐	Elevating legrest with calf pad, Length adjustable ⁴ Left ☐ Right ☐	14" - 22"	Set at:	E0990		\$245
FR99	☐	Omit Footrest					NC

1- Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount; * +/- 1/2"

4- The elevating legrest replace the footrest side selected; Not available with one piece footplate

FOOTPLATES							
FP01	☐	Standard - Composite ¹					STD
FP02	☐	Newton adjustable angle - Composite			K0040		\$215
FP03	☐	Newton adjustable angle - Aluminum			K0040		\$235
FP04	☐	Newton adjustable angle - Carbon fiber with rubber inserts					\$445
FP06	☐	One piece adjustable angle flip-up - Aluminum			K0040		\$195
FP07	☐	One piece adjustable angle flip-up - Carbon fiber with rubber inserts					\$465
FOOTPLATE ACCESSORIES							
FP08	☐	Length adjustable heel loop (not available with one piece footplate)			E0951		\$41
FP09	☐	Calf strap			K0038		\$36
FP30	☐	Bodypoint Aeromesh Padded calf strap			K0038		\$118

1- Not available with front mount

SWING AWAY RESIDUAL LIMB SUPPORT							
FR27	☐	Residual limb support - flat 6"x8"	Left ☐ Right ☐		E1020		\$415
FR28	☐	Residual limb support - flat 8"x10"	Left ☐ Right ☐		E1020		\$415
FR29	☐	Residual limb support - flat 10"x10"	Left ☐ Right ☐		E1020		\$415
FR30	☐	Residual limb support - flat 10"x14"	Left ☐ Right ☐		E1020		\$415
FR32	☐	Residual limb support - contour 6"x8"	Left ☐ Right ☐		E1020		\$415
FR33	☐	Residual limb support - contour 8"x10"	Left ☐ Right ☐		E1020		\$415

Backrest								
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)								
BC06-912		Straight Carbon fiber back cane	9" - 12"	*Not available until Mid-2023			NC	
BC06-1215		Straight Carbon fiber back cane	12" - 15"	*Not available until Mid-2023			NC	
BC06-1518		Straight Carbon fiber back cane	15" - 18"	*Not available until Mid-2023			NC	
BC06-1821		Straight Carbon fiber back cane	18" - 21"	*Not available until Mid-2023			NC	
BC08-1315		8° Bend Carbon fiber back cane	13.5" - 15"	*Not available until Mid-2023			\$57	
BC08-1518		8° Bend Carbon fiber back cane	15" - 18"	*Not available until Mid-2023			\$57	
BC08-1821		8° Bend Carbon fiber back cane	18" - 21"	*Not available until Mid-2023			\$57	
* Replacement options below: Aluminum fixed angle and height adjustable or straight carbon fiber angle and height adjustable								
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)								
BC11-912	☐	Straight Aluminum back cane	9" - 12"	increment of 1/2"	Set at ² :		NC	
BC11-1215	☐	Straight Aluminum back cane	12" - 15"	increment of 1/2"	Set at ² :		NC	
BC11-1518	☐	Straight Aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :		NC	
BC11-1821	☐	Straight Aluminum back cane	18" - 21"	increment of 1/2"	Set at ² :		NC	
BC12-1315	☐	8° Bend Aluminum back cane	13.5" - 15"	increment of 1/2"	Set at ² :		\$57	
BC12-1518	☐	8° Bend Aluminum back cane	15" - 18"	increment of 1/2"	Set at ² :		\$57	
BC12-1821	☐	8° Bend Aluminum back cane	18" - 21"		Set at ² :		\$57	
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)								
BC09-1215	☐	Straight Carbon fiber back cane	12" - 15"	increment of 1/2"	Set at ² :		\$215	
BC09-1518	☐	Straight Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :		\$215	
BC09-1821	☐	Straight Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :		\$215	
BC10-1315		8° bend Carbon fiber back cane	13.5" - 15"	*Not available until Mid-2023			\$270	
BC10-1518		8° bend Carbon fiber back cane	15" - 18"	*Not available until Mid-2023			\$270	
BC10-1821		8° bend Carbon fiber back cane	18" - 21"	*Not available until Mid-2023			\$270	
		Select back cane angle:	85° ¹ ☐	90° ☐	95° STD ☐	100° ☐	105° ☐	110° ☐
PUSH HANDLES OPTIONS (ONE option at a time)								
PH01	☐	Push handles					STD	
PH05	☐	Fold down push handles ^{3, 5}					\$130	
PH06-920	☐	Clamp on height adjustable push handles 9"-20" ^{3,4, 5}					\$320	
PH06-923	☐	Clamp on height adjustable push handles 9"-23" ^{3,4, 5}					\$320	
PH02	☐	Omit push handles					NC	
STROLLER HANDLE AND STABILIZER BAR ¹ (only available with push handle)								
PH04	☐	Stroller handle (not available with the HD option)				K0108	\$165	
PH03	☐	Newton folding stabilizer bar (not available with stroller handle)					\$270	
1- Not available with 8 degree bend cane; 2- If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; 3- 265 lb weight limit								
4- Not compatible with swing away armrests, 8° bend back canes a nd amputee axle plates; 5- Not compatible with stroller handle, stabilizer bar, headrest and attendant lock								
BACK UPHOLSTERY								
BH07	☐	Slip-on Active-Mesh back upholstery					STD	
BH08	☐	Adjustable tension Active-Mesh back upholstery				E2611	\$305	
BH99	☐	Omit Back upholstery					NC	
	☐	NXT back Support				See price list		
SEAT CUSHION								
SC01	☐	2" Cushion				E2601	\$170	
SC02	☐	3" Cushion				E2601	\$190	
SC99	☐	Omit seat cushion					STD	
	☐	NXT cushion				See price list		

Rear wheels						
ONE ARM DRIVE ¹ <i>Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims, permanent axles, 0° camber</i>						
HR22	☐	One arm drive - aluminum inner handrim ^{2,3}	24"	Left ☐	Right ☐	\$1 495
HR60	☐	One arm drive - plastic coated inner handrim ^{2,3}	24"	Left ☐	Right ☐	\$1 495
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)				NC
REAR WHEELS						
Available						
RW01	☐	Mag ⁴	20", 22" 24"			\$57
RW02	☐	Newton One - spoke wheel ⁵	20", 22" 24"			NC
RW03	☐	Newton Gravity - ultralight wheel	20", 22", 24", 25", 26"			\$320
RW04	☐	Spinergy Spox Bik STD ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐	22", 24", 25", 26"			\$850
RW05	☐	Spinergy LX Bik STD ☐ Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐	22", 24", 25", 26"			\$1 065
RW07	☐	Spinergy CLX ⁷ Bik STD ☐ Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐	24", 25"			\$1 585
TIRES						
Available						
TI01	☐	Soft Urethane - 1 3/8"	20", 22" 24"	E2218	STD	
TI02	☐	Soft Urethane - knobby 1 3/8 "	22", 24", 25", 26"	E2218	\$97	
TI04	☐	Soft Urethane - Shox 1"	22", 24", 25", 26"	E2218	\$118	
TI05	☐	Pneumatic - 1 3/8"	20", 22", 24", 25", 26"	E2211/E2212	NC	
TI08	☐	Pneumatic with Airless insert - 1 3/8" ⁸	22", 24", 26"	E2211/E2213	\$82	
TI06	☐	Pneumatic HP - 1"	20", 22", 24", 25", 26"	E2211/E2212	\$97	
TI07	☐	Pneumatic HP - Puncture resistant, black 1"	24", 25", 26"	E2211/E2212	\$130	

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; 2- Only standard handrim position available; 3- Not available with HD option
4- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 5- Not compatible with Shox tires; 6- color spokes require an additionnal 10 days lead-time
7- Not available with Soft Urethane Knobby tires; 8- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims						
HANDRIM						
Available						
HR01	☐	Aluminum anodized	20", 22", 24", 25", 26"		STD	
HR61	☐	Aluminum black hard anodized ²	20", 22", 24", 25"		\$72	
HR02	☐	Plastic coated ¹	20", 22", 24", 25", 26"		\$102	
HR03	☐	High friction coated ^{1,2}	22", 24", 25", 26"		\$375	
HR07	☐	Newton Air Grip ² <i>Black</i> ☐	20", 22", 24", 25", 26"		\$102	
HR	☐	Newton Air Grip ² <i>(08) Sunkissed Orange</i> ☐ <i>(09) Burgundy</i> ☐ <i>(10) Sapphire Blue</i> ☐ <i>(11) Monster Green</i> ☐ <i>(12) Charcoal</i> ☐ <i>(13) Fuchsia</i> ☐ <i>(14) Steel Blue</i> ☐ <i>(15) Ferrari Red</i> ☐ <i>(16) Acid Green</i> ☐ <i>(17) White</i> ☐ <i>(18) Sky Blue</i> ☐	20", 22", 24", 25", 26"		\$255	
HR28	☐	Surge ^{1,2} <i>(1 1/2" Oval handrim w/ Gripton high friction strip)</i> **Limited availability	22", 24", 25", 26"		\$395	
HR05	☐	Surge LT ^{1,2} <i>(1 1/8" Oval handrim w/ Gripton high friction strip)</i> **Limited availability	22", 24", 25", 26"		\$425	
HR04	☐	Natural Fit ^{1,2} **Limited availability	22", 24", 25", 26"		\$325	
HR62	☐	Tour H ^{1,2} <i>(1 5/16" Oval handrim with high friction strip)</i>	22", 24", 25", 26"	New	\$395	
HR63	☐	Nova H ^{1,2} <i>(1 1/4" Oval handrim with high friction strip)</i>	22", 24", 25", 26"	New	\$425	
HR64	☐	Optimum H ^{1,2} <i>(1 1/8" heart-shaped handrim)</i>	22", 24", 25", 26"	New	\$325	
HR99	☐	Omit handrim			NC	

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels


Handrims option						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position <i>Full tab</i>			STD	
HR030	☐	Narrow Handrim position no cut <i>Full tab</i>			NC	
HR30	☐	Narrow Handrim position with cut ³ <i>Short tab 2 positions</i>			\$30	
HR31	☐	Super Narrow Handrim ³ <i>Short tab 2 positions</i> STD ☐ <i>Short tab 1 position</i> ☐			\$30	
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip **Limited availability			\$92	
HR27	☐	Super grip **Limited availability			\$150	
HR099	☐	Omit thumb piece			NC	

3- Only available with Aluminum and Air Grip handrims;

AXLE ¹						
AX01	☐	Quick release axle			STD	
AX02	☐	Permanent axle			NC	
AX03	☐	Quad release axle		K0108	\$130	
AXLE PLATE						
AX04		Amputee adjustable axle plate ²		E0959	\$200	

1- Not available with one arm drive 2- May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER						
CM00	☐	0° camber				STD
CM03	☐	3° camber				NC
CM06	☐	6° camber (not available with amputee axle plate)				\$165

CENTER OF GRAVITY																																																			
																																																			
Choose position of rear wheel axle plate: Measure distance X from front of back post to center of axle receiver.																																																			
X =	<table border="1"> <thead> <tr> <th colspan="8">Most stable</th> <th colspan="4">Most responsive</th> </tr> <tr> <th>1"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>2"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>3"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>4"</th> </tr> </thead> <tbody> <tr> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table>												Most stable								Most responsive				1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	Most stable								Most responsive																																										
1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"																																							
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																																						
If not indicated, default setting is at 1.5" Possible conflict between a seat depth under 16" and a center of gravity over 2.5". Possible conflict between a 26" rear wheel and a center of gravity over 2.5". Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG																																																			


WHEEL LOCK						
WL08	☐	Newton Wheel lock - push to lock				STD
WL02	☐	Pull to lock				NC
WL04	☐	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)			E0974	\$155
WL13	☐	6" removable extension handle			E0961	\$77
WL14	☐	Scissors Lock				\$155
WL06	☐	Attendant Lock (additional set of wheel lock mounted to the back)				\$215
WL15	☐	Unilateral wheel lock - pull to lock ¹ Left ☐ Right ☐				\$330
WL99	☐	Omit wheel locks				NC

1- For more information about incompatibilities and restriction, refer to the table at page 8 and the "How-to documents" page of our website:
https://www.motioncomposites.com/en_us/support-and-education/how-to-documents

Armrest						
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,4}						
AR01-812	☐	10" Desk length armpad	8" - 12"	Locked ☐	Unlocked STD ☐	\$355
AR01-1014	☐	10" Desk length armpad	10" - 14"	Locked ☐	Unlocked STD ☐	\$355
AR02-812	☐	14" Full length armpad	8" - 12"	Locked ☐	Unlocked STD ☐	\$355
AR02-1014	☐	14" Full length armpad	10" - 14"	Locked ☐	Unlocked STD ☐	\$355
HEIGHT ADJUSTABLE "T" ARMREST ¹						
AR13-610	☐	10" Desk length armpad ⁵	6" - 10"		E0973	\$330
AR03-812	☐	10" Desk length armpad	8" - 12"		E0973	\$330
AR03-1014	☐	10" Desk length armpad	10" - 14"		E0973	\$330
AR14-610	☐	14" Full length armpad ⁵	6" - 10"		E0973	\$330
AR04-812	☐	14" Full length armpad	8" - 12"		E0973	\$330
AR04-1014	☐	14" Full length armpad	10" - 14"		E0973	\$330
HEIGHT ADJUSTABLE SWING AWAY ARMREST ^{2,4}						
AR05	☐	Tubular armrest without plastic side guards - Short pad		8" - 11"		\$230
AR19	☐	Tubular armrest with plastic side guards - Short pad		8" - 11"		\$395
AR23	☐	Tubular armrest without plastic side guards - Long pad		8" - 11"		\$230
AR24	☐	Tubular armrest with plastic side guards - Long pad		8" - 11"		\$395
AR06	☐	10" Desk length flat armpad without plastic side guards		8" - 11"		\$230
AR20	☐	10" Desk length flat armpad with plastic side guards		8" - 11"		\$395
AR17	☐	14" Full length flat armpad without plastic side guards		8" - 11"		\$230
AR21	☐	14" Full length flat armpad with plastic side guards		8" - 11"		\$395
ARMREST OPTIONS						
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ³				\$165
AR99	☐	Omit armrest				NC

1- May have 1/2" adjust. restriction on both limits of the range; 2- Could interfere with some rigid backrests; 3- Not available with swing away, flip back armrest; 4- Not available with attendant lock;
5- May have some restriction with seat-to-floor height and rear wheel

Fork and Stem bolt combinations




Unilateral wheel lock restrictions


Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
	16	1.0 to 2.75
	17	1.0 to 3.25
22 in	18+	1.0 to 3.75
	16	1.0 to 2.0
	17	1.0 to 2.75
24 in	18+	1.0 to 3.75

Notes :

FOLDING ON CHAIR - U.S.A ORDER FORM

BioFit™ CUSHION		WIDTH											
 NXCABF <u> </u> <u> </u> <u> </u> (W" x D") HCPCS CODE: E2607-E2608	DEPTH		12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
		12"	☐ \$445	☐ \$445	☐ \$445								
		14"	☐ \$445	☐ \$445	☐ \$445								
		15"		☐ \$445	☐ \$445	☐ \$445	☐ \$445						
		16"		☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480
		17"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480		
		18"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480
		19"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480		
		20"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480
Option: Change cover for incontinent/infection control outer cover													☐ N/C

SEATING AND CUSHION ACCESSORIES

	MODEL NO.	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	

Optima™ THORACIC BACK SUPPORT

THORACIC SHAPE	Optima™	Fits Width	Height	✓	\$
	NOACB1613	16"-18"	13"	☐	\$695
	NOACB1616	16"-18"	16"	☐	\$695
	NOACB1619	16"-18"	19"	☐	\$695
	NOACB1813	18"-20"	13"	☐	\$695
	NOACB1816	18"-20"	16"	☐	\$695
	NOACB1819	18"-20"	19"	☐	\$695
	NOACB2016	20"-22"	16"	☐	\$695
	NOACB2019	20"-22"	19"	☐	\$695
	NOACB2213	22"-24"	13"	☐	\$745
	NOACB2216	22"-24"	16"	☐	\$745
	NOACB2219	22"-24"	19"	☐	\$745

HCPCS CODE: E2620-E2621

Optima™ DEEP THORACIC BACK SUPPORT

Optima™ DEEP	Fits Width	Height	✓	\$
NOPCB1616	16"-18"	16"	☐	\$695
NOPCB1619	16"-18"	19"	☐	\$695
NOPCB1816	18"-20"	16"	☐	\$695
NOPCB1819	18"-20"	19"	☐	\$695
NOPCB2016	20"-22"	16"	☐	\$695
NOPCB2019	20"-22"	19"	☐	\$695
NOPCB2213	22"-24"	13"	☐	\$745
NOPCB2216	22"-24"	16"	☐	\$745
NOPCB2219	22"-24"	19"	☐	\$745

HCPCS CODE: E2620-E2621

Optima™ CARBON THORACIC BACK SUPPORT

THORACIC SHAPE	Optima™ Carbon	Fits Width	Height	✓	\$
	NOCFACB1413	14"-16"	13"	☐	\$925
	NOCFACB1416	14"-16"	16"	☐	\$960
	NOCFACB1513	15"-17"	13"	☐	\$925
	NOCFACB1516	15"-17"	16"	☐	\$960
	NOCFACB1613	16"-18"	13"	☐	\$925
	NOCFACB1616	16"-18"	16"	☐	\$960
	NOCFACB1713	17"-19"	13"	☐	\$925
	NOCFACB1716	17"-19"	16"	☐	\$960
	NOCFACB1813	18"-20"	13"	☐	\$925
	NOCFACB1816	18"-20"	16"	☐	\$960
	NOCFACB2013	20"-22"	13"	☐	\$925

HCPCS CODE: E2620-E2621

Optima™ CARBON DEEP THORACIC BACK SUPPORT

Optima™ Carbon DEEP	Fits Width	Height	✓	\$
NOCFPCB1413	14"-16"	13"	☐	\$1015
NOCFPCB1416	14"-16"	16"	☐	\$1055
NOCFPCB1513	15"-17"	13"	☐	\$1015
NOCFPCB1516	15"-17"	16"	☐	\$1055
NOCFPCB1613	16"-18"	13"	☐	\$1015
NOCFPCB1616	16"-18"	16"	☐	\$1055
NOCFPCB1713	17"-19"	13"	☐	\$1015
NOCFPCB1716	17"-19"	16"	☐	\$1055
NOCFPCB1813	18"-20"	13"	☐	\$1015
NOCFPCB1816	18"-20"	16"	☐	\$1055
NOCFPCB2013	20"-22"	13"	☐	\$1015
NOCFPCB2016	20"-22"	16"	☐	\$1055

HCPCS CODE: E2620-E2621

THORACIC SHAPE



HCPCS CODE:

E2620-E2621

Xtend™	Fits Width	Height	✓	\$
**NHAACB (L)1213/17	12"-14"	13"-17"	☐	\$695
NHAACB (L)1413/17	14"-16"	13"-17"	☐	\$695
NHAACB (L)1613/17	16"-18"	13"-17"	☐	\$695
NHAACB (L)1813/17	18"-20"	13"-17"	☐	\$745
NHAACB (L)2013/17	20"-22"	13"-17"	☐	\$745
NHAACB (L)2213/17	22"-24"	13"-17"	☐	\$745

Xtend™ DEEP HEIGHT ADJUSTABLE THORACIC BACK SUPPORT



HCPCS CODE:

E2620-E2621

Xtend™ DEEP	Fits Width	Height	✓	\$
NHAPCB1616/20	16"-18"	16"-20"	☐	\$695
NHAPCB1816/20	18"-20"	16"-20"	☐	\$695
NHAPCB2016/20	20"-22"	16"-20"	☐	\$695
NHAPCB2216/20	22"-24"	16"-20"	☐	\$745

PELVIC SHAPE



HCPCS CODE:

F2620-F2621

Classic™	Fits Width	Height	✓	\$
NACB1616	16"-18"	16"	☐	\$695
NACB1618	16"-18"	18"	☐	\$695
NACB1816	18"-20"	16"	☐	\$695
NACB1818	18"-20"	18"	☐	\$695
NACB1820	18"-20"	20"	☐	\$695
NACB2020	20"-22"	20"	☐	\$695
NACB2216	22"-24"	16"	☐	\$745
NACB2218	22"-24"	18"	☐	\$745
NACB2220	22"-24"	20"	☐	\$745



HCPCS CODE:

E2620-E2621

Classic DEEP™	Fits Width	Height	✓	\$
NPCB1616	16"-18"	16"	☐	\$695
NPCB1618	16"-18"	18"	☐	\$695
NPCB1818	18"-20"	18"	☐	\$695
NPCB1820	18"-20"	20"	☐	\$695
NPCB2020	20"-22"	20"	☐	\$695
NPCB2216	22"-24"	16"	☐	\$745
NPCB2218	22"-24"	18"	☐	\$745
NPCB2220	22"-24"	20"	☐	\$745

BACK SUPPORT ACCESSORIES - PRIVACY FLAP

	Model #	Description	Fits Back Width	\$	QTY
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	70	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	70	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	70	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	70	

MultiFit™ HEAD SUPPORT - MULTI-ADJUSTABLE PADS

					
HCPCS CODE: E0955			HCPCS CODE: E0955		
Model #NIB-0784	✓	\$	Model # NIB-0818	✓	\$
10" x 5" Large Rectangular	☐	\$205	14" x 5" Extra-Large Rectangular	☐	\$205

MultiFit™ HEAD SUPPORT - FIXTURES

					
Model #NIB-0747			Model # NIB-0823		
Model #NIB-0747	✓	\$	Model # NIB-0823	✓	\$
Multi-Axis Hardware	☐	\$150	Head Support Receiver Bracket	☐	\$60