



Helio C2

ORDER FORM - USA

1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

2- ATP/Clinician information

ATP/Clinician:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

3- Shipping information

Ship to:* _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

* Required

MA082 ☐
English Manual (STD)

MA089 ☐
Spanish Manual

Taxes not included

MODEL							USD		
WC05	☐	Ultralight Folding Carbon Fiber Helio C2 Wheelchair (265 lb weight capacity)						K0005	\$4,640
WC09	☐	HD Heavy Duty package (350 lb weight capacity) ⁵							\$535
WC10	☐	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6" camber							\$36
Frame									
SEAT WIDTH									
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐		NC
	☐	20" ¹ ☐					21" ² ☐	22" ² ☐	E2201
SEAT DEPTH									
SD	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC
	☐	20" ☐						E2203	\$485
TRANSIT TIE DOWN									
AC04	☐	Transit Tie Down (Unoccupied)						E1022	NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 20"-41"						E1023	\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 20"-46"						E1023	\$365
AC35	☐	WC-19 Transit Tie Down without belt ⁴						E1023	\$335

1- Available with HD option; 2- Only available with HD option

3. [Width calculator](#)

4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

5- HD fee is required for clients weighing 300-350 lbs



PACKAGES								
PK01	☐	Newton Ultralight Package (include: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels)					Save \$275	\$530
VP01	☐	Vision Package: Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates ¹					K0108	\$95

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo *VP01; Recommended with black chair;
 See picture of the product on page 6.

C2 FRONT Seat-to-floor Height - Please select your choice

		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
Forks / Position		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"												
	P2	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
5"	P1																		
	P2				14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
	P3	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"						
	P4	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	P1										16 1/2"	17 1/2"	18 1/2"	17"	18"	19"			
	P2							16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"			
	P3							17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"
	P4	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"
	P5	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"	19 1/2"	20 1/2"	21 1/2"
Froglegs	P1				14 1/2"	15 1/2"	16 1/2"												
	P2	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"									
	P3	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"						

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS				Available		
CA01-03 to CA01-08	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6", 7", 8"		NC
CA10 to CA11	☐	Pneumatic casters (1 1/4")		6", 8"	E2214/E2215	\$165
CA14 to CA16	☐	Newton UltraCaster Composite (1 1/2")		4", 5", 6"		\$95
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 1/2")		4", 5", 6"		\$215
CASTER OPTIONS						
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹			K0073	\$300
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)			E1015	\$490

1- Not available with WC-19

C2 - REAR Seat-to-floor Height

WHEEL SIZES		Height available		Specify desired height: _____
☐	20" (451) wheel	12 1/2"	to 17 1/4"	
☐	22" (501) wheel	13 1/2"	to 18 1/4"	
☐	24" (540) wheel	14 1/2"	to 19 1/4"	
☐	25" (559) wheel	15"	to 19 3/4"	
☐	26" (590) wheel	15 1/2"	to 20 1/4"	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

Footrest						
SWING-IN/SWING-OUT FOOTREST						
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"		Set at*:		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at*:		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at*:		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"		Set at*:		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at*:		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at*:		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16" ⁵		Set at*:		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5" ⁵		Set at*:		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5" ⁵		Set at*:		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹	7.5" - 11"	Set at*:		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1,2}	9.5" - 13"	Set at*:		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1,2}	9.5" - 14.5"	Set at*:		NC
FOOTREST OPTIONS						
FR09	☐	High mount (footplate attached to the hanger with clamps) ³	5" - 13.5"	Set at*:		\$85
FR10	☐	Elevating legrest with calf pad, Length adjustable ⁴	Left ☐ Right ☐	Set at:	E0990	\$245
FR99	☐	Omit Footrest				NC

1- Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount and the elevating legrest; * +/- 1/2"

4- The elevating legrest replace the footrest side selected; Not available with one piece footplate; 5- Not available with 8" caster

FOOTPLATES					
FP01	☐	Standard - Composite ¹			STD
FP02	☐	Newton adjustable angle - Composite ^{**VP01}		K0040	\$215
FP03	☐	Newton adjustable angle - Aluminum		K0040	\$235
FP04	☐	Newton adjustable angle - Carbon fiber with rubber inserts			\$445
FP23	☐	Newton adjustable angle extra deep - Aluminum		K0040	\$235
FP06	☐	One piece adjustable angle flip-up - Aluminum		K0040	\$195
FP07	☐	One piece adjustable angle flip-up - Carbon fiber with rubber inserts			\$465
FOOTPLATE ACCESSORIES					
FP08	☐	Length adjustable heel loop ²		E0951	\$41
FP09	☐	Calf strap		K0038	\$36
FP30	☐	Bodypoint Aeromesh Padded calf strap		K0038	\$118

1- Not available with front mount; 2- not available with one piece footplate

SWING AWAY RESIDUAL LIMB SUPPORT					
FR27	☐	Residual limb support - flat 6"x8" Left ☐ Right ☐		E1020	\$420
FR28	☐	Residual limb support - flat 8"x10" Left ☐ Right ☐		E1020	\$420
FR29	☐	Residual limb support - flat 10"x10" Left ☐ Right ☐		E1020	\$420
FR30	☐	Residual limb support - flat 10"x14" Left ☐ Right ☐		E1020	\$420
FR32	☐	Residual limb support - contour 6"x8" Left ☐ Right ☐		E1020	\$420
FR33	☐	Residual limb support - contour 8"x10" Left ☐ Right ☐		E1020	\$420

Backrest						
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)						
BC06-912	☐	Straight Carbon fiber back cane	9" - 12" <i>increment of 1/2"</i>	Set at ²		NC
BC06-1215	☐	Straight Carbon fiber back cane	12" - 15" <i>increment of 1/2"</i>	Set at ²		NC
BC06-1518	☐	Straight Carbon fiber back cane	15" - 18" <i>increment of 1/2"</i>	Set at ²		NC
BC06-1821	☐	Straight Carbon fiber back cane	18" - 21" <i>increment of 1/2"</i>	Set at ²		NC
BC08-1315	☐	8° Bend Carbon fiber back cane	13.5" - 15" <i>increment of 1/2"</i>	Set at ²		\$60
BC08-1518	☐	8° Bend Carbon fiber back cane	15" - 18" <i>increment of 1/2"</i>	Set at ²		\$60
BC08-1821	☐	8° Bend Carbon fiber back cane	18" - 21" <i>increment of 1/2"</i>	Set at ²		\$60
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)						
BC09-1215	☐	Straight Carbon fiber back cane	12" - 15" <i>increment of 1/2"</i>	Set at ²		\$215
BC09-1518	☐	Straight Carbon fiber back cane	15" - 18" <i>increment of 1/2"</i>	Set at ²		\$215
BC09-1821	☐	Straight Carbon fiber back cane	18" - 21" <i>increment of 1/2"</i>	Set at ²		\$215
BC10-1315	☐	8° bend Carbon fiber back cane	13.5" - 15" <i>increment of 1/2"</i>	Set at ²		\$270
BC10-1518	☐	8° bend Carbon fiber back cane	15" - 18" <i>increment of 1/2"</i>	Set at ²		\$270
BC10-1821	☐	8° bend Carbon fiber back cane	18" - 21" <i>increment of 1/2"</i>	Set at ²		\$270
		Select back cane angle:	85° ¹ ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐			
PUSH HANDLES OPTIONS (ONE option at a time)						
PH01	☐	Push handles				STD
PH05	☐	Fold down push handles ^{3, 5}				\$145
PH06-920	☐	Clamp on height adjustable push handles 9"-20" ^{3,4, 5}				\$325
PH06-923	☐	Clamp on height adjustable push handles 9"-23" ^{3,4, 5}				\$325
PH02	☐	Omit push handles				NC
STROLLER HANDLE AND STABILIZER BAR (only available with push handle)						
PH04	☐	Stroller handle (not available with the HD option)			K0108	\$165
PH03	☐	Newton folding stabilizer bar (not available with stroller handle)				\$270

1- Not available with 8 degree bend cane; 2- If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; 3- 265 lb weight limit

4- Not compatible with swing away armrests, 8° bend back canes a nd amputee axle plates; 5- Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

BACK UPHOLSTERY					
BH07	☐	Slip-on Active-Mesh back upholstery			STD
BH08	☐	Adjustable tension Active-Mesh back upholstery		E2611/E2612	\$305
BH99	☐	Omit Back upholstery			NC
	☐	NXT back Support		See price list	
SEAT CUSHION					
SC01	☐	2" Cushion			\$170
SC02	☐	3" Cushion		E2601/E2602	\$190
SC99	☐	Omit seat cushion			STD
	☐	NXT cushion		See price list	

Rear wheels													
ONE ARM DRIVE ¹			Only available with Newton One rear wheels, permanent axles, 0° camber										
HR22	☐	One arm drive - aluminum inner handrim ²	Left ☐	Right ☐		E0958	\$1,495						
HR60	☐	One arm drive - plastic coated inner handrim ²	Left ☐	Right ☐		E0958	\$1,600						
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)					NC						
REAR WHEELS					Available								
RW01	☐	Mag ³			20", 22" 24"		\$57						
RW02	☐	Newton One - spoke wheel ⁴			20", 22" 24"		NC						
RW03	☐	Newton Gravity - ultralight wheel			20", 22", 24", 25", 26"		\$360						
RW04	☐	Spinerger Spox	Blk STD ☐	Wht ⁵ ☐	Blue ⁵ ☐	Red ⁵ ☐	Yel ⁵ ☐	22", 24", 25", 26"	\$915				
RW05	☐	Spinerger LX	Blk STD ☐	Pur ⁵ ☐	Wht ⁵ ☐	Blue ⁵ ☐	Red ⁵ ☐	Yel ⁵ ☐	Pink ⁵ ☐	Grn ⁵ ☐	Org ⁵ ☐	22", 24", 25", 26"	\$1,145
RW07	☐	Spinerger CLX ⁶	Blk STD ☐	Pur ⁵ ☐	Wht ⁵ ☐	Blue ⁵ ☐	Red ⁵ ☐	Yel ⁵ ☐	Pink ⁵ ☐	Grn ⁵ ☐	Org ⁵ ☐	24", 25"	\$1,625
TIRES					Available								
AIRLESS													
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black ⁹			20", 22" 24"	E2218	STD						
TI02	☐	Soft Urethane 1 3/8 " - Medium Tread, black ^{7,9}			22", 24", 25", 26"	E2218	\$97						
TI04	☐	Soft Urethane 1" - No tread, black - <i>Shox</i>			22", 24", 25", 26"	E2218	\$118						
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread ⁸			22", 24", 26"	E2211/E2213	\$82						
PNEUMATIC													
TI05	☐	Pneumatic 1 3/8" - Medium Tread ⁹			20", 22", 24", 25", 26"	E2211/E2212	NC						
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - <i>SpeedLite</i>			20", 22", 24", 25", 26"	E2211/E2212	\$105						
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>			24", 25", 26"	E2211/E2212	\$150						
TI03	☐	Pneumatic 2" - Large Tread, black ¹⁰			22", 24", 25"	E2211/E2212	\$115						

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; *Only available with 24" wheel size; Not available with 21" and 22" wide;* **2-** Only standard handrim position available; **3-** Not compatible with HP tires; *Only available with aluminum or plastic coated handrim, standard position;* **4-** Not compatible with Shox tires; **5-** color spokes require an additionnal 10 days lead-time; **6-** Only available with 1" tires; **7-** 22" is only available with Mags and Newton One rear wheels; 25" and 26" are not available with Newton Gravity wheels **8-** Not available with Spinerger CLX, Spinerger LX 25", 26" and Spox 25", 26" rear wheels **9-** Not available with flip-back armrest when the 6° camber is selected; **10-** Not available with armrests when the 3° or 6° camber are selected;

Handrims							
HANDRIM				Available			
HR01	☐	Aluminum anodized			20", 22", 24", 25", 26"		STD
HR61	☐	Aluminum black hard anodized ²			20", 22", 24", 25"		\$75
HR02	☐	Plastic coated ¹			20", 22", 24", 25", 26"		\$110
HR03	☐	High friction coated ^{1,2,3}			22", 24", 25", 26"		\$375
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See on page 6 for color choice and price</i>			20", 22", 24", 25", 26"		
HR28	☐	Surge ^{1,2,3,4} <i>(1 1/2" Oval handrim w/ Griptan high friction strip)</i>			22", 24", 25", 26"		\$450
HR05	☐	Surge LT ^{1,2,3,4} <i>(1 1/8" Oval handrim w/ Griptan high friction strip)</i>			22", 24", 25", 26"		\$495
HR04	☐	Natural Fit ^{1,2,3,4}			22", 24", 25", 26"		\$395
HR62	☐	Simi H ^{1,2,3} <i>(1 3/8" Oval handrim with high friction strip)</i>			22", 24", 25", 26"		\$395
HR63	☐	Nova H ^{1,2,3} <i>(1 1/4" Oval handrim with high friction strip)</i>			22", 24", 25", 26"		\$445
HR64	☐	Optimum H ^{1,2,3} <i>(1 1/8" heart-shaped handrim)</i>			22", 24", 25", 26"		\$345
HR99	☐	Omit handrim					NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; **2-** Not available with Mag wheels; **3** - Not available with one arm drive; **4-** 25" and 26" are not available in narrow position; 24" is not available with the Spinerger Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

Handrims option							
ASSEMBLY POSITION							
HR29	☐	Standard Handrim position <i>Full tab</i>					STD
HR030	☐	Narrow Handrim position no cut <i>Full tab</i>					NC
HR30	☐	Narrow Handrim position with cut ⁵ <i>Short tab 2 positions</i>					\$30
HR31	☐	Super Narrow Handrim ⁵ <i>Short tab 2 positions</i> STD ☐ <i>Short tab 1 position</i> ☐					\$30
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS							
HR23	☐	Standard grip					\$95
HR27	☐	Super grip					\$150
HR099	☐	Omit thumb piece					NC


5- Only available with Aluminum and Air Grip handrims;

AXLE ¹							
AX01	☐	Quick release axle					STD
AX02	☐	Permanent axle					NC
AX03	☐	Quad release axle			K0108		\$130
AXLE PLATE							
AX04	☐	Amputee adjustable axle plate ²			E0959		\$205

1- Not required with one arm drive; **2-** May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down

REAR WHEEL CAMBER				
CM00	☐	0° camber		STD
CM03	☐	3° camber		NC
CM06	☐	6° camber <i>(not available with amputee axle plate)</i>		\$165

CENTER OF GRAVITY



Choose position of rear wheel axle plate:
Measure distance X from front of back post to center of axle receiver.

Most stable														
AMPUTEE	1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"	
X =	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

If not indicated, default setting is at 1.5"
Possible conflict between a seat depth under 16" and a center of gravity over 2.5".
Possible conflict between a 26" rear wheel and a center of gravity over 2.5".
Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG
1-Only available with the amputee axle plate

WHEEL LOCK				
WL08	☐	Newton Wheel lock - push to lock	PRODUCT IMPROVED	STD
WL16	☐	Aluminum push to lock with extensions		E0961 \$77
WL02	☐	Pull to lock		NC
WL04	☐	Newton grade aid push to lock <i>(works best with pneumatic or high pressure tire)</i>		E0974 \$155
WL13 WL14	☐	6" removable extension handle ¹ *VP01		E0961 \$77
WL05	☐	Scissors Lock		\$155
WL06	☐	Attendant Lock <i>(additional set of wheel lock mounted to the back)</i>		\$215
WL15	☐	Unilateral wheel lock - pull to lock ² Left ☐ Right ☐		\$330
WL99	☐	Omit wheel locks		NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04); Only the extension for the Newton push to lock is available with the vision package (VP01)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

Armrest				
HEIGHT ADJUSTABLE FLIP BACK ARMREST <i>(Convertible to "T" armrest)</i> ^{1,4} *VP01				
AR01-812	☐	10" Desk length armpad	8" - 12" Locked ☐ Unlocked STD ☐	\$355
AR01-1014	☐	10" Desk length armpad	10" - 14" Locked ☐ Unlocked STD ☐	\$355
AR02-812	☐	14" Full length armpad	8" - 12" Locked ☐ Unlocked STD ☐	\$355
AR02-1014	☐	14" Full length armpad	10" - 14" Locked ☐ Unlocked STD ☐	\$355
HEIGHT ADJUSTABLE "T" ARMREST ¹ *VP01				
AR13-610	☐	10" Desk length armpad ⁵	6" - 10"	E0973 \$330
AR03-812	☐	10" Desk length armpad	8" - 12"	E0973 \$330
AR03-1014	☐	10" Desk length armpad	10" - 14"	E0973 \$330
AR14-610	☐	14" Full length armpad ⁵	6" - 10"	E0973 \$330
AR04-812	☐	14" Full length armpad	8" - 12"	E0973 \$330
AR04-1014	☐	14" Full length armpad	10" - 14"	E0973 \$330
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²				
AR05	☐	Tubular armrest without plastic side guards - Short pad	8" - 11"	E0973 \$230
AR19	☐	Tubular armrest with plastic side guards - Short pad	8" - 11"	E0973 \$395
AR23	☐	Tubular armrest without plastic side guards - Long pad	8" - 11"	E0973 \$230
AR24	☐	Tubular armrest with plastic side guards - Long pad	8" - 11"	E0973 \$395
AR06	☐	10" Desk length flat armpad without plastic side guards	8" - 11"	E0973 \$230
AR20	☐	10" Desk length flat armpad with plastic side guards	8" - 11"	E0973 \$395
AR17	☐	14" Full length flat armpad without plastic side guards	8" - 11"	E0973 \$230
AR21	☐	14" Full length flat armpad with plastic side guards	8" - 11"	E0973 \$395
ARMREST OPTIONS				
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ³		\$165
AR99	☐	Omit armrest		NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; Not available with attendant lock and fixed carbon fiber side guards;

3- Only available with full length armrest; Not available with swing away and desk length armrests; 4- Not available with attendant lock; 5- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS <i>(not available with Flip Back and "T" Armrest)</i>				
SG01	☐	Plastic side guards <i>(removable)</i>	Straight bracket - STD Offset bracket ¹	K0108 \$200
SG02	☐	Carbon fiber side guards <i>(fixed)</i>		\$270
SG03	☐	Carbon fiber side guards <i>(removable)</i>	Straight bracket - STD Offset bracket ¹	K0108 \$305
SG06	☐	Plastic fender side guards <i>(removable)</i>	Straight bracket - STD Offset bracket ¹	\$290
SG04	☐	Carbon fiber fender side guards <i>(removable)</i>	Straight bracket - STD Offset bracket ¹	K0108 \$550
SG99	☐	Omit side guard		NC

1- only compatible with 0° camber; Increase width by 1/2" per side for a total of 1" ;


POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Small 35" ¹		E0978	\$46
SB01-L	☐	Velcro adjustable - Long 60"		E0978	\$46
SB02-S	☐	Auto buckle - Small 35" ¹		E0978	\$87
SB02-M	☐	Auto buckle - Medium 48"		E0978	\$87
SB02-L	☐	Auto buckle - Long 60"		E0978	\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"		E0978	\$85
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"		E0978	\$85
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		E0978	\$180
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		E0978	\$180
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		E0978	\$180
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		E0978	\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		E0978	\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		E0978	\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)			\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"		K0108	\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"		K0108	\$305
SB99	☐	Omit positioning belt			STD

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"; 2- Cannot be combined with Anti Tippers

Colors																					
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
																					
AirGrip	☐ \$110		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$265
Frame ²		☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
FC99	☐	Custom Color	Specify PPG Paintit color:																	Additional 10 days lead-time	\$390

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
22 in	16	1.0 to 2.75
	17	1.0 to 3.25
	18+	1.0 to 3.75
24 in	16	1.0 to 2.0
	17	1.0 to 2.75
	18+	1.0 to 3.75

Vision Package Accents



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :



FOLDING ON CHAIR – USA ORDER FORM

BioFit™ CUSHION  Use wheelchair configuration Or use this size: NXCABF (W" x D")		WIDTH												
		DEPTH	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	
			12"	\$445	\$445	\$445		N/A	N/A	N/A	N/A	N/A	N/A	N/A
			13"						N/A	N/A	N/A	N/A	N/A	N/A
			14"	\$445	\$445	\$445								
			15"		\$445	\$445	\$445	\$445						
			16"		\$445	\$445	\$445	\$445	\$445	\$445	\$480	\$480	\$480	\$480
			17"	N/A			\$445	\$445	\$445	\$445	\$480	\$480		
			18"	N/A			\$445	\$445	\$445	\$445	\$480	\$480	\$480	\$480
			19"	N/A			\$445	\$445	\$445	\$445	\$480	\$480		
20"	N/A			\$445	\$445	\$445	\$480	\$480	\$480	\$480	\$480			
HCPCS CODE E2607-E2608												Option: Change cover for incontinent/infection control outer cover		
												N/C		

Green boxes are stocked sizes; the red boxes require customization*; the N/A boxes are not available sizes.

*Customization (red boxes) is available with an upcharge of \$160.00 and has a 4 to 6 weeks additional lead time.

SEATING AND CUSHION ACCESSORIES

	MODEL #	Description	Fits Back Width	Retail	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6-43.2 cm) and 14"-18" deep (35.6-45.7 cm)	\$80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7-48.3 cm) and 14"-18" deep (35.6-45.7 cm)	\$80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	\$80	

THORACIC SHAPE			Optima™			
			THORACIC BACK SUPPORT			
			CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)			
			HCPCS CODE: E2620-E2621			
	WIDTH	HEIGHT	MODEL # CARBON FIBER	\$ CARBON	MODEL # ALUMINUM	\$ ALUMINUM
	14"	13"	NOCFACB1413	\$925	NOACB1413	\$695
	14"	16"	NOCFACB1416	\$960	NOACB1416	\$695
	15"	13"	NOCFACB1513	\$925	NOACB1513	\$695
	15"	16"	NOCFACB1516	\$960	NOACB1516	\$695
	16"	13"	NOCFACB1613	\$925	NOACB1613	\$695
	16"	16"	NOCFACB1616	\$960	NOACB1616	\$695
	16"	19"			NOACB1619	\$695
	17"	13"	NOCFACB1713	\$925	NOACB1713	\$695
	17"	16"	NOCFACB1716	\$960	NOACB1716	\$695
	18"	13"	NOCFACB1813	\$925	NOACB1813	\$695
	18"	16"	NOCFACB1816	\$960	NOACB1816	\$695
	18"	19"			NOACB1819	\$695
	19"	16"			NOACB1916	\$695
	19"	19"			NOACB1919	\$695
	20"	13"	NOCFACB2013	\$925	NOACB2013	\$695
	20"	16"	NOCFACB2016	\$960	NOACB2016	\$695
	20"	19"			NOACB2019	\$695
	21"	16"			NOACB2116	\$745
	21"	19"			NOACB2119	\$745
	22"	13"			NOACB2213	\$745
	22"	16"			NOACB2216	\$745
	22"	19"			NOACB2219	\$745
	ITEM		WIDTH X DEPTH		RETAIL	QTY
	Replacement Cover & Foam		NOACC		\$130	

		Optima™ DEEP			
		THORACIC BACK SUPPORT			
		CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)			
		HCPCS CODE: E2620-E2621			
WIDTH	HEIGHT	MODEL # CARBON FIBER	\$ CARBON	MODEL # ALUMINUM	\$ ALUMINUM
14"	13"	NOCFPCB1413	\$1,015	NOPCB1413	\$695
14"	16"	NOCFPCB1416	\$1,055	NOPCB1416	\$695
15"	13"	NOCFPCB1513	\$1,015	NOPCB1513	\$695
15"	16"	NOCFPCB1516	\$1,055	NOPCB1516	\$695
16"	13"	NOCFPCB1613	\$1,015	NOPCB1613	\$695
16"	16"	NOCFPCB1616	\$1,055	NOPCB1616	\$695
16"	19"			NOPCB1619	\$695
17"	13"	NOCFPCB1713	\$1,015	NOPCB1713	\$695
17"	16"	NOCFPCB1716	\$1,055	NOPCB1716	\$695
18"	13"	NOCFPCB1813	\$1,015	NOPCB1813	\$695
18"	16"	NOCFPCB1816	\$1,055	NOPCB1816	\$695
18"	19"			NOPCB1819	\$695
19"	16"			NOPCB1916	\$695
19"	19"			NOPCB1919	\$695
20"	13"	NOCFPCB2013	\$1,015	NOPCB2013	\$695
20"	16"	NOCFPCB2016	\$1,055	NOPCB2016	\$695
20"	19"			NOPCB2019	\$695
21"	16"			NOPCB2116	\$745
21"	19"			NOPCB2119	\$745
22"	13"			NOPCB2213	\$745
22"	16"			NOPCB2216	\$745
22"	19"			NOPCB2219	\$745
ITEM		WIDTH X DEPTH		RETAIL	QTY
Replacement Cover & Foam		NOPCC		\$130	

PLEASE NOTE: Each back will fit widths up to 2" wider.

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

Xtend™ LOW HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

THORACIC SHAPE		xtend™	WIDTH	HEIGHT	RETAIL	✓
		NHAACB (L)1213/17	12"	13"-17"	\$695	
		NHAACB (L)1413/17	14"	13"-17"	\$695	
		NHAACB (L)1613/17	16"	13"-17"	\$695	
		NHAACB (L)1813/17	18"	13"-17"	\$745	
		NHAACB (L)2013/17	20"	13"-17"	\$745	
		NHAACB (L)2213/17	22"	13"-17"	\$745	
	HCPCS E2620- E2601	ITEM		WIDTH X DEPTH		RETAIL
Replacement Cover & Foam		N3LHAACC		\$130		

Xtend™ DEEP HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

	xtend™ Deep	WIDTH	HEIGHT	RETAIL	✓
	NHAPCB1616/20	16"	16"-20"	\$695	
	NHAPCB1816/20	18"	16"-20"	\$695	
	NHAPCB2016/20	20"	16"-20"	\$695	
	NHAPCB2216/20	22"	16"-20"	\$745	
HCPCS CODE E2620-E2621					
ITEM	WIDTH X DEPTH		RETAIL	QTY	
Replacement Cover & Foam	N3HAPCC		\$130		

PLEASE NOTE: Each back will fit widths up to 2" wider.

Classic™ PELVIC BACK SUPPORT

PELVIC SHAPE	 HCPCS CODE E2620- E2621	Classic™	WIDTH	HEIGHT	RETAIL	✓
		NACB1616	16"	16"	\$695	
		NACB1618	16"	18"	\$695	
		NACB1816	18"	16"	\$695	
		NACB1818	18"	18"	\$695	
		NACB1820	18"	20"	\$695	
		NACB2020	20"	20"	\$695	
		NACB2216	22"	16"	\$745	
		NACB2218	22"	18"	\$745	
		NACB2220	22"	20"	\$745	
ITEM		WIDTH X DEPTH		RETAIL	QTY	
Replacement Cover & Foam		NACC_____		\$130		

Classic™ DEEP PELVIC BACK SUPPORT

	Classic™ Deep	WIDTH	HEIGHT	RETAIL	✓
	NPCB1616	16"	16"	\$695	
	NPCB1618	16"	18"	\$695	
	NPCB1818	18"	18"	\$695	
	NPCB1820	18"	20"	\$695	
	NPCB2020	18"	20"	\$695	
	NPCB2216	20"	16"	\$745	
	NPCB2218	22"	18"	\$745	
	NPCB2220	22"	20"	\$745	
HCPCS CODE E2620-E2621					
ITEM	WIDTH X DEPTH		RETAIL	QTY	
Replacement Cover & Foam	NPCC _____		\$130		

PLEASE NOTE: Each back will fit widths up to 2" wider.

BACK SUPPORT ACCESSORIES

	MODEL #	DESCRIPTION	FITS BACK WIDTH	RETAIL	QTY
	Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	\$205	
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	\$70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	\$70	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	\$70	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	\$70	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	\$70	

MultiFit™ HEAD SUPPORT – MULTI-ADJUSTABLE PADS

HCPCS CODE: E0955

	MODEL #	Description	RETAIL	✓
	NIB-0784	10" x 5" Large Rectangular	\$205	
	NIB-0818	14" x 5" Extra-Large Rectangular	\$205	

MultiFit™ HEAD SUPPORT – FIXTURES

HCPCS CODE HARDWARE: E1033

	MODEL #	Description	RETAIL	✓
	NIB-0747	Multi-Axis Hardware	\$150	
	NIB-0823	Head Support Receiver Bracket	\$60	

EXTRA COVERS

Extra Outer smartx3D Cover



Extra Outer Incontinent Cover



ITEM	WIDTH X DEPTH	RETAIL	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	NXCCBF V	\$130	
Extra Outer smartx ^{3D} Cover – For a cover 18" x 20" and above	NXCCBF V	\$150	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	NXCCAF V	\$130	
Extra Outer Incontinent Cover – For a cover 18" x 20" and above	NXCCAF V	\$150	

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com