



HELIO KIDS C

ORDER FORM - INTERNATIONAL

1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

2- Clinician information

Clinician:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

MA083 ☐ English manual (STD) MA084 ☐ German manual MA085 ☐ Italian manual MA086 ☐ Dutch manual

MA087 ☐ Spanish manual

MA088 ☐ French manual

MA089 ☐ Portuguese manual

MODEL						USD tax non included	
WC06	☐	Ultralight CARBON FIBER Folding Helio KIDS Wheelchair Including fixed seat depth OR depth adjustable back (165 lb weight capacity)					\$4,595
Growth Kit included during the expected lifetime of the Helio Kids wheelchair ¹ The growth kit includes crossbraces, crossbrace links, seat sling, back upholstery, front riggings and footplates.							
SEAT WIDTH ¹							
SW	☐	30.48 (12") ☐	33.02 (13") ☐	35.56 (14") ☐	38.10 (15") ☐	40.64 (16") ☐	NC

[1- Width Calculator](#)



1- Expected lifetime is limited to 5 years from the original date of purchase to the first user only and is non-transferable. The Growth Kit is a program, independent of the product limited warranty.

↓ Caution: complete only one of the following two sections ↓

SEAT DEPTH (Available with WC-19)

SD12	☐	30.48cm/12" Seat sling - frame of 35.56 cm/14"	NC
SD13	☐	33.02.02cm/13" Seat sling - frame of 35.56 cm/14"	NC
SD14	☐	35.56cm/14" Seat sling - frame of 35.56 cm/14"	NC
SD15	☐	38.10cm/15" Seat sling - frame of 38.10cm/15"	NC
SD16	☐	40.64cm/16" Seat sling - frame of 40.64cm/16"	NC

FIXED BACK CANE (MUST select ONE push handle options)

BC11-1215	☐	Straight back cane 30.48-38.10cm (12-15")	NC
BC11-1518	☐	Straight back cane 38.10-45.72cm (15-18")	NC
BC11-1821	☐	Straight back cane 45.72-53.34cm (18-21") STD	NC
BC12-1315	☐	Back cane 8° bend 34.29-38.10cm (13.5-15")	NC
BC12-1518	☐	Back cane 8° bend 38.10-45.72cm (15-18")	NC
BC12-1821	☐	Back cane 8° bend 45.72-53.34cm (18-21") STD	NC

Specify height: ⁵ _____ measured from seat sling to top of back upholstery

ANGLE ADJUSTABLE BACK CANE (MUST select ONE push handle options)

BC13-1518	☐	Straight back cane 38.10-45.72cm (15-18")	NC
BC13-1821	☐	Straight back cane 45.72-53.34cm (18-21") STD	NC
BC14-1518	☐	Back cane 8° bend 38.10-45.72cm (15-18")	NC
BC14-1821	☐	Back cane 8° bend 45.72-53.34cm (18-21") STD	NC

Select angle for the back cane: 85° ☐ 90° ☐ 95° STD ☐
100° ☐ 105° ☐ 110° ☐

Specify height : ⁵ _____

5- If not indicated, default height setting is at the lowest position

FRAME LENGTH (See chart on page 7)

SP01	☐	Standard frame length configuration (Distance of 2 1/8" from end of seat upholstery to end of frame)	STD
SP02	☐	Frame length 1" longer than standard configuration	NC
SP03	☐	Frame length 2" longer than standard configuration	NC
SP04	☐	Frame length 1" shorter than standard configuration	NC


SEAT DEPTH- Depth and angle adjustable (available with WC-19)³

SD14	☐	30.48 - 38.10 cm (12-15") (35.56/14" seat sling/frame)	NC
SD15	☐	33.02 - 40.64 cm (13-16") (38.10/15" seat sling/frame)	NC
SD16	☐	35.56 - 43.18 cm (14-17") (40.64/16" seat sling/frame)	NC
SD17	☐	38.10 - 45.72 cm (15-18") (43.18/17" seat sling/frame)	NC
SD18	☐	40.64 - 48.26 cm (16-19") (45.72/18" seat sling/frame)	NC

Specify depth⁴:

3 - Maximum weight of 165 lb with a depth adjustable backrest

4 - If not indicated, the depth will be equal to the seat sling



DEPTH AND ANGLE ADJUSTABLE BACK CANE (MUST select ONE push handle options)

BC15-912	☐	Straight back cane 22.86-30.48cm (9-12")	NC
BC15-1215	☐	Straight back cane 30.48-38.10cm (12-15")	NC
BC15-1518	☐	Straight back cane 38.10-45.72cm (15-18")	NC
BC15-1821	☐	Straight back cane 45.72-53.34cm (18-21") STD	NC
BC16-1215	☐	Back cane 8° bend 30.48-38.10cm (12-15")	NC
BC16-1518	☐	Back cane 8° bend 38.10-45.72cm (15-18")	NC
BC16-1821	☐	Back cane 8° bend 45.72-53.34cm (18-21") STD	NC

Select angle for the back cane: 90° ☐ 95° STD ☐ 100° ☐ 105° ☐

Specify height : ⁵ _____

TRANSIT TIE DOWN						
AC04	☐	Transit Tie Down <i>(Unoccupied)</i>				NC
AC35	☐	WC-19 Transit Tie Down without belt				\$335
PACKAGES						
PK01	☐	Includes: Carbon fiber angle adjustable footplates ² + Newton Gravity Ultralight rear wheels		Save 260 \$		\$525
VP01	☐	Vision Package: <i>Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates¹</i>				\$95

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo ***VP01** ; Recommended with black chair;
See picture of the product on page 6. 2 - The carbon fiber angle adjustable footplate is not available with 12" and 13" wide

Helio Kids FRONT Seat-to-floor Height - Please select your choice

		7,62cm (3") caster			10,16cm (4") caster			12,7cm (5") caster			15,24cm (6") caster			17,78cm (7") caster			20,32cm (8") caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
Forks / Position		STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"
4" 10,2 cm	P1	33.02cm 13"	35.56cm 14"	38.10cm 15"	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"												
	P2	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"									
5" 12,7 cm	P1																		
	P2				35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"									
	P3	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"						
	P4	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"			
7" 17,8 cm	P1										41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"			
	P2							41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"			
	P3							43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"
	P4	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"	48.26cm 19"	50.80cm 20"	53.3cm 21"
	P5	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"	48.26cm 19"	50.80cm 20"	53.3cm 21"	49.53cm 19.5"	52.07cm 20.5"	54.6cm 21.5"
Froglegs	P1				36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"												
	P2	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"									
	P3	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 16.5"	41.91cm 17.5"	44.45cm 18"	40.64cm 17"	43.18cm 18"	45.72cm 18.5"	41.91cm 17.5"	44.45cm 18.5"	46.99cm 19"						

Height available +/- 0,65cm (1/4") (see stem bolt and fork combination at the end of the order form)

FRONT CASTERS						
CASTERS				Available		
CA01-03 to CA01-08	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6", 7", 8"		NC
CA10 to CA11	☐	Pneumatic casters (1 ¼")		6", 8"		\$175
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		\$105
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"		\$210
CASTER OPTIONS						
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹				\$320
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)				\$515

1 - Not available with WC-19


KIDS REAR Seat-to-floor Height

WHEEL SIZES		Height available		Specify desired height: _____
☐	20" (451) wheel	31.75cm / 12.5"	to 43.81cm / 17.25"	
☐	22" (501) wheel	34.29cm / 13.5"	to 46.35cm / 18.25"	
☐	24" (540) wheel	36.83cm / 14.5"	to 48.89cm / 19.25"	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1.27cm (1/2") of selected seat to floor height

REAR WHEELS													
ONE ARM DRIVE ¹					Only available with Newton One rear wheels, permanent axles, 0° camber								
HR22	☐	One arm drive - aluminum inner handrim ²		Left ☐	Right ☐				\$1,510				
HR60	☐	One arm drive - plastic coated inner handrim ²		Left ☐	Right ☐				\$1,595				
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)							NC				
REAR WHEELS						Available							
RW01	☐	Mag ³				20", 22" 24"			\$57				
RW02	☐	Newton One - spoke wheel				20", 22" 24"			NC				
RW03	☐	Newton Gravity - ultralight wheel				20", 22", 24"			\$350				
RW04	☐	Spinergy Spox	Blk STD ☐	Wht ⁵ ☐	Blue ⁵ ☐	Red ⁵ ☐	Yel ⁵ ☐	22", 24"	\$895				
RW05	☐	Spinergy LX	Blk STD ☐	Pur ⁵ ☐	Wht ⁵ ☐	Blue ⁵ ☐	Red ⁵ ☐	Yel ⁵ ☐	Pink ⁵ ☐	Grn ⁵ ☐	Org ⁵ ☐	22", 24"	\$1,125
RW07	☐	Spinergy CLX ⁴	Blk STD ☐	Pur ⁵ ☐	Wht ⁵ ☐	Blue ⁵ ☐	Red ⁵ ☐	Yel ⁵ ☐	Pink ⁵ ☐	Grn ⁵ ☐	Org ⁵ ☐	24"	\$1,600
TIRES (The brand and color may vary depending on parts availability)										Available			
AIRLESS													
TI01	☐	Soft Urethane 3.49cm (1 3/8") - Low Tread, black								20", 22" 24"			STD
TI02	☐	Soft Urethane 3.49cm (1 3/8") - Medium Tread, black ⁷								22", 24"			\$105
TI13	☐	Soft Urethane 2.54cm (1") - No tread, black - <i>Sentinel</i>								20", 22", 24"			\$125
TI08	☐	Pneumatic Airless insert 3.49cm (1 3/8") - Medium Tread ⁸								22", 24"			\$90
PNEUMATIC													
TI05	☐	Pneumatic 3.49cm (1 3/8") Medium Tread								20", 22", 24"			NC
TI06	☐	Pneumatic HP 2.54cm (1") - Low Tread, Puncture resistant, black - <i>SpeedLite</i>								20", 22", 24"			\$110
TI07	☐	Pneumatic HP 2.54cm (1") - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>								24"			\$145
TI03	☐	Pneumatic 5.08cm (2") - Large Tread, black ⁹								22", 24"			\$115
1- Offered with handrims on each side of the wheelchair; Select outer handrim in the handrims section; Only available with 24" wheel size; 2- Only standard handrim position available 3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 4- Only available with 1" tires; 5- Colour spokes require an additional 10 days lead-time; 7- The 22" is only available with Mags, Newton One and Newton Gravity rear wheels; 8- Not available with Spinergy CLX; 9- Not available with armrests when the 3° or 6° camber are selected;													
HANDRIMS													
HANDRIM										Available			
HR01	☐	Aluminum anodized								20", 22", 24"			STD
HR61	☐	Aluminum black hard anodized ²								20", 22", 24"			\$80
HR02	☐	Plastic coated ¹								20", 22", 24"			\$145
HR03	☐	High friction coated ^{1,2,3}								22", 24"			\$380
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² See on page 6 for color choice and price								20", 22", 24"			
HR28	☐	Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip)								22", 24"			\$425
HR05	☐	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)								22", 24"			\$465
HR04	☐	Natural Fit ^{1,2,3,4}								22", 24"			\$395
HR62	☐	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)								22", 24"			\$395
HR63	☐	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)								22", 24"			\$425
HR64	☐	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)								22", 24"			\$325
HR99	☐	Omit handrim											NC
1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive; 4- 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece													
HANDRIMS OPTION													
ASSEMBLY POSITION													
HR29	☐	Standard Handrim position		Full tab									STD
HR030	☐	Narrow Handrim position no cut ⁶		Full tab									NC
HR30	☐	Narrow Handrim position with cut ⁵		Short tab 2 positions									\$32
HR31	☐	Super Narrow Handrim ⁵		Short tab 2 positions STD ☐		Short tab 1 position ⁶ ☐							\$32
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS													
HR23	☐	Standard grip											\$95
HR27	☐	Super grip											\$150
HR099	☐	Omit thumb piece											NC
5- Only available with Aluminum and Air Grip handrims; 6- Not available with the combination of 24" Newton Gravity, Spinergy Spox, LX, wheels and a 1 3/8" Airless insert pneumatic tire with any handrim;													
AXLE													
AX01	☐	Quick release axle ¹											STD
AX02	☐	Permanent axle											NC
AX03	☐	Quad release axle ¹											\$135
AXLE PLATE													
AX04	☐	Amputee adjustable axle plate ²											\$210
1- Not required with one arm drive; 2- May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down and the swing away anti-tipper													
REAR WHEEL CAMBER													
CM00	☐	0° camber											STD
CM03	☐	3° camber											NC
CM06	☐	6° camber (not available with amputee axle plate)											\$165

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

Most stable										Most responsive				
AMPUTEE ¹	2,5 1"	3,2 1/4"	3,8 1/2"	4,4 3/4"	5,1 2"	5,7 1/4"	6,3 1/2"	7 3/4"	7,6 3"	8,3 1/4"	8,9 1/2"	9,5 3/4"	10,16"	4"
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

If not indicated, default setting is at 3,8 cm (1.5")

Possible conflict between a seat depth under 40,6 cm (16") and a center of gravity over 6,3 cm (2.5").

Possible conflict between a 66 cm (26") rear wheel and a center of gravity over 6,3 cm (2.5").

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1-Only available with the amputee axle plate

WHEEL LOCK							
WL08	☐	Newton Wheel lock - push to lock					STD
WL02	☐	Pull to lock					NC
WL04	☐	Newton grade aid push to lock (works best with pneumatic or high pressure tire)					\$165
WL13 WL14	☐	6" removable extension handle ¹ *VP01					\$83
WL05	☐	Scissors Lock					\$155
WL06	☐	Attendant Lock (additional set of wheel lock mounted to the back)					\$215
WL15	☐	Unilateral wheel lock - pull to lock ²		Left ☐	Right ☐		\$335
WL99	☐	Omit wheel locks					NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04); Only the extension for the Newton push to lock is available with the vision package (VP01)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

FOOTREST

SWING-IN/SWING-OUT FOOTREST							
FR03-01	☐	60° Swing-in/swing-out footrest - 34.29 - 43.18cm (13.5" - 17")			Set at*:		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 36.83 - 49.53cm (14.5" - 19.5")			Set at*:		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 39.29 - 52.07cm (15.5" - 20.5")			Set at*:		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 34.29 - 43.18cm (13.5" - 17")			Set at*:		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 36.83 - 49.53cm (14.5" - 19.5")			Set at*:		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 39.37 - 52.07cm (15.5" - 20.5")			Set at*:		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 34.29 - 40.64cm (13.5" - 16") ⁵			Set at*:		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 36.83 - 49.53cm (14.5" - 19.5") ⁵			Set at*:		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 39.37 - 52.07cm (15.5" - 20.5") ⁵			Set at*:		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹		19.05 - 27.94cm (7.5" - 11")	Set at*:		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1,2}		24.13 - 33.02cm (9.5" - 13")	Set at*:		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1,2}		24.13 - 36.83cm (9.5" - 14.5")	Set at*:		NC
FOOTREST OPTIONS							
FR09	☐	High mount (footplate attached to the hanger with clamps) ³		12.70 - 34.29cm (5" - 13.5")	Set at*:		\$85
FR10	☐	Elevating legrest with calf pad, length adjustable ⁴ Left ☐ Right ☐		35.56 - 55.88 cm (14"-22")	Set at:		\$248
FR99	☐	Omit Footrest					NC

1- Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount and the elevating legrest

* +/- 1/2" (1.27 cm)

4- The elevating legrest replace the footrest side selected; Not compatible with seat width of 12" and 13" and one piece footplate; 5- Not available with 8" caster

FOOTPLATES						
FP01	☐	Standard - Composite ¹				NC
FP02	☐	Newton adjustable angle - Composite ^{*VP01}				\$230
FP03	☐	Newton adjustable angle - Aluminum ²				\$255
FP04	☐	Newton adjustable angle - Carbon fiber with rubber inserts				\$450
FP23	☐	Newton adjustable angle extra deep - Aluminum				\$235
FP06	☐	One piece adjustable angle flip-up - Aluminum				\$205
FP07	☐	One piece adjustable angle flip-up - Carbon fiber with rubber inserts				\$470
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop <i>(not available with one piece footplate)</i>				\$51
FP09	☐	Calf strap				\$43
FP30	☐	Bodypoint Aeromesh Padded calf strap				\$125

1- Not available with front mount; 2- The Newton adjustable angle (Aluminum) is the only available option with a 12 and 13" wide frame

SWING AWAY RESIDUAL LIMB SUPPORT							
FR27	☐	Residual limb support - flat 15.24x20.32cm (6"x8")		Left ☐	Right ☐		\$440
FR28	☐	Residual limb support - flat 20.32x24.4cm (8"x10")		Left ☐	Right ☐		\$440
FR29	☐	Residual limb support - flat 25.4x25.4cm (10"x10")		Left ☐	Right ☐		\$440
FR30	☐	Residual limb support - flat 25.4x35.56cm (10"x14")		Left ☐	Right ☐		\$440
FR32	☐	Residual limb support - contour 15.24x20.32cm (6"x8")		Left ☐	Right ☐		\$440
FR33	☐	Residual limb support - contour 20.32x24.4cm (8"x10")		Left ☐	Right ☐		\$440

SEATING AND PUSH HANDLES

BACK UPHOLSTERY						
BH05	☐	Slip-on Nylon back upholstery				NC
BH08	☐	Adjustable tension Active-Mesh back upholstery				\$190
BH99	☐	Omit Back upholstery				STD
	☐	NXT back Support	See price list			
SEAT CUSHION						
SC01	☐	5.08 cm (2") Cushion				\$194
SC02	☐	7.62 cm (3") Cushion				\$200
SC99	☐	Omit seat cushion				STD
	☐	NXT cushion	See price list			
PUSH HANDLES OPTIONS <i>(ONE option at a time)</i>						
PH01	☐	Push handles				STD
PH05	☐	Fold down push handles ¹				\$150
PH06-920	☐	clamp on height adjustable push handles 22.86-50.80cm (9-20") ^{1,2}				\$330
PH06-923	☐	clamp on height adjustable push handles 22.86-58.40cm (9-23") ^{1,2}				\$330
PH02	☐	Omit push handles				NC
STROLLER HANDLE AND STABILIZER BAR <i>(only available with push handle)</i>						
PH04	☐	Stroller handle				\$175
PH03	☐	Newton folding stabilizer bar <i>(not available with stroller handle)</i>				\$275

1- Not compatible with stroller handle, stabilizer bar, headrest and attendant lock; 2- Not compatible with depth adjustable back, 8" bend back canes and amputee axle plates

ARMREST

HEIGHT ADJUSTABLE "T" ARMREST ¹						
AR13-610	☐	25.4cm (10") Desk length armpad ⁴	15.25 - 25.40cm (6" - 10")			\$360
AR03-812	☐	25.4cm (10") Desk length armpad	20.32 - 30.48cm (8" - 12")			\$360
AR03-1014	☐	25.4cm (10") Desk length armpad	25.40 - 35.56cm (10" - 14")			\$360
AR14-610	☐	35.56cm (14") Full length armpad ⁴	15.25 - 25.40cm (6" - 10")			\$360
AR04-812	☐	35.56cm (14") Full length armpad	20.32 - 30.48cm (8" - 12")			\$360
AR04-1014	☐	35.56cm (14") Full length armpad	25.40 - 35.56cm (10" - 14")			\$360
LOCKING FLIP-UP ARMREST ^{2,5}						
AR07	☐	Locking Flip-Up Armrest				\$365
ARMREST OPTIONS						
AR12	☐	35.56cm (14") Full Length Armpad - Gel Ovation <i>(pair)</i> ³				\$165
AR99	☐	Omit armrest				NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- May interfere with rigid back hardware; Only available with 18"-21" straight aluminum back canes; Not available with back upholstery 3- Not available with locking flip-up armrest and short "T" armrest; 4- May have some restriction with seat-to-floor height and rear wheel; 5- Not available with the tray

ACCESSORIES

SIDE GUARDS <i>(not available with "T" Armrest)</i>						
SG01	☐	Plastic side guards <i>(removable)</i>	Straight bracket - STD	Offset bracket ¹		\$210
SG03	☐	Carbon fiber side guards <i>(removable)</i>	Straight bracket - STD	Offset bracket ¹		\$315
SG06	☐	Plastic fender side guards <i>(removable)</i>	Straight bracket - STD	Offset bracket ¹		\$295
SG04	☐	Carbon fiber fender side guards <i>(removable)</i>	Straight bracket - STD	Offset bracket ¹		\$550
SG99	☐	Omit side guard				NC

1- only compatible with 0° camber; Increase width by 1/2" per side for a total of 1"

POSITIONING BELT						
SB01-S	☐	Velcro adjustable - Small 88.9cm (35")				\$50
SB01-L	☐	Velcro adjustable - Long 152.40cm (60")				\$50
SB02-S	☐	Auto buckle - Small 88.9cm (35")				\$95
SB02-M	☐	Auto buckle - Medium 121.92cm (48")				\$95
SB02-L	☐	Auto buckle - Long 152.40cm (60")				\$95
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")				\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")				\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 129.54cm (51")				\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")				\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")				\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")				\$205
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")				\$205
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")				\$205
SB03	☐	Hardware attachment for 2 extra points (1 pair)				\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66 (18")				\$310
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")				\$310
SB99	☐	Omit positioning belt				STD

HEADREST ¹						
AC01-S	☐	Profiled Headrest - Small 8.8x15.2cm (3.5"x6")				\$195
AC01-M	☐	Profiled Headrest - Medium 11.4x17.8cm (4.5"x7")				\$195
AC01-L	☐	Profiled Headrest - Large 14x2.3cm (5.5"x8")				\$195
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹				\$320

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar


ACCESSORIES												
WC10	☐	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6° camber									\$35	
AC03	☐	Anti-tippers									\$155	
AC29	☐	Swing-away anti-tipper ¹		Left ☐	Right ☐					\$165		
AC27	☐	Tip assist ²									\$67	
AC06	☐	Cane and crutch holder		Left ☐	Right ☐					\$130		
AC07	☐	Oxygen tank holder ⁴ - D and E Type - installed on the left									\$335	
AC08	☐	Spoke guards clear ³		Available: 20", 22", 24"							\$125	
AC41	☐	Tray									\$305	
AC09	☐	Footrest neoprene impact guard (pair) - Black									\$100	
AC10	☐	Seat pouch									\$83	
AC30	☐	Newton multi-purpose pouch									\$62	
AC23	☐	Newton backpack									\$130	
AC26	☐	BodyPoint Mobility Bag									\$135	
AC12	☐	Velcro Closing Strap									\$57	
AC13	☐	Tool kit									\$50	

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 34,3cm (13 1/2") and 50,2cm (19 3/4"); 2- Cannot be combined with Anti Tippers
3- Not available with Mag wheels and Spineray; 4- Not compatible with swing away armrest or amputee axle plate and WC-19 transit tie-down

Colors																				
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)
																				
AirGrip	☐ \$125	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Frame ² (NC)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Footrest	☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
FC99	☐	Custom Color Specify PPG Paintit color: additional 10 days lead-time																		☐

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;
2- with black hydroformed aluminum crossbrace 3- The frame color will be confirmed with the quote conversion into an order (in absence of selection, the color will be black)

Fork and Stem bolt combinations



Frame length chart

Seat Depth							
Frame length	14"	15"	16"	17"	18"	19"	20"
STD							
+1							N/A
+2						N/A	N/A
-1	N/A						

Unilateral wheel lock restrictions

Seat depth: shall be 40.64 cm and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° camber		
One arm drive: not compatible with "T"		
One arm drive and flip-back armrest only available with 17 in depth frame		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (cm)	COG Compatibility Range (cm)
20 in	40.64+	3.8 to 9.5
	40.64	2.5 to 7
	43.18+	2.5 to 8.3
22 in	45.72+	2.5 to 9.5
	40.64	2.5 to 5.1
	43.18	2.5 to 7
24 in	45.72+	2.5 to 9.5

CUSTOMIZATION STARTS HERE!



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :



FOLDING ON CHAIR – INTL ORDER FORM

BioFit™ CUSHION		WIDTH					
 Use wheelchair configuration Or use this size: NXCBF _____ (W" x D")	DEPTH	12"	13"	14"	15"	16"	
		12"	\$425	\$425	\$425		N/A
		13"					
		14"	\$425	\$425	\$425		
		15"		\$425	\$425	\$425	\$425
		16"		\$425	\$425	\$425	\$425
		17"	N/A			\$425	\$425
		18"	N/A			\$425	\$425
		19"	N/A			\$425	\$425
		20"	N/A			\$425	\$425
Option: Change cover for incontinent/infection control outer cover							N/C

Green boxes are stocked sizes; the red boxes require customization*; the N/A boxes are not available sizes.

*Customization (red boxes) is available with an upcharge of \$160.00 and has a 2 to 4 weeks additional lead time.

SEATING AND CUSHION ACCESSORIES

MODEL #	Description	Fits Back Width	Retail	QTY
RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6-43.2 cm) and 14"-18" deep (35.6-45.7 cm)	\$77	

THORACIC SHAPE	Optima™		THORACIC BACK SUPPORT						
	WIDTH	HEIGHT	MODEL # ALUMINUM	RETAIL	✓	Repl. cover & foam	Retail	✓	
	14"	13"	NOACB1413	\$695		NIB-2193V	\$125		
	14"	16"	NOACB1416	\$695		NIB-2194V	\$125		
	15"	13"	NOACB1513	\$695		NIB-2197V	\$125		
	15"	16"	NOACB1516	\$695		NIB-2198V	\$125		
	16"	13"	NOACB1613	\$695		NIB-2201V	\$125		
	16"	16"	NOACB1616	\$695		NIB-2202V	\$125		
	16"	19"	NOACB1619	\$695		NIB-2203V	\$125		

THORACIC SHAPE	Optima Carbon™		THORACIC BACK SUPPORT CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)						
	WIDTH	HEIGHT	MODEL # CARBON	RETAIL	✓	Repl. cover & foam	Retail	✓	
	14"	13"	NOCFACB1413	\$900		NIB-2193V	\$125		
	14"	16"	NOCFACB1416	\$930		NIB-2194V	\$125		
	15"	13"	NOCFACB1513	\$900		NIB-2197V	\$125		
	15"	16"	NOCFACB1516	\$930		NIB-2198V	\$125		
	16"	13"	NOCFACB1613	\$900		NIB-2201V	\$125		
	16"	16"	NOCFACB1616	\$930		NIB-2202V	\$125		

THORACIC SHAPE	Optima™ DEEP		THORACIC BACK SUPPORT						
	WIDTH	HEIGHT	MODEL # ALUMINUM	RETAIL	✓	Repl. cover & foam	Retail	✓	
	14"	13"	NOPCB1413	\$695		NIB-2246V	\$125		
	14"	16"	NOPCB1416	\$695		NIB-2247V	\$125		
	15"	13"	NOPCB1513	\$695		NIB-2250V	\$125		
	15"	16"	NOPCB1516	\$695		NIB-2251V	\$125		
	16"	13"	NOPCB1613	\$695		NIB-2254V	\$125		
	16"	16"	NOPCB1616	\$695		NIB-2255V	\$125		
	16"	19"	NOPCB1619	\$695		NIB-2256V	\$125		

THORACIC SHAPE	Optima Carbon™ DEEP		THORACIC BACK SUPPORT CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)						
	WIDTH	HEIGHT	MODEL # CARBON	RETAIL	✓	Repl. cover & foam	Retail	✓	
	14"	13"	NOCFPCB1413	\$985		NIB-2246V	\$125		
	14"	16"	NOCFPCB1416	\$1,025		NIB-2247V	\$125		
	15"	13"	NOCFPCB1513	\$985		NIB-2250V	\$125		
	15"	16"	NOCFPCB1516	\$1,025		NIB-2251V	\$125		
	16"	13"	NOCFPCB1613	\$985		NIB-2254V	\$125		
	16"	16"	NOCFPCB1616	\$1,025		NIB-2255V	\$125		

THORACIC SHAPE	Xtend™		LOW HEIGHT ADJUSTABLE THORACIC BACK SUPPORT						
	xtend™	WIDTH	HEIGHT	RETAIL	✓	Repl. cover & foam	Retail	✓	
	NHAACB(L)1213/17	12"	13-17"	\$655		NIB-2148V	\$125		
	NHAACB(L)1413/17	14"	13-17"	\$655		NIB-2149V	\$125		
	NHAACB(L)1613/17	16"	13-17"	\$655		NIB-2150V	\$125		

PLEASE NOTE: Each back will fit widths up to 2" wider.


ALL PRICES QUOTED IN USD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

BACK SUPPORT ACCESSORIES

	MODEL #	DESCRIPTION	FITS BACK WIDTH	RETAIL	QTY
	Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	\$160	
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	\$65	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	\$65	

MultiFit™ HEAD SUPPORT – MULTI-ADJUSTABLE PADS


	MODEL	Description	RETAIL	✓
	NIB-0784	10" x 5" Large Rectangular	\$195	
	NIB-0818	14" x 5" Extra-Large Rectangular	\$195	

MultiFit™ HEAD SUPPORT – FIXTURES

	MODEL	Description	RETAIL	✓
	NIB-0747	Multi-Axis Hardware	\$145	
	NIB-0823	Head Support Receiver Bracket	\$58	

EXTRA COVERS

Extra Outer smartx3D Cover



Extra Outer Incontinent Cover



ITEM	WIDTH X DEPTH	RETAIL	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	NXCCBF _____ V	\$125	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	NXCCAF _____ V	\$125	

ALL PRICES QUOTED IN USD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com