



HELIO KIDS C

ORDER FORM - USA

1- Purchasing information

P.O. number: * _____ Date: _____

Company Name: * _____

Purchasing contact: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

Marked for: _____

2- Dealer/Representative information

Dealer/Representative: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

3- Shipping information

Ship to: * _____

Name: _____

Address: _____

City: _____ Province: _____

ZIP Code: _____

Phone: _____

* Required

MODEL WITHOUT TRANSIT (165 LB WEIGHT CAPACITY)			USD
WC26-NTWU	☐	Ultralight Aluminum Folding Helio KIDS Wheelchair NO TRANSIT, WITH UPHOLSTERY	E1236 \$2,595
WC26-NTNU	☐	Ultralight Aluminum Folding Helio KIDS Wheelchair NO TRANSIT, NO UPHOLSTERY	E1238 \$2,495

MODEL WITH TRANSIT (165 LB WEIGHT CAPACITY)			USD
WC26-WTWU	☐	Ultralight Aluminum Folding Helio KIDS Wheelchair WITH TRANSIT, WITH UPHOLSTERY	E1236 \$2,945
WC26-WTNU	☐	Ultralight Aluminum Folding Helio KIDS Wheelchair WITH TRANSIT, NO UPHOLSTERY	E1238 \$2,845

HCPCS codes are listed as submitted. Please note that certain sizes may correspond to additional HCPCS codes. For example, widths ranging from 15" to 18" may qualify under code K0005.

CARBON FIBER FRAME											
WC06		Carbon fiber frame: side frames, symmetrical molded crossbrace and back canes made of ultralight carbon fiber								\$2,295	
Growth Kit included during the expected lifetime of the Helio Kids wheelchair ¹ The growth kit includes crossbraces, crossbrace links, seat sling, back upholstery, front riggings and footplates.											
SEAT WIDTH ¹											
SW	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐					NC

[1- Width Calculator](#)



¹ Expected lifetime is limited to 5 years from the original date of purchase to the first user only and is non-transferable. The Growth Kit is a program, independent of the product limited warranty.

↓ Caution: complete only one of the following two sections ↓

SEAT DEPTH (Available with WC-19)			
SD12	☐	12" Seat sling - frame of 14"	NC
SD13	☐	13" Seat sling - frame of 14"	NC
SD14	☐	14" Seat sling - frame of 14"	NC
SD15	☐	15" Seat sling - frame of 15"	NC
SD16	☐	16" Seat sling - frame of 16"	NC
FIXED BACK CANE (MUST select ONE push handle options)			
BC11-1215	☐	Aluminium straight back cane (90°)	12 - 15" NC
BC11-1518	☐	Aluminium straight back cane (90°)	15 - 18" NC
BC11-1821	☐	Aluminium straight back cane (90°) - STD	18 - 21" NC
BC12-1315	☐	Aluminum back cane 8° bend	13.5 - 15" NC
BC12-1518	☐	Aluminum back cane 8° bend	15 - 18" NC
BC12-1821	☐	Aluminum back cane 8° bend -STD	18 - 21" NC
Specify height: ⁵		measured from seat sling to top of back upholstery	
ANGLE ADJUSTABLE BACK CANE (MUST select ONE push handle options)			
BC13-1518	☐	Aluminium straight back cane (90°)	15 - 18" NC
BC13-1821	☐	Aluminium straight back cane (90°) - STD	18 - 21" NC
BC14-1518	☐	Aluminum back cane 8° bend	15 - 18" NC
BC14-1821	☐	Aluminum back cane 8° bend -STD	18 - 21" NC
Select angle for the back cane:		85° ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐	
Specify height : ⁵			


⁵- If not indicated, default height setting is at the lowest position

SEAT DEPTH- Depth and angle adjustable (available with WC-19) ³			
SD14	☐	12" to 15" (seat sling/frame 14")	NC
SD15	☐	13" to 16" (seat sling/frame 15")	NC
SD16	☐	14" to 17" (seat sling/frame 16")	NC
SD17	☐	15" to 18" (seat sling/frame 17")	NC
SD18	☐	16" to 19" (seat sling/frame 18")	NC

Specify depth :⁴

³ - Maximum weight of 165 lb with a depth adjustable backrest

⁴ - If not indicated, the depth will be equal to the seat sling



DEPTH AND ANGLE ADJUSTABLE BACK CANE (MUST select ONE push handle options)			
BC15-912	☐	Aluminium straight back cane 9 - 12"	NC
BC15-1215	☐	Aluminium straight back cane 12 - 15"	NC
BC15-1518	☐	Aluminium straight back cane 15 - 18"	NC
BC15-1821	☐	Aluminium straight back cane 18 - 21" STD	NC
BC16-1215	☐	Aluminum back cane 8° bend 12 - 15"	NC
BC16-1518	☐	Aluminum back cane 8° bend 15 - 18"	NC
BC16-1821	☐	Aluminum back cane 8° bend STD 18 - 21"	NC
Select angle for the back cane:		90° ☐ 95° STD ☐ 100° ☐ 105° ☐	
Specify height : ⁵			

FRAME LENGTH ²					
SP01	☐	Standard frame length configuration (Distance of 2 1/8" from end of seat upholstery to end of frame)			STD
SP02	☐	Frame length 1" longer than standard configuration			NC
SP03	☐	Frame length 2" longer than standard configuration			NC
SP04	☐	Frame length 1" shorter than standard configuration			NC
TRANSIT TIE DOWN					
AC35	☐	WC-19 Transit Tie Down without belt ¹		E1022	\$350
1 - May interfere with clamp on height adjustable push handle;					
PACKAGES					
PK01	☐	Includes: Carbon fiber angle adjustable footplates ³ + Newton Gravity Ultralight rear wheels	Save \$275		\$530
VP01	☐	Vision Package: Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates ²	K0108		\$95

2 - Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo *VP01; Recommended with black chair;
See picture of the product on page 6. 2 - see chart on page 7; 3 - The carbon fiber angle adjustable footplate is not available with 12" and 13" wide

Helio Kids FRONT Seat-to-floor Height - Please select your choice

		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
Forks / Position		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"												
	P2	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
5"	P1																		
	P2				14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
	P3	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"						
	P4	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	P1										16 1/2"	17 1/2"	18 1/2"	17"	18"	19"			
	P2							16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"			
	P3							17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"
	P4	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"
	P5	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"	19 1/2"	20 1/2"	21 1/2"
Froglegs	P1				14 1/2"	15 1/2"	16 1/2"												
	P2	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"									
	P3	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"						

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

FRONT CASTERS					
CASTERS			Available		
CA01-03 to CA01-08	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6", 7", 8"	NC
CA10 to CA11	☐	Pneumatic casters (1 ¼")		6", 8"	E2214/E2215 \$165
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"	\$95
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"	\$215
CASTER OPTIONS					
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹		K0073	\$300
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)		E1015	\$490

1- Not available with WC-19


KIDS REAR Seat-to-floor Height

WHEEL SIZES		Height available		Specify desired height:
☐	20" (451) wheel	12 1/2	to 17 1/4	
☐	22" (501) wheel	13 1/2	to 18 1/4	
☐	24" (540) wheel	14 1/2	to 19 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

REAR WHEELS						
ONE ARM DRIVE ¹			Only available with Newton One rear wheels, permanent axles, 0° camber			
HR22	☐	One arm drive - aluminum inner handrim ²	Left ☐	Right ☐	E0958	\$1,495
HR60	☐	One arm drive - plastic coated inner handrim ²	Left ☐	Right ☐	E0958	\$1,600
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)				NC
REAR WHEELS			Available			
RW01	☐	Mag ³		20", 22" 24"		\$57
RW02	☐	Newton One - spoke wheel		20", 22" 24"		NC
RW03	☐	Newton Gravity - ultralight wheel		20", 22", 24"		\$360
RW04	☐	Spinergy Spox Blk STD ☐	Wht ⁵ ☐	Blue ⁵ ☐	Red ⁵ ☐	Yel ⁵ ☐
RW05	☐	Spinergy LX Blk STD ☐	Pur ⁵ ☐	Wht ⁵ ☐	Blue ⁵ ☐	Red ⁵ ☐
RW07	☐	Spinergy CLX ⁴ Blk STD ☐	Pur ⁵ ☐	Wht ⁵ ☐	Blue ⁵ ☐	Red ⁵ ☐
			Yel ⁵ ☐	Pink ⁵ ☐	Grn ⁵ ☐	Org ⁵ ☐
			24"			\$1,625
TIRES (The brand and color may vary depending on parts availability)			Available			
AIRLESS						
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black		20", 22" 24"	E2218	STD
TI02	☐	Soft Urethane 1 3/8 " - Medium Tread, black ⁷		22", 24"	E2218	\$97
TI13	☐	Soft Urethane 1" - No tread, black - <i>Sentinel</i>		20", 22", 24"	E2218	\$118
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread ⁸		22", 24"	E2211/E2213	\$95
PNEUMATIC						
TI05	☐	Pneumatic 1 3/8" - Medium Tread		20", 22", 24"	E2211/E2212	NC
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - <i>SpeedLite</i>		20", 22", 24"	E2211/E2212	\$105
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>		24"	E2211/E2212	\$150
TI03	☐	Pneumatic 2" - Large Tread, black ⁹		22", 24"	E2211/E2212	\$115
1- Offered with handrims on each side of the wheelchair; Select outer handrim in the handrims section; Only available with 24" wheel size; 2- Only standard handrim position available						
3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 4- Only available with 1" tires; 5- Colour spokes require an additional 10 days lead-time;						
7- The 22" is only available with Mags, Newton One and Newton Gravity rear wheels; 8- Not available with Spinergy CLX; 9- Not available with armrests when the 3° or 6° camber are selected;						
HANDRIMS						
HANDRIM			Available			
HR01	☐	Aluminum anodized		20", 22", 24"		STD
HR61	☐	Aluminum black hard anodized ²		20", 22", 24"		\$75
HR02	☐	Plastic coated ¹		20", 22", 24"		\$110
HR03	☐	High friction coated ^{1,2,3}		22", 24"		\$375
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See on page 6 for color choice</i>		20", 22", 24"		\$110
HR28	☐	Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip)		22", 24"		\$450
HR05	☐	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)		22", 24"		\$495
HR04	☐	Natural Fit ^{1,2,3,4}		22", 24"		\$395
HR62	☐	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)		22", 24"		\$395
HR63	☐	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)		22", 24"		\$445
HR64	☐	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)		22", 24"		\$345
HR99	☐	Omit handrim				NC
1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;						
4- 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece						
HANDRIMS OPTION						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position <i>Full tab</i>				STD
HR030	☐	Narrow Handrim position no cut ⁶ <i>Full tab</i>				NC
HR30	☐	Narrow Handrim position with cut ⁵ <i>Short tab 2 positions</i>				\$30
HR31	☐	Super Narrow Handrim ⁵ <i>Short tab 2 positions</i> STD ☐		<i>Short tab 1 position</i> ⁶ ☐		\$30
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip				\$95
HR27	☐	Super grip				\$150
HR099	☐	Omit thumb piece				NC
5- Only available with Aluminum and Air Grip handrims; 6- Not available with the combination of 24" Newton Gravity, Spinergy Spox, LX, wheels and a 1 3/8" Airless insert pneumatic tire with any handrim;						
AXLE ¹						
AX01	☐	Quick release axle				STD
AX02	☐	Permanent axle				NC
AX03	☐	Quad release axle			K0108	\$130
AXLE PLATE						
AX04	☐	Amputee adjustable axle plate ²			E0959	\$205
1- Not required with one arm drive; 2 - May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down <i>and the swing away anti-tipper</i>						
REAR WHEEL CAMBER						
CM00	☐	0° camber				STD
CM03	☐	3° camber				NC
CM06	☐	6° camber (not available with amputee axle plate)				\$165

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

X =	Most stable										Most responsive			
	AMPUTEE	1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1-Only available with the amputee axle plate

WHEEL LOCK

WL08	☐	Newton Wheel lock - push to lock			STD
WL02	☐	Pull to lock			NC
WL04	☐	Newton grade aid push to lock (works best with pneumatic or high pressure tire)		E0974	\$155
WL13	☐	6" removable extension handle ¹ *VP01		E0961	\$77
WL14	☐				
WL05	☐	Scissors Lock			\$155
WL06	☐	Attendant Lock (additional set of wheel lock mounted to the back)			\$215
WL15	☐	Unilateral wheel lock - pull to lock ²	Left ☐	Right ☐	\$330
WL99	☐	Omit wheel locks			NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04); Only the extension for the Newton push to lock is available with the vision package (VP01)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

FOOTREST

SWING-IN/SWING-OUT FOOTREST

FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"		Set at*:		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at*:		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at*:		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"		Set at*:		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at*:		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at*:		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16" ⁵		Set at*:		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5" ⁵		Set at*:		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5" ⁵		Set at*:		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹	7.5" - 11"	Set at*:		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1,2}	9.5" - 13"	Set at*:		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1,2}	9.5" - 14.5"	Set at*:		NC

FOOTREST OPTIONS

FR09	☐	High mount (footplate attached to the hanger with clamps) ³	5" - 13.5"	Set at*:		\$85
FR10	☐	Elevating legrest with calf pad, Length adjustable ⁴	Left ☐ Right ☐	Set at:	E0990	\$245
FR99	☐	Omit Footrest				NC

1- Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount and the elevating legrest;

4- The elevating legrest replace the footrest side selected; Not compatible with seat width of 12" and 13" and one piece footplate; 5- Not available with 8" caster

* + or - 1/2"

FOOTPLATES

FP01	☐	Standard - Composite ¹			STD
FP02	☐	Newton adjustable angle - Composite ^{**VP01}		K0040	\$215
FP03	☐	Newton adjustable angle - Aluminum ²		K0040	\$235
FP04	☐	Newton adjustable angle - Carbon fiber (with rubber inserts)			\$445
FP23	☐	Newton adjustable angle extra deep - Aluminum		K0040	\$235
FP06	☐	One piece adjustable angle flip-up - Aluminum		K0040	\$195
FP07	☐	One piece adjustable angle flip-up - Carbon fiber (with rubber inserts)			\$465

FOOTPLATE ACCESSORIES

FP08	☐	Length adjustable heel loop (not available with one piece footplate)		E0951	\$41
FP09	☐	Calf strap		K0038	\$39
FP30	☐	Bodypoint Aeromesh Padded calf strap		K0038	\$118

1- Not available with front mount; 2- The Newton adjustable angle (Aluminum) is the only available option with a 12 and 13" wide frame

SWING AWAY RESIDUAL LIMB SUPPORT

FR27	☐	Residual limb support - flat 6"x8"	Left ☐	Right ☐	E1020	\$420
FR28	☐	Residual limb support - flat 8"x10"	Left ☐	Right ☐	E1020	\$420
FR29	☐	Residual limb support - flat 10"x10"	Left ☐	Right ☐	E1020	\$420
FR30	☐	Residual limb support - flat 10"x14"	Left ☐	Right ☐	E1020	\$420
FR32	☐	Residual limb support - contour 6"x8"	Left ☐	Right ☐	E1020	\$420
FR33	☐	Residual limb support - contour 8"x10"	Left ☐	Right ☐	E1020	\$420

SEATING AND PUSH HANDLES							
BACK UPHOLSTERY							
BH05	☐	Slip-on Nylon back upholstery ¹					STD
BH08	☐	Adjustable tension Active-Mesh back upholstery			E2611/E2612		\$305
BH99	☐	Omit Back upholstery					NC
	☐	NXT back Support			See price list		
1- Not available if the base price "Without upholstery" is selected							
SEAT CUSHION							
SC01	☐	2" Cushion					\$170
SC02	☐	3" Cushion			E2601/E2602		\$190
SC99	☐	Omit seat cushion					STD
	☐	NXT cushion			See price list		
PUSH HANDLES OPTIONS (ONE option at a time)							
PH01	☐	Push handles					STD
PH05	☐	Fold down push handles ¹					\$145
PH06-920	☐	Clamp on height adjustable push handles 9" - 20" ^{1,2}					\$325
PH06-923	☐	Clamp on height adjustable push handles 9" - 23" ^{1,2}					\$325
PH02	☐	Omit push handles					NC
STROLLER HANDLE AND STABILIZER BAR (only available with push handle)							
PH04	☐	Stroller handle			K0108		\$165
PH03	☐	Newton folding stabilizer bar (not available with stroller handle)					\$270
1- Not compatible with stroller handle, stabilizer bar, headrest and attendant lock; 2- Not compatible with depth adjustable back, 8° bend back canes and amputee axle plates							
ARMRESTS							
HEIGHT ADJUSTABLE "T" ARMREST ¹ *VP01							
AR13-610	☐	10" Desk length armpad ⁴	6" - 10"		E0973		\$330
AR03-812	☐	10" Desk length armpad	8" - 12"		E0973		\$330
AR03-1014	☐	10" Desk length armpad	10" - 14"		E0973		\$330
AR14-610	☐	14" Full length armpad ⁴	6" - 10"		E0973		\$330
AR04-812	☐	14" Full length armpad	8" - 12"		E0973		\$330
AR04-1014	☐	14" Full length armpad	10" - 14"		E0973		\$330
LOCKING FLIP-UP ARMREST ^{2,5}							
AR07	☐	Locking Flip-Up Armrest			E0950		\$335
ARMREST OPTIONS							
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ³					\$165
AR99	☐	Omit armrest					NC
1- May have 1/2" adjustment restriction on both limits of the range; 2- May interfere with rigid back hardware; Only available with 18"-21" straight aluminum back canes; Not available with back upholstery; 3- Not available with locking flip-up armrest and short "T" armrest; 4- May havesome restriction with seat-to-floor height and rear wheel; 5- Not available with the tray							
ACCESSORIES							
SIDE GUARDS (not available with "T" Armrest)							
SG01	☐	Plastic side guards (removable)	Straight bracket - STD	Offset bracket ¹		K0108	\$200
SG03	☐	Carbon fiber side guards (removable)	Straight bracket - STD	Offset bracket ¹		K0108	\$305
SG06	☐	Plastic fender side guards (removable)	Straight bracket - STD	Offset bracket ¹			\$290
SG04	☐	Carbon fiber fender side guards (removable)	Straight bracket - STD	Offset bracket ¹		K0108	\$550
SG99	☐	Omit side guard					NC
1- only compatible with 0° camber;Increase width by 1/2" per side for a total of 1"							
POSITIONING BELT							
SB01-S	☐	Velcro adjustable - Small 35"			E0978		\$46
SB01-L	☐	Velcro adjustable - Long 60"			E0978		\$46
SB02-S	☐	Auto buckle - Small 35"			E0978		\$87
SB02-M	☐	Auto buckle - Medium 48"			E0978		\$87
SB02-L	☐	Auto buckle - Long 60"			E0978		\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"			E0978		\$85
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"			E0978		\$85
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"			E0978		\$180
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"			E0978		\$180
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"			E0978		\$180
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"			E0978		\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"			E0978		\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"			E0978		\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)					\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"			K0108		\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"			K0108		\$305
SB99	☐	Omit positioning belt					STD
HEADREST ¹							
AC01-S	☐	Profiled Headrest - Small (3.5"X6")			E0955		\$185
AC01-M	☐	Profiled Headrest - Medium (4.5"X7")			E0955		\$185
AC01-L	☐	Profiled Headrest - Large (5.5"X8")			E0955		\$185
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹			E1028		\$300

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

ACCESSORIES							
WC10	☐	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6" camber					\$36
AC03	☐	Anti-tippers				E0971	\$150
AC29	☐	Swing-away anti-tipper ¹	Left ☐	Right ☐			\$190
AC27	☐	Tip assist ²					\$67
AC06	☐	Cane and crutch holder	Left ☐	Right ☐		E2207	\$200
AC07	☐	Oxygen tank holder ⁴ - D and E Type - installed on the left				E2208	\$315
AC08	☐	Spoke guards (Clear) ³	Available: 20", 22", 24"			K0065	\$118
AC41	☐	Tray				E0950	\$295
AC09	☐	Footrest neoprene impact guard (pair) - Black				K0108	\$92
AC10	☐	Seat pouch					\$82
AC30	☐	Newton multi-purpose pouch					\$61
AC26	☐	BodyPoint Mobility Bag					\$135
AC23	☐	Newton Backpack					\$130
AC12	☐	Velcro Closing Strap					\$57
AC13	☐	Tool kit					\$51


1- Must select the pair (left and right) with HD optionè Only available with rear seat to floor height between 13 1/2" and 19 3/4"
2- Cannot be combined with Anti Tippers

3- Not available with Mag wheels and Spinerigy; 4- Not compatible with swing away armrest or amputee axle plate and WC-19 transit tie-down; 5- See page 6 for the image selection;

Colors																						
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)		
																						
AirGrip	☐		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$110	
Frame ² (NC)		☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	TBD ⁵ 	
Footrest	☐ STD		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC	
FC99	☐	Custom Color	Specify PPG Paintit color:																	additional 10 days lead-time		\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;
2- with black hydroformed aluminum crossbrace
3- The frame color will be confirmed with the quote conversion into an order (in absence of selection, the color will be black)

Fork and Stem bolt combinations



Frame length chart

Frame length	Seat Depth						
	14"	15"	16"	17"	18"	19"	20"
STD							
+1							N/A
+2						N/A	N/A
-1	N/A						

Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater
Rear wheel: shall be 24 in and less

"T" or flip-back armrest only compatible with 0° camber
One arm drive: not compatible with "T"
One arm drive and flip-back armrest only available with 17 in depth frame

"T" or flip-back armrest may require to move the rear wheels outwards
Not compatible with wheel lock lever extension

Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
	16	1.0 to 2.75
	17+	1.0 to 3.25
22 in	18+	1.0 to 3.75
	16	1.0 to 2.0
	17	1.0 to 2.75
24 in	18+	1.0 to 3.75



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it’s a subtle tweak for comfort or mobility, or a fully reimaged component tailored to your unique needs, we’re here to support you.



Explore the EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The EVO Custom Request Form is the best place to start.

Notes :



FOLDING ON CHAIR – USA ORDER FORM

BioFit™ CUSHION  Use wheelchair configuration Or use this size: NXCABF _____ (W" x D")	WIDTH				
	12"	13"	14"	15"	16"
	12"	\$468	\$468	\$468	N/A
	13"				
	14"	\$468	\$468	\$468	
	15"		\$468	\$468	\$468
	16"		\$468	\$468	\$468
	17"	N/A		\$468	\$468
	18"	N/A		\$468	\$468
	19"	N/A		\$468	\$468
	20"	N/A		\$468	\$468

HCPCS CODE E2607

Option: Change cover for incontinent/infection control outer cover

N/C

Green boxes are stocked sizes; the red boxes require customization*; the N/A boxes are not available sizes.

*Customization (red boxes) is available with an upcharge of \$160.00 and has a 2 to 4 weeks additional lead time.

SEATING AND CUSHION ACCESSORIES

	MODEL #	Description	Fits Back Width	Retail	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6-43.2 cm) and 14"-18" deep (35.6-45.7 cm)	\$80	

HCPCS CODE E0992

THORACIC SHAPE	Optima™ THORACIC BACK SUPPORT HCPCS CODE: E2620							
	WIDTH	HEIGHT	MODEL # ALUMINUM	RETAIL	✓	Repl. cover & foam	Retail	✓
	14"	13"	NOACB1413	\$730		NIB-2193V	\$130	
	14"	16"	NOACB1416	\$730		NIB-2194V	\$130	
	15"	13"	NOACB1513	\$730		NIB-2197V	\$130	
	15"	16"	NOACB1516	\$730		NIB-2198V	\$130	
	16"	13"	NOACB1613	\$730		NIB-2201V	\$130	
	16"	16"	NOACB1616	\$730		NIB-2202V	\$130	
	16"	19"	NOACB1619	\$730		NIB-2203V	\$130	

	Optima Carbon™ THORACIC BACK SUPPORT CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb) HCPCS CODE: E2620							
	WIDTH	HEIGHT	MODEL # CARBON	RETAIL	✓	Repl. cover & foam	Retail	✓
	14"	13"	NOCFACB1413	\$972		NIB-2193V	\$130	
	14"	16"	NOCFACB1416	\$1,008		NIB-2194V	\$130	
	15"	13"	NOCFACB1513	\$972		NIB-2197V	\$130	
	15"	16"	NOCFACB1516	\$1,008		NIB-2198V	\$130	
	16"	13"	NOCFACB1613	\$972		NIB-2201V	\$130	
	16"	16"	NOCFACB1616	\$1,008		NIB-2202V	\$130	

THORACIC SHAPE	Optima™ DEEP THORACIC BACK SUPPORT HCPCS CODE: E2620							
	WIDTH	HEIGHT	MODEL # ALUMINUM	RETAIL	✓	Repl. cover & foam	Retail	✓
	14"	13"	NOPCB1413	\$730		NIB-2246V	\$130	
	14"	16"	NOPCB1416	\$730		NIB-2247V	\$130	
	15"	13"	NOPCB1513	\$730		NIB-2250V	\$130	
	15"	16"	NOPCB1516	\$730		NIB-2251V	\$130	
	16"	13"	NOPCB1613	\$730		NIB-2254V	\$130	
	16"	16"	NOPCB1616	\$730		NIB-2255V	\$130	
	16"	19"	NOPCB1619	\$730		NIB-2256V	\$130	

	Optima Carbon™ DEEP THORACIC BACK SUPPORT CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb) HCPCS CODE: E2620							
	WIDTH	HEIGHT	MODEL # CARBON	RETAIL	✓	Repl. cover & foam	Retail	✓
	14"	13"	NOCFPCB1413	\$1,066		NIB-2246V	\$130	
	14"	16"	NOCFPCB1416	\$1,108		NIB-2247V	\$130	
	15"	13"	NOCFPCB1513	\$1,066		NIB-2250V	\$130	
	15"	16"	NOCFPCB1516	\$1,108		NIB-2251V	\$130	
	16"	13"	NOCFPCB1613	\$1,066		NIB-2254V	\$130	
	16"	16"	NOCFPCB1616	\$1,108		NIB-2255V	\$130	

THORACIC SHAPE	Xtend™ LOW HEIGHT ADJUSTABLE THORACIC BACK SUPPORT HCPCS CODE: E2620							
	xtend™	WIDTH	HEIGHT	RETAIL	✓	Repl. cover & foam	Retail	✓
	NHAACB(L)1213/17	12"	13-17"	\$730		NIB-2148V	\$130	
	NHAACB(L)1413/17	14"	13-17"	\$730		NIB-2149V	\$130	
	NHAACB(L)1613/17	16"	13-17"	\$730		NIB-2150V	\$130	

PLEASE NOTE: Each back will fit widths up to 2" wider.

ALL PRICES QUOTED IN CAD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

BACK SUPPORT ACCESSORIES

	MODEL #	DESCRIPTION	FITS BACK WIDTH	RETAIL	QTY
	Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	\$205	
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	\$70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	\$70	

MultiFit™ HEAD SUPPORT – MULTI-ADJUSTABLE PADS

HCPCS CODE: E0955

	MODEL	Description	RETAIL	✓
	NIB-0784	10" x 5" Large Rectangular	\$205	
	NIB-0818	14" x 5" Extra-Large Rectangular	\$205	


MultiFit™ HEAD SUPPORT – FIXTURE

HCPCS CODE HARDWARE: E1033

	MODEL	Description	RETAIL	✓
	NIB-0747	Multi-Axis Hardware	\$150	
	NIB-0823	Head Support Receiver Bracket	\$60	

EXTRA COVERS

Extra Outer smartx3D Cover



Extra Outer Incontinent Cover



ITEM	WIDTH X DEPTH	RETAIL	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	NXCCBF _____ V	\$130	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	NXCCAF _____ V	\$130	

ALL PRICES QUOTED IN CAD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com