MOTION COMPOSITES
160 Armand-Majeau Sud
Saint-Roch-de-l'Achigan, QC, Canada J0K 3H0
T.+1-866-650-6555 F. +1-888-966-6555
quotes@motioncomposites.com
orders@motioncomposites.com
www.motioncomposites.com

6.8



# HELIO KIDS C
**ORDER FORM** - USA

**1- Purchasing information**

P.O. number:* Date:

Company Name:*

Purchasing contact:*

Phone:*

Email:*

Contact preference:* Phone ☐ Email ☐

Marked for:

**2- Dealer/Representative information**

Dealer/Representative:*

Phone:*

Email:*

Contact preference:* Phone ☐ Email ☐

**3- Shipping information**

Ship to:*

Name:

Address:

City: Province:

ZIP Code:

Phone:

** Required*

*MA080* ☐ *English Manual (STD)* *MA089* ☐ *Spanish manual*

*Taxes not included*

| MODEL WITHOUT TRANSIT *(165 LB WEIGHT CAPACITY)* | | | | USD |
|---|---|---|---|---|
| WC26-NTWU | ☐ | Ultralight Aluminum Folding Helio KIDS Wheelchair **NO TRANSIT, WITH UPHOLSTERY** | E1236 | **$2,595** |
| WC26-NTNU | ☐ | Ultralight Aluminum Folding Helio KIDS Wheelchair **NO TRANSIT, NO UPHOLSTERY** | E1238 | **$2,495** |

| MODEL WITH TRANSIT (165 LB WEIGHT CAPACITY) | | | | USD |
|---|---|---|---|---|
| WC26-WTWU | ☐ | Ultralight Aluminum Folding Helio KIDS Wheelchair **WITH TRANSIT, WITH UPHOLSTERY** | E1236 | **$2,945** |
| WC26-WTNU | ☐ | Ultralight Aluminum Folding Helio KIDS Wheelchair **WITH TRANSIT, NO UPHOLSTERY** | E1238 | **$2,845** |

*HCPCS codes are listed as submitted. Please note that certain sizes may correspond to additional HCPCS codes. For example, widths ranging from 15" to 18" may qualify under code K0005.*

| CARBON FIBER FRAME | | | |
|---|---|---|---|
| WC06 | ■ | **Carbon fiber frame:** side frames, symmetrical molded crossbrace and back canes made of ultralight carbon fiber | **$2,295** |

**Growth Kit included during the expected lifetime of the Helio Kids wheelchair[1]**
**The growth kit includes crossbraces, crossbrace links, seat sling, back upholstery, front riggings and footplates.**

| SEAT WIDTH [1] | | | | | | | |
|---|---|---|---|---|---|---|---|
| SW | ☐ | 12" ☐ | 13" ☐ | 14" ☐ | 15" ☐ | 16" ☐ | NC |

*1. Width Calculator*

*1- Expected lifetime is limited to 5 years from the original date of purchase to the first user only and is non-transferable. The Growth Kit is a program, independent of the product limited warranty.*

***↓ Caution: complete only one of the following two sections ↓***

| SEAT DEPTH *(Available with WC-19)* | | | |
|---|---|---|---|
| SD12 | ☐ | 12" Seat sling - frame of *14"* | NC |
| SD13 | ☐ | 13" Seat sling - frame of *14"* | NC |
| SD14 | ☐ | 14" Seat sling - frame of *14"* | NC |
| SD15 | ☐ | 15" Seat sling - frame of *15"* | NC |
| SD16 | ☐ | 16" Seat sling - frame of *16"* | NC |

| FIXED BACK CANE *(MUST select ONE push handle options)* | | | | |
|---|---|---|---|---|
| BC11-1215 | ☐ | Aluminium straight back cane (90°) | 12 - 15" | NC |
| BC11-1518 | ☐ | Aluminium straight back cane (90°) | 15 - 18" | NC |
| BC11-1821 | ☐ | Aluminium straight back cane (90°) - *STD* | 18 - 21" | NC |
| BC12-1315 | ☐ | Aluminum back cane 8° bend | 13.5 - 15" | NC |
| BC12-1518 | ☐ | Aluminum back cane 8° bend | 15 - 18" | NC |
| BC12-1821 | ☐ | Aluminum back cane 8° bend -*STD* | 18 - 21" | NC |

**Specify height:** [5] *measured from seat sling to top of back upholstery*

| ANGLE ADJUSTABLE BACK CANE *(MUST select ONE push handle options)* | | | | |
|---|---|---|---|---|
| BC13-1518 | ☐ | Aluminium straight back cane (90°) | 15 - 18" | NC |
| BC13-1821 | ☐ | Aluminium straight back cane (90°) - *STD* | 18 - 21" | NC |
| BC14-1518 | ☐ | Aluminum back cane 8° bend | 15 - 18" | NC |
| BC14-1821 | ☐ | Aluminum back cane 8° bend -*STD* | 18 - 21" | NC |

Select angle for the back cane: 85° ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐


**Specify height :** [5]

*5- If notindicated, default height setting is at the lowest position*
*6- When the combination of the depth-adjustable back and the clamp on height-adjustable push handle is selected: NXT backrests are not compatible and when selected with locking flip-up armrest, a minimum height of 9.5" is required and it is not available with the slip on backrest*

| SEAT DEPTH- *Depth and angle adjustable* **(available with WC-19)** [3,6] | | | |
|---|---|---|---|
| SD14 | ☐ | 12" to 15" *(seat sling/frame 14")* | NC |
| SD15 | ☐ | 13" to 16" *(seat sling/frame 15")* | NC |
| SD16 | ☐ | 14" to 17" *(seat sling/frame 16")* | NC |
| SD17 | ☐ | 15" to 18" (*seat sling/frame 17"* ) | NC |
| SD18 | ☐ | 16" to 19" (*seat sling/frame 18"* ) | NC |

**Specify depth :** [4]

***3*** *- Maximum weight of 165 lb with a depth adjustable backrest*
***4*** *- If not indicated, the depth will be equal to the seat sling*




| DEPTH AND ANGLE ADJUSTABLE BACK CANE *(MUST select ONE push handle options)* | | | |
|---|---|---|---|
| BC15-912 | ☐ | Aluminium straight back cane *9 - 12"* | NC |
| BC15-1215 | ☐ | Aluminium straight back cane *12 - 15"* | NC |
| BC15-1518 | ☐ | Aluminium straight back cane *15 - 18"* | NC |
| BC15-1821 | ☐ | Aluminium straight back cane *18 - 21" STD* | NC |
| BC16-1215 | ☐ | Aluminum back cane 8° bend 12 - 15" | NC |
| BC16-1518 | ☐ | Aluminum back cane 8° bend 15 - 18" | NC |
| BC16-1821 | ☐ | Aluminum back cane 8° bend STD 18 - 21" | NC |

Select angle for the back cane: 90° ☐ 95° STD ☐ 100° ☐ 105° ☐

**Specify height :** [5]

| FRAME LENGTH [2] | | | | | |
|---|---|---|---|---|---|
| SP01 | ☐ | Standard frame length configuration *(Distance of 2 1/8" from end of seat upholstery to end of frame)* | | | STD |
| SP02 | ☐ | Frame length 1" longer than standard configuration | | | NC |
| SP03 | ☐ | Frame length 2" longer than standard configuration | | | NC |
| SP04 | ☐ | Frame length 1" shorter than standard configuration | | | NC |
| **TRANSIT TIE DOWN** | | | | | |
| AC35 | ☐ | WC-19 Transit Tie Down without belt [1] | | E1022 | $350 |

***1** - May interfere with clamp on height adjustable push handle;*

| PACKAGES | | | | |
|---|---|---|---|---|
| PK01 | ☐ | Includes: Carbon fiber angle adjustable footplates[3] + Newton Gravity Ultralight rear wheels | **Save $275** | $530 |
| VP01 | ☐ | Vision Package: *Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates* [2] | K0108 | $95 |

***2** - Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo ***VP01** ; Recommended with black chair; See picture of the product on page 6.* ***2** - see chart on page 7;* ***3** - The carbon fiber angle adjustable footplate is not available with 12" and 13" wide*

## Helio Kids FRONT Seat-to-floor Height - Please select your choice

| | | 3" caster | | | 4" caster | | | 5" caster | | | 6" caster | | | 7" caster | | | 8" caster | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Stem bolt Length | | | Stem bolt Length | | | Stem bolt Length | | | Stem bolt Length | | | Stem bolt Length | | | Stem bolt Length | | |
| **Forks / Position** | | **STD** | **+1"** | **+2"** | **STD** | **+1"** | **+2"** | **STD** | **+1"** | **+2"** | **STD** | **+1"** | **+2"** | **STD** | **+1"** | **+2"** | **STD** | **+1"** | **+2"** |
| 4" | P1 | 13" ☐ | 14" ☐ | 15" ☐ | 13 1/2" ☐ | 14 1/2" ☐ | 15 1/2" ☐ | | | | | | | | | | | | |
| | P2 | 13 1/2" ☐ | 14 1/2" ☐ | 15 1/2" ☐ | 14" ☐ | 15" ☐ | 16" ☐ | 14 1/2" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | | | | | | | | | |
| 5" | P1 | | | | | | | | | | | | | | | | | | |
| | P2 | | | | 14" ☐ | 15" ☐ | 16" ☐ | 14 1/2" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | | | | | | | | | |
| | P3 | 14" ☐ | 15" ☐ | 16" ☐ | 14 1/2" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | 15" ☐ | 16" ☐ | 17" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | 17 1/2" ☐ | | | | | | |
| | P4 | 14 1/2" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | 15" ☐ | 16" ☐ | 17" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | 17 1/2" ☐ | 16" ☐ | 17" ☐ | 18" ☐ | 16 1/2" ☐ | 17 1/2" ☐ | 18 1/2" ☐ | | | |
| 7" | P1 | | | | | | | | | | 16 1/2" ☐ | 17 1/2" ☐ | 18 1/2" ☐ | 17" ☐ | 18" ☐ | 19" ☐ | | | |
| | P2 | | | | | | | 16 1/2" ☐ | 17 1/2" ☐ | 18 1/2" ☐ | 17" ☐ | 18" ☐ | 19" ☐ | 17 1/2" ☐ | 18 1/2" ☐ | 19 1/2" ☐ | | | |
| | P3 | | | | | | | 17" ☐ | 18" ☐ | 19" ☐ | 17 1/2" ☐ | 18 1/2" ☐ | 19 1/2" ☐ | 18" ☐ | 19" ☐ | 20" ☐ | 18 1/2" ☐ | 19 1/2" ☐ | 20 1/2" ☐ |
| | P4 | 16 1/2" ☐ | 17 1/2" ☐ | 18 1/2" ☐ | 17" ☐ | 18" ☐ | 19" ☐ | 17 1/2" ☐ | 18 1/2" ☐ | 19 1/2" ☐ | 18" ☐ | 19" ☐ | 20" ☐ | 18 1/2" ☐ | 19 1/2" ☐ | 20 1/2" ☐ | 19" ☐ | 20" ☐ | 21" ☐ |
| | P5 | 17" ☐ | 18" ☐ | 19" ☐ | 17 1/2" ☐ | 18 1/2" ☐ | 19 1/2" ☐ | 18" ☐ | 19" ☐ | 20" ☐ | 18 1/2" ☐ | 19 1/2" ☐ | 20 1/2" ☐ | 19" ☐ | 20" ☐ | 21" ☐ | 19 1/2" ☐ | 20 1/2" ☐ | 21 1/2" ☐ |
| Froglegs | P1 | | | | 14 1/2" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | | | | | | | | | | | | |
| | P2 | 14 1/2" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | 15" ☐ | 16" ☐ | 17" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | 17 1/2" ☐ | | | | | | | | | |
| | P3 | 15" ☐ | 16" ☐ | 17" ☐ | 15 1/2" ☐ | 16 1/2" ☐ | 17 1/2" ☐ | 16" ☐ | 17" ☐ | 18" ☐ | 16 1/2" ☐ | 17 1/2" ☐ | 18 1/2" ☐ | | | | | | |

*Height available +- 1/4" (see stem bolt and fork combination at the end of the order form)*

## FRONT CASTERS

| CASTERS | | | | Available | | |
|---|---|---|---|---|---|---|
| CA01-03 to CA01-08 | ☐ | Composite wheel w/ PU tire (1") | | 3", 4", 5", 6", 7", 8" | | NC |
| CA10 to CA11 | ☐ | Pneumatic casters (1 ¼") | | 6", 8" | E2214/E2215 | $165 |
| CA14 to CA16 | ☐ | Newton UltraCaster Composite (1 ½ ") | | 4", 5", 6" | | $95 |
| CA17 to CA19 | ☐ | Newton UltraCaster Aluminum (1 ½ ") | | 4", 5", 6" | | $215 |
| **CASTER OPTIONS** | | | | | | |
| CA12 | ☐ | Caster Pin Locks *(Available with +1" or +2" Stem bolt ONLY)* [1] | | | K0073 | $300 |
| CA13 | ☐ | Carbon fiber Frog Legs suspension forks (Not available with caster pin locks) | | | E1015 | $490 |

***1-** Not available with WC-19*

## KIDS REAR Seat-to-floor Height

| WHEEL SIZES | | Height available | | | |
|---|---|---|---|---|---|
| ☐ | 20" (451) wheel | 12 1/2 | to | 17 1/4 | **Specify desired height:** |
| ☐ | 22" (501) wheel | 13 1/2 | to | 18 1/4 | |
| ☐ | 24" (540) wheel | 14 1/2 | to | 19 1/4 | |

*Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"*

## REAR WHEELS

| | | | | | |
|---|---|---|---|---|---|
| **ONE ARM DRIVE** [1] *Only available with Newton One rear wheels, permanent axles, 0° camber* | | | | | |
| HR22 | ☐ | One arm drive - aluminum inner handrim [2] Left ☐ Right ☐ | | E0958 | $1,495 |
| HR60 | ☐ | One arm drive - plastic coated inner handrim [2] Left ☐ Right ☐ | | E0958 | $1,600 |
| HR98 | ☐ | Omit handrim on opposite side of the One Arm Drive (OAD) | | | NC |
| **REAR WHEELS** | | | Available | | |
| RW01 | ☐ | Mag [3] | 20", 22" 24" | | $57 |
| RW02 | ☐ | Newton One - spoke wheel | 20", 22" 24" | | NC |
| RW03 | ☐ | Newton Gravity - ultralight wheel | 20", 22", 24" | | $360 |
| RW04 | ☐ | Spinergy Spox **Blk STD** ☐ Wht [5] ☐ Blue [5] ☐ Red [5] ☐ Yel [5] ☐ | 22", 24" | | $915 |
| RW05 | ☐ | Spinergy LX **Blk STD** ☐ Pur [5] ☐ Wht [5] ☐ Blue [5] ☐ Red [5] ☐ Yel [5] ☐ Pink [5] ☐ Grn [5] ☐ Org [5] ☐ | 22", 24" | | $1,145 |
| RW07 | ☐ | Spinergy CLX [4] **Blk STD** ☐ Pur [5] ☐ Wht [5] ☐ Blue [5] ☐ Red [5] ☐ Yel [5] ☐ Pink [5] ☐ Grn [5] ☐ Org [5] ☐ | 24" | | $1,625 |
| **TIRES** ***(The brand and color may vary depending on parts availability)*** | | | Available | | |
| | | **AIRLESS** | | | |
| TI01 | ☐ | Soft Urethane 1 3/8" - Low Tread, black | 20", 22" 24" | E2218 | STD |
| TI02 | ☐ | Soft Urethane 1 3/8 " - Medium Tread, black [7] | 22", 24" | E2218 | $97 |
| TI13 | ☐ | Soft Urethane 1" - No tread, black - *Sentinel* | 20", 22", 24" | E2218 | $118 |
| TI08 | ☐ | Pneumatic Airless insert 1 3/8" - Medium Tread [8] | 22", 24" | E2211/E2213 | $95 |
| | | **PNEUMATIC** | | | |
| TI05 | ☐ | Pneumatic 1 3/8" - Medium Tread | 20", 22", 24" | E2211/E2212 | NC |
| TI06 | ☐ | Pneumatic HP 1" - Low Tread, Puncture resistant, black - *SpeedLite* | 20", 22", 24" | E2211/E2212 | $105 |
| TI07 | ☐ | Pneumatic HP 1" - Medium Tread, Puncture resistant, black - *TrailBlazer* | 24" | E2211/E2212 | $150 |
| TI03 | ☐ | Pneumatic 2" - Large Tread, black [9] | 22", 24" | E2211/E2212 | $115 |

***1-*** *Offered with handrims on each side of the wheelchair; Select outer handrim in the handrims section; Only available with 24" wheel size;* ***2-*** *Only standard handrim position available*

***3-*** *Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position;* ***4-*** *Only available with 1" tires;* ***5-*** *Colour spokes require an additionnal 10 days lead-time;*

***7*** *- The 22" is only available with Mags, Newton One and Newton Gravity rear wheels;* ***8-*** *Not available with Spinergy CLX;* ***9-*** *Not available with armrests when the 3° or 6° camber are selected;*

## HANDRIMS

| | | | | | |
|---|---|---|---|---|---|
| **HANDRIM** | | | Available | | |
| HR01 | ☐ | Aluminum anodized | 20", 22", 24" | | STD |
| HR61 | ☐ | Aluminum black hard anodized [2] | 20", 22", 24" | | $75 |
| HR02 | ☐ | Plastic coated [1] | 20", 22", 24" | | $110 |
| HR03 | ☐ | High friction coated [1,2, 3] | 22", 24" | | $375 |
| HR07-HR18 and HR65-HR71 | ☐ | Newton Air Grip [2] *See on page 6 for color choice* | 20", 22", 24" | | $110 |
| HR28 | ☐ | Surge [1,2,3,4] *(1 1/2" Oval handrim w/ Gripton high friction strip)* | 22", 24" | | $450 |
| HR05 | ☐ | Surge LT [1,2,3,4] *(1 1/8" Oval handrim w/ Gripton high friction strip)* | 22", 24" | | $495 |
| HR04 | ☐ | Natural Fit [1,2,3,4] | 22", 24" | | $395 |
| HR62 | ☐ | Simi H [1,2,3] *(1 3/8" Oval handrim with high friction strip)* | 22", 24" | | $395 |
| HR63 | ☐ | Nova H [1,2,3] *(1 1/4" Oval handrim with high friction strip)* | 22", 24" | | $445 |
| HR64 | ☐ | Optimum H [1,2,3] *(1 1/8" heart-shaped handrim)* | 22", 24" | | $345 |
| HR99 | ☐ | Omit handrim | | | NC |

***1-*** *Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position;* ***2-*** *Not available with Mag wheels;* ***3*** *- Not available with one arm drive;*

*4- 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece*

## HANDRIMS OPTION

| | | | | | |
|---|---|---|---|---|---|
| **ASSEMBLY POSITION** | | | | | |
| HR29 | ☐ | Standard Handrim position *Full tab* | | | STD |
| HR030 | ☐ | Narrow Handrim position no cut[6] *Full tab* | | | NC |
| HR30 | ☐ | Narrow Handrim position with cut [5] *Short tab 2 positions* | | | $30 |
| HR31 | ☐ | Super Narrow Handrim [5] *Short tab 2 positions STD* ☐ *Short tab 1 position* [6] ☐ | | | $30 |
| **THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS** | | | | | |
| HR23 | ☐ | Standard grip | | | $95 |
| HR27 | ☐ | Super grip | | | $150 |
| HR099 | ☐ | Omit thumb piece | | | NC |


***5*** *- Only available with Aluminum and Air Grip handrims; 6- Not available with the combination of 24" Newton Gravity, Spinergy Spox, LX, wheels and a 1 3/8" Airless insert pneumatic tire with any handrim;*

| | | | | | |
|---|---|---|---|---|---|
| **AXLE** [1] | | | | | |
| AX01 | ☐ | Quick release axle | | | STD |
| AX02 | ☐ | Permanent axle | | | NC |
| AX03 | ☐ | Quad release axle | | K0108 | $130 |
| **AXLE PLATE** | | | | | |
| AX04 | ☐ | Amputee adjustable axle plate [2] | | E0959 | $205 |

***1-*** *Not required with one arm drive;* ***2*** *- May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down and the swing away anti-tipper*

| | | | | | |
|---|---|---|---|---|---|
| **REAR WHEEL CAMBER** | | | | | |
| CM00 | ☐ | 0° camber | | | STD |
| CM03 | ☐ | 3° camber | | | NC |
| CM06 | ☐ | 6° camber *(not available with amputee axle plate)* | | | $165 |

## CENTER OF GRAVITY




**Choose position of rear wheel axle plate:**

Measure distance X from front of back post to center of axle receiver.

X =

| Most stable | | | | | | | | | | | | Most responsive |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AMPUTEE[1] ☐ | **1"** ☐ | 1/4" ☐ | 1/2" ☐ | 3/4" ☐ | **2"** ☐ | 1/4" ☐ | 1/2" ☐ | 3/4" ☐ | **3"** ☐ | 1/4" ☐ | 1/2" ☐ | 3/4" ☐ | **4"** ☐ |

***If not indicated, default setting is at 1.5"***

*Possible conflict between a seat depth under 16" and a center of gravity over 2.5".*

*Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG*

*1-Only available with the amputee axle plate*

| WHEEL LOCK | | | | | |
|---|---|---|---|---|---|
| WL08 | ☐ | Newton Wheel lock - push to lock | | | STD |
| WL02 | ☐ | Pull to lock | | | NC |
| WL04 | ☐ | Newton grade aid push to lock *(works best with pneumatic or high pressure tire)* | | E0974 | $155 |
| WL13<br>WL14 | ☐ | 6" removable extension handle [1] *VP01 | | E0961 | $77 |
| WL05 | ☐ | Scissors Lock | | | $155 |
| WL06 | ☐ | Attendant Lock *(additional set of wheel lock mounted to the back)* | | | $215 |
| WL15 | ☐ | Unilateral wheel lock - pull to lock[2] Left ☐ Right ☐ | | | $330 |
| WL99 | ☐ | Omit wheel locks | | | NC |

*1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04); Only the extension for the Newton push to lock is available with the vision package (VP01)*

*2- For more information about incompatibilties and restriction, refer to the table at page 7 and the "How-to documents" page of our website:*

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

## FOOTREST

| SWING-IN/SWING-OUT FOOTREST | | | | | | |
|---|---|---|---|---|---|---|
| FR03-01 | ☐ | 60° Swing-in/swing-out footrest - 13.5" - 17" | | Set at*: | | NC |
| FR03-02 | ☐ | 60° Swing-in/swing-out footrest - 14.5" - 19.5" | | Set at*: | | NC |
| FR03-03 | ☐ | 60° Swing-in/swing-out footrest - 15.5" - 20.5" | | Set at*: | | NC |
| FR04-01 | ☐ | 70° Swing-in/swing-out footrest - 13.5" - 17" | | Set at*: | | NC |
| FR04-02 | ☐ | 70° Swing-in/swing-out footrest - 14.5" - 19.5" | | Set at*: | | NC |
| FR04-03 | ☐ | 70° Swing-in/swing-out footrest - 15.5" - 20.5" | | Set at*: | | NC |
| FR15-01 | ☐ | 80° Swing-in/swing-out footrest - 13.5" - 16" [5] | | Set at*: | | NC |
| FR15-02 | ☐ | 80° Swing-in/swing-out footrest - 14.5" - 19.5" [5] | | Set at*: | | NC |
| FR15-03 | ☐ | 80° Swing-in/swing-out footrest - 15.5" - 20.5" [5] | | Set at*: | | NC |
| FR06 | ☐ | 90° swing-in/swing-out with front mount - Standard (no extension) [1] | 7.5" - 11" | Set at*: | | NC |
| FR07 | ☐ | 90° swing-in/swing-out with front mount - Short extension 2" [1, 2] | 9.5"- 13" | Set at*: | | NC |
| FR08 | ☐ | 90° swing-in/swing-out with front mount - Medium extension 4" [1, 2] | 9.5" - 14.5" | Set at*: | | NC |
| **FOOTREST OPTIONS** | | | | | | |
| FR09 | ☐ | High mount *(footplate attached to the hanger with clamps)* [3] | 5" - 13.5" | Set at*: | | $85 |
| FR10 | ☐ | Elevating legrest with calf pad, Length adjustable [4] Left ☐ Right ☐ | 14" - 22" | Set at: | E0990 | $245 |
| FR99 | ☐ | Omit Footrest | | | | NC |

***1-** Available only with two piece adjustable footplates; **2-** May interfere with front casters; **3-** Not available with front mount and the elevating legrest; * + or - 1/2"*

***4-** The elevating legrest replace the footrest side selected; Not compatible with seat width of 12" and 13" and one piece footplate; **5-** Not available with 8" caster*

| FOOTPLATES | | | | | |
|---|---|---|---|---|---|
| FP01 | ☐ | Standard - Composite[1] | | | STD |
| FP02 | ☐ | Newton adjustable angle - Composite *VP01 | | K0040 | $215 |
| FP03 | ☐ | Newton adjustable angle - Aluminum[2] | | K0040 | $235 |
| FP04 | ☐ | Newton adjustable angle - Carbon fiber *(with rubber inserts)* | | | $445 |
| FP23 | ☐ | Newton adjustable angle extra deep - Aluminum | | K0040 | $235 |
| FP06 | ☐ | One piece adjustable angle flip-up - Aluminum | | K0040 | $195 |
| FP07 | ☐ | One piece adjustable angle flip-up - Carbon fiber *(with rubber inserts)* | | | $465 |
| **FOOTPLATE ACCESSORIES** | | | | | |
| FP08 | ☐ | Length adjustable heel loop *(not available with one piece footplate)* | | E0951 | $41 |
| FP09 | ☐ | Calf strap | | K0038 | $39 |
| FP30 | ☐ | Bodypoint Aeromesh Padded calf strap | | K0038 | $118 |

***1-** Not available with front mount; **2** - The Newton adjustable angle (Aluminum) is the only available option with a 12 and 13" wide frame*

| SWING AWAY RESIDUAL LIMB SUPPORT | | | | | | |
|---|---|---|---|---|---|---|
| FR27 | ☐ | Residual limb support - flat 6"x8" | Left ☐ | Right ☐ | E1020 | $420 |
| FR28 | ☐ | Residual limb support - flat 8"x10" | Left ☐ | Right ☐ | E1020 | $420 |
| FR29 | ☐ | Residual limb support - flat 10"x10" | Left ☐ | Right ☐ | E1020 | $420 |
| FR30 | ☐ | Residual limb support - flat 10"x14" | Left ☐ | Right ☐ | E1020 | $420 |
| FR32 | ☐ | Residual limb support - contour 6"x8" | Left ☐ | Right ☐ | E1020 | $420 |
| FR33 | ☐ | Residual limb support - contour 8"x10" | Left ☐ | Right ☐ | E1020 | $420 |

## SEATING AND PUSH HANDLES

| | | | | | |
|---|---|---|---|---|---|
| **BACK UPHOLSTERY** | | | | | |
| BH05 | ☐ | Slip-on Nylon back upholstery [1] | | | STD |
| BH08 | ☐ | Adjustable tension Active-Mesh back upholstery | | E2611/E2612 | $305 |
| BH99 | ☐ | Omit Back upholstery | | | NC |
| | ☐ | NXT back Support | | See price list | |
| *1- Not available if the base price "Without upholstery" is selected* | | | | | |
| **SEAT CUSHION** | | | | | |
| SC01 | ☐ | 2" Cushion | | | $170 |
| SC02 | ☐ | 3" Cushion | | E2601/E2602 | $190 |
| SC99 | ☐ | Omit seat cushion | | | STD |
| | ☐ | NXT cushion | | See price list | |
| **PUSH HANDLES OPTIONS** *(ONE option at a time)* | | | | | |
| PH01 | ☐ | Push handles | | | STD |
| PH05 | ☐ | Fold down push handles [1] | | | $145 |
| PH06-920 | ☐ | Clamp on height adjustable push handles 9" - 20" [1,2] | | | $325 |
| PH06-923 | ☐ | Clamp on height adjustable push handles 9" - 23" [1,2] | | | $325 |
| PH02 | ☐ | Omit push handles | | | NC |
| **STROLLER HANDLE AND STABILIZER BAR** *(only available with push handle)* | | | | | |
| PH04 | ☐ | Stroller handle | | K0108 | $165 |
| PH03 | ☐ | Newton folding stabilizer bar *(not available with stroller handle)* | | | $270 |

***1-** Not compatible with stroller handle, stabilizer bar, headrest and attendant lock; **2-** Not compatible with 8° bend back canes and amputee axle plates*

## ARMRESTS

| | | | | | |
|---|---|---|---|---|---|
| **HEIGHT ADJUSTABLE "T" ARMREST [1] *VP01** | | | | | |
| AR13-610 | ☐ | 10" Desk length armpad [4] 6" - 10" | | E0973 | $330 |
| AR03-812 | ☐ | 10" Desk length armpad 8" - 12" | | E0973 | $330 |
| AR03-1014 | ☐ | 10" Desk length armpad 10" - 14" | | E0973 | $330 |
| AR14-610 | ☐ | 14" Full length armpad [4] 6" - 10" | | E0973 | $330 |
| AR04-812 | ☐ | 14" Full length armpad 8" - 12" | | E0973 | $330 |
| AR04-1014 | ☐ | 14" Full length armpad 10" - 14" | | E0973 | $330 |
| **LOCKING FLIP-UP ARMREST [2,5]** | | | | | |
| AR07 | ☐ | Locking Flip-Up Armrest | | E0950 | $335 |
| **ARMREST OPTIONS** | | | | | |
| AR12 | ☐ | 14'' Full Length armpad - Gel Ovation (pair) [3] | | | $165 |
| | | | | | |
| AR99 | ☐ | Omit armrest | | | NC |

***1-** May have 1/2" adjustment restriction on both limits of the range; 2- May interfere with rigid back hardware; Only available with 18"-21" straight aluminum back canes; Not available with back upholstery; **3-** Not available with locking flip-up armrest and short "T" armrest; **4-** May havesome restriction with seat-to-floor height and rear wheel; 5- Not available with the tray*

## ACCESSORIES

| | | | | | | |
|---|---|---|---|---|---|---|
| **SIDE GUARDS** *(not available with "T" Armrest)* | | | | | | |
| SG01 | ☐ | Plastic side guards *(removable)* | Straight bracket - STD ☐ | Offset bracket[1] ☐ | K0108 | $200 |
| SG03 | ☐ | Carbon fiber side guards *(removable)* | Straight bracket - STD ☐ | Offset bracket[1] ☐ | K0108 | $305 |
| SG06 | ☐ | Plastic fender side guards *(removable)* | Straight bracket - STD ☐ | Offset bracket[1] ☐ | | $290 |
| SG04 | ☐ | Carbon fiber fender side guards *(removable)* | Straight bracket - STD ☐ | Offset bracket[1] ☐ | K0108 | $550 |
| SG99 | ☐ | Omit side guard | | | | NC |

***1-** only compatible with 0° camber;Increase width by 1/2" per side for a total of 1"*

| | | | | |
|---|---|---|---|---|
| **POSITIONING BELT** | | | | |
| SB01-S | ☐ | Velcro adjustable - **Small 35"** | E0978 | $46 |
| SB01-L | ☐ | Velcro adjustable - **Long 60"** | E0978 | $46 |
| SB02-S | ☐ | Auto buckle - **Small 35"** | E0978 | $87 |
| SB02-M | ☐ | Auto buckle - **Medium 48"** | E0978 | $87 |
| SB02-L | ☐ | Auto buckle - **Long 60"** | E0978 | $87 |
| SB04-M | ☐ | BodyPoint Hip Belt - 2 point not padded - **Medium 56"** | E0978 | $85 |
| SB04-L | ☐ | BodyPoint Hip Belt - 2 point not padded - **Long 61"** | E0978 | $85 |
| SB05-S | ☐ | BodyPoint Hip Belt - 2 point padded - **Small 51"** | E0978 | $180 |
| SB05-M | ☐ | BodyPoint Hip Belt - 2 point padded - **Medium 56"** | E0978 | $180 |
| SB05-L | ☐ | BodyPoint Hip Belt - 2 point padded - **Long 61"** | E0978 | $180 |
| SB06-S | ☐ | BodyPoint Hip Belt - 4 point padded - **Small 51"** | E0978 | $195 |
| SB06-M | ☐ | BodyPoint Hip Belt - 4 point padded - **Medium 56"** | E0978 | $195 |
| SB06-L | ☐ | BodyPoint Hip Belt - 4 point padded - **Long 61"** | E0978 | $195 |
| SB03 | ☐ | Hardware attachment for 2 extra points (1 pair) | | $17 |
| SB08-M | ☐ | BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - **Medium 18"** | K0108 | $305 |
| SB08-L | ☐ | BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - **Long 24"** | K0108 | $305 |
| SB99 | ☐ | Omit positioning belt | | STD |

| | | | | |
|---|---|---|---|---|
| **HEADREST [1]** | | | | |
| AC01-S | ☐ | Small contoured head support pad (9"x5") | E0955 | $185 |
| AC01-M | ☐ | Large rectangular head support pad (10"x5") | E0955 | $185 |
| AC01-L | ☐ | XL rectangular head support pad (14"x5") | E0955 | $185 |
| AC28 | ☐ | Headrest mounting hardware with removable non folding stabilizer bar [1] | E1028 | $300 |

***1-** Only available with push handles - Not available with a stroller handle or a folding stabilizer bar*

| ACCESSORIES | | | | | |
|---|---|---|---|---|---|
| WC10 | ☐ | E-Motion adaptor Kit *(2 adaptors)* - *Only necessary with 6° camber* | | | $36 |
| AC03 | ☐ | Anti-tippers | | E0971 | $150 |
| AC29 | ☐ | Swing-away anti-tipper[1] Left ☐ Right ☐ | | | $190 |
| AC27 | ☐ | Tip assist [2] | | | $67 |
| AC06 | ☐ | Cane and crutch holder Left ☐ Right ☐ | | E2207 | $200 |
| AC07 | ☐ | Oxygen tank holder [4] - D and E Type - installed on the left | | E2208 | $315 |
| AC08 | ☐ | Spoke guards (Clear) [3] Available: 20", 22", 24" | | K0065 | $118 |
| AC41 | ☐ | Tray | | E0950 | $295 |
| AC09 | ☐ | Footrest neoprene impact guard *(pair)* - Black | | K0108 | $92 |
| AC10 | ☐ | Seat pouch | | | $82 |
| AC30 | ☐ | Newton multi-purpose pouch | | | $61 |
| AC26 | ☐ | BodyPoint Mobility Bag | | | $135 |
| AC23 | ☐ | Newton Backpack | | | $130 |
| AC12 | ☐ | Velcro Closing Strap | | | $57 |
| AC13 | ☐ | Tool kit | | | $51 |

***1-*** *Must select the pair (left and right) with HD optionè Only available with rear seat to floor height between 13 1/2" and 19 3/4"* ***2-*** *Cannot be combined with Anti Tippers*

***3-*** *Not available with Mag wheels and Spinergy;* ***4-*** *Not compatible with swing away armrest or amputee axle plate and WC-19 transit tie-down;* ***5*** *- See page 6 for the image selection;*

**Colors**


| Options [1] | Black | High Gloss Carbon Fiber | Sunkissed Orange | Burgundy | Sapphire Blue | Monster Green | Charcoal | Fuchsia | Steel Blue | Ferrari Red | Acid Green | Electric Purple | Caribbean Blue | White | Pink Pearl | Plum Purple | Sky Blue | Black Cherry | Khaki Green (matte) | Desert Sand (matte) | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AirGrip | ☐ | | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | $110 |
| Frame[2] (NC) | | ☐ STD | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | TBD[5] ☐ |
| Footrest | ☐ STD | | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | ☐ | NC |
| FC99 | ☐ | Custom Color | Specify PPG Paintit color: | | | | | | | | | | | | | | | | | | $390 |

*additional 10 days lead-time*

***1-*** *Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;*

***2-*** *with black hydroformed aluminum crossbrace* ***3-*** *The frame color will be confirmed with the quote conversion into an order (in absence of selection, the color will be black)*

## Fork and Stem bolt combinations




## Frame length chart

| | Seat Depth | | | | | | |
|---|---|---|---|---|---|---|---|
| **Frame length** | **14"** | **15"** | **16"** | **17"** | **18"** | **19"** | **20"** |
| **STD** | | | | | | | |
| **+1** | | | | | | | *N/A* |
| **+2** | | | | | | *N/A* | *N/A* |
| **-1** | *N/A* | | | | | | |

## Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater
Rear wheel: shall be 24 in and less
"T" or flip-back armrest only compatible with 0° camber
One arm drive: not compatible with "T"
One arm drive and flip-back armrest only available with 17 in depth frame
"T" or flip-back armrest may require to move the rear wheels outwards
Not compatible with wheel lock lever extension

| Rear wheel diameter | Seat depth (in) | COG Compatibility Range (in) |
|---|---|---|
| 20 in | 16+ | 1.5 to 3.75 |
| 22 in | 16 | 1.0 to 2.75 |
| | 17+ | 1.0 to 3.25 |
| | 18+ | 1.0 to 3.75 |
| 24 in | 16 | 1.0 to 2.0 |
| | 17 | 1.0 to 2.75 |
| | 18+ | 1.0 to 3.75 |

EVO CUSTOM

## CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's subtle tweaks for comfort and mobility improvements or custom colors that make your accessories uniquely yours, we're here to support you.

Explore the **EVO Custom Catalog**.

You can include your request or reference an existing customization from our catalog in the notes section below.

**Notes :**

# FOLDING ON CHAIR – USA ORDER FORM

BioFit™ CUSHION



☐ Use wheelchair configuration

Or use this size:

NXCABF _____ (W" x D")

| DEPTH \ WIDTH | 12" | 13" | 14" | 15" | 16" |
|---|---|---|---|---|---|
| 12" | $468 | $468 | $468 | | N/A |
| 13" | | | | | |
| 14" | $468 | $468 | $468 | | |
| 15" | | $468 | $468 | $468 | $468 |
| 16" | | $468 | $468 | $468 | $468 |
| 17" | N/A | | | $468 | $468 |
| 18" | N/A | | | $468 | $468 |
| 19" | N/A | | | $468 | $468 |
| 20" | N/A | | | $468 | $468 |

HCPCS CODE E2607 — Option: Change cover for incontinent/infection control outer cover ☐ N/C

Green boxes are stocked sizes; the red boxes require customization*; the N/A boxes are not available sizes.
*Customization (red boxes) is available with an upcharge of $160.00 and has a 2 to 4 weeks additional lead time.

## SEATING AND CUSHION ACCESSORIES



HCPCS CODE E0992

| MODEL # | Description | Fits Back Width | Retail | QTY |
|---|---|---|---|---|
| RSSI 1600 | Solid Seat Insert | Fits cushions 16" & 17" wide (40.6-43.2 cm) and 14"-18" deep (35.6-45.7 cm) | $80 | |

## THORACIC SHAPE



### Optima™

THORACIC BACK SUPPORT
HCPCS CODE: E2620

| WIDTH | HEIGHT | MODEL # ALUMINUM | RETAIL | ✓ | Repl. cover & foam | Retail | ✓ |
|---|---|---|---|---|---|---|---|
| 14" | 13" | NOACB1413 | $730 | ☐ | NIB-2193V | $130 | ☐ |
| 14" | 16" | NOACB1416 | $730 | ☐ | NIB-2194V | $130 | ☐ |
| 15" | 13" | NOACB1513 | $730 | ☐ | NIB-2197V | $130 | ☐ |
| 15" | 16" | NOACB1516 | $730 | ☐ | NIB-2198V | $130 | ☐ |
| 16" | 13" | NOACB1613 | $730 | ☐ | NIB-2201V | $130 | ☐ |
| 16" | 16" | NOACB1616 | $730 | ☐ | NIB-2202V | $130 | ☐ |
| 16" | 19" | NOACB1619 | $730 | ☐ | NIB-2203V | $130 | ☐ |



### Optima Carbon™

THORACIC BACK SUPPORT
CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)
HCPCS CODE: E2620

| WIDTH | HEIGHT | MODEL # CARBON | RETAIL | ✓ | Repl. cover & | Retail | ✓ |
|---|---|---|---|---|---|---|---|
| 14" | 13" | NOCFACB1413 | $972 | ☐ | NIB-2193V | $130 | ☐ |
| 14" | 16" | NOCFACB1416 | $1,008 | ☐ | NIB-2194V | $130 | ☐ |
| 15" | 13" | NOCFACB1513 | $972 | ☐ | NIB-2197V | $130 | ☐ |
| 15" | 16" | NOCFACB1516 | $1,008 | ☐ | NIB-2198V | $130 | ☐ |
| 16" | 13" | NOCFACB1613 | $972 | ☐ | NIB-2201V | $130 | ☐ |
| 16" | 16" | NOCFACB1616 | $1,008 | ☐ | NIB-2202V | $130 | ☐ |

## THORACIC SHAPE



### Optima™ DEEP

THORACIC BACK SUPPORT
HCPCS CODE: E2620

| WIDTH | HEIGHT | MODEL # ALUMINUM | RETAIL | ✓ | Repl. cover & foam | Retail | ✓ |
|---|---|---|---|---|---|---|---|
| 14" | 13" | NOPCB1413 | $730 | ☐ | NIB-2246V | $130 | ☐ |
| 14" | 16" | NOPCB1416 | $730 | ☐ | NIB-2247V | $130 | ☐ |
| 15" | 13" | NOPCB1513 | $730 | ☐ | NIB-2250V | $130 | ☐ |
| 15" | 16" | NOPCB1516 | $730 | ☐ | NIB-2251V | $130 | ☐ |
| 16" | 13" | NOPCB1613 | $730 | ☐ | NIB-2254V | $130 | ☐ |
| 16" | 16" | NOPCB1616 | $730 | ☐ | NIB-2255V | $130 | ☐ |
| 16" | 19" | NOPCB1619 | $730 | ☐ | NIB-2256V | $130 | ☐ |



### Optima Carbon™ DEEP

THORACIC BACK SUPPORT
CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)
HCPCS CODE: E2620

| WIDTH | HEIGHT | MODEL # CARBON | RETAIL | ✓ | Repl. cover & | Retail | ✓ |
|---|---|---|---|---|---|---|---|
| 14" | 13" | NOCFPCB1413 | $1,066 | ☐ | NIB-2246V | $130 | ☐ |
| 14" | 16" | NOCFPCB1416 | $1,108 | ☐ | NIB-2247V | $130 | ☐ |
| 15" | 13" | NOCFPCB1513 | $1,066 | ☐ | NIB-2250V | $130 | ☐ |
| 15" | 16" | NOCFPCB1516 | $1,108 | ☐ | NIB-2251V | $130 | ☐ |
| 16" | 13" | NOCFPCB1613 | $1,066 | ☐ | NIB-2254V | $130 | ☐ |
| 16" | 16" | NOCFPCB1616 | $1,108 | ☐ | NIB-2255V | $130 | ☐ |

## THORACIC SHAPE



### Xtend™ LOW HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

HCPCS CODE: E2620

| xtend™ | WIDTH | HEIGHT | RETAIL | ✓ | Repl. cover & foam | Retail | ✓ |
|---|---|---|---|---|---|---|---|
| NHAACB(L)1213/17 | 12" | 13-17" | $730 | ☐ | NIB-2148V | $130 | ☐ |
| NHAACB(L)1413/17 | 14" | 13-17" | $730 | ☐ | NIB-2149V | $130 | ☐ |
| NHAACB(L)1613/17 | 16" | 13-17" | $730 | ☐ | NIB-2150V | $130 | ☐ |

**PLEASE NOTE: Each back will fit widths up to 2" wider.**

ALL PRICES QUOTED IN CAD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

## BACK SUPPORT ACCESSORIES



| MODEL # | DESCRIPTION | FITS BACK WIDTH | RETAIL | QTY |
|---|---|---|---|---|
| Custom - Cover | Optional Infection Control Wipe Down Back Support Cover | Specify back model # when ordering | **$205** | |
| NIB-1938 | Extra Small Privacy Flap for 11” - 13” wide back supports | 11” - 13” (27.9 - 33.0) | **$70** | |
| NIB-1078 | Small Privacy Flap for 14”-16” wide back supports | 14” - 16” (35.6-40.6 cm) | **$70** | |

## MultiFit™ HEAD SUPPORT – MULTI-ADJUSTABLE PADS

HCPCS CODE: E0955

| | MODEL | Description | RETAIL | ✓ |
|---|---|---|---|---|
|  | NIB-0784 | 10” x 5” Large Rectangular | **$205** | |
|  | NIB-0818 | 14” x 5” Extra-Large Rectangular | **$205** | |

## MultiFit™ HEAD SUPPORT – FIXTURE

HCPCS CODE HARDWARE: E1033

| | MODEL | Description | RETAIL | ✓ |
|---|---|---|---|---|
|  | NIB-0747 | Multi-Axis Hardware | **$150** | |
|  | NIB-0823 | Head Support Receiver Bracke | **$60** | |

## EXTRA COVERS

Extra Outer smartx3D Cover



Extra Outer Incontinent Cover



| ITEM | WIDTH X DEPTH | RETAIL | QTY |
|---|---|---|---|
| Extra Outer smartx$^{3D}$ Cover – For a cover up to 18” x 18” | NXCCBF_____V | **$130** | |
| Extra Outer Incontinent Cover – For a cover up to 18” x 18” | NXCCAF_____V | **$130** | |

ALL PRICES QUOTED IN CAD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com