MOTION COMPOSITES
160 Armand-Majeau Sud
Saint-Roch-de-l'Achigan, QC, Canada J0K 3H0
T.+1-866-650-6555 F. +1-888-966-6555
quotes@motioncomposites.com
orders@motioncomposites.com
www.motioncomposites.com

6.6



Helio KIDS

ORDER FORM - AADL #W424

1- Purchasing information

P.O. number:* Date:

Company Name:*

Purchasing contact:*

Phone:*

Email:*

Contact preference:* Phone ☐ Email ☐

Marked for:

2- Dealer/Representative information

Dealer/Representative:*

Phone:*

Email:*

Contact preference:* Phone ☐ Email ☐

3- Shipping information

Ship to:*

Name:

Address:

City: Province:

Postal Code:

Phone:

** Required*

MA080 ☐ *English Manual (STD)* *MA081* ☐ *Manuel Français*

Taxes not included

MODEL					
WC06	☐	Ultralight Folding Carbon Fiber Helio KIDS Wheelchair **Including fixed seat depth OR depth adjustable back** *(175 lb weight capacity)*			**$4,495**

FREE Growth Kit within the first 5 years of the Helio KIDS wheelchair ownership

The growth kit includes carbon crossbraces, crossbrace links, seat sling, back upholstery, front riggings and footplates.

SEAT WIDTH [1]					
SW	☐	12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐			NC

1. Width Calculator

↓ Caution: complete only one of the following two sections ↓

SEAT DEPTH *(Available with WC-19)*			
SD12	☐	12" Seat sling - frame of *14"*	NC
SD13	☐	13" Seat sling - frame of *14"*	NC
SD14	☐	14" Seat sling - frame of *14"*	NC
SD15	☐	15" Seat sling - frame of *15"*	NC
SD16	☐	16" Seat sling - frame of *16"*	NC

FIXED BACK CANE *(MUST select ONE push handle options)*				
BC11-1215	☐	Aluminium straight back cane (90°)	12 - 15"	NC
BC11-1518	☐	Aluminium straight back cane (90°)	15 - 18"	NC
BC11-1821	☐	Aluminium straight back cane (90°) - *STD*	18 - 21"	NC
BC12-1315	☐	Aluminum back cane 8° bend	13.5 - 15"	NC
BC12-1518	☐	Aluminum back cane 8° bend	15 - 18"	NC
BC12-1821	☐	Aluminum back cane 8° bend -*STD*	18 - 21"	NC

Specify height: [5] *measured from seat sling to top of back upholstery*

ANGLE ADJUSTABLE BACK CANE *(MUST select ONE push handle options)*				
BC13-1518	☐	Aluminium straight back cane (90°)	15 - 18"	NC
BC13-1821	☐	Aluminium straight back cane (90°) - *STD*	18 - 21"	NC
BC14-1518	☐	Aluminum back cane 8° bend	15 - 18"	NC
BC14-1821	☐	Aluminum back cane 8° bend -*STD*	18 - 21"	NC

Select angle for the back cane: 85° ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐

Specify height : [5]

5- If notindicated, default height setting is at the lowest position


6- When the combination of the depth-adjustable back and the clamp on height-adjustable push handle is selected: NXT backrests are not compatible and when selected with locking flip-up armrest, a minimum height of 9.5" is required and it is not available with the slip on backrest

SEAT DEPTH- *Depth and angle adustable (Available with WC-19)* [3,6]			
SD14	☐	12" to 15" *(seat sling/frame 14")*	NC
SD15	☐	13" to 16" *(seat sling/frame 15")*	NC
SD16	☐	14" to 17" *(seat sling/frame 16")*	NC
SD17	☐	15" to 18" (*seat sling/frame 17"*)	NC
SD18	☐	16" to 19" (*seat sling/frame 18"*)	NC

Specify depth : [4]

3 *- Maximum weight of 175 lb with a depth adjustable backrest*

4 *- If not indicated, the depth will be equal to the seat sling*



DEPTH AND ANGLE ADJUSTABLE BACK CANE *(MUST select ONE push handle options)*			
BC15-912	☐	Aluminium straight back cane *9 - 12"*	NC
BC15-1215	☐	Aluminium straight back cane *12 - 15"*	NC
BC15-1518	☐	Aluminium straight back cane *15 - 18"*	NC
BC15-1821	☐	Aluminium straight back cane *18 - 21" STD*	NC
BC16-1215	☐	Aluminum back cane 8° bend 12 - 15"	NC
BC16-1518	☐	Aluminum back cane 8° bend 15 - 18"	NC
BC16-1821	☐	Aluminum back cane 8° bend STD 18 - 21"	NC

Select angle for the back cane: 90° ☐ 95° STD ☐ 100° ☐ 105° ☐

Specify height : [5]

TRANSIT TIE DOWN					
AC04	☐	Transit Tie Down *(Unoccupied)*			NC
AC35	☐	WC-19 Transit Tie Down without belt [6]	***Client cost***		$345

6- *Not available with depth adjustable back*

Helio Kids FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"												
	P2	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
5"	P1																		
	P2				14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
	P3	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"						
	P4	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	P1										16 1/2"	17 1/2"	18 1/2"	17"	18"	19"			
	P2							16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"			
	P3							17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"
	P4	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"
	P5	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"	19 1/2"	20 1/2"	21 1/2"

Height available +- 1/4" (see stem bolt and fork combination at the end of the order form)

FRONT CASTERS

CASTERS				Availability		
CA01-03 to CA01-08	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6", 7", 8"		NC
CA10 to CA11	☐	Pneumatic casters (1 ¼")		6", 8"		$170
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		$120
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"	A1*	$198
CASTER OPTIONS						
CA12	☐	Caster Pin Locks *(Available with +1" or +2" Stem bolt ONLY)* [1]			A1*	$275
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)			A1*	$525

***1-** Not available with WC-19*

**A1 is clients' responsibility for costs/A2 requires clinical justification*

KIDS REAR Seat-to-floor Height

	WHEEL SIZES	Height available	
☐	20" (451) wheel	12 1/2 to 17 1/4	**Specify desired height:** _____
☐	22" (501) wheel	13 1/2 to 18 1/4	
☐	24" (540) wheel	14 1/2 to 19 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

REAR WHEELS

ONE ARM DRIVE [1]		*Only available with Newton One rear wheels, permanent axles, 0° camber*						
HR22	☐	One arm drive - aluminum inner handrim [2]	24"	Left ☐	Right ☐		W105	$1,480
HR60	☐	One arm drive - plastic coated inner handrim [2]	24"	Left ☐	Right ☐		W105	$1,595
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)						NC
REAR WHEELS						Available		
RW01	☐	Mag [3]				20", 22" 24"		$150
RW02	☐	Newton One - spoke wheel [4]				20", 22" 24"		NC
RW03	☐	Newton Gravity - ultralight wheel				20", 22", 24"	A1*	$390
RW04	☐	Spinergy Spox	Blk STD ☐	Wht [5] ☐	Blue [5] ☐ Red [5] ☐ Yel [5] ☐	22", 24"	A1*	$915
RW05	☐	Spinergy LX	Blk STD ☐	Pur [5] ☐	Wht [5] ☐ Blue [5] ☐ Red [5] ☐ Yel [5] ☐ Pink [5] ☐ Grn [5] ☐ Org [5] ☐	22", 24"	A1*	$1,135
RW07	☐	Spinergy CLX [6]	Blk STD ☐	Pur [5] ☐	Wht [5] ☐ Blue [5] ☐ Red [5] ☐ Yel [5] ☐ Pink [5] ☐ Grn [5] ☐ Org [5] ☐	24"	A1*	$1,690
TIRES *(The brand and color may vary depending on parts availability)*						Available		
		AIRLESS						
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black				20", 22" 24"		STD
TI02	☐	Soft Urethane 1 3/8 " - Medium Tread, black [7]				22", 24"	A1*	$120
TI13	☐	Soft Urethane 1" - No tread, black - *Sentinel*				20", 22", 24"	A1*	$150
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread [8]				22", 24"	A1*	$235
		PNEUMATIC						
TI05	☐	Pneumatic 1 3/8" - Medium Tread				20", 22", 24"		SF
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - *SpeedLite*				20", 22", 24"	A1*	$130
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - *TrailBlazer*				24"	A1*	$210

***1-** Offered with handrims on each side of the wheelchair; Select outer handrim in the handrims section; **3-** Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position;*
***4-** Not compatible with Shox tires; **5-** Colour spokes require an additionnal 10 days lead-time; **6-** Only available with 1" tires; **7-** The 22" is only available with Mags, Newton One and Newton Gravity rear wheels;*
***8-** Not available with Spinergy CLX*

**A1 is clients' responsibility for costs/A2 requires clinical justification*

HANDRIMS

HANDRIM			Available		
HR01	☐	Aluminum anodized	20", 22", 24"		STD
HR61	☐	Aluminum black hard anodized [2]	20", 22", 24"	A1*	$95
HR02	☐	Plastic coated [1]	20", 22", 24"		$180
HR03	☐	High friction coated [1,2,3]	22", 24"	A1*	$460
HR07-HR18 and HR65-HR71	☐	Newton Air Grip [2] *See on page 6 for color choice and price*	20", 22", 24"		
HR28	☐	Surge [1,2,3] *(1 1/2" Oval handrim w/ Gripton high friction strip)*	22", 24"	A1*	$485
HR05	☐	Surge LT [1,2,3] *(1 1/8" Oval handrim w/ Gripton high friction strip)*	22", 24"	A1*	$515
HR04	☐	Natural Fit [1,2,3]	22", 24"	A1*	$320
HR62	☐	Simi H [1,2,3] *(1 3/8" Oval handrim with high friction strip)*	22", 24"	A1*	$485
HR63	☐	Nova H [1,2,3] *(1 1/4" Oval handrim with high friction strip)*	22", 24"	A1*	$515
HR64	☐	Optimum H [1,2,3] *(1 1/8" heart-shaped handrim)*	22", 24"	A1*	$320
HR99	☐	Omit handrim			NC

1- *Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position;* ***2-*** *Not available with Mag wheels;* ***3*** *- Not available with one arm drive;*

HANDRIMS OPTION

ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	*Full tab*			STD
HR030	☐	Narrow Handrim position no cut [4]	*Full tab*			NC
HR30	☐	Narrow Handrim position with cut [3]	*Short tab 2 positions*			$29
HR31	☐	Super Narrow Handrim [3]	*Short tab 2 positions STD* ☐	*Short tab 1 position* [4] ☐		$29
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip			A1*	$200
HR27	☐	Super grip			A1*	$230
HR099	☐	Omit thumb piece				NC


3 *- Only available with Aluminum and Air Grip handrims; 4- Not available with the combination of 24" Newton Gravity, Spinergy Spox, LX, wheels and a 1 3/8" Airless insert pneumatic tire with any handrim;*

AXLE [1]					
AX01	☐	Quick release axle			STD
AX02	☐	Permanent axle			NC
AX03	☐	Quad release axle		A2*	$180
AXLE PLATE					
AX04	☐	Amputee adjustable axle plate [2]		A2*	$280

1- *Not required with one arm drive;* ***2*** *- May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down and the swing away anti-tipper*

REAR WHEEL CAMBER					
CM00	☐	0° camber			STD
CM03	☐	3° camber			NC
CM06	☐	6° camber *(not available with amputee axle plate)*			$85

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

	Most stable												
X =	AMPUTEE [1] ☐	**1"** ☐	1/4" ☐	1/2" ☐	3/4" ☐	**2"** ☐	1/4" ☐	1/2" ☐	3/4" ☐	**3"** ☐	1/4" ☐	1/2" ☐	3/4" ☐	**4"** ☐

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16'' and a center of gravity over 2.5''.

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1-Only available with the amputee axle plate

WHEEL LOCK					
WL08	☐	Newton Wheel lock - push to lock			STD
WL02	☐	Pull to lock			NC
WL04	☐	Newton grade aid push to lock *(works best with pneumatic or high pressure tire)*		A2*	$200
WL13 WL14	☐	6" removable extension handle [1]			$75
WL05	☐	Scissors Lock		A1*	$200
WL06	☐	Attendant Lock *(additional set of wheel lock mounted to the back)*		A1*	$240
WL15	☐	Unilateral wheel lock - pull to lock [2]	Left ☐ Right ☐	A1*	$335
WL99	☐	Omit wheel locks			NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

**A1 is clients' responsibility for costs/A2 requires clinical justification*

2- For more information about incompatibilties and restriction, refer to the table at page 7 and the "How-to documents" page of our website:
https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

FOOTREST

SWING-IN/SWING-OUT FOOTREST						
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16" [5]		Set at: *		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5" [5]		Set at: *		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5" [5]		Set at: *		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) [1]	7.5" - 11"	Set at: *		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" [1, 2]	9.5"- 13"	Set at: *		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" [1, 2]	9.5" - 14.5"	Set at: *		NC
FOOTREST OPTIONS						
FR09	☐	High mount *(footplate attached to the hanger with clamps)* [3]	5" - 13.5"	Set at:*		$105
FR10	☐	Elevating legrest with calf pad, Length adjustable [4] Left ☐ Right ☐	14" - 22"	Set at:		$229
FR99	☐	Omit Footrest				NC

1- *Available only with two piece adjustable footplates;* ***2-*** *May interfere with front casters;* ***3-*** *Not available with front mount and the elevating legrest;* * + or - 1/2"

4- *The elevating legrest replace the footrest side selected; Not compatible with seat width of 12" and 13" and one piece footplate;* ***5-*** *Not available with 8" caster*

FOOTPLATES					
FP01	☐	Standard - Composite [1]			STD
FP02	☐	Newton adjustable angle - Composite			$155
FP03	☐	Newton adjustable angle - Aluminum [2]			$175
FP04	☐	Newton adjustable angle - Carbon fiber *(with rubber inserts)*			$395
FP23	☐	Newton adjustable angle extra deep - Aluminum			$175
FP06	☐	One piece adjustable angle flip-up - Aluminum			$215
FP07	☐	One piece adjustable angle flip-up - Carbon fiber *(with rubber inserts)*			$480
FOOTPLATE ACCESSORIES					
FP08	☐	Length adjustable heel loop *(not available with one piece footplate)*			NC
FP09	☐	Calf strap			$62
FP30	☐	Bodypoint Aeromesh Padded calf strap	***basic seating benefit***		$145

1- *Not available with front mount;* ***2*** *- The Newton adjustable angle (Aluminum) is the only available option with a 12 and 13" wide frame*

SWING AWAY RESIDUAL LIMB SUPPORT						
FR27	☐	Residual limb support - flat 6"x8"	Left ☐	Right ☐		$505
FR28	☐	Residual limb support - flat 8"x10"	Left ☐	Right ☐		$505
FR29	☐	Residual limb support - flat 10"x10"	Left ☐	Right ☐		$505
FR30	☐	Residual limb support - flat 10"x14"	Left ☐	Right ☐		$505
FR32	☐	Residual limb support - contour 6"x8"	Left ☐	Right ☐		$505
FR33	☐	Residual limb support - contour 8"x10"	Left ☐	Right ☐		$505

SEATING AND PUSH HANDLES

BACK UPHOLSTERY					
BH07	☐	Slip-on Active-Mesh back upholstery			NC
BH08	☐	Adjustable tension Active-Mesh back upholstery	***basic seating benefit***		$265
BH99	☐	Omit Back upholstery			STD
SEAT CUSHION					
SC01	☐	2" Cushion	***basic seating benefit***		$185
SC02	☐	3" Cushion	***basic seating benefit***		$205
SC99	☐	Omit seat cushion			STD
PUSH HANDLES OPTIONS *(ONE option at a time)*					
PH01	☐	Push handles			STD
PH05	☐	Fold down push handles [1]			$165
PH06-920	☐	Clamp on height adjustable push handles 9" - 20" [1,2]			$345
PH06-923	☐	Clamp on height adjustable push handles 9" - 23" [1,2]			$345
PH02	☐	Omit push handles			NC
STROLLER HANDLE AND STABILIZER BAR *(only available with push handle)*					
PH04	☐	Stroller handle			NC
PH03	☐	Newton folding stabilizer bar *(not available with stroller handle)*		**A1***	$275

1- *Not compatible with stroller handle, stabilizer bar, headrest and attendant lock;* ***2-*** *Not compatible with 8° bend back canes and amputee axle plates*

ARMRESTS

HEIGHT ADJUSTABLE "T" ARMREST [1]						
AR13-610	☐	10" Desk length armpad [4]	6" - 10"			$385
AR03-812	☐	10" Desk length armpad	8" - 12"			$385
AR03-1014	☐	10" Desk length armpad	10" - 14"			$385
AR14-610	☐	14" Full length armpad [4]	6" - 10"			$385
AR04-812	☐	14" Full length armpad	8" - 12"			$385
AR04-1014	☐	14" Full length armpad	10" - 14"			$385
LOCKING FLIP-UP ARMREST [2]						
AR07	☐	Locking Flip-Up Armrest				$350
ARMREST OPTIONS						
AR12	☐	14" Full Length armpad - Gel Ovation (pair) [3]				$160
AR99	☐	Omit armrest				NC

1- *May have 1/2" adjustment restriction on both limits of the range; 2- May interfere with rigid back hardware; Only available with 18"-21" straight aluminum back canes; Not available with back upholstery;*

3- *Not available with locking flip-up armrest and short "T" armrest;* ***4-*** *May have some restriction with seat-to-floor height and rear wheel*

ACCESSORIES

SIDE GUARDS *(not available with "T" Armrest)*							
SG01	☐	Plastic side guards *(removable)*	Straight bracket - STD ☐	Offset bracket[1] ☐			$235
SG03	☐	Carbon fiber side guards *(removable)*	Straight bracket - STD ☐	Offset bracket[1] ☐		A1*	$320
SG06	☐	Plastic fender side guards *(removable)*	Straight bracket - STD ☐	Offset bracket[1] ☐		A1*	$340
SG04	☐	Carbon fiber fender side guards *(removable)*	Straight bracket - STD ☐	Offset bracket[1] ☐		A1*	$535
SG99	☐	Omit side guard					NC

1- *only compatible with 0° camber; Increase distance between fender side guards by 1 1/8";*

POSITIONING BELT						
SB01-S	☐	Velcro adjustable - **Small 35"**				$50
SB01-L	☐	Velcro adjustable - **Long 60"**				$50
SB02-S	☐	Auto buckle - **Small 35"**				$22
SB02-M	☐	Auto buckle - **Medium 48"**				$22
SB02-L	☐	Auto buckle - **Long 60"**				$22
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - **Medium 56"**		***basic seating benefit***		$105
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - **Long 61"**		***basic seating benefit***		$105
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - **Small 51"**		***basic seating benefit***		$195
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - **Medium 56"**		***basic seating benefit***		$195
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - **Long 61"**		***basic seating benefit***		$195
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - **Small 51"**		***basic seating benefit***		$220
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - **Medium 56"**		***basic seating benefit***		$220
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - **Long 61"**		***basic seating benefit***		$220
SB03	☐	Hardware attachment for 2 extra points (1 pair)		***basic seating benefit***		$15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - **Medium 18"**		***basic seating benefit***		$365
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - **Long 24"**		***basic seating benefit***		$365
SB99	☐	Omit positioning belt				STD

HEADREST [1]						
AC01-S	☐	Small contoured head support pad (9"x5")		***basic seating benefit***		$215
AC01-M	☐	Large rectangular head support pad (10"x5")		***basic seating benefit***		$215
AC01-L	☐	XL rectangular head support pad (14"x5")		***basic seating benefit***		$215
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar [1]		***basic seating benefit***		$365

1- *Only available with push handles - Not available with a stroller handle or a folding stabilizer bar*

ACCESSORIES							
WC10	☐	E-Motion adaptor Kit *(2 adaptors) - Only necessary with 6° camber*					$35
AC03	☐	Anti-tippers					$125
AC29	☐	Swing-away anti-tipper[1]	Left ☐	Right ☐		A1*	$195
AC27	☐	Tip assist [2]				A1*	$70
AC06	☐	Cane and crutch holder	Left ☐	Right ☐		A1*	$115
AC07	☐	Oxygen tank holder [4] - D and E Type - installed on the left				W110	$395
AC08	☐	Spoke guards [3]	Available: 20", 22", 24", 26"			A1*	$165
AC09	☐	Footrest neoprene impact guard *(pair)* - Black				A1*	$90
AC10	☐	Seat pouch				A1*	$105
AC30	☐	Newton multi-purpose pouch				A1*	$80
AC26	☐	BodyPoint Mobility Bag				A1*	$150
AC23	☐	Newton Backpack				A1*	$135
AC12	☐	Velcro Closing Strap				A1*	$60
AC13	☐	Tool kit				A1*	$60

1- *Must select the pair (left and right) with HD optionè Only available with rear seat to floor height between 13 1/2" and 19 3/4"; Not available with amputee axle plate; 2- Cannot be combined with Anti Tippers*

3- *Not available with Mag wheels and Spinergy;* ***4-*** *Not compatible with swing away armrest or amputee axle plate and WC-19 transit tie-down*

**A1 is clients' responsibility for costs/A2 requires clinical justification*


Colors																					
Options [1]	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
AirGrip	☐ $160		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	$350
Frame [2]		☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
FC99	☐	Custom Color	*Specify PPG Paintit color:*																		$422

additional 10 days lead-time

1- *Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;*

2- *with black hydroformed aluminum crossbrace*

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
22 in	16	1.0 to 2.75
	17	1.0 to 3.25
	18+	1.0 to 3.75
24 in	16	1.0 to 2.0
	17	1.0 to 2.75
	18+	1.0 to 3.75

Notes :