



Helio KIDS

ORDER FORM - INTERNATIONAL

1- Purchasing information

P.O. number: * _____ Date: _____
Company Name: * _____
Purchasing contact: * _____
Phone: * _____
Email: * _____
Contact preference: * Phone ☐ Email ☐
Marked for: _____

2- Clinician information

Clinician: * _____
Phone: * _____
Email: * _____

Contact preference: * Phone ☐ Email ☐
MA083 ☐ MA084 ☐ MA085 ☐ MA086 ☐
English manual (STD) German manual Italian manual Dutch manual

3- Shipping information

Ship to: * _____
Name: _____
Address: _____
City: _____ State: _____
Zip Code: _____
Phone: _____


MODEL							USD (taxes not included)	
WC06	☐	Ultralight Folding Carbon Fiber Helio KIDS Wheelchair Including fixed seat depth OR depth adjustable back (74.8 kg - 165 lb weight capacity)						\$4,495
WC10	☐	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6° camber						\$35
FREE Growth Kit within the first 5 years of the Helio KIDS wheelchair ownership The growth kit includes carbon crossbraces, crossbrace links, seat sling, back upholstery, front riggings and footplates.								
SEAT WIDTH ¹								
SW	☐	30.48 (12") ☐	33.02 (13") ☐	35.56 (14") ☐	38.10 (15") ☐	40.64 (16") ☐		NC

[1. Width Calculator](#)


↓ Caution: complete only one of the following two sections ↓

SEAT DEPTH (Available with WC-19)			
SD12	☐	30.48cm/12" Seat sling - frame of 35.56 cm/14"	NC
SD13	☐	33.02.02cm/13" Seat sling - frame of 35.56 cm/14"	NC
SD14	☐	35.56cm/14" Seat sling - frame of 35.56 cm/14"	NC
SD15	☐	38.10cm/15" Seat sling - frame of 38.10cm/15"	NC
SD16	☐	40.64cm/16" Seat sling - frame of 40.64cm/16"	NC
FIXED BACK CANE (MUST select ONE push handle options)			
BC11-1215	☐	Straight back cane 30.48-38.10cm (12-15")	NC
BC11-1518	☐	Straight back cane 38.10-45.72cm (15-18")	NC
BC11-1821	☐	Straight back cane 45.72-53.34cm (18-21") STD	NC
BC12-1315	☐	Back cane 8° bend 34.29-38.10cm (13.5-15")	NC
BC12-1518	☐	Back cane 8° bend 38.10-45.72cm (15-18")	NC
BC12-1821	☐	Back cane 8° bend 45.72-53.34cm (18-21") STD	NC
Specify height: ⁵ _____ measured from seat sling to top of back upholstery			
ANGLE ADJUSTABLE BACK CANE (MUST select ONE push handle options)			
BC13-1518	☐	Straight back cane 38.10-45.72cm (15-18")	NC
BC13-1821	☐	Straight back cane 45.72-53.34cm (18-21") STD	NC
BC14-1518	☐	Back cane 8° bend 38.10-45.72cm (15-18")	NC
BC14-1821	☐	Back cane 8° bend 45.72-53.34cm (18-21") STD	NC
Select angle for the back cane:		85° ☐ 90° ☐ 95° STD ☐	
		100° ☐ 105° ☐ 110° ☐	
Specify height : ⁵ _____			

5- If not indicated, default height setting is at the lowest position

SEAT DEPTH- Depth and angle adjustable (available with WC-19) ³			
SD14	☐	30.48 - 38.10 cm (12-15") (35.56/14" seat sling/frame)	NC
SD15	☐	33.02 - 40.64 cm (13-16") (38.10/15" seat sling/frame)	NC
SD16	☐	35.56 - 43.18 cm (14-17") (40.64/16" seat sling/frame)	NC
SD17	☐	38.10 - 45.72 cm (15-18") (43.18/17" seat sling/frame)	NC
SD18	☐	40.64 - 48.26 cm (16-19") (45.72/18" seat sling/frame)	NC
Specify depth ⁴ :			
3 - Maximum weight of 165 lb with a depth adjustable backrest			
4 - If not indicated, the depth will be equal to the seat sling			
			
NEW AND IMPROVED Now compatible with WC-19 tie-down			
DEPTH AND ANGLE ADJUSTABLE BACK CANE (MUST select ONE push handle options)			
BC15-912	☐	Straight back cane 22.86-30.48cm (9-12")	NC
BC15-1215	☐	Straight back cane 30.48-38.10cm (12-15")	NC
BC15-1518	☐	Straight back cane 38.10-45.72cm (15-18")	NC
BC15-1821	☐	Straight back cane 45.72-53.34cm (18-21") STD	NC
BC16-1215	☐	Back cane 8° bend 30.48-38.10cm (12-15")	NC
BC16-1518	☐	Back cane 8° bend 38.10-45.72cm (15-18")	NC
BC16-1821	☐	Back cane 8° bend 45.72-53.34cm (18-21") STD	NC
Select angle for the back cane:		90° ☐ 95° STD ☐ 100° ☐ 105° ☐	
Specify height : ⁵ _____			

TRANSIT TIE DOWN				
AC04	☐	Transit Tie Down (<i>Unoccupied</i>)		NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁶ Short belt 50-104 cm (20" - 41")		\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁶ Long belt 50-116 cm (20" - 46")		\$365
AC35	☐	WC-19 Transit Tie Down without belt ⁶		\$335

6- Not available with depth adjustable back

PACKAGES				
VP01	☐	Vision Package: Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates ¹		\$95

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo **"VP01"** ; Recommended with black chair;
See picture of the product on page 6.

Helio Kids FRONT Seat-to-floor Height - Please select your choice

Forks / Position		7,62cm (3") caster			10,16cm (4") caster			12,7cm (5") caster			15,24cm (6") caster			17,78cm (7") caster			20,32cm (8") caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"
4" 10,2 cm	P1	33.02cm 13"	35.56cm 14"	38.10cm 15"	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"												
	P2	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"									
5" 12,7 cm	P1																		
	P2				35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"									
	P3	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"			
	P4	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"			
7" 17,8 cm	P1										41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"			
	P2							41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"		
	P3							43.18cm 18"	45.72cm 19"	48.26cm 20"	44.45cm 18.5"	46.99cm 19.5"	49.53cm 20"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"
	P4	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"	48.26cm 19"	50.80cm 20"	53.3cm 21"
	P5	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"	48.26cm 19"	50.80cm 20"	53.3cm 21"	49.53cm 19.5"	52.07cm 20.5"	54.6cm 21.5"
Froglegs	P1				36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"												
	P2	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"									
	P3	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"						

Height available +- 0,65cm (1/4") (see stem bolt and fork combination at the end of the order form)

CASTERS				Availability		
CA01-03 to CA01-08	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6", 7", 8"		NC
CA10 to CA11	☐	Pneumatic casters (1 ¼")		6", 8"		\$175
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		\$98
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"		\$198
CASTER OPTIONS						
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹				\$320
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)				\$515

1 - Not available with WC-19

KIDS REAR Seat-to-floor Height

WHEEL SIZES		Height available		Specify desired height:
☐	20" (451) wheel	31.75cm / 12.5"	to 43.81cm / 17.25"	
☐	22" (501) wheel	34.29cm / 13.5"	to 46.35cm / 18.25"	
☐	24" (540) wheel	36.83cm / 14.5"	to 48.89cm / 19.25"	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1.27cm (1/2") of selected seat to floor height

Footrest						
SWING-IN/SWING-OUT FOOTREST						
FR03-01	☐	60° Swing-in/swing-out footrest - 34.29 - 43.18cm (13.5" - 17")		Set at*:		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 36.83 - 49.53cm (14.5" - 19.5")		Set at*:		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 39.29 - 52.07cm (15.5" - 20.5")		Set at*:		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 34.29 - 43.18cm (13.5" - 17")		Set at*:		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 36.83 - 49.53cm (14.5" - 19.5")		Set at*:		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 39.37 - 52.07cm (15.5" - 20.5")		Set at*:		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 34.29 - 40.64cm (13.5" - 16") ⁵		Set at*:		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 36.83 - 49.53cm (14.5" - 19.5") ⁵		Set at*:		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 39.37 - 52.07cm (15.5" - 20.5") ⁵		Set at*:		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹	19.05 - 27.94cm (7.5" - 11")	Set at*:		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}	24.13 - 33.02cm (9.5" - 13")	Set at*:		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}	24.13 - 36.83cm (9.5" - 14.5")	Set at*:		NC
FOOTREST OPTIONS						
FR09	☐	High mount (<i>footplate attached to the hanger with clamps</i>) ³	12.70 - 34.29cm (5" - 13.5")	Set at*:		\$85
FR10	☐	Elevating legrest with calf pad, length adjustable ⁴ Left ☐ Right ☐	35.56 - 55.88 cm (14"-22")	Set at:		\$248
FR99	☐	Omit Footrest				NC
¹⁻ Available only with two piece adjustable footplates; ²⁻ May interfere with front casters; ³⁻ Not available with front mount and the elevating legrest * +/- 1/2" (1.27 cm) ⁴⁻ The elevating legrest replace the footrest side selected; Not compatible with seat width of 12" and 13" and one piece footplate; ⁵⁻ Not available with 8" caster						
FOOTPLATES						
FP01	☐	Standard - Composite ¹				NC
FP02	☐	Newton adjustable angle - Composite ^{*VP01}				\$230
FP03	☐	Newton adjustable angle - Aluminum ²				\$255
FP04	☐	Newton adjustable angle - Carbon fiber with rubber inserts				\$450
FP23	☐	Newton adjustable angle extra deep - Aluminum				\$235
FP06	☐	One piece adjustable angle flip-up - Aluminum				\$205
FP07	☐	One piece adjustable angle flip-up - Carbon fiber with rubber inserts				\$470
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop (<i>not available with one piece footplate</i>)				\$45
FP09	☐	Calf strap				\$40
FP30	☐	Bodypoint Aeromesh Padded calf strap				\$125
¹⁻ Not available with front mount; ²⁻ The Newton adjustable angle (Aluminum) is the only available option with a 12 and 13" wide frame						
SWING AWAY RESIDUAL LIMB SUPPORT						
FR27	☐	Residual limb support - flat 15.24x20.32cm (6"x8")	Left ☐ Right ☐			\$440
FR28	☐	Residual limb support - flat 20.32x24.4cm (8"x10")	Left ☐ Right ☐			\$440
FR29	☐	Residual limb support - flat 25.4x25.4cm (10"x10")	Left ☐ Right ☐			\$440
FR30	☐	Residual limb support - flat 25.4x35.56cm (10"x14")	Left ☐ Right ☐			\$440
FR32	☐	Residual limb support - contour 15.24x20.32cm (6"x8")	Left ☐ Right ☐			\$440
FR33	☐	Residual limb support - contour 20.32x24.4cm (8"x10")	Left ☐ Right ☐			\$440
PUSH HANDLES OPTIONS (<i>ONE option at a time</i>)						
PH01	☐	Push handles				STD
PH05	☐	Fold down push handles ¹				\$140
PH06-920	☐	clamp on height adjustable push handles 22.86-50.80cm (9-20") ^{1, 2}				\$330
PH06-923	☐	clamp on height adjustable push handles 22.86-58.40cm (9-23") ^{1, 2}				\$330
PH02	☐	Omit push handles				NC
STROLLER HANDLE AND STABILIZER BAR (<i>only available with push handle</i>)						
PH04	☐	Stroller handle				\$175
PH03	☐	Newton folding stabilizer bar (<i>not available with stroller handle</i>)				\$275
¹⁻ Not compatible with stroller handle, stabilizer bar, headrest and attendant lock; ²⁻ Not compatible with depth adjustable back, 8" bend back canes and amputee axle plates						
BACK UPHOLSTERY						
BH07	☐	Slip-on Active-Mesh back upholstery				NC
BH08	☐	Adjustable tension Active-Mesh back upholstery				\$180
BH99	☐	Omit Back upholstery				STD
SEAT CUSHION						
SC01	☐	5.08 cm (2") Cushion				\$180
SC02	☐	7.62 cm (3") Cushion				\$200
SC99	☐	Omit seat cushion				STD

Rear wheels						
ONE ARM DRIVE ¹ <i>Only available with Newton One rear wheels, permanent axles, 0° camber</i>						
HR22	☐	One arm drive - aluminum inner handrim ²	Left ☐	Right ☐		\$1,510
HR60	☐	One arm drive - plastic coated inner handrim ²	Left ☐	Right ☐		\$1,595
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)				NC
REAR WHEELS					Available	
RW01	☐	Mag ³				\$57
RW02	☐	Newton One - spoke wheel ⁴				NC
RW03	☐	Newton Gravity - ultralight wheel				\$335
RW04	☐	Spinergy Spox	Blk STD ☐	Wht ⁵ ☐	Blue ⁵ ☐	\$865
RW05	☐	Spinergy LX	Blk STD ☐	Pur ⁵ ☐	Wht ⁵ ☐	\$1,095
RW07	☐	Spinergy CLX ⁶	Blk STD ☐	Pur ⁵ ☐	Wht ⁵ ☐	\$1,600
TIRES					Available	
AIRLESS						
TI01	☐	Soft Urethane 3.49cm (1 3/8") - Low Tread, black			20", 22" 24"	STD
TI02	☐	Soft Urethane 3.49cm (1 3/8") - Medium Tread, black ⁷			22", 24"	\$105
TI04	☐	Soft Urethane 2.54cm (1") - No tread, black - <i>Shox</i>			22", 24"	\$125
TI08	☐	Pneumatic Airless insert 3.49cm (1 3/8") - Medium Tread ⁸			22", 24"	\$90
PNEUMATIC						
TI05	☐	Pneumatic 3.49cm (1 3/8") Medium Tread			20", 22", 24"	NC
TI06	☐	Pneumatic HP 2.54cm (1") - Low Tread, Puncture resistant, black - <i>SpeedLite</i>			20", 22", 24"	\$110
TI07	☐	Pneumatic HP 2.54cm (1") - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>			24"	\$140
TI03	☐	Pneumatic 5.08cm (2") - Large Tread, black ⁹			22", 24"	\$115

1- Offered with handrims on each side of the wheelchair; Select outer handrim in the handrims section; Only available with 24" wheel size; 2- Only standard handrim position available
3- Not compatible with HP tires; Only available with aluminum or plastic coated handrim, standard position; 4- Not compatible with Shox tires; 5- Colour spokes require an additionnal 10 days lead-time;
6- Only available with 1" tires; 7- The 22" is only available with Mags and Newton One rear wheels; 8- Not available with Spinergy CLX; 9- Not available with armrests when the 3° or 6° camber are selected;

Handrims						
HANDRIM					Available	
HR01	☐	Aluminum anodized			20", 22", 24"	STD
HR61	☐	Aluminum black hard anodized ²			20", 22", 24"	\$75
HR02	☐	Plastic coated ¹			20", 22", 24"	\$110
HR03	☐	High friction coated ^{1,2,3}			22", 24"	\$380
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See on page 6 for color choice and price</i>			20", 22", 24"	
HR28	☐	Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip)			22", 24"	\$425
HR05	☐	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)			22", 24"	\$465
HR04	☐	Natural Fit ^{1,2,3,4}			22", 24"	\$335
HR62	☐	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)			22", 24"	\$395
HR63	☐	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)			22", 24"	\$425
HR64	☐	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)			22", 24"	\$325
HR99	☐	Omit handrim				NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;
4- 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

Handrims option						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	Full tab			STD
HR030	☐	Narrow Handrim position no cut	Full tab			NC
HR30	☐	Narrow Handrim position with cut ⁵	Short tab 2 positions			\$32
HR31	☐	Super Narrow Handrim ⁵	Short tab 2 positions STD ☐ Short tab 1 position ☐			\$32
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip				\$95
HR27	☐	Super grip				\$150
HR099	☐	Omit thumb piece				NC


5- Only available with Aluminum and Air Grip handrims;

AXLE						
AX01	☐	Quick release axle ¹				STD
AX02	☐	Permanent axle				NC
AX03	☐	Quad release axle ¹				\$135
AXLE PLATE						
AX04	☐	Amputee adjustable axle plate ²				\$210

1- Not required with one arm drive; 2- May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down

REAR WHEEL CAMBER						
CM00	☐	0° camber				STD
CM03	☐	3° camber				NC
CM06	☐	6° camber (not available with amputee axle plate)				\$165

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

X =

Most stable													
AMPUTEE ¹	2,5 1"	3,2 1/4"	3,8 1/2"	4,4 3/4"	5,1 2"	5,7 1/4"	6,3 1/2"	7 3/4"	7,6 3"	8,3 1/4"	8,9 1/2"	9,5 3/4"	4"
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

If not indicated, default setting is at 3,8 cm (1.5")

Possible conflict between a seat depth under 40,6 cm (16") and a center of gravity over 6,3 cm (2.5").

Possible conflict between a 66 cm (26") rear wheel and a center of gravity over 6,3 cm (2.5").

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1-Only available with the amputee axle plate

WHEEL LOCK

WL08	☐	Newton Wheel lock - push to lock	PRODUCT IMPROVED			STD
WL16	☐	Aluminum push to lock with extensions				\$83
WL02	☐	Pull to lock				NC
WL04	☐	Newton grade aid push to lock (works best with pneumatic or high pressure tire)				\$165
WL13	☐	6" removable extension handle ¹ *VP01				\$83
WL14	☐					
WL05	☐	Scissors Lock				\$155
WL06	☐	Attendant Lock (additional set of wheel lock mounted to the back)				\$215
WL15	☐	Unilateral wheel lock - pull to lock ²	Left ☐	Right ☐		\$335
WL99	☐	Omit wheel locks				NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04); Only the extension for the Newton push to lock is available with the vision package (VP01)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

Armrest

HEIGHT ADJUSTABLE "T" ARMREST ¹						
AR13-610	☐	25.4cm (10") Desk length armpad ⁴	15.25 - 25.40cm (6" - 10")			\$350
AR03-812	☐	25.4cm (10") Desk length armpad	20.32 - 30.48cm (8" - 12")			\$350
AR03-1014	☐	25.4cm (10") Desk length armpad	25.40 - 35.56cm (10" - 14")			\$350
AR14-610	☐	35.56cm (14") Full length armpad ⁴	15.25 - 25.40cm (6" - 10")			\$350
AR04-812	☐	35.56cm (14") Full length armpad	20.32 - 30.48cm (8" - 12")			\$350
AR04-1014	☐	35.56cm (14") Full length armpad	25.40 - 35.56cm (10" - 14")			\$350
LOCKING FLIP-UP ARMREST ²						
AR07	☐	Locking Flip-Up Armrest				\$355
ARMREST OPTIONS						
AR12	☐	35.56cm (14") Full Length Armpad - Gel Ovation (pair) ³				\$165
AR99	☐	Omit armrest				NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- May interfere with rigid back hardware; Only available with 18"-21" straight aluminum back cones; Not available with back upholstery

3- Not available with locking flip-up armrest and short "T" armrest; 4- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with "T" Armrest)

SG01	☐	Plastic side guards (removable)	Straight bracket - STD	Offset bracket ¹		\$210
SG03	☐	Carbon fiber side guards (removable)	Straight bracket - STD	Offset bracket ¹		\$315
SG06	☐	Plastic fender side guards (removable)	Straight bracket - STD	Offset bracket ¹		\$295
SG04	☐	Carbon fiber fender side guards (removable)	Straight bracket - STD	Offset bracket ¹		\$550
SG99	☐	Omit side guard				NC

1- only compatible with 0° camber; increase width by 1/2" per side for a total of 1"

POSITIONING BELT

SB01-S	☐	Velcro adjustable - Small 88.9cm (35")				\$50
SB01-L	☐	Velcro adjustable - Long 152.40cm (60")				\$50
SB02-S	☐	Auto buckle - Small 88.9cm (35")				\$95
SB02-M	☐	Auto buckle - Medium 121.92cm (48")				\$95
SB02-L	☐	Auto buckle - Long 152.40cm (60")				\$95
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")				\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")				\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 129.54cm (51")				\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")				\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")				\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")				\$205
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")				\$205
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")				\$205
SB03	☐	Hardware attachment for 2 extra points (1 pair)				\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66 (18")				\$310
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")				\$310
SB99	☐	Omit positioning belt				STD

HEADREST ¹				
AC01-S	☐	Profiled Headrest - Small 8.8x15.2cm (3.5"X6")		\$195
AC01-M	☐	Profiled Headrest - Medium 11.4x17.8cm (4.5"X7")		\$195
AC01-L	☐	Profiled Headrest - Large 14x2.3cm(5.5"X8")		\$195
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹		\$320

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

ACCESSORIES				
AC03	☐	Anti-tippers		\$150
AC29	☐	Swing-away anti-tipper ¹	Left ☐ Right ☐	\$165
AC27	☐	Tip assist ²		\$67
AC06	☐	Cane and crutch holder	Left ☐ Right ☐	\$130
AC07	☐	Oxygen tank holder ⁴ - D and E Type - installed on the left		\$335
AC08	☐	Spoke guards ³ Available: 20", 22", 24", 26"		\$125
AC09	☐	Footrest neoprene impact guard (pair) - Black		\$100
AC10	☐	Seat pouch		\$83
AC30	☐	Newton multi-purpose pouch		\$62
AC23	☐	Newton backpack		\$130
AC26	☐	BodyPoint Mobility Bag		\$135
AC12	☐	Velcro Closing Strap		\$57
AC13	☐	Tool kit		\$50
AC16	☐	Motion Composites Polo Shirt	W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐	\$36

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 34,3cm (13 1/2") and 50,2cm (19 3/4"); 2- Cannot be combined with Anti Tippers


3- Not available with Mag wheels and Spinergy; 4- Not compatible with swing away armrest or amputee axle plate and WC-19 transit tie-down

Colors																				
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)
																				
AirGrip	☐ \$110	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Frame ²	☐	☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
FC99	☐	Custom Color Specify PPG Paintit color: additional 10 days lead-time																		\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

2- with black hydroformed aluminum crossbrace

Fork and Stem bolt combinations



Vision Package Accents



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
22 in	16	1.0 to 2.75
	17	1.0 to 3.25
	18+	1.0 to 3.75
24 in	16	1.0 to 2.0
	17	1.0 to 2.75
	18+	1.0 to 3.75



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :