



Helio KIDS
 ORDER FORM - INTERNATIONAL

1- Purchasing information

P.O. number:* _____ Date: _____
 Company Name:* _____
 Purchasing contact:* _____
 Phone:* _____
 Email:* _____
 Contact preference:* Phone Email
 Marked for: _____

3- Shipping information

Ship to:* _____
 Name: _____
 Address: _____
 City: _____ State: _____
 Zip Code: _____
 Phone: _____

2- Clinician information

Clinician:* _____
 Phone:* _____
 Email:* _____
 Contact preference:* Phone Email

MA083 English manual (STD) MA084 German manual MA085 Italian manual MA086 Dutch manual MA087 Spanish manual MA088 French manual MA089 Portuguese manual

MODEL						USD (taxes not included)	
WC06	<input type="checkbox"/>	Ultralight Folding Carbon Fiber Helio KIDS Wheelchair Including fixed seat depth OR depth adjustable back (74.8 kg - 165 lb weight capacity)					\$4,595
FREE Growth Kit within the first 5 years of the Helio KIDS wheelchair ownership The growth kit includes carbon crossbraces, crossbrace links, seat sling, back upholstery, front riggings and footplates.							
SEAT WIDTH ¹							
SW	<input type="checkbox"/>	30.48 (12") <input type="checkbox"/>	33.02 (13") <input type="checkbox"/>	35.56 (14") <input type="checkbox"/>	38.10 (15") <input type="checkbox"/>	40.64 (16") <input type="checkbox"/>	NC

[1. Width Calculator](#)



↓ **Caution: complete only one of the following two sections** ↓

SEAT DEPTH (Available with WC-19)			
SD12	<input type="checkbox"/>	30.48cm/12" Seat sling - frame of 35.56 cm/14"	NC
SD13	<input type="checkbox"/>	33.02.02cm/13" Seat sling - frame of 35.56 cm/14"	NC
SD14	<input type="checkbox"/>	35.56cm/14" Seat sling - frame of 35.56 cm/14"	NC
SD15	<input type="checkbox"/>	38.10cm/15" Seat sling - frame of 38.10cm/15"	NC
SD16	<input type="checkbox"/>	40.64cm/16" Seat sling - frame of 40.64cm/16"	NC

FIXED BACK CANE (MUST select ONE push handle options)			
BC11-1215	<input type="checkbox"/>	Straight back cane 30.48-38.10cm (12-15")	NC
BC11-1518	<input type="checkbox"/>	Straight back cane 38.10-45.72cm (15-18")	NC
BC11-1821	<input type="checkbox"/>	Straight back cane 45.72-53.34cm (18-21") STD	NC
BC12-1315	<input type="checkbox"/>	Back cane 8° bend 34.29-38.10cm (13.5-15")	NC
BC12-1518	<input type="checkbox"/>	Back cane 8° bend 38.10-45.72cm (15-18")	NC
BC12-1821	<input type="checkbox"/>	Back cane 8° bend 45.72-53.34cm (18-21") STD	NC

Specify height:⁵ _____ measured from seat sling to top of back upholstery


ANGLE ADJUSTABLE BACK CANE (MUST select ONE push handle options)			
BC13-1518	<input type="checkbox"/>	Straight back cane 38.10-45.72cm (15-18")	NC
BC13-1821	<input type="checkbox"/>	Straight back cane 45.72-53.34cm (18-21") STD	NC
BC14-1518	<input type="checkbox"/>	Back cane 8° bend 38.10-45.72cm (15-18")	NC
BC14-1821	<input type="checkbox"/>	Back cane 8° bend 45.72-53.34cm (18-21") STD	NC

Select angle for the back cane: 85° 90° 95° STD
 100° 105° 110°

Specify height:⁵ _____
 5- If not indicated, default height setting is at the lowest position

SEAT DEPTH- Depth and angle adjustable (available with WC-19) ³			
SD14	<input type="checkbox"/>	30.48 - 38.10 cm (12-15") (35.56/14" seat sling/frame)	NC
SD15	<input type="checkbox"/>	33.02 - 40.64 cm (13-16") (38.10/15" seat sling/frame)	NC
SD16	<input type="checkbox"/>	35.56 - 43.18 cm (14-17") (40.64/16" seat sling/frame)	NC
SD17	<input type="checkbox"/>	38.10 - 45.72 cm (15-18") (43.18/17" seat sling/frame)	NC
SD18	<input type="checkbox"/>	40.64 - 48.26 cm (16-19") (45.72/18" seat sling/frame)	NC

Specify depth:⁴ _____
 3 - Maximum weight of 165 lb with a depth adjustable backrest
 4 - If not indicated, the depth will be equal to the seat sling



DEPTH AND ANGLE ADJUSTABLE BACK CANE (MUST select ONE push handle options)			
BC15-912	<input type="checkbox"/>	Straight back cane 22.86-30.48cm (9-12")	NC
BC15-1215	<input type="checkbox"/>	Straight back cane 30.48-38.10cm (12-15")	NC
BC15-1518	<input type="checkbox"/>	Straight back cane 38.10-45.72cm (15-18")	NC
BC15-1821	<input type="checkbox"/>	Straight back cane 45.72-53.34cm (18-21") STD	NC
BC16-1215	<input type="checkbox"/>	Back cane 8° bend 30.48-38.10cm (12-15")	NC
BC16-1518	<input type="checkbox"/>	Back cane 8° bend 38.10-45.72cm (15-18")	NC
BC16-1821	<input type="checkbox"/>	Back cane 8° bend 45.72-53.34cm (18-21") STD	NC

Select angle for the back cane: 90° 95° STD 100° 105°

Specify height:⁵ _____

FRAME LENGTH (See chart on page 7)			
SP01	<input type="checkbox"/>	Standard frame length configuration	STD
SP02	<input type="checkbox"/>	Frame length 1" longer than standard configuration	NC
SP03	<input type="checkbox"/>	Frame length 2" longer than standard configuration	NC
SP04	<input type="checkbox"/>	Frame length 1" shorter than standard configuration	NC
SP05	<input type="checkbox"/>	Frame length 2" shorter than standard configuration	NC

TRANSIT TIE DOWN					
AC04	<input type="checkbox"/>	Transit Tie Down (<i>Unoccupied</i>)			NC
AC05-S	<input type="checkbox"/>	WC-19 Transit Tie Down w/Q'straint belt Short belt 50-104 cm (20" - 41")			\$365
AC05-L	<input type="checkbox"/>	WC-19 Transit Tie Down w/Q'straint belt Long belt 50-116 cm (20" - 46")			\$365
AC35	<input type="checkbox"/>	WC-19 Transit Tie Down without belt			\$335
PACKAGES					
VP01	<input type="checkbox"/>	Vision Package: <i>Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates</i> ¹			\$95

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo ***VP01**; Recommended with black chair; See picture of the product on page 6.

Helio Kids FRONT Seat-to-floor Height - Please select your choice

Forks / Position		7,62cm (3") caster			10,16cm (4") caster			12,7cm (5") caster			15,24cm (6") caster			17,78cm (7") caster			20,32cm (8") caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"
4" 10,2 cm	P1	33.02cm 13"	35.56cm 14"	38.10cm 15"	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"												
	P2	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"									
5" 12,7 cm	P1																		
	P2				35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"									
	P3	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"						
	P4	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"			
7" 17,8 cm	P1										41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"			
	P2							41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"			
	P3							43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"
	P4	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"	48.26cm 19"	50.80cm 20"	53.3cm 21"
	P5	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"	48.26cm 19"	50.80cm 20"	53.3cm 21"	49.53cm 19.5"	52.07cm 20.5"	54.6cm 21.5"
Froglegs	P1				36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"												
	P2	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"									
	P3	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"						

Height available +/- 0,65cm (1/4") (see stem bolt and fork combination at the end of the order form)

FRONT CASTERS

CASTERS			Availability	
CA01-03 to CA01-08	<input type="checkbox"/>	Composite wheel w/ PU tire (1")	3", 4", 5", 6", 7", 8"	NC
CA10 to CA11	<input type="checkbox"/>	Pneumatic casters (1 1/4")	6", 8"	\$175
CA14 to CA16	<input type="checkbox"/>	Newton UltraCaster Composite (1 1/2")	4", 5", 6"	\$105
CA17 to CA19	<input type="checkbox"/>	Newton UltraCaster Aluminum (1 1/2")	4", 5", 6"	\$210
CASTER OPTIONS				
CA12	<input type="checkbox"/>	Caster Pin Locks (<i>Available with +1" or +2" Stem bolt ONLY</i>) ¹		\$320
CA13	<input type="checkbox"/>	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)		\$515

1 - Not available with WC-19

KIDS REAR Seat-to-floor Height

WHEEL SIZES	Height available	Specify desired height: _____
<input type="checkbox"/> 20" (451) wheel	31.75cm / 12.5" to 43.81cm / 17.25"	
<input type="checkbox"/> 22" (501) wheel	34.29cm / 13.5" to 46.35cm / 18.25"	
<input type="checkbox"/> 24" (540) wheel	36.83cm / 14.5" to 48.89cm / 19.25"	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1.27cm (1/2") of selected seat to floor height

REAR WHEELS

ONE ARM DRIVE ¹		<i>Only available with Newton One rear wheels, permanent axles, 0° camber</i>						
HR22	<input type="checkbox"/>	One arm drive - aluminum inner handrim ²	Left <input type="checkbox"/>	Right <input type="checkbox"/>				\$1,510
HR60	<input type="checkbox"/>	One arm drive - plastic coated inner handrim ²	Left <input type="checkbox"/>	Right <input type="checkbox"/>				\$1,595
HR98	<input type="checkbox"/>	Omit handrim on opposite side of the One Arm Drive (OAD)						NC
REAR WHEELS						Available		
RW01	<input type="checkbox"/>	Mag ³				20", 22" 24"		\$57
RW02	<input type="checkbox"/>	Newton One - spoke wheel ⁴				20", 22" 24"		NC
RW03	<input type="checkbox"/>	Newton Gravity - ultralight wheel				20", 22", 24"		\$350
RW04	<input type="checkbox"/>	Spinerigy Spox	Bik STD <input type="checkbox"/>	Wht ⁵ <input type="checkbox"/>	Blue ⁵ <input type="checkbox"/>	Red ⁵ <input type="checkbox"/>	Yel ⁵ <input type="checkbox"/>	\$895
RW05	<input type="checkbox"/>	Spinerigy LX	Bik STD <input type="checkbox"/>	Pur ⁵ <input type="checkbox"/>	Wht ⁵ <input type="checkbox"/>	Blue ⁵ <input type="checkbox"/>	Red ⁵ <input type="checkbox"/>	\$1,125
RW07	<input type="checkbox"/>	Spinerigy CLX ⁶	Bik STD <input type="checkbox"/>	Pur ⁵ <input type="checkbox"/>	Wht ⁵ <input type="checkbox"/>	Blue ⁵ <input type="checkbox"/>	Red ⁵ <input type="checkbox"/>	\$1,600
TIRES						Available		
AIRLESS								
TI01	<input type="checkbox"/>	Soft Urethane 3.49cm (1 3/8") - Low Tread, black				20", 22" 24"		STD
TI02	<input type="checkbox"/>	Soft Urethane 3.49cm (1 3/8") - Medium Tread, black ⁷				22", 24"		\$105
TI04	<input type="checkbox"/>	Soft Urethane 2.54cm (1") - No tread, black - <i>Shox</i>				22", 24"		\$125
TI08	<input type="checkbox"/>	Pneumatic Airless insert 3.49cm (1 3/8") - Medium Tread ⁸				22", 24"		\$90
PNEUMATIC								
TI05	<input type="checkbox"/>	Pneumatic 3.49cm (1 3/8") Medium Tread				20", 22", 24"		NC
TI06	<input type="checkbox"/>	Pneumatic HP 2.54cm (1") - Low Tread, Puncture resistant, black - <i>SpeedLite</i>				20", 22", 24"		\$110
TI07	<input type="checkbox"/>	Pneumatic HP 2.54cm (1") - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>				24"		\$145
TI03	<input type="checkbox"/>	Pneumatic 5.08cm (2") - Large Tread, black ⁹				22", 24"		\$115

1- Offered with handrims on each side of the wheelchair; Select outer handrim in the handrims section; Only available with 24" wheel size; 2- Only standard handrim position available
 3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 4- Not compatible with Shox tires; 5- Colour spokes require an additional 10 days lead-time;
 6- Only available with 1" tires; 7- The 22" is only available with Mags and Newton One rear wheels; 8- Not available with Spinerigy CLX; 9- Not available with armrests when the 3" or 6" camber are selected;

HANDRIMS

HANDRIM						Available		
HR01	<input type="checkbox"/>	Aluminum anodized				20", 22", 24"		STD
HR61	<input type="checkbox"/>	Aluminum black hard anodized ²				20", 22", 24"		\$80
HR02	<input type="checkbox"/>	Plastic coated ¹				20", 22", 24"		\$145
HR03	<input type="checkbox"/>	High friction coated ^{1,2,3}				22", 24"		\$380
HR07-HR18 and HR65-HR71	<input type="checkbox"/>	Newton Air Grip ²	<i>See on page 6 for color choice and price</i>			20", 22", 24"		
HR28	<input type="checkbox"/>	Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip)				22", 24"		\$425
HR05	<input type="checkbox"/>	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)				22", 24"		\$465
HR04	<input type="checkbox"/>	Natural Fit ^{1,2,3,4}				22", 24"		\$395
HR62	<input type="checkbox"/>	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)				22", 24"		\$395
HR63	<input type="checkbox"/>	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)				22", 24"		\$425
HR64	<input type="checkbox"/>	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)				22", 24"		\$325
HR99	<input type="checkbox"/>	Omit handrim						NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;
 4- 24" is not available with the Spinerigy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

HANDRIMS OPTION

ASSEMBLY POSITION								
HR29	<input type="checkbox"/>	Standard Handrim position	<i>Full tab</i>					STD
HR030	<input type="checkbox"/>	Narrow Handrim position no cut	<i>Full tab</i>					NC
HR30	<input type="checkbox"/>	Narrow Handrim position with cut ⁵	<i>Short tab 2 positions</i>					\$32
HR31	<input type="checkbox"/>	Super Narrow Handrim ⁵	Short tab 2 positions STD <input type="checkbox"/>	Short tab 1 position <input type="checkbox"/>				\$32
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS								
HR23	<input type="checkbox"/>	Standard grip						\$95
HR27	<input type="checkbox"/>	Super grip						\$150
HR099	<input type="checkbox"/>	Omit thumb piece						NC

5- Only available with Aluminum and Air Grip handrims;

AXLE								
AX01	<input type="checkbox"/>	Quick release axle ¹						STD
AX02	<input type="checkbox"/>	Permanent axle						NC
AX03	<input type="checkbox"/>	Quad release axle ¹						\$135
AXLE PLATE								
AX04	<input type="checkbox"/>	Amputee adjustable axle plate ²						\$210

1- Not required with one arm drive; 2 - May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down

REAR WHEEL CAMBER								
CM00	<input type="checkbox"/>	0° camber						STD
CM03	<input type="checkbox"/>	3° camber						NC
CM06	<input type="checkbox"/>	6° camber (not available with amputee axle plate)						\$165

SEATING AND PUSH HANDLES

BACK UPHOLSTERY				
BH07	<input type="checkbox"/>	Slip-on Active-Mesh back upholstery		NC
BH08	<input type="checkbox"/>	Adjustable tension Active-Mesh back upholstery		\$190
BH99	<input type="checkbox"/>	Omit Back upholstery		STD
SEAT CUSHION				
SC01	<input type="checkbox"/>	5.08 cm (2") Cushion		\$194
SC02	<input type="checkbox"/>	7.62 cm (3") Cushion		\$200
SC99	<input type="checkbox"/>	Omit seat cushion		STD
PUSH HANDLES OPTIONS (ONE option at a time)				
PH01	<input type="checkbox"/>	Push handles		STD
PH05	<input type="checkbox"/>	Fold down push handles ¹		\$150
PH06-920	<input type="checkbox"/>	clamp on height adjustable push handles 22.86-50.80cm (9-20") ^{1,2}		\$330
PH06-923	<input type="checkbox"/>	clamp on height adjustable push handles 22.86-58.40cm (9-23") ^{1,2}		\$330
PH02	<input type="checkbox"/>	Omit push handles		NC
STROLLER HANDLE AND STABILIZER BAR (only available with push handle)				
PH04	<input type="checkbox"/>	Stroller handle		\$175
PH03	<input type="checkbox"/>	Newton folding stabilizer bar (not available with stroller handle)		\$275

1- Not compatible with stroller handle, stabilizer bar, headrest and attendant lock; 2- Not compatible with depth adjustable back, 8° bend back canes and amputee axle plates

ARMREST

HEIGHT ADJUSTABLE "T" ARMREST ¹				
AR13-610	<input type="checkbox"/>	25.4cm (10") Desk length armpad ⁴ 15.25 - 25.40cm (6" - 10")		\$360
AR03-812	<input type="checkbox"/>	25.4cm (10") Desk length armpad 20.32 - 30.48cm (8" - 12")		\$360
AR03-1014	<input type="checkbox"/>	25.4cm (10") Desk length armpad 25.40 - 35.56cm (10" - 14")		\$360
AR14-610	<input type="checkbox"/>	35.56cm (14") Full length armpad ⁴ 15.25 - 25.40cm (6" - 10")		\$360
AR04-812	<input type="checkbox"/>	35.56cm (14") Full length armpad 20.32 - 30.48cm (8" - 12")		\$360
AR04-1014	<input type="checkbox"/>	35.56cm (14") Full length armpad 25.40 - 35.56cm (10" - 14")		\$360
LOCKING FLIP-UP ARMREST ²				
AR07	<input type="checkbox"/>	Locking Flip-Up Armrest		\$365
ARMREST OPTIONS				
AR12	<input type="checkbox"/>	35.56cm (14") Full Length Armpad - Gel Ovation (pair) ³		\$165
AR99	<input type="checkbox"/>	Omit armrest		NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- May interfere with rigid back hardware; Only available with 18"-21" straight aluminum back canes; Not available with back upholstery

3- Not available with locking flip-up armrest and short "T" armrest; 4- May have some restriction with seat-to-floor height and rear wheel

ACCESSORIES

SIDE GUARDS (not available with "T" Armrest)				
SG01	<input type="checkbox"/>	Plastic side guards (removable)	Straight bracket - STD Offset bracket ¹	\$210
SG03	<input type="checkbox"/>	Carbon fiber side guards (removable)	Straight bracket - STD Offset bracket ¹	\$315
SG06	<input type="checkbox"/>	Plastic fender side guards (removable)	Straight bracket - STD Offset bracket ¹	\$295
SG04	<input type="checkbox"/>	Carbon fiber fender side guards (removable)	Straight bracket - STD Offset bracket ¹	\$550
SG99	<input type="checkbox"/>	Omit side guard		NC

1- only compatible with 0° camber; increase width by 1/2" per side for a total of 1"

POSITIONING BELT				
SB01-S	<input type="checkbox"/>	Velcro adjustable - Small 88.9cm (35")		\$50
SB01-L	<input type="checkbox"/>	Velcro adjustable - Long 152.40cm (60")		\$50
SB02-S	<input type="checkbox"/>	Auto buckle - Small 88.9cm (35")		\$95
SB02-M	<input type="checkbox"/>	Auto buckle - Medium 121.92cm (48")		\$95
SB02-L	<input type="checkbox"/>	Auto buckle - Long 152.40cm (60")		\$95
SB04-M	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")		\$95
SB04-L	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")		\$95
SB05-S	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point padded - Small 129.54cm (51")		\$185
SB05-M	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")		\$185
SB05-L	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")		\$185
SB06-S	<input type="checkbox"/>	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")		\$205
SB06-M	<input type="checkbox"/>	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")		\$205
SB06-L	<input type="checkbox"/>	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")		\$205
SB03	<input type="checkbox"/>	Hardware attachment for 2 extra points (1 pair)		\$17
SB08-M	<input type="checkbox"/>	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66 (18")		\$310
SB08-L	<input type="checkbox"/>	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")		\$310
SB99	<input type="checkbox"/>	Omit positioning belt		STD

HEADREST ¹				
AC01-S	<input type="checkbox"/>	Profiled Headrest - Small 8.8x15.2cm (3.5"x6")		\$195
AC01-M	<input type="checkbox"/>	Profiled Headrest - Medium 11.4x17.8cm (4.5"x7")		\$195
AC01-L	<input type="checkbox"/>	Profiled Headrest - Large 14x2.3cm(5.5"x8")		\$195
AC28	<input type="checkbox"/>	Headrest mounting hardware with removable non folding stabilizer bar ¹		\$320

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

