MOTION COMPOSITES
160 Armand-Majeau Sud
Saint-Roch-de-l'Achigan, QC, Canada J0K 3H0
T.+1-866-650-6555 F. +1-888-966-6555
quotes@motioncomposites.com
orders@motioncomposites.com
www.motioncomposites.com



Helio KIDS

ORDER FORM - MANITOBA POSSIBLE

1- Purchasing information

P.O. number:* Date:

Company Name:*

Purchasing contact:*

Phone:*

Email:*

Contact preference:* Phone ☐ Email ☐

Marked for:

3- Shipping information

Ship to:* **Manitoba Wheelchair Program**

Name:

Address: **1680 Notre Dame Ave.**

City: **Wpg** Province: **MB**

Postal Code: **R3H 1H3**

Phone: **204-975-3250**

NC = NO CHARGE (option available through Manitoba Possible)

J = JUSTIFICATION REQUIRED (provide clinical rationale)

$ = OPTION TO PURCHASE (wherever the price is listed)

N/A = NOT AVAILABLE (option not available through Manitoba Possible)

MA080 ■
English Manual (STD)

** Required*

Taxes not included

MODEL					
WC06	☐	Ultralight Folding Carbon Fiber Helio KIDS Wheelchair **Including fixed seat depth OR depth adjustable back** *(165 lb weight capacity)*			

FREE Growth Kit within the first 5 years of the Helio KIDS wheelchair ownership

The growth kit includes carbon crossbraces, crossbrace links, seat sling, back upholstery, front riggings and footplates.

SEAT WIDTH [1]									
SW	☐	12" ☐	13" ☐	14" ☐	15" ☐	16" ☐			NC

1. Width Calculator

↓ Caution: complete only one of the following two sections ↓

SEAT DEPTH *(Available with WC-19)*			
SD12	☐	12" Seat sling - frame of *14"*	NC
SD13	☐	13" Seat sling - frame of *14"*	NC
SD14	☐	14" Seat sling - frame of *14"*	NC
SD15	☐	15" Seat sling - frame of *15"*	NC
SD16	☐	16" Seat sling - frame of *16"*	NC

FIXED BACK CANE *(MUST select ONE push handle options)*				
BC11-1215	☐	Aluminium straight back cane (90°)	12 - 15"	NC
BC11-1518	☐	Aluminium straight back cane (90°)	15 - 18"	NC
BC11-1821	☐	Aluminium straight back cane (90°) - *STD*	18 - 21"	NC
BC12-1315	☐	Aluminum back cane 8° bend	13.5 - 15"	NC
BC12-1518	☐	Aluminum back cane 8° bend	15 - 18"	NC
BC12-1821	☐	Aluminum back cane 8° bend -*STD*	18 - 21"	NC

Specify height: [5] *measured from seat sling to top of back upholstery*

ANGLE ADJUSTABLE BACK CANE *(MUST select ONE push handle options)*				
BC13-1518	☐	Aluminium straight back cane (90°)	15 - 18"	NC
BC13-1821	☐	Aluminium straight back cane (90°) - *STD*	18 - 21"	NC
BC14-1518	☐	Aluminum back cane 8° bend	15 - 18"	NC
BC14-1821	☐	Aluminum back cane 8° bend -*STD*	18 - 21"	NC

Select angle for the back cane: 85° ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐

Specify height : [5]

5- *If notindicated, default height setting is at the lowest position*


6- When the combination of the depth-adjustable back and the clamp on height-adjustable push handle is selected: NXT backrests are not compatible and when selected with locking flip-up armrest, a minimum height of 9.5" is required and it is not available with the slip on backrest

SEAT DEPTH- *Depth and angle adjustable (Available with WC-19)* [3,6]			
SD14	☐	12" to 15" *(seat sling/frame 14")*	NC
SD15	☐	13" to 16" *(seat sling/frame 15")*	NC
SD16	☐	14" to 17" *(seat sling/frame 16")*	NC
SD17	☐	15" to 18" (*seat sling/frame 17"*)	NC
SD18	☐	16" to 19" (*seat sling/frame 18"*)	NC

Specify depth : [4]

3 *- Maximum weight of 165 lb with a depth adjustable backrest*

4 *- If not indicated, the depth will be equal to the seat sling*



DEPTH AND ANGLE ADJUSTABLE BACK CANE *(MUST select ONE push handle options)*			
BC15-912	☐	Aluminium straight back cane *9 - 12"*	NC
BC15-1215	☐	Aluminium straight back cane *12 - 15"*	NC
BC15-1518	☐	Aluminium straight back cane *15 - 18"*	NC
BC15-1821	☐	Aluminium straight back cane *18 - 21" STD*	NC
BC16-1215	☐	Aluminum back cane 8° bend 12 - 15"	NC
BC16-1518	☐	Aluminum back cane 8° bend 15 - 18"	NC
BC16-1821	☐	Aluminum back cane 8° bend STD 18 - 21"	NC

Select angle for the back cane: 90° ☐ 95° STD ☐ 100° ☐ 105° ☐

Specify height : [5]

TRANSIT TIE DOWN			
AC04	☐	Transit Tie Down *(Unoccupied)*	NC
AC35	☐	WC-19 Transit Tie Down without belt [6]	NC

PACKAGES			
VP01	☐	Vision Package: *Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates* [1]	J

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo ****VP01*** *; Recommended with black chair; See picture of the product on page 6.* ***2*** *- see chart on page 7;* ***3-*** *The carbon fiber angle adjustable footplate is not available with 12" and 13" wide* ***6-*** *Not available with depth adjustable back*

Helio Kids FRONT Seat-to-floor Height - Please select your choice

Forks / Position		4" caster (J) Stem bolt Length STD	+1"	+2"	5" caster (J) Stem bolt Length STD	+1"	+2"	6" caster (NC) Stem bolt Length STD	+1"	+2"	8" caster (NC) Stem bolt Length STD	+1"	+2"
4"	P1	13 1/2" ☐	14 1/2" ☐	15 1/2" ☐									
	P2	14" ☐	15" ☐	16" ☐	14 1/2" ☐	15 1/2" ☐	16 1/2" ☐						
5"	P1												
	P2	14" ☐	15" ☐	16" ☐	14 1/2" ☐	15 1/2" ☐	16 1/2" ☐						
	P3	14 1/2" ☐	15 1/2" ☐	16 1/2" ☐	15" ☐	16" ☐	17" ☐	15 1/2" ☐	16 1/2" ☐	17 1/2" ☐			
	P4	15" ☐	16" ☐	17" ☐	15 1/2" ☐	16 1/2" ☐	17 1/2" ☐	16" ☐	17" ☐	18" ☐			
7"	P1							16 1/2" ☐	17 1/2" ☐	18 1/2" ☐			
	P2				16 1/2" ☐	17 1/2" ☐	18 1/2" ☐	17" ☐	18" ☐	19" ☐			
	P3				17" ☐	18" ☐	19" ☐	17 1/2" ☐	18 1/2" ☐	19 1/2" ☐	18 1/2" ☐	19 1/2" ☐	20 1/2" ☐
	P4	17" ☐	18" ☐	19" ☐	17 1/2" ☐	18 1/2" ☐	19 1/2" ☐	18" ☐	19" ☐	20" ☐	19" ☐	20" ☐	21" ☐
	P5	17 1/2" ☐	18 1/2" ☐	19 1/2" ☐	18" ☐	19" ☐	20" ☐	18 1/2" ☐	19 1/2" ☐	20 1/2" ☐	19 1/2" ☐	20 1/2" ☐	21 1/2" ☐
Froglegs	P1	14 1/2" ☐	15 1/2" ☐	16 1/2" ☐									
	P2	15" ☐	16" ☐	17" ☐	15 1/2" ☐	16 1/2" ☐	17 1/2" ☐						
	P3	15 1/2" ☐	16 1/2" ☐	17 1/2" ☐	16" ☐	17" ☐	18" ☐	16 1/2" ☐	17 1/2" ☐	18 1/2" ☐			

Height available +- 1/4" (see stem bolt and fork combination at the end of the order form)

FRONT CASTERS

CASTERS				Availability		
CA01-03 to CA01-08	☐	Composite wheel w/ PU tire (1")		4", 5", 6", 8"		NC
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		J
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"		4" - $182 5" - $192 6" - $202
CASTER OPTIONS						
CA12	☐	Caster Pin Locks *(Available with +1" or +2" Stem bolt ONLY)* [1]				$264
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)				$507

***1-** Not available with WC-19*

KIDS REAR Seat-to-floor Height

	WHEEL SIZES	Height available			
☐	22" (501) wheel (NC)	13 1/2	to	18 1/4	**Specify desired height:** _____
☐	24" (540) wheel (NC)	14 1/2	to	19 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

REAR WHEELS

ONE ARM DRIVE [1] *Only available with Newton One rear wheels, permanent axles, 0° camber*								
HR22	☐	One arm drive - aluminum inner handrim [2]	24"	Left ☐	Right ☐			J
HR60	☐	One arm drive - plastic coated inner handrim [2]	24"	Left ☐	Right ☐			$1,444
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)						0 $
REAR WHEELS							Available	
RW01	☐	Mag [3]					22", 24"	J
RW02	☐	Newton One - spoke wheel [4]					22", 24"	STD
RW03	☐	Newton Gravity - ultralight wheel					22", 24"	$373
RW04	☐	Spinergy Spox	**Blk STD** ☐	Wht [5] ☐	Blue [5] ☐	Red [5] ☐	Yel [5] ☐	22", 24"	$828
RW05	☐	Spinergy LX	**Blk STD** ☐	Pur [5] ☐	Wht [5] ☐	Blue [5] ☐	Red [5] ☐	Yel [5] ☐	Pink [5] ☐	Grn [5] ☐	Org [5] ☐	22", 24"	$1,030
RW07	☐	Spinergy CLX [6]	**Blk STD** ☐	Pur [5] ☐	Wht [5] ☐	Blue [5] ☐	Red [5] ☐	Yel [5] ☐	Pink [5] ☐	Grn [5] ☐	Org [5] ☐	24"	$1,594
TIRES *(The brand and color may vary depending on parts availability)*								Available	
Solid									
TI01	☐	Soft Urethane 1 3/8"						22", 24"	STD
TI02	☐	Soft Urethane knobby 1 3/8" [7]						22", 24"	J
TI13	☐	Soft Urethane 1" - *Sentinel*						22", 24"	$135
TI08	☐	Pneumatic with Airless insert 1 3/8"						22", 24"	$223
Pneumatic									
TI05	☐	Pneumatic 1 3/8"						22", 24"	J
TI06	☐	Pneumatic HP, Low Tread, Puncture resistant, black 1" - *SpeedLite*						22", 24"	$114
TI07	☐	Pneumatic HP, Medium Tread, Puncture resistant, black 1" - *TrailBlazer*						24"	$197
TI03	☐	Pneumatic 2" - Large Tread, black						22", 24"	$135

***1-** Offered with handrims on each side of the wheelchair; Select outer handrim in the handrims section; **3-** Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position;*
***4-** Not compatible with Shox tires; **5-** Colour spokes require an additionnal 10 days lead-time; **6-** Only available with 1" tires; **7-** The 22" is only available with Mags, Newton One and Newton Gravity rear wheels;*

HANDRIMS

HANDRIM			Available		
HR01	☐	Aluminum anodized	22", 24"		NC
HR61-22	☐	Aluminum black hard anodized [2]	22", 24"		$78
HR02-22	☐	Plastic coated [1]	22", 24"		$166
HR03-22	☐	High friction coated [1,2,3]	22", 24"		$446
HR07-HR18 and HR65-HR71	☐	Newton Air Grip [2] *See on page 6 for color choice and price*	22", 24"		Black = J Color = $342
HR28-22	☐	Surge [1,2,3] *(1 1/2" Oval handrim w/ Gripton high friction strip)*	22", 24"		$487
HR05-22	☐	Surge LT [1,2,3] *(1 1/8" Oval handrim w/ Gripton high friction strip)*	22", 24"		$518
HR04-22	☐	Natural Fit [1,2,3]	22", 24"		$321
HR62-22	☐	Simi H [1,2,3] *(1 1/4" Oval handrim with high friction strip)*	22", 24"		$487
HR63-22	☐	Nova H [1,2,3] *(1 1/4" Oval handrim with high friction strip)*	22", 24"		$515
HR64-22	☐	Optimum H [1,2,3] *(1 1/8" heart-shaped handrim)*	22", 24"		$320
HR99	☐	Omit handrim			N/A

***1-** Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; **2-** Not available with Mag wheels; **3** - Not available with one arm drive;*

HANDRIMS OPTIONS

ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	*Full tab*			NC
HR030	☐	Narrow Handrim position no cut [4]	*Full tab*			NC
HR30	☐	Narrow Handrim position with cut [3]	*Short tab 2 positions*			J
HR31	☐	Super Narrow Handrim [3]	*Short tab 2 positions STD* ☐	*Short tab 1 position* [4] ☐		J
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip				0$
HR27	☐	Super grip				0$
HR099	☐	Omit thumb piece				0$


***3** - Only available with Aluminum and Air Grip handrims; 4- Not available with the combination of 24" Newton Gravity, Spinergy Spox, LX, wheels and a 1 3/8" Airless insert pneumatic tire with any handrim;*

AXLE [1]					
AX01	☐	Quick release axle			NC
AX02	☐	Permanent axle			NC
AX03	☐	Quad release axle			$176

***1-** Not required with one arm drive*

REAR WHEEL CAMBER					
CM00	☐	0° camber			NC
CM03	☐	3° camber			NC
CM06	☐	6° camber *(not available with amputee axle plate)*			NC

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

X =

Most stable												
1" ☐	1/4" ☐	1/2" ☐	3/4" ☐	**2"** ☐	1/4" ☐	1/2" ☐	3/4" ☐	**3"** ☐	1/4" ☐	1/2" ☐	3/4" ☐	**4"** ☐

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".
Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1-Only available with the amputee axle plate

WHEEL LOCK					
WL08	☐	Newton Wheel lock - push to lock			STD
WL14	☐	6" removable extension handle for push to lock			J
WL02	☐	Pull to lock			J
WL04	☐	Newton grade aid push to lock *(works best with pneumatic or high pressure tire)*			$182
WL13	☐	6" removable extension handle for pull to lock and grade aid			J
WL05	☐	Scissors Lock			J
WL06	☐	Attendant Lock *(additional set of wheel lock mounted to the back)*			$239
WL15	☐	Unilateral wheel lock - pull to lock[1] Left ☐ Right ☐			$337
WL99	☐	Omit wheel locks			NC

***1-** For more information about incompatibilties and restriction, refer to the table at page 6 and the "How-to documents" page of our website:*
https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

FOOTREST

SWING-IN/SWING-OUT FOOTREST						
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		$0
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		$0
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		$0
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16" [5]		Set at: *		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5" [5]		Set at: *		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5" [5]		Set at: *		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) [1]	7.5" - 11"	Set at: *		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" [1, 2]	9.5"- 13"	Set at: *		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" [1, 2]	9.5" - 14.5"	Set at: *		NC
FOOTREST OPTIONS						
FR09	☐	High mount *(footplate attached to the hanger with clamps)* [3]	5" - 13.5"	Set at:*		NC
FR10	☐	Elevating legrest with calf pad, Length adjustable [4] Left ☐ Right ☐	14" - 22"	Set at:		J
FR99	☐	Omit Footrest				J

1- *Available only with two piece adjustable footplates;* ***2-*** *May interfere with front casters;* ***3-*** *Not available with front mount and the elevating legrest;* * + or - 1/2"

4- *The elevating legrest replace the footrest side selected; Not compatible with seat width of 12" and 13" and one piece footplate;* ***5-*** *Not available with 8" caster*

FOOTPLATES						
FP01	☐	Standard - Composite [1]				NC
FP02	☐	Newton adjustable angle - Composite				J
FP03	☐	Newton adjustable angle - Aluminum [2]				$171
FP04	☐	Newton adjustable angle - Carbon fiber *(with rubber inserts)*				$394
FP23	☐	Newton adjustable angle extra deep - Aluminum				J
FP06	☐	One piece adjustable angle flip-up - Aluminum				$214
FP07	☐	One piece adjustable angle flip-up - Carbon fiber *(with rubber inserts)*				$466
FOOTPLATE ACCESSORIES						
FP08	■	Length adjustable heel loop *(not available with one piece footplate)*				NC
FP09	☐	Calf strap				$54
FP30	☐	Bodypoint Aeromesh Padded calf strap				$134

1- *Not available with front mount;* ***2*** *- The Newton adjustable angle (Aluminum) is the only available option with a 12 and 13" wide frame*

SWING AWAY RESIDUAL LIMB SUPPORT							
FR27	☐	Residual limb support - flat 6"x8"	Left ☐	Right ☐			$808
FR28	☐	Residual limb support - flat 8"x10"	Left ☐	Right ☐			$808
FR29	☐	Residual limb support - flat 10"x10"	Left ☐	Right ☐			$808
FR30	☐	Residual limb support - flat 10"x14"	Left ☐	Right ☐			$808
FR32	☐	Residual limb support - contour 6"x8"	Left ☐	Right ☐			$808
FR33	☐	Residual limb support - contour 8"x10"	Left ☐	Right ☐			$808

SEATING AND PUSH HANDLES

BACK UPHOLSTERY					
BH07	☐	Slip-on Active-Mesh back upholstery			NC
BH08	☐	Adjustable tension Active-Mesh back upholstery			$254
BH99	☐	Omit Back upholstery			NC
	☐	NXT back Support		see price list	$
PUSH HANDLES OPTIONS *(ONE option at a time)*					
PH01	☐	Push handles			NC
PH05	☐	Fold down push handles [1]			$156
PH06-920	☐	Clamp on height adjustable push handles 9" - 20" [1,2]			$337
PH06-923	☐	Clamp on height adjustable push handles 9" - 23" [1,2]			$337
PH02	☐	Omit push handles			J
STROLLER HANDLE AND STABILIZER BAR *(only available with push handle)*					
PH04	☐	Stroller handle			NC
PH03	☐	Newton folding stabilizer bar *(not available with stroller handle)*			$268

1- *Not compatible with stroller handle, stabilizer bar, headrest and attendant lock;* ***2-*** *Not compatible with 8° bend back canes and amputee axle plates*

ARMRESTS

HEIGHT ADJUSTABLE "T" ARMREST [1]						
AR13-610	☐	10" Desk length armpad [4]	6" - 10"			NC
AR03-812	☐	10" Desk length armpad	8" - 12"			NC
AR03-1014	☐	10" Desk length armpad	10" - 14"			NC
AR14-610	☐	14" Full length armpad [4]	6" - 10"			NC
AR04-812	☐	14" Full length armpad	8" - 12"			NC
AR04-1014	☐	14" Full length armpad	10" - 14"			NC
LOCKING FLIP-UP ARMREST [2]						
AR07	☐	Locking Flip-Up Armrest				NC
ARMREST OPTIONS						
AR12	☐	14" Full Length armpad - Gel Ovation (pair) [3]				$166
AR99	☐	Omit armrest				J

1- *May have 1/2" adjustment restriction on both limits of the range; 2- May interfere with rigid back hardware; Only available with 18"-21" straight aluminum back canes; Not available with back upholstery;*

3- *Not available with locking flip-up armrest and short "T" armrest;* ***4-*** *May have some restriction with seat-to-floor height and rear wheel*

ACCESSORIES

SIDE GUARDS *(not available with "T" Armrest)*							
SG01	☐	Plastic side guards *(removable)*	Straight bracket - STD ☐	Offset bracket[1] ☐			$233
SG03	☐	Carbon fiber side guards *(removable)*	Straight bracket - STD ☐	Offset bracket[1] ☐			$306
SG06	☐	Plastic fender side guards *(removable)*	Straight bracket - STD ☐	Offset bracket[1] ☐			$332
SG04	☐	Carbon fiber fender side guards *(removable)*	Straight bracket - STD ☐	Offset bracket[1] ☐			$513
SG99	☐	Omit side guard					$0

1- *only compatible with 0° camber; Increase distance between fender side guards by 1 1/8" ;*

POSITIONING BELT					
SB01-S	☐	Velcro adjustable - **Standard 35"**			$47
SB01-L	☐	Velcro adjustable - **Long 60"**			$47
SB02-S	☐	Auto buckle - **Standard 35"**			J
SB02-M	☐	Auto buckle - **medium 48"**			J
SB02-L	☐	Auto buckle - **Long 60"**			J
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - **Medium 56"**			$85
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - **Long 61"**			$85
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - **Small 51"**			$176
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - **Medium 56"**			$176
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - **Long 61"**			$716
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - **Small 51"**			$202
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - **Medium 56"**			$202
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - **Long 61"**			$202
SB03	☐	Hardware attachment for 2 extra points (1 pair)			$14
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - **Medium 18"**			$336
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - **Long 24"**			$336
SB99	☐	Omit positioning belt			NC

ACCESSORIES						
WC10	☐	E-Motion adaptor Kit *(2 adaptors) - Only necessary with 6° camber*				$32
AC03	■	Anti-tippers				NC
AC29	☐	Swing-away anti-tipper[1]	Left ☐	Right ☐		$352
AC27	☐	Tip assist [2]				$63
AC06	☐	Cane and crutch holder	Left ☐	Right ☐		$228
AC07	☐	Oxygen tank holder [4] - D and E Type - installed on the left				$389
AC08	☐	Spoke guards [3]	Available: 20", 22", 24", 26"			$151
AC09	☐	Footrest neoprene impact guard *(pair)* - Black				$83
AC10	☐	Seat pouch				$99
AC30	☐	Newton multi-purpose pouch				$73
AC26	☐	BodyPoint Mobility Bag				$140
AC23	☐	Newton Backpack				$125
AC12	☐	Velcro Closing Strap				$52
AC13	☐	Tool kit				$52


1- *Must select the pair (left and right) with HD optionè Only available with rear seat to floor height between 13 1/2" and 19 3/4"; Not available with amputee axle plate; 2- Cannot be combined with Anti Tippers*

3- *Not available with Mag wheels and Spinergy;* ***4-*** *Not compatible with swing away armrest or amputee axle plate and WC-19 transit tie-down*

Colors																					
Options [1]	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
AirGrip	☐ J		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	$342
Frame		☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	J

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
22 in	16	1.0 to 2.75
	17	1.0 to 3.25
	18+	1.0 to 3.75
24 in	16	1.0 to 2.0
	17	1.0 to 2.75
	18+	1.0 to 3.75

EVO CUSTOM

CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's subtle tweaks for comfort and mobility improvements or custom colors that make your accessories uniquely yours, we're here to support you.

Explore the **EVO Custom Catalog**.

You can include your request or reference an existing customization from our catalog in the notes section below.

Notes :

FOLDING ON CHAIR – CDN ORDER FORM

BioFit™ CUSHION



☐ Use wheelchair configuration

Or use this size:

NXCABF _____

(W" x D")

DEPTH \ WIDTH	12"	13"	14"	15"	16"
12"	$750	$750	$750		N/A
13"					
14"	$750	$750	$750		
15"		$750	$750	$750	$750
16"		$750	$750	$750	$750
17"	N/A			$750	$750
18"	N/A			$750	$750
19"	N/A			$750	$750
20"	N/A			$750	$750

Option: Change cover for incontinent/infection control outer cover ☐ N/C

Green boxes are stocked sizes; the red boxes require customization*; the N/A boxes are not available sizes.
*Customization (red boxes) is available with an upcharge of $160.00 and has a 2 to 4 weeks additional lead time.

SEATING AND CUSHION ACCESSORIES



MODEL #	Description	Fits Back Width	Retail	QTY
RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6-43.2 cm) and 14"-18" deep (35.6-45.7 cm)	$96	

THORACIC SHAPE



Optima™

THORACIC BACK SUPPORT

WIDTH	HEIGHT	MODEL # ALUMINUM	RETAIL	✓	Repl. cover & foam	Retail	✓
14"	13"	NOACB1413	$870	☐	NIB-2193V	$156	☐
14"	16"	NOACB1416	$870	☐	NIB-2194V	$156	☐
15"	13"	NOACB1513	$870	☐	NIB-2197V	$156	☐
15"	16"	NOACB1516	$870	☐	NIB-2198V	$156	☐
16"	13"	NOACB1613	$870	☐	NIB-2201V	$156	☐
16"	16"	NOACB1616	$870	☐	NIB-2202V	$156	☐
16"	19"	NOACB1619	$870	☐	NIB-2203V	$156	☐



Optima Carbon™

THORACIC BACK SUPPORT
CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)

WIDTH	HEIGHT	MODEL # CARBON	RETAIL	✓	Repl. cover &	Retail	✓
14"	13"	NOCFACB1413	$1,380	☐	NIB-2193V	$156	☐
14"	16"	NOCFACB1416	$1,380	☐	NIB-2194V	$156	☐
15"	13"	NOCFACB1513	$1,380	☐	NIB-2197V	$156	☐
15"	16"	NOCFACB1516	$1,380	☐	NIB-2198V	$156	☐
16"	13"	NOCFACB1613	$1,380	☐	NIB-2201V	$156	☐
16"	16"	NOCFACB1616	$1,380	☐	NIB-2202V	$156	☐

THORACIC SHAPE



Optima™ DEEP

THORACIC BACK SUPPORT

WIDTH	HEIGHT	MODEL # ALUMINUM	RETAIL	✓	Repl. cover & foam	Retail	✓
14"	13"	NOPCB1413	$990	☐	NIB-2246V	$156	☐
14"	16"	NOPCB1416	$990	☐	NIB-2247V	$156	☐
15"	13"	NOPCB1513	$990	☐	NIB-2250V	$156	☐
15"	16"	NOPCB1516	$990	☐	NIB-2251V	$156	☐
16"	13"	NOPCB1613	$990	☐	NIB-2254V	$156	☐
16"	16"	NOPCB1616	$990	☐	NIB-2255V	$156	☐
16"	19"	NOPCB1619	$990	☐	NIB-2256V	$156	☐



Optima Carbon™ DEEP

THORACIC BACK SUPPORT
CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)

WIDTH	HEIGHT	MODEL # CARBON	RETAIL	✓	Repl. cover &	Retail	✓
14"	13"	NOCFPCB1413	$1,500	☐	NIB-2246V	$156	☐
14"	16"	NOCFPCB1416	$1,500	☐	NIB-2247V	$156	☐
15"	13"	NOCFPCB1513	$1,500	☐	NIB-2250V	$156	☐
15"	16"	NOCFPCB1516	$1,500	☐	NIB-2251V	$156	☐
16"	13"	NOCFPCB1613	$1,500	☐	NIB-2254V	$156	☐
16"	16"	NOCFPCB1616	$1,500	☐	NIB-2255V	$156	☐
					NIB-2256V		

THORACIC SHAPE



Xtend™ LOW HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

xtend™	WIDTH	HEIGHT	RETAIL	✓	Repl. cover & foam	Retail	✓
NHAACB(L)1213/17	12"	13-17"	$870	☐	NIB-2148V	$156	☐
NHAACB(L)1413/17	14"	13-17"	$870	☐	NIB-2149V	$156	☐
NHAACB(L)1613/17	16"	13-17"	$870	☐	NIB-2150V	$156	☐

PLEASE NOTE: Each back will fit widths up to 2" wider.

ALL PRICES QUOTED IN CAD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

BACK SUPPORT ACCESSORIES



MODEL #	DESCRIPTION	FITS BACK WIDTH	RETAIL	QTY
Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	$246	
NIB-1938	Extra Small Privacy Flap for 11” - 13” wide back supports	11” - 13” (27.9 - 33.0)	$84	
NIB-1078	Small Privacy Flap for 14”-16” wide back supports	14” - 16” (35.6-40.6 cm)	$84	

MultiFit™ HEAD SUPPORT – MULTI-ADJUSTABLE PADS

	MODEL	Description	RETAIL	✓
	NIB-0784	10” x 5” Large Rectangular	$246	
	NIB-0818	14” x 5” Extra-Large Rectangular	$246	

MultiFit™ HEAD SUPPORT – FIXTURES

	MODEL	Description	RETAIL	✓
	NIB-0747	Multi-Axis Hardware	$180	
	NIB-0823	Head Support Receiver Bracke	$72	

EXTRA COVERS

Extra Outer smartx3D Cover 

Extra Outer Incontinent Cover 

ITEM	WIDTH X DEPTH	RETAIL	QTY
Extra Outer smartx^{3D} Cover – For a cover up to 18” x 18”	NXCCBF_____V	$156	
Extra Outer Incontinent Cover – For a cover up to 18” x 18”	NXCCAF_____V	$156	

ALL PRICES QUOTED IN CAD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com