



P.O. number: *	Date: *	Ship to: *
Company Name: *	Phone: *	Name:
Purchasing contact: *		Address:
Clinician/Sales rep/ATP:		City: State:
Email:		Zip Code:
Marked for:		Phone:

* Required MA082 ☐ English Manual (STD) MA089 ☐ Spanish Manual Taxes not included

MODEL								USD			
1	WC03	Ultralight folding Helio wheelchair (265lb weight capacity) A7 package: side frames, symmetrical hydroformed crossbrace and back canes made of 7000 series aluminum							K0005	\$2 295	☐
2	WC08	C2 carbon fiber upgrade: side frames, symmetrical molded crossbrace and back canes made of ultralight carbon fiber								\$1 835	☐
3	WC09	HD Heavy Duty package (350 lb weight capacity)								\$525	☐
4	WC10	E-Motion adaptor Kit (2 adaptors) - <i>Only necessary with 6° camber</i>								\$35	☐
SEAT WIDTH ³											
5	SW	Seat width:	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐		NC	☐
6	SW	Seat width:		20" ¹ ☐	21" ² ☐	22" ² ☐			E2201	\$495	☐
SEAT DEPTH											
7	SD	Seat depth:	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC	☐
8	SD	Seat depth:		20" ☐					E2203	\$475	☐

1 - Available with HD Kit (350 lb)

2 - Only with HD Kit (350 lb)

[3. Width calculator](#)

NEWTON ULTRALIGHT PACKAGE											
9	PK01	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels						Save \$225	\$490	☐	

Helio FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13	14	15	13 1/2	14 1/2	15 1/2												
	P2	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2									
5"	P1																		
	P2				14	15	16	14 1/2	15 1/2	16 1/2									
	P3	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2						
	P4	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2			
7"	P1										16 1/2	17 1/2	18 1/2	17	18	19			
	P2							16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2			
	P3							17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2
	P4	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21
	P5	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21	19 1/2	20 1/2	21 1/2

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS												
10	CA01	Composite wheel w/ PU tire (1" width)	3" □	4" □	5" □	6" □	7" □	8" □			NC	□
11	CA10	Pneumatic casters 6" x 1 ¼"								E2214/E2215	\$160	□
12	CA11	Pneumatic casters 8" x 1 ¼"								E2214/E2215	\$160	□
13	CA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "								\$85	□
14	CA15		5" x 1 ½ "								\$85	□
15	CA16		6" x 1 ½ "								\$85	□
16	CA17	Newton UltraCaster <i>Soft-Roll</i> Aluminum	4" x 1 ½ "								\$185	□
17	CA18		5" x 1 ½ "								\$195	□
18	CA19		6" x 1 ½ "								\$205	□
CASTER OPTIONS												
19	CA12	Caster Pin Locks (<i>Available with +1" or +2" Stem bolt ONLY</i>) ¹								K0073	\$295	□
20	CA13	Carbon fiber Frog Legs suspension forks (<i>Not available with caster pin locks</i>)								E1015	\$475	□

1- Not available with WC-19

Helio - REAR
Seat-to-floor Height

WHEEL SIZES	Height available	
20" (451) wheel ☐	12 1/2 to 17 1/4	Specify desired height:
22" (501) wheel ☐	13 1/2 to 18 1/4	
24" (540) wheel ☐	14 1/2 to 19 1/4	
25" (559) wheel ☐	15 to 19 3/4	
26" (590) wheel ☐	15 1/2 to 20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest											
SWING-IN/SWING-OUT FOOTREST											
21	FR03	60° Swing-in/swing-out footrest	13.5 - 17" □	14.5 - 19.5" □	15.5 - 20.5" □		Set at: *			NC	□
22	FR04	70° Swing-in/swing-out footrest	13.5 - 17" □	14.5 - 19.5" □	15.5 - 20.5" □		Set at: *			NC	□
23	FR15	80° Swing-in/swing-out footrest	13.5 - 16" □	14.5 - 19.5" □	15.5 - 20.5" □		Set at: *			NC	□
24	FR06	90° swing-in/swing-out with front mount - Standard (no extension) ¹			7.5 - 11"		Set at: *			NC	□
25	FR07	90° swing-in/swing-out with front mount - Short extension 2" ^{1, 2}			9.5 - 13"		Set at: *			NC	□
26	FR08	90° swing-in/swing-out with front mount - Medium extension 4" ^{1, 2}			9.5 - 14.5"		Set at: *			NC	□
FOOTREST OPTIONS											
27	FR09	High mount <i>(footplate attached to the hanger with clamps)</i> ³			5 - 13.5"		Set at: *			\$80	□
28	FR10	Elevating legrest with calf pad, 14" - 22" Length adjustable ⁴			Left □ Right □		Set at:	E0990		\$240	□
29	FR99	Omit Footrest								NC	□

1 - Available only with two pieces adjustable footplates 2 - May interfere with front casters 3- Not available with front mount

4- The elevating legrest replace the footrest side selected

* + / - 1/2"

FOOTPLATES											
30	FP01	Standard - Composite ¹								STD	☐
31	FP02	Newton adjustable angle - Composite							K0040	\$210	☐
32	FP03	Newton adjustable angle - Aluminum							K0040	\$230	☐
33	FP04	Newton adjustable angle - Carbon fiber (<i>with rubber inserts</i>)								\$435	☐
34	FP06	One piece adjustable angle flip-up - Aluminum							K0040	\$190	☐
35	FP07	One piece adjustable angle flip-up - Carbon fiber (<i>with rubber inserts</i>)								\$455	☐
FOOTPLATE ACCESSORIES											
36	FP08	Length adjustable heel loop (<i>not available with one piece footplate</i>)							E0951	\$40	☐
37	FP09	Calf strap							K0038	\$35	☐
38	FP30	Bodypoint Aeromesh Padded calf strap							K0038	\$115	☐

1- Not available with front mount

SWING AWAY RESIDUAL LIMB SUPPORT								
39	FR27	Residual limb support - flat 6"x8"	Left ☐	Right ☐		E1020	\$405	☐
40	FR28	Residual limb support - flat 8"x10"	Left ☐	Right ☐		E1020	\$405	☐
41	FR29	Residual limb support - flat 10"x10"	Left ☐	Right ☐		E1020	\$405	☐
42	FR30	Residual limb support - flat 10"x14"	Left ☐	Right ☐		E1020	\$405	☐
43	FR32	Residual limb support - contour 6"x8"	Left ☐	Right ☐		E1020	\$405	☐
44	FR33	Residual limb support - contour 8"x10"	Left ☐	Right ☐		E1020	\$405	☐

Backrest									
FIXED ANGLE AND HEIGHT ADJUSTABLE BACK WITH PUSH HANDLE OPTION									
45	BC11	Straight back cane	12 - 15" ☐	15 - 18" ☐	18 - 21" STD ☐			NC	☐
	BC06								
46	BC12	8° Bend back cane	13 ½ - 15" ☐	15 - 18" ☐	18 - 21" STD ☐			\$55	☐
	BC08								
ANGLE AND HEIGHT ADJUSTABLE BACK WITH PUSH HANDLE OPTION									
47	BC13	Straight back cane		15 - 18" ☐	18 - 21" STD ☐			\$210	☐
	BC09								
48	BC14	8° bend back cane		15 - 18" ☐	18 - 21" STD ☐			\$265	☐
	BC10								
49		Select back cane angle:	85° ¹ ☐	90° ☐	95° STD ☐	100° ☐	105° ☐	110° ☐	
Set height to: ²			(measured from seat sling to top of back upholstery)						
PUSH HANDLE OPTIONS									
50	PH01	Push handles						STD	☐
51	PH05	Folding push handles ^{3, 5}						\$126	☐
52	PH06	clamp on height adjustable push handle ^{3,4, 5}	9 - 20" STD ☐	9-23" ☐				\$315	☐
53	PH02	Omit push handles						NC	☐

1 - Not available with a 8 degree bend cane 2 - If not indicated, default height setting is at the lowest position 3 - 265 pounds weight limit

4 - Not compatible with swing away armrests, 8° bend back canes and ampute axle plates

5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

STROLLER HANDLE AND STABILIZER BAR ¹						
54	PH04	Stroller handle <i>(only available with push handle) - (not available with the HD option)</i>		K0108	\$160	☐
55	PH03	Newton folding stabilizer bar			\$265	☐

1 - Stroller handle and stabilizer bar can't be combined

BACK UPHOLSTERY							
56	BH07	Slip-on Active-Mesh back upholstery				STD	☐
57	BH08	Adjustable tension Active-Mesh back upholstery			E2611	\$300	☐
58	BH99	Omit Back upholstery				NC	☐
SEAT CUSHION							
59	SC01	2" Cushion			E2601	\$165	☐
60	SC02	3" Cushion			E2601	\$185	☐
61	SC99	Omit seat cushion				STD	☐

Rear wheels											
ONE ARM DRIVE ¹		Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims									
62	HR22	One arm drive ^{2,3}	24"		left ☐		right ☐			\$1 465	☐
63	HR98	Omit handrim on opposite side of the One Arm Drive (OAD)								NC	☐
REAR WHEELS											
64	RW01	Mag ⁴	20" ☐	22" ☐	24" ☐					\$55	☐
65	RW02	Newton One - spoke wheel ⁵	20" ☐	22" ☐	24" ☐					NC	☐
66	RW03	Newton Gravity - ultralight wheel	20" ☐	22" ☐	24" ☐	25" ☐	26" ☐			\$315	☐
67	RW04	Spinergy Spox		22" ☐	24" ☐	25" ☐	26" ☐			\$835	☐
68		Spinergy Spox spokes colors ⁶	Blk STD ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐			NC	☐
69	RW05	Spinergy LX		22" ☐	24" ☐	25" ☐	26" ☐			\$1 045	☐
70		Spinergy LX spokes colors ⁶	Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐
71	RW07	Spinergy CLX Carbon Blade ⁵				24" ☐	25" ☐			\$1 555	☐
72		Spinergy CLX spokes colors ⁶	Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐
TIRES							Available				
73	TI01	Soft Urethane 1 1/4 "					20", 22" 24"		E2218	STD	☐
74	TI02	Soft Urethane knobby 1 3/8 "					22", 24", 25", 26"		E2218	\$95	☐
75	TI04	Soft Urethane - Shox 1"					22", 24", 25", 26"		E2218	\$115	☐
76	TI05	Pneumatic 1 3/8 "					20", 22", 24", 25", 26"		E2211/E2212	NC	☐
77	TI08	Pneumatic with Airless insert 1 3/8" ⁷					22", 24", 26"		E2211/E2213	\$80	☐
78	TI06	Pneumatic HP - 1"					20", 22", 24", 25", 26"		E2211/E2212	\$95	☐
79	TI07	Pneumatic HP - Schwalbe Marathon Plus 1"					24", 25", 26"		E2211/E2212	\$125	☐

1- Offered with handrims on each side of the wheelchair
2- Only standard handrim position available
3 - Not available with HD option

4 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position
5 - Not compatible with Shox tires

6 - Colour spokes require an additionnal 10 days lead-time
7- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims							
HANDRIM							
80	HR01	Aluminum anodized				STD	☐
81	HR61	Aluminum black hard anodized ^{1,3}				\$70	☐
82	HR02	Plastic coated ²				\$100	☐
83	HR03	Q-Grip High friction Neoprene coated ^{2,3,4}				\$370	☐
84	HR07	Newton Air Grip ³ <i>Black</i> ☐				\$100	☐
85	HR	Newton Air Grip ³ <i>(08) Sunkissed Orange</i> ☐ <i>(09) Burgundy</i> ☐ <i>(10) Sapphire Blue</i> ☐				\$250	☐
		<i>(11) Monster Green</i> ☐ <i>(12) Charcoal</i> ☐ <i>(13) Fuchsia</i> ☐ <i>(14) Steel Blue</i> ☐					
		<i>(15) Ferrari Red</i> ☐ <i>(16) Acid Green</i> ☐ <i>(17) White</i> ☐ <i>(18) Sky Blue</i> ☐					
86	HR28	Surge ^{2,3,4} <i>(1-1/2" Oval handrim w/ Gripton high friction strip)</i>				\$395	☐
87	HR05	Surge LT ^{2,3,4} <i>(1-1/8" Oval handrim w/ Gripton high friction strip)</i>				\$425	☐
88	HR04	Natural Fit ^{2,3,4}				\$325	☐
89	HR99	Omit handrim				NC	☐

1 - Not available in 26"
2- Only standard handrim position available
3 - Not available with Mag wheels or OAD
4 - Not available in 20"

Handrims option								
Assembly position for aluminum and Newton AirGrip handrims								
90	HR29	Standard Handrim position	Full tab				STD	☐
91	HR30	Narrow Handrim position	Short tab 2 positions				\$27	☐
92	HR31	Super Narrow Handrim	Short tab 2 positions STD ☐ Short tab 1 position ☐				\$27	☐
Thumb piece ⁴ selection for Natural Fit handrims								
93	HR23	Standard grip					\$90	☐
94	HR27	Super grip					\$145	☐
95	HR099	Omit thumb piece					NC	☐


4- Compatible with Surge, Surge LT handrims

AXLE ¹					
96	AX01	Quick release axle			STD ☐
97	AX02	Permanent axle			NC ☐
98	AX03	Quad release axle		K0108	\$125 ☐
AXLE PLATE					
99	AX04	Amputee adjustable axle plate ²		E0959	\$195 ☐

1- Not required with one arm drive

2 - May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER					
100	CM00	0° camber			STD ☐
101	CM03	3° camber			NC ☐
102	CM06	6° camber (not available with amputee axle plate)			\$160 ☐

CENTER OF GRAVITY																																																																
		Choose position of rear wheel axle plate: Measure distance X from front of back post to center of axle receiver.																																																														
		<table border="1"> <thead> <tr> <th colspan="8">Most stable</th> <th colspan="4">Most responsive</th> </tr> <tr> <th>1"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>2"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>3"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>4"</th> </tr> </thead> <tbody> <tr> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td colspan="12"> If not indicated, default setting is at 1.5" Possible conflict between a seat depth under 16" and a center of gravity over 2,5". Possible conflict between a 26" rear wheel and a center of gravity over 2,5". If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position. </td> <td> Only on carbon frame </td> </tr> </tbody> </table>												Most stable								Most responsive				1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	If not indicated, default setting is at 1.5" Possible conflict between a seat depth under 16" and a center of gravity over 2,5". Possible conflict between a 26" rear wheel and a center of gravity over 2,5". If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.												Only on carbon frame
		Most stable								Most responsive																																																						
		1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"																																																		
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																																																				
If not indicated, default setting is at 1.5" Possible conflict between a seat depth under 16" and a center of gravity over 2,5". Possible conflict between a 26" rear wheel and a center of gravity over 2,5". If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.												Only on carbon frame																																																				
X =																																																																

WHEEL LOCK					
103	WL08	Newton Wheel lock - push to lock			STD ☐
104	WL02	Pull to lock			NC ☐
105	WL04	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)		E0974	\$150 ☐
106	WL13 WL14	6" removable extension handle		E0961	\$75 ☐
107	WL05	Scissor Lock			\$150 ☐
108	WL06	Attendant Lock (additional set of wheel lock mounted to the back)			\$210 ☐
109	WL99	Omit wheel locks			NC ☐

Armrests									
FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,4}				Height Adjustment		Removable function			
110	AR01	10" Desk length arm pad	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked STD ☐	E0973	\$350	☐
111	AR02	14" Full length arm pad	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked STD ☐	E0973	\$350	☐
"T" ARMREST ¹				Height Adjustment					
112	AR03	10" Desk length arm pad	8 - 12" ☐ STD	10 - 14" ☐			E0973	\$325	☐
113	AR04	14" Full length arm pad	8 - 12" ☐ STD	10 - 14" ☐			E0973	\$325	☐
SWING AWAY ARMREST ^{2,4}				Height Adjustment					
114	AR05	Tubular arm pad	8 - 11"				E0973	\$225	☐
115	AR06	10" Desk length arm pad	8 - 11"				E0973	\$225	☐
GEL ARM PAD ³									
116	AR12	14" Full Length Arm Pad - Gel Ovation						\$160	☐
117	AR99	Omit armrest						NC	☐

1 - May have a 1/2 " adjustment restriction on both limits of the range

2 - Could interfere with some rigid back rests

3- Not available with swing away and flip back armrest; 4- Not available with attendant lock

SIDE GUARDS <i>(not available with Flip Back and "T" Armrest)</i>						
118	SG01	Plastic side guards <i>(removable)</i>		K0108	\$195	☐
119	SG02	Carbon fiber side guards <i>(fixed)</i>			\$265	☐
120	SG03	Carbon fiber side guards <i>(removable)</i>		K0108	\$290	☐
121	SG06	Plastic fender side guards <i>(removable)</i> ¹			\$285	☐
122	SG04	Carbon fiber fender side guards <i>(removable)</i>		K0108	\$540	☐
123	SG99	Omit side guard			STD	☐
SIDE GUARDS OPTION						
124	SG07	Side guards clip <i>(pair)</i> ²			NC	☐

1- Not compatible with 20" and 22" rear wheels

2- Not available with fixed carbon fiber side guard

POSITIONING BELT						
125	SB01	Velcro adjustable	Standard 35" ☐	Long 60" ☐	E0978	\$45 ☐
126	SB02	Auto buckle	Standard 35" ☐	Long 60" ☐	E0978	\$85 ☐
127	SB07	Hardware attachment for 2 point seatbelt (1 pair)			NC	☐
128	SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)			\$16	☐
129	SB04	BodyPoint Hip Belt - 2 point not padded	Medium 56" ☐	Long 61" ☐	E0978	\$80 ☐
130	SB05	BodyPoint Hip Belt - 2 point padded	Small 51" ☐	Medium 56" ☐	E0978	\$170 ☐
131	SB06	BodyPoint Hip Belt - 4 point padded	Small 51" ☐	Medium 56" ☐	E0978	\$190 ☐
132	SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	Medium 18" ☐	Long 24" ☐	K0108	\$300 ☐
133	SB99	Omit positioning belt			STD	☐

HEADREST ¹						
134	AC01	Profiled Headrest	Small (3.5"x6") ☐	Medium (4.5"x7") ☐	Large (5.5"x8") ☐	E0955 \$180 ☐
135	AC28	Headrest mounting hardware with removable non folding stabilizer bar			E1028 \$295	☐

1 - Only available with push handles - Not available with a stroller handle or a folding stabiliser bar

ACCESSORIES						
136	AC03	Anti tippers			E0971	\$140 ☐
137	AC29	Swing-away anti-tippers ¹	Left ☐	Right ☐		\$160 ☐
138	AC27	Tip assist ²				\$65 ☐
139	AC04	Transit Tie Down <i>(Unoccupied)</i>				NC ☐
140	AC05	WC-19 Transit Tie Down w/Q'straint belt ³	Short belt 20-41" ☐	Long belt 20-46" ☐		\$335 ☐
141	AC06	Cane carrier	Left ☐	Right ☐	E2207	\$195 ☐
142	AC07	Oxygen tank holder - D and E Type <i>Not compatible with swing away armrest or amputee axle plate</i>	Left		E2208	\$310 ☐
143	AC08	Spoke guards ⁴	Available: 20", 22", 24", 26"		K0065	\$115 ☐
144	AC09	Footrest neoprene impact guard (pair) - Black			K0108	\$90 ☐
145	AC10	Seat pouch				\$80 ☐
146	AC30	Newton sanitizing multi-purpose pouch				\$60 ☐
147	AC26	BodyPoint Mobility Bag				\$130 ☐
148	AC23	Newton Backpack				\$125 ☐
149	AC12	Velcro Closing Strap				\$55 ☐
150	AC13	Tool kit				\$50 ☐
151	AC16	Motion Composites Polo Shirt	W/S ☐	W/M ☐	W/L ☐	\$35 ☐
			M/S ☐	M/M ☐	M/L ☐	
				M/XL ☐	M/XXL ☐	
					M/XXXL ☐	
					M/XXXXL ☐	
152	AC15	Military Patches	Army ☐	Navy ☐	Air Force ☐	\$95 ☐
			Marines ☐	Coast Guard ☐		
153	AC15	Combat Wounded Purple Heart Patch				\$95 ☐

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height of 13 1/2" and 19 3/4"

3 - May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

2 - Cannot be combined with Anti Tippers

4 - Not available with Mag wheels and Spinegy

BioFit™ CUSHION

 HCPCS CODE: E2607-E2608	BioFit™	Fits Width	Depth	\$	✓	BioFit™	Fits Width	Depth	\$	✓
	NXCABF1616	15"-16"	16"	425		NXCABF2016	19" - 20"	16"	425	
	NXCABF1618	15"-16"	18"			NXCABF2018	19", - 20"	18"		
	NXCABF1620	15"-16"	20"			NXCABF2020	19" - 20"	20"		
	NXCABF1816	17"-18"	16"			NXCABF2216	21" - 22"	16"	455	
	NXCABF1818	17"-18"	18"			NXCABF2218	21" - 22"	18"		
	NXCABF1820	17"-18"	20"			NXCABF2220	21" - 22"	20"		

Optima™ THORACIC BACK SUPPORT

THORACIC SHAPE

 HCPCS CODE: E2620-E2621	Optima™	Fits Width	Height	\$	✓
	NOACB1613	16"-18"	13"	660	
	NOACB1616	16"-18"	16"		
	NOACB1619	16"-18"	19"		
	NOACB1813	18"-20"	13"		
	NOACB1816	18"-20"	16"		
	NOACB1819	18"-20"	19"		
	NOACB2016	20"-22"	16"	710	
	NOACB2019	20"-22"	19"		
	NOACB2213	22"-24"	13"		
	NOACB2216	22"--24"	16"		
	NOACB2219	22"-24"	19"		

Optima™ DEEP THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™ DEEP	Fits Width	Height	\$	✓
	NOPCB1616	16"-18"	16"	660	
	NOPCB1619	16"-18"	19"		
	NOPCB1816	18"-20"	16"		
	NOPCB1819	18"-20"	19"		
	NOPCB2016	20"-22"	16"		
	NOPCB2019	20"-22"	19"	710	
	NOPCB2213	22"-24"	13"		
	NOPCB2216	22"-24"	16"		
	NOPCB2219	22"-24"	19"		

Xtend™ HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

THORACIC SHAPE

 HCPCS CODE: E2620-E2621	Xtend™	Fits Width	Height	\$	✓
	NHAACB1616/20	16"-18"	16"-20"	660	
	NHAACB1816/20	18"-20"	16"-20"		
	NHAACB2016/20	20"-22"	16"-20"		
	NHAACB2216/20	22"-24"	16"-20"	710	

Xtend™ DEEP HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Xtend™	Fits Width	Height	\$	✓
	NHAPCB1616/20	16"-18"	16"-20"	660	
	NHAPCB1816/20	18"-20"	16"-20"		
	NHAPCB2016/20	20"-22"	16"-20"		
	NHAPCB2216/20	22"-24"	16"-20"	710	

Classic™ PELVIC BACK SUPPORT

PELVIC SHAPE

 HCPCS CODE: E2620-E2621	Classic™	Fits Width	Height	\$	✓
	NACB1616	16"-18"	16"	660	
	NACB1618	16"-18"	18"		
	NACB1816	18"-20"	16"		
	NACB1818	18"-20"	18"		
	NACB1820	18"-20"	20"		
	NACB2020	20"-22"	20"	710	
	NACB2216	22"-24"	16"		
	NACB2218	22"-24"	18"		
	NACB2220	22"-24"	20"		

Classic™ DEEP PELVIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Classic DEEP™	Fits Width	Height	\$	✓
	NPCB1616	16"-18"	16"	660	
	NPCB1618	16"-18"	18"		
	NPCB1818	18"-20"	18"		
	NPCB1820	18"-20"	20"		
	NPCB2020	20"-22"	20"		
	NPCB2216	22"-24"	16"	710	
	NPCB2218	22"-24"	18"		
	NPCB2220	22"-24"	20"		

MultiFit™ HEAD SUPPORT - MULTI-ADJUSTABLE PADS

 HCPCS CODE: E0955	 HCPCS CODE: E0955
Model #NIB-0784	Model # NIB-0818
10" x 5" Large Rectangular	14" x 5" Extra-Large Rectangular
\$ 195	\$ 195
✓	✓

MultiFit™ HEAD SUPPORT - FIXTURES

 Model #NIB-0747	 Model # NIB-0823
Multi-Axis Hardware	Head Support Receiver Bracket
\$ 145	\$ 55
✓	✓