



Helio

ORDER FORM - USA

1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

2- ATP/Clinician information

ATP/Clinician:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

3- Shipping information

Ship to:* _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

* Required

MA082 ☐
English Manual (STD)

MA089 ☐
Spanish Manual

Taxes not included

MODEL							USD		
WC03	☐	Ultralight folding Helio wheelchair (265lb weight capacity) A7 package: side frames, symmetrical hydroformed crossbrace and back canes made of 7000 series						K0005	\$2 345
WC08	☐	C2 carbon fiber upgrade: side frames, symmetrical molded crossbrace and back canes made of ultralight carbon fiber							\$1 995
WC09	☐	HD Heavy Duty package (350 lb weight capacity)							\$535
WC10	☐	E-Motion adaptor Kit (2 adaptors) - <i>Only necessary with 6° camber</i>							\$36
Frame									
SEAT WIDTH ³									
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐	19" ¹ ☐		NC
	☐	20" ¹ ☐		21" ² ☐	22" ² ☐			E2201	\$505
SEAT DEPTH									
SD	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC
	☐	20" ☐						E2203	\$485
TRANSIT TIE DOWN									
AC04	☐	Transit Tie Down (Unoccupied)							NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 20"-41"							\$360
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 20"-46"							\$360
AC35	☐	WC-19 Transit Tie Down without belt ⁴							\$330

1- Available with HD Kit (350 lb); 2- Only with HD Kit (350 lb) [3. Width calculator](#) 4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

NEWTON ULTRALIGHT PACKAGE									
PK01	☐	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels						Save \$275	\$490

Helio FRONT Seat-to-floor Height - Please select your choice

		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
Forks / Position		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"												
	P2	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
5"	P1																		
	P2				14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
	P3	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"						
	P4	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	P1										16 1/2"	17 1/2"	18 1/2"	17"	18"	19"			
	P2							16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"			
	P3							17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"
	P4	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"
	P5	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"	19"	20"	21"	19 1/2"	20 1/2"	21 1/2"

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS							
CA01-03	☐	Composite wheel w/ PU tire	3" x 1"				NC
CA01-04	☐		4" x 1"				NC
CA01-05	☐		5" x 1"				NC
CA01-06	☐		6" x 1"				NC
CA01-07	☐		7" x 1"				NC
CA01-08	☐		8" x 1"				NC
CA10	☐	Pneumatic casters	6" x 1 ¼"		E2214/E2215		\$165
CA11	☐		8" x 1 ¼"		E2214/E2215		\$165
CA14	☐	Newton UltraCaster Composite	4" x 1 ½ "				\$87
CA15	☐		5" x 1 ½ "				\$87
CA16	☐		6" x 1 ½ "				\$87
CA17	☐	Newton UltraCaster Aluminum	4" x 1 ½"				\$190
CA18	☐		5" x 1 ½"				\$200
CA19	☐		6" x 1 ½"				\$210
CASTER OPTIONS							
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹				K0073	\$300
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)				E1015	\$485

1- Not available with WC-19

Helio - REAR Seat-to-floor Height

WHEEL SIZES	Height available		
20" (451) wheel ☐	12 1/2 to 17 1/4	Specify desired height: _____	
22" (501) wheel ☐	13 1/2 to 18 1/4		
24" (540) wheel ☐	14 1/2 to 19 1/4		
25" (559) wheel ☐	15 to 19 3/4		
26" (590) wheel ☐	15 1/2 to 20 1/4		

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest						
SWING-IN/SWING-OUT FOOTREST						
FR03-01	☐	60° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 13.5" - 17"		Set at: *		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 13.5" - 16"		Set at: *		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 14.5" - 19.5"		Set at: *		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 15.5" - 20.5"		Set at: *		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹	7.5" - 11"	Set at: *		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1,2}	9.5" - 13"	Set at: *		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1,2}	9.5" - 14.5"	Set at: *		NC
FOOTREST OPTIONS						
FR09	☐	High mount (footplate attached to the hanger with clamps) ³	5" - 13.5"	Set at: *		\$82
FR10	☐	Elevating legrest with calf pad, Length adjustable ⁴ Left ☐ Right ☐	14" - 22"	Set at:	E0990	\$245
FR99	☐	Omit Footrest				NC

1- Available only with two piece adjustable footplates; 2- May interfere with front casters; 3- Not available with front mount; * +/-1/2"

4- The elevating legrest replace the footrest side selected; Not available with one piece footplate

FOOTPLATES						
FP01	☐	Standard - Composite ¹				STD
FP02	☐	Newton adjustable angle - Composite			K0040	\$215
FP03	☐	Newton adjustable angle - Aluminum			K0040	\$235
FP04	☐	Newton adjustable angle - Carbon fiber (with rubber inserts)				\$445
FP06	☐	One piece adjustable angle flip-up - Aluminum			K0040	\$195
FP07	☐	One piece adjustable angle flip-up - Carbon fiber (with rubber inserts)				\$465
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop (not available with one piece footplate)			E0951	\$41
FP09	☐	Calf strap			K0038	\$36
FP30	☐	Bodypoint Aeromesh Padded calf strap			K0038	\$118

1- Not available with front mount

SWING AWAY RESIDUAL LIMB SUPPORT						
FR27	☐	Residual limb support - flat 6"x8"	Left ☐ Right ☐		E1020	\$415
FR28	☐	Residual limb support - flat 8"x10"	Left ☐ Right ☐		E1020	\$415
FR29	☐	Residual limb support - flat 10"x10"	Left ☐ Right ☐		E1020	\$415
FR30	☐	Residual limb support - flat 10"x14"	Left ☐ Right ☐		E1020	\$415
FR32	☐	Residual limb support - contour 6"x8"	Left ☐ Right ☐		E1020	\$415
FR33	☐	Residual limb support - contour 8"x10"	Left ☐ Right ☐		E1020	\$415

Backrest									
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLES - For Aluminum chair (Not available with push handles options)									
BC60	☐	Straight aluminum back cane	21" - 24"	increment of 1"		Set at ² :			\$77
BC59	☐	8° bend aluminum back cane	21" - 24"	increment of 1"		Set at ² :			\$77
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)									
BC11	☐	Straight back cane*	12 - 15" ☐	15 - 18" ☐	18 - 21" STD ☐	increment of 1/2"	Set at ² :		NC
BC06									
BC12	☐	8° Bend back cane*	13 ½ - 15" ☐	15 - 18" ☐	18 - 21" STD ☐	increment of 1/2"	Set at ² :		\$57
BC08									
* fixed height Carbon fiber back canes are unavailable until mid-2023. If this option is selected, Aluminum back canes will be installed. Otherwise, straight carbon fiber angle and height adjustable are still available. See options below									
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)									
BC13	☐	Straight back cane	15 - 18" ☐	18 - 21" STD ☐	increment of 1/2"		Set at ² :		\$215
BC09									
BC14	☐	8° bend back cane*	15 - 18" ☐	18 - 21" STD ☐	increment of 1/2"		Set at ² :		\$270
BC10									
	Select back cane angle:		85° ¹ ☐	90° ☐	95° STD ☐	100° ☐	105° ☐	110° ☐	
PUSH HANDLES OPTIONS (ONE option at a time)									
PH01	☐	Push handles							STD
PH05	☐	Fold down push handles ^{3, 5}							\$130
PH06-920	☐	Clamp on height adjustable push handles 9" - 20" ^{3, 4, 5}							\$320
PH06-923	☐	Clamp on height adjustable push handles 9" - 23" ^{3, 4, 5}							\$320
PH02	☐	Omit push handles							NC
STROLLER HANDLE AND STABILIZER BAR									
PH04	☐	Stroller handle (only available with push handle) - (not available with the HD option)						K0108	\$165
PH03	☐	Newton folding stabilizer bar (not compatible with stroller handle)							\$270
1- Not available with a 8° bend back cane; 2- If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; 3- 265lb weight limit 4- Not compatible with swing away armrests, 8° bend back canes and amputee axle plates; 5- Not compatible with stroller handle, stabilizer bar, headrest and attendant lock									
BACK UPHOLSTERY									
BH07	☐	Slip-on Active-Mesh back upholstery							STD
BH08	☐	Adjustable tension Active-Mesh back upholstery						E2611	\$305
BH99	☐	Omit Back upholstery							NC
	☐	NXT back Support					See pricelist		
SEAT CUSHION									
SC01	☐	2" Cushion						E2601	\$170
SC02	☐	3" Cushion						E2601	\$190
SC99	☐	Omit seat cushion							STD
	☐	NXT cushion					See pricelist		

Rear wheels							
ONE ARM DRIVE ¹				Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims, permanent axles, 0° camber			
HR22	☐	One arm drive - aluminum inner handrim ^{2,3}	24"	Left ☐	Right ☐		\$1 495
HR60	☐	One arm drive - plastic coated inner handrim ^{2,3}	24"	Left ☐	Right ☐		\$1 495
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)					NC
REAR WHEELS				Available			
RW01	☐	Mag ⁴		20", 22" 24"			\$57
RW02	☐	Newton One - spoke wheel ⁵		20", 22" 24"			NC
RW03	☐	Newton Gravity - ultralight wheel		20", 22", 24", 25", 26"			\$320
RW04	☐	Spinergy Spox Blk STD ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐		22", 24", 25", 26"			\$850
RW05	☐	Spinergy LX Blk STD ☐ Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐		22", 24", 25", 26"			\$1 065
RW07	☐	Spinergy CLX ⁷ Blk STD ☐ Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐		24", 25"			\$1 585
TIRES				Available			
TI01	☐	Soft Urethane - 1 3/8"		20", 22" 24"	E2218	STD	
TI02	☐	Soft Urethane - knobby 1 3/8 "		22", 24", 25", 26"	E2218	\$97	
TI04	☐	Soft Urethane - Shox 1"		22", 24", 25", 26"	E2218	\$118	
TI05	☐	Pneumatic - 1 3/8"		20", 22", 24", 25", 26"	E2211/E2212	NC	
TI08	☐	Pneumatic with Airless insert - 1 3/8" ⁸		22", 24", 26"	E2211/E2213	\$82	
TI06	☐	Pneumatic HP - 1"		20", 22", 24", 25", 26"	E2211/E2212	\$97	
TI07	☐	Pneumatic HP - Puncture resistant, black 1"		24", 25", 26"	E2211/E2212	\$130	

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; 2- Only standard handrim position available; 3- Not available with HD option
4- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 5- Not compatible with Shox tires; 6- color spokes require an additional 10 days lead-time
7- Not available with Soft Urethane Knobby tires; 8- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims							
HANDRIM				Available			
HR01	☐	Aluminum anodized		20", 22", 24", 25", 26"		STD	
HR61	☐	Aluminum black hard anodized ²		20", 22", 24", 25"		\$72	
HR02	☐	Plastic coated ¹		20", 22", 24", 25", 26"		\$102	
HR03	☐	High friction coated ^{1,2}		22", 24", 25", 26"		\$375	
HR07	☐	Newton Air Grip ² Black ☐		20", 22", 24", 25", 26"		\$102	
HR	☐	Newton Air Grip ² (08) Sunkissed Orange ☐ (09) Burgundy ☐ (10) Sapphire Blue ☐ (11) Monster Green ☐ (12) Charcoal ☐ (13) Fuchsia ☐ (14) Steel Blue ☐ (15) Ferrari Red ☐ (16) Acid Green ☐ (17) White ☐ (18) Sky Blue ☐		20", 22", 24", 25", 26"		\$255	
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip)	**Limited availability	22", 24", 25", 26"		\$395	
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip)	**Limited availability	22", 24", 25", 26"		\$425	
HR04	☐	Natural Fit ^{1,2}	**Limited availability	22", 24", 25", 26"		\$325	
HR62	☐	Tour H ^{1,2} (1 5/16" Oval handrim with high friction strip)		22", 24", 25", 26"	New	\$395	
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)		22", 24", 25", 26"	New	\$425	
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)		22", 24", 25", 26"	New	\$325	
HR99	☐	Omit handrim				NC	


1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels

Handrims option							
ASSEMBLY POSITION							
HR29	☐	Standard Handrim position Full tab				STD	
HR030	☐	Narrow Handrim position no cut Full tab				NC	
HR30	☐	Narrow Handrim position with cut ³ Short tab 2 positions				\$30	
HR31	☐	Super Narrow Handrim ³ Short tab 2 positions STD ☐ Short tab 1 position ☐				\$30	
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS							
HR23	☐	Standard grip	**Limited availability			\$92	
HR27	☐	Super grip	**Limited availability			\$150	
HR099	☐	Omit thumb piece				NC	

3- Only available with Aluminum and Air Grip handrims;

AXLE ¹							
AX01	☐	Quick release axle				STD	
AX02	☐	Permanent axle				NC	
AX03	☐	Quad release axle			K0108	\$130	
AXLE PLATE							
AX04	☐	Amputee adjustable axle plate ²			E0959	\$200	

1- Not required with one arm drive 2 - May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER																																										
CM00	☐	0° camber				STD																																				
CM03	☐	3° camber				NC																																				
CM06	☐	6° camber <i>(not available with amputee axle plate)</i>				\$165																																				
CENTER OF GRAVITY																																										
		Choose position of rear wheel axle plate:																																								
		Measure distance X from front of back post to center of axle receiver.																																								
		<table><tr><th colspan="4">Most stable</th><th colspan="4"></th><th colspan="4">Most responsive</th></tr><tr><td>1"</td><td>1/4"</td><td>1/2"</td><td>3/4"</td><td>2"</td><td>1/4"</td><td>1/2"</td><td>3/4"</td><td>3"</td><td>1/4"</td><td>1/2"</td><td>3/4"</td><td>4"</td></tr><tr><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr></table> <i>If not indicated, default setting is at 1.5"</i> Possible conflict between a seat depth under 16" and a center of gravity over 2,5". Possible conflict between a 26" rear wheel and a center of gravity over 2,5". Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG					Most stable								Most responsive				1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Most stable								Most responsive																																		
1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"																														
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																														
Only on carbon frame																																										
WHEEL LOCK																																										
WL08	☐	Newton Wheel lock - push to lock				STD																																				
WL02	☐	Pull to lock				NC																																				
WL04	☐	Newton grade aid push to lock <i>(suggested with pneumatic or high pressure tire)</i>			E0974	\$155																																				
WL13 WL14	☐	6" removable extension handle			E0961	\$77																																				
WL05	☐	Scissors Lock				\$155																																				
WL06	☐	Attendant Lock <i>(additional set of wheel lock mounted to the back)</i>				\$215																																				
WL15	☐	Unilateral wheel lock - pull to lock ¹	Left ☐	Right ☐		\$330																																				
WL99	☐	Omit wheel locks				NC																																				
1- For more information about incompatibilities and restriction, refer to the table at page 8 and the "How-to documents" page of our website: https://www.motioncomposites.com/en_us/support-and-education/how-to-documents																																										
Armrests																																										
HEIGHT ADJUSTABLE FLIP BACK ARMREST <i>(Convertible to "T" armrest)</i> ^{1,4}																																										
AR01-812	☐	10" Desk length armpad 8" - 12"	Locked ☐	Unlocked STD ☐	E0973	\$355																																				
AR01-1014	☐	10" Desk length armpad 10" - 14"	Locked ☐	Unlocked STD ☐	E0973	\$355																																				
AR02-812	☐	14" Full length armpad 8" - 12"	Locked ☐	Unlocked STD ☐	E0973	\$355																																				
AR02-1014	☐	14" Full length armpad 10" - 14"	Locked ☐	Unlocked STD ☐	E0973	\$355																																				
HEIGHT ADJUSTABLE "T" ARMREST ¹																																										
AR13-610	☐	10" Desk length armpad ⁵ 6" - 10"			E0973	\$330																																				
AR03-812	☐	10" Desk length armpad 8" - 12"			E0973	\$330																																				
AR03-1014	☐	10" Desk length armpad 10" - 14"			E0973	\$330																																				
AR14-610	☐	14" Full length armpad ⁵ 6" - 10"			E0973	\$330																																				
AR04-812	☐	14" Full length armpad 8" - 12"			E0973	\$330																																				
AR04-1014	☐	14" Full length armpad 10" - 14"			E0973	\$330																																				
HEIGHT ADJUSTABLE SWING AWAY ARMREST ^{2,4}																																										
AR05	☐	Tubular armrest without plastic side guards - Short pad	8" - 11"		E0973	\$230																																				
AR19	☐	Tubular armrest with plastic side guards - Short pad	8" - 11"		E0973	\$395																																				
AR23	☐	Tubular armrest without plastic side guards - Long pad	8" - 11"	New	E0973	\$230																																				
AR24	☐	Tubular armrest with plastic side guards - Long pad	8" - 11"	New	E0973	\$395																																				
AR06	☐	10" Desk length flat armpad without plastic side guards	8" - 11"		E0973	\$230																																				
AR20	☐	10" Desk length flat armpad with plastic side guards	8" - 11"		E0973	\$395																																				
AR17	☐	14" Full length flat armpad without plastic side guards	8" - 11"		E0973	\$230																																				
AR21	☐	14" Full length flat armpad with plastic side guards	8" - 11"		E0973	\$395																																				
ARMREST OPTIONS																																										
AR12	☐	14" Full Length armpad ³ - Gel Ovation				\$165																																				
AR99	☐	Omit armrest				NC																																				

1- May have 1/2" adjustment limit on both limits of the range; 2- Could interfere with some rigid backrests; 3- Not available with swing away and flip back armrest; 4- Not available with attendant lock
5- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS <i>(not available with Flip Back and "T" Armrest)</i>					
SG01	☐	Plastic side guards <i>(removable)</i>		K0108	\$200
SG02	☐	Carbon fiber side guards <i>(fixed)</i>			\$270
SG03	☐	Carbon fiber side guards <i>(removable)</i>		K0108	\$295
SG06	☐	Plastic fender side guards - straight bracket <i>(removable)</i>			\$290
SG08	☐	Plastic fender side guards - offset bracket <i>(removable)</i> ¹			\$290
SG04	☐	Carbon fiber fender side guards <i>(removable)</i>		K0108	\$550
SG99	☐	Omit side guard			STD
SIDE GUARDS OPTION					
SG07	☐	Side guards clip <i>(pair)</i> ²			NC

1- only compatible with 0° camber; Increase distance between fender side guards by 1 1/8"; 2- Not available with fixed carbon fiber side guard

POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Standard 35"		E0978	\$46
SB01-L	☐	Velcro adjustable - Long 60"		E0978	\$46
SB02-S	☐	Auto buckle - Standard 35"		E0978	\$87
SB02-L	☐	Auto buckle - Long 60"		E0978	\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"		E0978	\$82
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"		E0978	\$82
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		E0978	\$175
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		E0978	\$175
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		E0978	\$175
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		E0978	\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		E0978	\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		E0978	\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)			\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"		K0108	\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"		K0108	\$305
SB99	☐	Omit positioning belt			STD

HEADREST ¹					
AC01-S	☐	Profiled Headrest - Small (3.5"X6")		E0955	\$185
AC01-M	☐	Profiled Headrest - Medium (4.5"X7")		E0955	\$185
AC01-L	☐	Profiled Headrest - Large (5.5"X8")		E0955	\$185
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar		E1028	\$300


1 - Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

ACCESSORIES					
AC03	☐	Anti-tippers		E0971	\$145
AC29	☐	Swing-away anti-tipper ¹ Left ☐ Right ☐			\$165
AC27	☐	Tip assist ²			\$67
AC06	☐	Cane and crutch holder Left ☐ Right ☐		E2207	\$200
AC07	☐	Oxygen tank holder - D and E Type <i>Not compatible with swing away armrest or amputee axle plate</i> Left		E2208	\$315
AC08	☐	Spoke guards ³ Available: 20", 22", 24", 26"		K0065	\$118
AC09	☐	Footrest neoprene impact guard (pair) - Black		K0108	\$92
AC10	☐	Seat pouch			\$82
AC30	☐	Newton multi-purpose pouch			\$61
AC26	☐	BodyPoint Mobility Bag			\$135
AC23	☐	Newton Backpack			\$130
AC12	☐	Velcro Closing Strap			\$57
AC13	☐	Tool kit			\$51
AC16	☐	Motion Composites Polo Shirt W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐			\$36
AC15	☐	Military Patches Army ☐ Navy ☐ Air Force ☐ Marines ☐ Coast Guard ☐ Combat Wounded Purple Heart ☐			\$96

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4" 2- Cannot be combined with Anti-tippers; 3- Not available with Mag wheels & Spinergy

FRAME COLOR					
FC01	☐	Black/Carbon Fiber Black <i>(Black color is replaced by the Carbon fiber finish with the C2 upgrade)</i>			NC
FC	☐	(03) Sunkissed Orange ☐ (04) Burgundy ☐ (05) Sapphire Blue ☐ (06) Monster Green ☐ (07) Charcoal ☐ (08) Fuchsia ☐ (09) Steel Blue ☐ (17) Ferrari Red ☐ (18) Acid Green ☐			NC
FC99	☐	Custom Color Specify PPG Paintit color:	Additional 10 days lead-time		\$390

Fork and Stem bolt combinations




Unilateral wheel lock restrictions


Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.5 to 3.75
22 in	16	1.0 to 2.75
	17	1.0 to 3.25
	18+	1.0 to 3.75
24 in	16	1.0 to 2.0
	17	1.0 to 2.75
	18+	1.0 to 3.75

Notes :

FOLDING ON CHAIR - U.S.A ORDER FORM

BioFit™ CUSHION		WIDTH											
 NXCABF _____ (W" x D") HCPCS CODE: E2607-E2608	DEPTH	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	
		12"	☐ \$445	☐ \$445	☐ \$445								
		14"	☐ \$445	☐ \$445	☐ \$445								
		15"		☐ \$445	☐ \$445	☐ \$445	☐ \$445						
		16"		☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480	
		17"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480		
		18"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480
		19"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480		
20"				☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	☐ \$480	☐ \$480		
Option: Change cover for incontinent/infection control outer cover												☐ N/C	

SEATING AND CUSHION ACCESSORIES

	MODEL NO.	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	

Optima™ THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™	Fits Width	Height	✓	\$
	NOACB1613	16"-18"	13"	☐	\$695
	NOACB1616	16"-18"	16"	☐	\$695
	NOACB1619	16"-18"	19"	☐	\$695
	NOACB1813	18"-20"	13"	☐	\$695
	NOACB1816	18"-20"	16"	☐	\$695
	NOACB1819	18"-20"	19"	☐	\$695
	NOACB2016	20"-22"	16"	☐	\$695
	NOACB2019	20"-22"	19"	☐	\$695
	NOACB2213	22"-24"	13"	☐	\$745
	NOACB2216	22"-24"	16"	☐	\$745
	NOACB2219	22"-24"	19"	☐	\$745

Optima™ DEEP THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™ DEEP	Fits Width	Height	✓	\$
	NOPCB1616	16"-18"	16"	☐	\$695
	NOPCB1619	16"-18"	19"	☐	\$695
	NOPCB1816	18"-20"	16"	☐	\$695
	NOPCB1819	18"-20"	19"	☐	\$695
	NOPCB2016	20"-22"	16"	☐	\$695
	NOPCB2019	20"-22"	19"	☐	\$695
	NOPCB2213	22"-24"	13"	☐	\$745
	NOPCB2216	22"-24"	16"	☐	\$745
	NOPCB2219	22"-24"	19"	☐	\$745

Optima™ CARBON THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™ Carbon	Fits Width	Height	✓	\$
	NOCFACB1413	14"-16"	13"	☐	\$925
	NOCFACB1416	14"-16"	16"	☐	\$960
	NOCFACB1513	15"-17"	13"	☐	\$925
	NOCFACB1516	15"-17"	16"	☐	\$960
	NOCFACB1613	16"-18"	13"	☐	\$925
	NOCFACB1616	16"-18"	16"	☐	\$960
	NOCFACB1713	17"-19"	13"	☐	\$925
	NOCFACB1716	17"-19"	16"	☐	\$960
	NOCFACB1813	18"-20"	13"	☐	\$925
	NOCFACB1816	18"-20"	16"	☐	\$960
	NOCFACB2013	20"-22"	13"	☐	\$925
	NOCFACB2016	20"-22"	16"	☐	\$960

Optima™ CARBON DEEP THORACIC BACK SUPPORT

 HCPCS CODE: E2620-E2621	Optima™ Carbon DEEP	Fits Width	Height	✓	\$
	NOCFPCB1413	14"-16"	13"	☐	\$1015
	NOCFPCB1416	14"-16"	16"	☐	\$1055
	NOCFPCB1513	15"-17"	13"	☐	\$1015
	NOCFPCB1516	15"-17"	16"	☐	\$1055
	NOCFPCB1613	16"-18"	13"	☐	\$1015
	NOCFPCB1616	16"-18"	16"	☐	\$1055
	NOCFPCB1713	17"-19"	13"	☐	\$1015
	NOCFPCB1716	17"-19"	16"	☐	\$1055
	NOCFPCB1813	18"-20"	13"	☐	\$1015
	NOCFPCB1816	18"-20"	16"	☐	\$1055
	NOCFPCB2013	20"-22"	13"	☐	\$1015
	NOCFPCB2016	20"-22"	16"	☐	\$1055

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

THORACIC SHAPE



HCPCS CODE:
E2620-E2621

Xtend™	Fits Width	Height	✓	\$
**NHAACB (L)1213/17	12"-14"	13"-17"	☐	\$695
NHAACB (L)1413/17	14"-16"	13"-17"	☐	\$695
NHAACB (L)1613/17	16"-18"	13"-17"	☐	\$695
NHAACB (L)1813/17	18"-20"	13"-17"	☐	\$745
NHAACB (L)2013/17	20"-22"	13"-17"	☐	\$745
NHAACB (L)2213/17	22"-24"	13"-17"	☐	\$745



HCPCS CODE:
E2620-E2621

Xtend™ DEEP	Fits Width	Height	✓	\$
NHAPCB1616/20	16"-18"	16"-20"	☐	\$695
NHAPCB1816/20	18"-20"	16"-20"	☐	\$695
NHAPCB2016/20	20"-22"	16"-20"	☐	\$695
NHAPCB2216/20	22"-24"	16"-20"	☐	\$745

PELVIC SHAPE



HCPCS CODE:

F2620-F2621

Classic™	Fits Width	Height	✓	\$
NACB1616	16"-18"	16"	☐	\$695
NACB1618	16"-18"	18"	☐	\$695
NACB1816	18"-20"	16"	☐	\$695
NACB1818	18"-20"	18"	☐	\$695
NACB1820	18"-20"	20"	☐	\$695
NACB2020	20"-22"	20"	☐	\$695
NACB2216	22"-24"	16"	☐	\$745
NACB2218	22"-24"	18"	☐	\$745
NACB2220	22"-24"	20"	☐	\$745

Classic™ DEEP PELVIC BACK SUPPORT



HCPCS CODE:

E2620-E2621

Classic DEEP™	Fits Width	Height	✓	\$
NPCB1616	16"-18"	16"	☐	\$695
NPCB1618	16"-18"	18"	☐	\$695
NPCB1818	18"-20"	18"	☐	\$695
NPCB1820	18"-20"	20"	☐	\$695
NPCB2020	20"-22"	20"	☐	\$695
NPCB2216	22"-24"	16"	☐	\$745
NPCB2218	22"-24"	18"	☐	\$745
NPCB2220	22"-24"	20"	☐	\$745

BACK SUPPORT ACCESSORIES - PRIVACY FLAP

	Model #	Description	Fits Back Width	\$	QTY
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	70	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	70	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	70	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	70	

MultiFit™ HEAD SUPPORT - MULTI-ADJUSTABLE PADS

					
HCPCS CODE: E0955			HCPCS CODE: E0955		
Model #NIB-0784	✓	\$	Model # NIB-0818	✓	\$
10" x 5" Large Rectangular	☐	\$205	14" x 5" Extra-Large Rectangular	☐	\$205

MultiFit™ HEAD SUPPORT - FIXTURES

					
Model #NIB-0747			Model # NIB-0823		
Model #NIB-0747	✓	\$	Model # NIB-0823	✓	\$
Multi-Axis Hardware	☐	\$150	Head Support Receiver Bracket	☐	\$60