



MOVE

ORDER FORM - AADL #W114, W114HD, W114P

1- Purchasing information

P.O. number: * _____ Date: _____

Company Name: * _____

Purchasing contact: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

Marked for: _____

3- Shipping information

Ship to: * _____

Name: _____

Address: _____

City: _____ Province: _____

Postal Code: _____

Phone: _____

2- Dealer/Representative information

Dealer/Representative: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

* Required

MA080 ☐

English Manual (STD)

MA081 ☐

Manuel Français

Taxes not included

MODEL									
WC01	☐	Ultralight MOVE wheelchair aluminum. (265 lb weight capacity)							\$1,425
WC09	☐	Heavy duty kit (350 lb weight capacity) ⁵							\$1,070
Frame									
SEAT WIDTH ^{3,5}									
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ⁿ¹ ☐			NC
	☐	19" ¹ ☐	20" ⁿ¹ ☐	21" ⁿ² ☐	22" ⁿ² ☐			\$315	
SEAT DEPTH ⁶									
SD	☐	16" ☐			17" ☐	18" ☐			NC
	☐	20" ☐							\$235
TRANSIT TIE DOWN									
AC04	☐	Transit Tie Down (Unoccupied)							NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴		Short belt 20"-41"			Client cost		\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴		Long belt 20"-46"			Client cost		\$365
AC35	☐	WC-19 Transit Tie Down without belt ⁴					Client cost		\$345

1- Available with HD option; 2- Only available with HD option [3. Width calculator](#) 4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

5- Seat width of 20" to 22" are no charge with HD option; 6- Seat depth of 20" is no charge with HD option

PACKAGES					
VP01	☐	Vision Package Kit: Orange accent added to point of contact accessories including: footrest latches, "T" and "U" armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates ¹			
					\$95

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; Recommended with black chair; See picture of the product on page 5.

Move FRONT Seat-to-floor Height - Please select your choice

Fork/Position		4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12 1/2"	13 1/2"	14 1/2"												
	P2	13"	14"	15"		14 1/2"	15 1/2"									
5"	P1															
	P2	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
	P3	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"		15 1/2"	16 1/2"						
	P4	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"		16 1/2"	17 1/2"			
7"	P1							15 1/2"	16 1/2"	17 1/2"	16"	17"	18"			
	P2				15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
	P3				16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"
	P4	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"
	P5	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form); Orange boxes are not available with a seat slope of more than 1.5in.

CASTERS				Available		
CA01-04 to CA10-08	☐	Composite wheel w/ PU tire (1")		4", 5", 6", 7", 8"		NC
CA10 to CA11	☐	Pneumatic casters (1 ¼")		6", 8"		\$170
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		\$105
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"	A1*	\$198

**A1 is clients' responsibility for costs/A2 requires clinical justification*

Move REAR Seat-to-floor Height - Please circle your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
12"	13"	14"	14 1/2"	15"
13"	14"	15"	15 1/2"	16"
14"	15"	16"	16 1/2"	17"
15"	16"	17"	17 1/2"	18"
16"	17"	18"	18 1/2"	19"
17"	18"	19"	19 1/2"	20"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest						
SWING-AWAY FOOTREST						
FR01-01	☐	60° swing away footrest	13.5 - 17.5"	Set at:*		\$270
FR01-02	☐	60° swing away footrest	15.5 - 19.5"	Set at:*		\$270
FR01-03	☐	60° swing away footrest	17 - 21"	Set at:*		\$270
FR02-01	☐	70° swing away footrest	13.5 - 17.5"	Set at:*		\$270
FR02-02	☐	70° swing away footrest	15.5 - 19.5"	Set at:*		\$270
FR02-03	☐	70° swing away footrest	17 - 21"	Set at:*		\$270
FOOTREST OPTIONS						
FR09	☐	High mount <i>(footplate attached to the hanger with clamps)</i>	5" - 13.5"	Set at:*		\$105
FR10	☐	Elevating legrest with calf pad, Length adjustable ¹	Left ☐ Right ☐ 14" - 22"	Set at:		\$395
FR99	☐	Omit Footrest				NC

1- The elevating legrest replace the footrest side selected; Not available with high mount

** +/- 1/2"*

FOOTPLATES						
FP01	☐	Standard - Composite				STD
FP02	☐	Newton adjustable angle - Composite			W107	\$155
FP03	☐	Newton adjustable angle - Aluminum			W107	\$175
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop				\$26
FP09	☐	Calf strap				\$57
FP30	☐	Bodypoint Aeromesh Padded calf strap			<i>basic seating benefit</i>	\$140

SWING AWAY RESIDUAL LIMB SUPPORT						
FR27	☐	Residual limb support - flat 6"x8"	Left ☐ Right ☐			\$505
FR28	☐	Residual limb support - flat 8"x10"	Left ☐ Right ☐			\$505
FR29	☐	Residual limb support - flat 10"x10"	Left ☐ Right ☐			\$505
FR30	☐	Residual limb support - flat 10"x14"	Left ☐ Right ☐			\$505
FR32	☐	Residual limb support - contour 6"x8"	Left ☐ Right ☐			\$505
FR33	☐	Residual limb support - contour 8"x10"	Left ☐ Right ☐			\$505

Backrest									
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE									
BC01-16	☐	8° bend aluminum back cane	16"			NC			
BC01-18	☐	8° bend aluminum back cane	18"			NC			
BC01-20	☐	8° bend aluminum back cane	20"			NC			
BC59	☐	8° bend aluminum back cane	21" - 24"	increment of 1"	Set at ² :	\$100			
ADJUSTABLE ANGLE BACK WITH INTEGRATED PUSH HANDLE									
BC02-16	☐	8° bend aluminum back cane 16"				\$209			
BC02-18	☐	8° bend aluminum back cane 18"				\$209			
BC02-20	☐	8° bend aluminum back cane 20"				\$209			
		Select back cane angle:		90° ☐	95° STD ☐	100° ☐	105° ☐	110° ☐	
STROLLER HANDLE AND STABILIZER BAR ¹									
PH04	☐	Stroller handle <i>(not available with the HD option)</i>				A1*	\$220		
PH03	☐	Newton folding stabilizer bar <i>(not available with stroller handle)</i>					\$275		

1- Stroller handle and stabilizer bar can't be combined

2- If not indicated, will be at the lowest position

BACK UPHOLSTERY						
BH05	☐	Slip-on Nylon back upholstery				NC
BH06	☐	Adjustable tension Nylon back upholstery			<i>Basic seating benefit</i>	\$260
BH99	☐	Omit back upholstery				STD
SEAT CUSHIONS						
SC01	☐	2" Cushion			<i>Basic seating benefit</i>	\$185
SC02	☐	3" Cushion			<i>Basic seating benefit</i>	\$205
SC99	☐	Omit seat cushion				NC

**A1 is clients' responsibility for costs/A2 requires clinical justification*

Rear wheels							
ONE ARM DRIVE ¹ <i>Only available with Newton One rear wheels, permanent axles, 0° camber</i>							
HR22	☐	One arm drive - aluminum inner handrim ²	24"	Left ☐	Right ☐		\$1,480
HR60	☐	One arm drive - plastic coated inner handrim ²	24"	Left ☐	Right ☐		\$1,595
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)					NC
REAR WHEELS							
						Available	
RW01	☐	Mag ³				20", 22" 24"	NC
RW02	☐	Newton One - spoke wheel ⁴				20", 22" 24"	NC
RW03	☐	Newton Gravity - ultralight wheel				20", 22", 24", 25", 26"	A1* \$390
TIRES							
						Available	
AIRLESS							
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black				20", 22" 24"	STD
TI02	☐	Soft Urethane 1 3/8" - Medium Tread, black ⁵				22", 24", 25", 26"	A1* \$140
TI04	☐	Soft Urethane 1" - No tread, black - Shox				22", 24", 25", 26"	A1* \$165
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread				22", 24", 26"	A1* \$225
PNEUMATIC							
TI05	☐	Pneumatic 1 3/8" - Medium Tread				20", 22", 24", 25", 26"	\$140
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - SpeedLite				20", 22", 24", 25", 26"	\$160
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - TrailBlazer				24", 25", 26"	\$240

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; 2- Only standard handrim position available; not available with 21" and 22" wide
3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position; 4- Not compatible with Shox tires; 5- The 22" is only available with Mags and Newton One rear wheels


Handrims							
HANDRIM						Available	
HR01	☐	Aluminum anodized				20", 22", 24", 25", 26"	STD
HR61	☐	Aluminum black hard anodized ²				20", 22", 24", 25"	\$85
HR02	☐	Plastic coated ¹				20", 22", 24", 25", 26"	\$170
HR03	☐	High friction coated ^{1,2,3}				22", 24", 25", 26"	A1* \$460
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ²	<i>See page 5 for the color selection and price</i>			20", 22", 24", 25", 26"	
HR28	☐	Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip)				22", 24", 25", 26"	A1* \$485
HR05	☐	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)				22", 24", 25", 26"	A1* \$515
HR04	☐	Natural Fit ^{1,2,3,4}				22", 24", 25", 26"	A1* \$320
HR62	☐	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)				22", 24", 25", 26"	A1* \$485
HR63	☐	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)				22", 24", 25", 26"	A1* \$515
HR64	☐	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)				22", 24", 25", 26"	A1* \$320
HR99	☐	Omit handrim					NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;
4- 25" and 26" are not available in narrow position; 24" is not available with the Spinyrox Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

Handrims option							
ASSEMBLY POSITION							
HR29	☐	Standard Handrim position	Full tab				STD
HR030	☐	Narrow Handrim position no cut	Full tab				NC
HR30	☐	Narrow Handrim position with cut ⁵	Short tab 2 positions				\$29
HR31	☐	Super Narrow Handrim ⁵	Short tab 2 positions STD ☐ Short tab 1 position ☐				\$29
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS							
HR23	☐	Standard grip				A1*	\$200
HR27	☐	Super grip				A1*	\$230
HR099	☐	Omit thumb piece					NC

5- Only available with Aluminum and Air Grip handrims;							
AXLES (0° camber) ¹							
AX01	☐	Quick release axle					STD
AX02	☐	Permanent axle					NC
AX03	☐	Quad release axle				A2*	\$180
AXLE PLATE							
AX04	☐	Amputee adjustable axle plate ²				A2*	\$275

1- Not required with one arm drive; 2- May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down
*A1 is clients' responsibility for costs/A2 requires clinical justification

CENTER OF GRAVITY																						
	Choose position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver. Default setting is at 3/4" <table> <tr> <td>Most stable</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Most responsive</td> </tr> <tr> <td>AMPUTEE ¹</td> <td></td> <td>3/4"</td> <td></td> <td></td> <td></td> <td>2"</td> </tr> <tr> <td>☐</td> <td></td> <td>☐</td> <td></td> <td></td> <td></td> <td>☐</td> </tr> </table> 1- Only available with amputee axle plate	Most stable						Most responsive	AMPUTEE ¹		3/4"				2"	☐		☐				☐
Most stable						Most responsive																
AMPUTEE ¹		3/4"				2"																
☐		☐				☐																

WHEEL LOCKS					
WL08	☐	Newton Wheel lock - push to lock	PRODUCT IMPROVED		STD
WL16	☐	Aluminum push to lock with extensions			\$73
WL02	☐	Pull to lock			NC
WL04	☐	Newton grade aid push to lock (<i>works best with pneumatic or high pressure tire</i>)		A2*	\$185
WL13	☐	6" removable extension handle ¹			\$73
WL14					
WL06	☐	Attendant Lock (<i>additional set of wheel lock mounted to the back</i>)		A1*	\$240
WL15	☐	Unilateral wheel lock - pull to lock ² Left ☐ Right ☐		A1*	\$335
WL99	☐	Omit wheel locks			NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

Armrests					
HEIGHT ADJUSTABLE FLIP BACK ARMREST (<i>Convertible to "T" armrest</i>) ^{1,2}					
AR01-812	☐	10" Desk length armpad 8" - 12"	Locked ☐ Unlocked STD ☐		\$395
AR01-1014	☐	10" Desk length armpad 10" - 14"	Locked ☐ Unlocked STD ☐		\$395
AR02-812	☐	14" Full length armpad 8" - 12"	Locked ☐ Unlocked STD ☐		\$395
AR02-1014	☐	14" Full length armpad 10" - 14"	Locked ☐ Unlocked STD ☐		\$395
HEIGHT ADJUSTABLE "T" ARMREST ¹					
AR13-610	☐	10" Desk length armpad ⁴ 6" - 10"			\$380
AR03-812	☐	10" Desk length armpad 8" - 12"			\$380
AR03-1014	☐	10" Desk length armpad 10" - 14"			\$380
AR14-610	☐	14" Full length armpad ⁴ 6" - 10"			\$380
AR04-812	☐	14" Full length armpad 8" - 12"			\$380
AR04-1014	☐	14" Full length armpad 10" - 14"			\$380
ARMREST OPTIONS					
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ³			\$160
AR99	☐	Omit armrest			NC

1- May have 1/2" adjust. restriction on both limits of the range; 2- Not available with attendant lock; 3- Only available with full length armrest; Not available with swing away and desk length armrests

4- May have restriction with seat-to-floor height and rear wheel

POSITIONING BELTS					
SB01-S	☐	Velcro adjustable - Small 35" ¹	Basic seating benefit		\$50
SB01-L	☐	Velcro adjustable - Long 60"	Basic seating benefit		\$50
SB02-S	☐	Auto buckle - Small 35" ¹			\$22
SB02-M		Auto buckle - Medium 48"			\$22
SB02-L	☐	Auto buckle - Long 60"			\$22
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"	Basic seating benefit		\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"	Basic seating benefit		\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"	Basic seating benefit		\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"	Basic seating benefit		\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"	Basic seating benefit		\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"	Basic seating benefit		\$210
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"	Basic seating benefit		\$210
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"	Basic seating benefit		\$210
SB03	☐	Hardware attachment for 2 extra points (1 pair)	Basic seating benefit		\$15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"	Basic seating benefit		\$355
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"	Basic seating benefit		\$355
SB99	☐	Omit positioning belt			STD

1- Not recommended for seat width of 18" and more

AC01-S	☐	Profiled Headrest - Small (3.5"X6")	basic seating benefit		\$215
AC01-M	☐	Profiled Headrest - Medium (4.5"X7")	Basic seating benefit		\$215
AC01-L	☐	Profiled Headrest - Large (5.5"X8")	Basic seating benefit		\$215
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹	Basic seating benefit		\$360

1- Not available with a stroller handle or a folding stabilizer bar

AC03	☐	Anti-tippers			\$120
AC29	☐	Swing-away anti-tipper ¹ Left ☐ Right ☐			\$185
AC27	☐	Tip assist ²			\$65
AC06	☐	Cane and crutch holder Left ☐ Right ☐			\$115
AC07	☐	Oxygen tank holder ⁴ - D and E Type - Installed to the left			\$398
AC08	☐	Spoke guards ³ Available: 20", 22", 24", 26"			\$155
AC09	☐	Footrest neoprene impact guard (<i>pair</i>) - Black			\$85
AC10	☐	Seat pouch			\$100
AC30	☐	Newton multi-purpose pouch			\$75
AC26	☐	BodyPoint Mobility Bag			\$145
AC23	☐	Newton Backpack			\$130
AC12	☐	Velcro Closing Strap			\$55
AC13	☐	Tool kit			\$55
AC16	☐	Motion Composites Polo Shirt W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐			\$36


1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"; Not available with amputee axle plate 2- Cannot be combined with Anti Tippers

3- Not available with Mag wheels and Spinerig; 4- Not compatible with swing away armrest, amputee axle plate and WC-19 transit tie-

Colors																			
Options ¹	Black*	Sunkissed Orange	Burgundy	Sapphire Blue*	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)
AirGrip	☐ \$160	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Frame ²	☐ STD																		\$50
FC99	☐ Custom Color	Specify PPG Paintit color: additional 10 days lead-time																	\$422

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;
2- with black crossbrace;

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	2
22 in	16	0.75 to 2
	17+	0.75 to 2
24 in	16	0.75
	17	0.75 to 2
	18+	0.75 to 2



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :