



MOVE
 ORDER FORM - CANADA

1- Purchasing information

P.O. number: * _____ Date: _____

Company Name: * _____

Purchasing contact: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

Marked for: _____

2- Dealer/Representative information

Dealer/Representative: * _____

Phone: * _____

Email: * _____

Contact preference: * Phone ☐ Email ☐

3- Shipping information

Ship to: * _____

Name: _____

Address: _____

City: _____ Province: _____

Postal Code: _____

Phone: _____

* Required

MA080 ☐
 English Manual (STD)

MA081 ☐
 Manuel Français

Taxes not included

MODEL								
WC01	☐	Ultralight MOVE wheelchair aluminum. (265 lb weight capacity)				WM0001196	\$1,425	
WC09	☐	Heavy duty kit (350 lb weight capacity)				WAMF	\$825	
Frame								
SEAT WIDTH ³								
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ¹ ☐		NC
	☐	19" ¹ ☐	20" ¹ ☐	21" ² ☐	22" ² ☐		WAMA	\$315
SEAT DEPTH								
SD	☐	16" ☐			18" ☐			NC
	☐	20" ☐					WAMB	\$235
TRANSIT TIE DOWN								
AC04	☐	Transit Tie Down (Unoccupied)						NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 20"-41"						\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 20"-46"						\$365
AC35	☐	WC-19 Transit Tie Down without belt ⁴						\$345

1- Available with HD option; 2- Only available with HD option

[3. Width calculator](#)

4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option



PACKAGES				
VP01	☐	Vision Package: Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates ¹		
				\$95

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo *VP01; Recommended with black chair;
 See picture of the product on page 5.

Move FRONT Seat-to-floor Height - Please select your choice

		4" caster			5" caster			6" caster			7" caster			8" caster		
		Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
Fork/Position		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12 1/2"	13 1/2"	14 1/2"												
	P2	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
5"	P1															
	P2	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
	P3	13 1/2"	14 1/2"	15 1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"						
	P4	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"			
7"	P1							15 1/2"	16 1/2"	17 1/2"	16"	17"	18"			
	P2				15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
	P3				16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"
	P4	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"
	P5	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"
Froglegs	P1	13 1/2"	14 1/2"	15 1/2"												
	P2	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"									
	P3	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"						

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS				Available		
CA01-04 to CA01-08	☐	Composite wheel w/ PU tire (1")		4", 5", 6", 7", 8"		NC
CA10 to CA11	☐	Pneumatic casters (1 1/4")		6", 8"		\$170
CA14 to CA16	☐	Newton UltraCaster Composite (1 1/2")		4", 5", 6"		\$105
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 1/2")		4", 5", 6"		\$198

Move REAR Seat-to-floor Height - Please circle your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
12"	13"	14"	14 1/2"	15"
13"	14"	15"	15 1/2"	16"
14"	15"	16"	16 1/2"	17"
15"	16"	17"	17 1/2"	18"
16"	17"	18"	18 1/2"	19"
17"	18"	19"	19 1/2"	20"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

Footrest						
SWING-AWAY FOOTREST						
FR01-01	☐	60° swing away footrest	13.5 - 17.5"	Set at*:		\$270
FR01-02	☐	60° swing away footrest	15.5 - 19.5"	Set at*:		\$270
FR01-03	☐	60° swing away footrest	17 - 21"	Set at*:		\$270
FR02-01	☐	70° swing away footrest	13.5 - 17.5"	Set at*:		\$270
FR02-02	☐	70° swing away footrest	15.5 - 19.5"	Set at*:		\$270
FR02-03	☐	70° swing away footrest	17 - 21"	Set at*:		\$270
FOOTREST OPTIONS						
FR09	☐	High mount (footplate attached to the hanger with clamps)	5" - 13.5"	Set at*:		\$105
FR10	☐	Elevating legrest with calf pad, Length adjustable ¹	Left ☐ Right ☐ 14" - 22"	Set at:	WAMK	\$395
FR99	☐	Omit Footrest				NC

1- The elevating legrest replace the footrest side selected; Not available with high mount

* +/- 1/2"

FOOTPLATES						
FP01	☐	Standard - Composite				STD
FP02	☐	Newton adjustable angle - Composite ^{*VP01}			WAMJ	\$155
FP03	☐	Newton adjustable angle - Aluminum			WAMJ	\$175
FP23	☐	Newton adjustable angle extra deep - Aluminum			WAMJ	\$175
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop				\$26
FP09	☐	Calf strap			SEFND0010	\$57
FP30	☐	Bodypoint Aeromesh Padded calf strap			SEFND0010	\$140

SWING AWAY RESIDUAL LIMB SUPPORT								
FR27	☐	Residual limb support - flat 6"x8"	Left ☐	Right ☐		SEFND0005	\$505	
FR28	☐	Residual limb support - flat 8"x10"	Left ☐	Right ☐		SEFND0005	\$505	
FR29	☐	Residual limb support - flat 10"x10"	Left ☐	Right ☐		SEFND0005	\$505	
FR30	☐	Residual limb support - flat 10"x14"	Left ☐	Right ☐		SEFND0005	\$505	
FR32	☐	Residual limb support - contour 6"x8"	Left ☐	Right ☐		SEFND0005	\$505	
FR33	☐	Residual limb support - contour 8"x10"	Left ☐	Right ☐		SEFND0005	\$505	
Backrest								
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE								
BC01-16	☐	8° bend aluminum back cane	16"				NC	
BC01-18	☐	8° bend aluminum back cane	18"				NC	
BC01-20	☐	8° bend aluminum back cane	20"				NC	
BC59	☐	8° bend aluminum back cane	21" - 24"	increment of 1"	Set at ² :		\$100	
ADJUSTABLE ANGLE BACK WITH INTEGRATED PUSH HANDLE								
BC02-16	☐	8° bend aluminum back cane	16"				\$330	
BC02-20	☐	8° bend aluminum back cane	20"				\$330	
	Select back cane angle:			90° ☐	95° STD ☐	100° ☐	105° ☐	110° ☐
STROLLER HANDLE AND STABILIZER BAR ¹								
PH04	☐	Stroller handle (not available with the HD option)				WAMW	\$220	
PH03	☐	Newton folding stabilizer bar (not available with stroller handle)					\$275	
1- Stroller handle and stabilizer bar can't be combined 2- If not indicated, will be at the lowest position								
BACK UPHOLSTERY								
BH05	☐	Slip-on Nylon back upholstery					NC	
BH06	☐	Adjustable tension Nylon back upholstery				WAMD/WAME	\$260	
BH99	☐	Omit back upholstery					STD	
	☐	NXT back Support				See price list		
SEAT CUSHIONS								
SC01	☐	2" Cushion					\$185	
SC02	☐	3" Cushion					\$205	
SC99	☐	Omit seat cushion					NC	
	☐	NXT cushion				See price list		
Rear wheels								
ONE ARM DRIVE ¹								
Only available with Newton One rear wheels, permanent axles, 0° camber								
HR22	☐	One arm drive - aluminum inner handrim ²	Left ☐	Right ☐		WAML	\$1,480	
HR60	☐	One arm drive - plastic coated inner handrim ²	Left ☐	Right ☐		WAML	\$1,595	
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)					NC	
REAR WHEELS						Available		
RW01	☐	Mag ³			20", 22" 24"		NC	
RW02	☐	Newton One - spoke wheel ⁴			20", 22" 24"		NC	
RW03	☐	Newton Gravity - ultralight wheel			20", 22", 24", 25", 26"		\$390	
TIRES						Available		
AIRLESS								
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black			20", 22" 24"		STD	
TI02	☐	Soft Urethane 1 3/8 " - Medium Tread, black ⁵			22", 24", 25", 26"		\$140	
TI04	☐	Soft Urethane 1" - No tread, black - <i>Shox</i>			22", 24", 25", 26"		\$165	
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread			22", 24", 26"		\$225	
PNEUMATIC								
TI05	☐	Pneumatic 1 3/8" - Medium Tread			20", 22", 24", 25", 26"		\$140	
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - <i>SpeedLite</i>			20", 22", 24", 25", 26"		\$160	
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>			24", 25", 26"		\$240	
TI03	☐	Pneumatic 2" - Large Tread, black			22", 24", 25"		\$130	

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; Only available with 24" wheel size; Not available with 22" wide 2- Only standard handrim position available;
3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position; 4- Not compatible with Shox tires; 5- The 22" is only available with Mags and Newton One rear wheels

Handrims						
HANDRIM				Available		
HR01	☐	Aluminum anodized		20", 22", 24", 25", 26"		STD
HR61	☐	Aluminum black hard anodized ²		20", 22", 24", 25"		\$85
HR02	☐	Plastic coated ¹		20", 22", 24", 25", 26"	WAMO	\$170
HR03	☐	High friction coated ^{1,2,3}		22", 24", 25", 26"	WAMO	\$460
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ²	See page 5 for the color selection and price	20", 22", 24", 25", 26"	WAMO	
HR28	☐	Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"		\$485
HR05	☐	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"		\$515
HR04	☐	Natural Fit ^{1,2,3,4}		22", 24", 25", 26"		\$320
HR62	☐	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)		22", 24", 25", 26"		\$485
HR63	☐	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)		22", 24", 25", 26"		\$515
HR64	☐	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)		22", 24", 25", 26"		\$320
HR99	☐	Omit handrim				NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;


4- 25" and 26" are not available in narrow position; 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

Handrims option						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	Full tab			STD
HR030	☐	Narrow Handrim position no cut	Full tab			NC
HR30	☐	Narrow Handrim position with cut ⁵	Short tab 2 positions			\$29
HR31	☐	Super Narrow Handrim ⁵	Short tab 2 positions STD ☐ Short tab 1 position ☐			\$29
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip				\$200
HR27	☐	Super grip				\$230
HR099	☐	Omit thumb piece				NC

5- Only available with Aluminum and Air Grip handrims;

AXLES (0° camber) ¹						
AX01	☐	Quick release axle			WAMU	STD
AX02	☐	Permanent axle				NC
AX03	☐	Quad release axle			WAMU	\$180
AXLE PLATE						
AX04	☐	Amputee adjustable axle plate ²			WAMT	\$275

1- Not required with one arm drive; 2- May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down

CENTER OF GRAVITY						
 Choose position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver. Default setting is at 3/4" Most stable Most responsive AMPUTEE ¹ 3/4" 2" ☐ ☐ ☐ 1- Only available with amputee axle plate						

WHEEL LOCKS						
WL08	☐	Newton Wheel lock - push to lock	PRODUCT IMPROVED			STD
WL16	☐	Aluminum push to lock with extensions				\$73
WL02	☐	Pull to lock				NC
WL04	☐	Newton grade aid push to lock (works best with pneumatic or high pressure tire)			WAMR	\$185
WL13 WL14	☐	6" removable extension handle ¹ *VP01				\$73
WL06	☐	Attendant Lock (additional set of wheel lock mounted to the back)				\$240
WL15	☐	Unilateral wheel lock - pull to lock ² Left ☐ Right ☐			WAMN	\$335
WL99	☐	Omit wheel locks				NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04); Only the extension for the Newton push to lock is available with the vision package (VP01)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

Armrests							
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,4} *VP01							
AR01-812	☐	10" Desk length armpad	8" - 12"	Locked ☐	Unlocked STD ☐		\$395
AR01-1014	☐	10" Desk length armpad	10" - 14"	Locked ☐	Unlocked STD ☐		\$395
AR02-812	☐	14" Full length armpad	8" - 12"	Locked ☐	Unlocked STD ☐		\$395
AR02-1014	☐	14" Full length armpad	10" - 14"	Locked ☐	Unlocked STD ☐		\$395
HEIGHT ADJUSTABLE "T" ARMREST ¹ *VP01							
AR13-610	☐	10" Desk length armpad ⁴	6" - 10"				\$380
AR03-812	☐	10" Desk length armpad	8" - 12"				\$380
AR03-1014	☐	10" Desk length armpad	10" - 14"				\$380
AR14-610	☐	14" Full length armpad ⁴	6" - 10"				\$380
AR04-812	☐	14" Full length armpad	8" - 12"				\$380
AR04-1014	☐	14" Full length armpad	10" - 14"				\$380
ARMREST OPTIONS							
AR12	☐	14" Full Length armpad - Gel Ovation (pair) ³				SEAND0030	\$160
AR99	☐	Omit armrest					NC

1- May have 1/2" adjust. restriction on both limits of the range; 2- Not available with attendant lock; 3- Only available with full length armrest; Not available with swing away and desk lenght armrests

4- May have restriction with seat-to-floor height and rear wheel

POSITIONING BELTS							
SB01-S	☐	Velcro adjustable - Small 35" ¹					\$50
SB01-L	☐	Velcro adjustable - Long 60"					\$50
SB02-S	☐	Auto buckle - Small 35" ¹					\$60
SB02-M	☐	Auto buckle - Medium 48"					\$60
SB02-L	☐	Auto buckle - Long 60"					\$60
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"					\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"					\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"				SERND0030	\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"				SERND0030	\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"				SERND0030	\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"				SERND0020	\$210
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"				SERND0020	\$210
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"				SERND0020	\$210
SB03	☐	Hardware attachment for 2 extra points (1 pair)					\$15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"					\$355
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"					\$355
SB99	☐	Omit positioning belt					STD

1- Not recommended for seat width of 18" and more

HEADREST ¹							
AC01-S	☐	Profiled Headrest - Small (3.5"X6")					\$215
AC01-M	☐	Profiled Headrest - Medium (4.5"X7")					\$215
AC01-L	☐	Profiled Headrest - Large (5.5"X8")					\$215
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹					\$360

1- Not available with a stroller handle or a folding stabilizer bar

ACCESSORIES								
AC03	☐	Anti-tippers						\$120
AC29	☐	Swing-away anti-tipper ¹	Left ☐	Right ☐				\$185
AC27	☐	Tip assist ²						\$65
AC06	☐	Cane and crutch holder	Left ☐	Right ☐				\$115
AC07	☐	Oxygen tank holder ⁴ - D and E Type - Installed to the left						\$398
AC08	☐	Spoke guards ³ Available: 20", 22", 24", 26"						\$155
AC09	☐	Footrest neoprene impact guard (<i>pair</i>) - Black						\$85
AC10	☐	Seat pouch						\$100
AC30	☐	Newton multi-purpose pouch						\$75
AC26	☐	BodyPoint Mobility Bag						\$145
AC23	☐	Newton Backpack						\$130
AC12	☐	Velcro Closing Strap						\$55
AC13	☐	Tool kit						\$55
AC16	☐	Motion Composites Polo Shirt	W/S ☐ M/S ☐	W/M ☐ M/M ☐	W/L ☐ M/L ☐	M/XL ☐	M/XXL ☐ M/XXXL ☐	\$36

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"


2- Cannot be combined with Anti Tippers

3- Not available with Mag wheels and Spinerigy; 4- Not compatible with swing away armrest, amputee axle plate and WC-19 transit tie-down

Colors																			
Options ¹	Black	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)
AirGrip	☐ \$160	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Frame ²	☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
FC99	☐ Custom Color	Specify PPG Paintit color: additional 10 days lead-time																	\$422

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;
2- with black crossbrace

Fork and Stem bolt combinations



Vision Package Accents



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	2
22 in	16	0.75 to 2
	17+	0.75 to 2
24 in	16	0.75
	17	0.75 to 2
	18+	0.75 to 2

Notes :

FOLDING ON CHAIR – CDN ORDER FORM

EXTRA COVERS

Extra Outer smartx^{3D} Cover



Extra Outer Incontinent Cover



ITEM	WIDTH X DEPTH	\$	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	__ __ X __ __	130	
Extra Outer smartx ^{3D} Cover – For a cover 18" x 20" and above	__ __ X __ __	150	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	__ __ X __ __	130	
Extra Outer Incontinent Cover – For a cover 18" x 20" and above	__ __ X __ __	150	

ALL PRICES QUOTED IN CDN. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com