



160 Armand-Majeau Sud
Saint-Roch-de-l'Achigan, QC, Canada J0K 3H0
T.450 588-6555 1 866 650-6555 F.450 588-0200
quotes@motioncomposites.com
orders@motioncomposites.com
www.motioncomposites.com



6.5a

MOVE

ORDER FORM - INTERNATIONAL

1- Purchasing information

P.O. number:* Date:

Company Name: *

Purchasing contact: *

Phone: *

Email: *

Contact preference: * Phone ☐ Email ☐

Marked for:

3- Shipping information

Ship to: *

Name:

Address:

City: State:

Zip Code:

Phone:

2- ATP/Clinician information

ATP/Clinician: *

Phone: *

Email: *

Contact preference: * Phone ☐ Email ☐

MA083 ☐ English Manual (STD) MA084 ☐ German Manual MA088 ☐ Italian Manual MA086 ☐ Dutch Manual MA087 ☐ Spanish Manual MA088 ☐ French Manual MA089 ☐ Portuguese Manual

MODEL							USD (taxes not included)		
WC01	☐	Ultralight MOVE wheelchair aluminum. (120 kg/265 lb weight capacity)							\$1,475
WC09	☐	Heavy duty kit (159 kg/350 lb weight capacity)							\$540
Frame									
SEAT WIDTH ³									
SW	☐	35.56 (14")	☐ 38.10 (15")	☐ 40.64 (16")	☐ 43.18 (17")	☐ 45.72 (18") ¹	☐ 48.26 (19") ¹		NC
	☐	☐ 50.80 (20") ¹					☐ 55.88 (22") ²		\$310
SEAT DEPTH									
SD	☐	☐ 40.64 (16")					☐ 43.18 (17")	☐ 45.72 (18")	NC
	☐	☐ 50.80 (20")							\$230
TRANSIT TIE DOWN									
AC04	☐	Transit Tie Down (Unoccupied)							NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 50-104 cm (20" - 41")							\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 50-116 cm (20" - 46")							\$365
AC35	☐	WC-19 Transit Tie Down without belt ⁴							\$335

1- Available with HD option; 2- Only available with HD option

[3. Width calculator](#)

4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option



PACKAGES

VP01	☐	Vision Package: Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates ¹	\$95
------	--------------------------	--	------

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo **VP01**; Recommended with black chair; See picture of the product on page 5.

Move FRONT Seat-to-floor Height - Please select your choice

Fork/Position		10.16cm (4") caster			12.72cm (5") caster			15.24cm (6") caster			17.78cm (7") caster			20.32cm (8") caster		
		Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
		STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"	STD	+ 2,54 cm 1"	+ 5,08cm 2"
4 in 10.16cm	P1	31.75cm 12.5"	34.29cm 13.5"	36.83cm 14.5"												
	P2	33.02cm 13"	35.56cm 14"	38.10cm 15"		36.83cm 14.5"	39.37cm 15.5"									
5 in 12.72cm	P1															
	P2	33.02cm 13"	35.56cm 14"	38.10cm 15"	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"									
	P3	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"	35.56cm 14"	38.10cm 15"	40.64cm 16"		39.37cm 15.5"	41.91cm 16.5"						
	P4	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"		41.91cm 16.5"	44.45cm 17.5"			
7 in 17.78cm	P1							39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"			
	P2				39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"			
	P3				40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"
	P4	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18"	49.53cm 19"	45.72cm 18"	48.26cm 19"	50.80cm 20"
	P5	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"
Froglegs	P1	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"												
	P2	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"									
	P3	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"						

Height available +/- 0,65cm (1/4") (see stem bolt and fork combination at the end of the order form); Orange boxes are not available with a seat slope of more than 1.5in.

CASTERS				Available		
CA01-04 to CA01-08	☐	Composite wheel w/ PU tire (1")		4", 5", 6", 7", 8"		NC
CA10 to CA11	☐	Pneumatic casters (1 ¼")		6", 8"		\$175
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½")		4", 5", 6"		\$98
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½")		4", 5", 6"		\$198

Move - REAR Seat-to-floor Height - Please select your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
30.48cm / 12"	33.02cm / 13"	35.56cm / 14"	36.83cm / 14.5"	38.1cm / 15"
33.02cm / 13"	35.56cm / 14"	38.1cm / 15"	39.37cm / 15.5"	40.64cm / 16"
35.56cm / 14"	38.1cm / 15"	40.64cm / 16"	41.91cm / 16.5"	43.18cm / 17"
38.1cm / 15"	40.64cm / 16"	43.18cm / 17"	44.45cm / 17.5"	45.72cm / 18"
40.64cm / 16"	43.18cm / 17"	45.72cm / 18"	46.99cm / 18.5"	48.26cm / 19"
43.18cm / 17"	45.72cm / 18"	48.26cm / 19"	49.53cm / 19.5"	50.8cm / 20"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1,25 cm (½") of selected seat to floor height"

Footrest						
SWING-AWAY FOOTREST						
FR01-01	☐	60° swing away footrest	34.29 - 44.45cm (13.5 - 17.5")	Set at*:		NC
FR01-02	☐	60° swing away footrest	39.37 - 49.53cm (15.5 - 19.5")	Set at*:		NC
FR01-03	☐	60° swing away footrest	43.18 - 53.34cm (17 - 21")	Set at*:		NC
FR02-01	☐	70° swing away footrest	34.29 - 44.45cm (13.5 - 17.5")	Set at*:		NC
FR02-02	☐	70° swing away footrest	39.37 - 49.53cm (15.5 - 19.5")	Set at*:		NC
FR02-03	☐	70° swing away footrest	43.18 - 53.34cm (17 - 21")	Set at*:		NC
FOOTREST OPTIONS						
FR09	☐	High mount (footplate attached to the hanger with clamps)	12.70 - 34.29cm (5" - 13.5")	Set at*:		\$85
FR10	☐	Elevating legrest with calf pad, length adjustable ¹ Left ☐ Right ☐	35.56 - 55.88 cm (14"-22")	Set at:		\$248
FR99	☐	Omit Footrest				NC

1- The elevating legrest replace the footrest side selected; Not available with high mount

* +/- 1/2"

FOOTPLATES						
FP01	☐	Standard - Composite				STD
FP02	☐	Newton adjustable angle - Composite ^{*VP01}				\$230
FP03	☐	Newton adjustable angle - Aluminum				\$255
FP23	☐	Newton adjustable angle extra deep - Aluminum				\$235
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop				\$45
FP09	☐	Calf strap				\$40
FP30	☐	Bodypoint Aeromesh Padded calf strap				\$125

SWING AWAY RESIDUAL LIMB SUPPORT								
FR27	☐	Residual limb support - flat 15.24x20.32cm (6"x8")	Left ☐	Right ☐				\$440
FR28	☐	Residual limb support - flat 20.32x24.4cm (8"x10")	Left ☐	Right ☐				\$440
FR29	☐	Residual limb support - flat 25.4x25.4cm (10"x10")	Left ☐	Right ☐				\$440
FR30	☐	Residual limb support - flat 25.4x35.56cm (10"x14")	Left ☐	Right ☐				\$440
FR32	☐	Residual limb support - contour 15.24x20.32cm (6"x8")	Left ☐	Right ☐				\$440
FR33	☐	Residual limb support - contour 20.32x24.4cm (8"x10")	Left ☐	Right ☐				\$440

Backrest									
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE									
BC01-16	☐	8° bend aluminum back cane	40.64cm (16")					NC	
BC01-18	☐	8° bend aluminum back cane	45.72cm (18")					NC	
BC01-20	☐	8° bend aluminum back cane	50.08cm (20")					NC	
BC59	☐	8° bend aluminum back cane	53.34 - 60.96cm (21" - 24")	increment of 1"		Set at ² :		\$78	
ADJUSTABLE ANGLE BACK									
BC02-16	☐	8° bend aluminum back cane	40.64 cm (16")					\$325	
BC02-20	☐	8° bend aluminum back cane	50.08 cm (20")					\$325	
	Select back cane angle:			90° ☐	95° STD ☐	100° ☐	105° ☐	110° ☐	

STROLLER HANDLE AND STABILIZER BAR ¹								
PH04	☐	Stroller handle <i>(not available with the HD option)</i>						\$175
PH03	☐	Newton folding stabilizer bar <i>(not available with stroller handle)</i>						\$275

1- Stroller handle and stabilizer bar can't be combined 2- If not indicated, will be at the lowest position

BACK UPHOLSTERY								
BH05	☐	Slip-on Nylon back upholstery						NC
BH06	☐	Adjustable tension Nylon back upholstery						\$180
BH99	☐	Omit back upholstery						STD
SEAT CUSHIONS								
SC01	☐	5.08 cm (2") Cushion						\$180
SC02	☐	7.62 cm (3") Cushion						\$200
SC99	☐	Omit seat cushion						STD

Rear wheels								
ONE ARM DRIVE ¹		Only available with Newton One rear wheels, permanent axles, 0° camber						
HR22	☐	One arm drive - aluminum inner handrim ²	Left ☐	Right ☐				\$1,510
HR60	☐	One arm drive - plastic coated inner handrim ²	Left ☐	Right ☐				\$1,595
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)						NC
REAR WHEELS					Available			
RW01	☐	Mag ³				20", 22" 24"		\$57
RW02	☐	Newton One - spoke wheel ⁴				20", 22" 24"		NC
RW03	☐	Newton Gravity - ultralight wheel				20", 22", 24", 25", 26"		\$335
TIRES					Available			
AIRLESS								
TI01	☐	Soft Urethane 3.49cm (1 3/8") - Low Tread, black				20", 22" 24"		STD
TI02	☐	Soft Urethane 3.49cm (1 3/8") - Medium Tread, black ⁵				22", 24", 25", 26"		\$105
TI04	☐	Soft Urethane 2.54cm (1") - No tread, black - <i>Shox</i>				22", 24", 25", 26"		\$125
TI08	☐	Pneumatic Airless insert 3.49cm (1 3/8") - Medium Tread				22", 24", 26"		\$90
PNEUMATIC								
TI05	☐	Pneumatic 3.49cm (1 3/8") Medium Tread				20", 22", 24", 25", 26"		NC
TI06	☐	Pneumatic HP 2.54cm (1") - Low Tread, Puncture resistant, black - <i>SpeedLite</i>				20", 22", 24", 25", 26"		\$110
TI07	☐	Pneumatic HP 2.54cm (1") - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>				24", 25", 26"		\$140
TI03	☐	Pneumatic 5.08cm (2") - Large Tread, black				22", 24", 25"		\$115

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; Only available with 24" wheel size; Not available with 22" wide 2- Only standard handrim position available;
3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position; 4- Not compatible with Shox tires; 5- The 22" is only available with Mags and Newton One rear wheels

Armrests								
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ^{1,4} *VP01								
AR01-812	☐	25.4cm (10") Desk length armpad	20.32 - 30.48cm (8" - 12")	Locked ☐	Unlocked STD ☐			\$380
AR01-1014	☐	25.4cm (10") Desk length armpad	25.40 - 35.56cm (10" - 14")	Locked ☐	Unlocked STD ☐			\$380
AR02-812	☐	35.56cm (14") Full length armpad	20.32 - 30.48cm (8" - 12")	Locked ☐	Unlocked STD ☐			\$380
AR02-1014	☐	35.56cm (14") Full length armpad	25.40 - 35.56cm (10" - 14")	Locked ☐	Unlocked STD ☐			\$380
HEIGHT ADJUSTABLE "T" ARMREST ¹ *VP01								
AR13-610	☐	25.4cm (10") Desk length armpad ⁵	15.25 - 25.40cm (6" - 10")					\$350
AR03-812	☐	25.4cm (10") Desk length armpad	20.32 - 30.48cm (8" - 12")					\$350
AR03-1014	☐	25.4cm (10") Desk length armpad	25.40 - 35.56cm (10" - 14")					\$350
AR14-610	☐	35.56cm (14") Full length armpad ⁵	15.25 - 25.40cm (6" - 10")					\$350
AR04-812	☐	35.56cm (14") Full length armpad	20.32 - 30.48cm (8" - 12")					\$350
AR04-1014	☐	35.56cm (14") Full length armpad	25.40 - 35.56cm (10" - 14")					\$350
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²								
AR05	☐	Tubular armrest - Short pad	20.32 - 27.94cm (8 - 11")					\$240
AR23	☐	Tubular armrest - Long pad	20.32 - 27.94cm (8 - 11")					\$240
AR06	☐	25.4cm (10") Desk Length flat armpad	20.32 - 27.94cm (8 - 11")					\$240
AR17	☐	35.56cm (14") Full Length flat armpad	20.32 - 27.94cm (8 - 11")					\$240
ARMREST OPTIONS								
AR12	☐	35.56cm (14") Full Length Armpad - Gel Ovation (pair) ³						\$165
AR99	☐	Omit armrest						NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; Not available with attendant lock;
3- Only available with full length armrest; Not available with swing away and desk length armrests; 4- Not available with attendant lock; 5- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with Flip Back and "T" Armrest)								
SG01	☐	Plastic side guards (removable)	Straight bracket - STD	Offset bracket ¹				\$210
SG06	☐	Plastic fender side guards (removable)	Straight bracket - STD	Offset bracket ¹				\$295
SG99	☐	Omit side guard						NC

1- only compatible with 0° camber;Increase width by 1/2" per side for a total of 1"

POSITIONING BELTS								
SB01-S	☐	Velcro adjustable - Small 88.9cm (35") ¹						\$50
SB01-L	☐	Velcro adjustable - Long 152.40cm (60")						\$50
SB02-S	☐	Auto buckle - Small 88.9cm (35") ¹						\$95
SB02-M	☐	Auto buckle - Medium 121.92cm (48")						\$95
SB02-L	☐	Auto buckle - Long 152.40cm (60")						\$95
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")						\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")						\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small129.54cm (51")						\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")						\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")						\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")						\$205
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")						\$205
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")						\$205
SB03	☐	Hardware attachment for 2 extra points (1 pair)						\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66 (18")						\$310
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")						\$310
SB99	☐	Omit positioning belt						STD

1- Not recommended for seat width of 45.72cm (18") and more

HEADREST								
AC01-S	☐	Profiled Headrest - Small 8.8x15.2cm (3.5"X6")						\$195
AC01-M	☐	Profiled Headrest - Medium 11.4x17.8cm (4.5"X7")						\$195
AC01-L	☐	Profiled Headrest - Large 14x2.3cm(5.5"X8")						\$195
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹						\$320


1- Not available with a stroller handle or a folding stabilizer bar

ACCESSORIES									
AC03	☐	Anti-tippers							\$150
AC29	☐	Swing-away anti-tipper ¹	Left ☐	Right ☐					\$165
AC27	☐	Tip assist ²							\$67
AC06	☐	Cane and crutch holder	Left ☐	Right ☐					\$130
AC07	☐	Oxygen tank holder ⁴ - D and E Type - installed on the left							\$335
AC08	☐	Spoke guards ³	Available: 20", 22", 24", 26"						\$125
AC09	☐	Footrest neoprene impact guard (pair) - Black							\$100
AC10	☐	Seat pouch							\$83
AC30	☐	Newton multi-purpose pouch							\$62
AC26	☐	BodyPoint Mobility Bag							\$135
AC23	☐	Newton Backpack							\$130
AC12	☐	Velcro Closing Strap							\$57
AC13	☐	Tool kit							\$50
AC16	☐	Motion Composites Polo Shirt	W/S ☐	W/M ☐	W/L ☐				\$36
			M/S ☐	M/M ☐	M/L ☐	M/XL ☐	M/XXL ☐	M/XXXL ☐	

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 34,3cm (13 1/2") and 50,2cm (19 3/4")
2- Cannot be combined with Anti Tippers
3- Not available with Mag wheels and Spinerigy; 4- Not compatible with swing away armrest, amputee axle plate and WC-19 transit tie-down

Colors																			
Options ¹	Black	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)
																			
AirGrip	☐ \$110	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Frame ²	☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
FC99	☐	Custom Color Specify PPG Paintit color:																	additional 10 days lead-time
																			\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;
2- with black aluminum crossbrace



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	2
	16	0.75 to 2
22 in	17+	0.75 to 2
	16	0.75
24 in	17	0.75 to 2
	18+	0.75 to 2



Notes :