



1- Purchasing information

P.O. number:* _____ Date: _____
 Company Name:* _____
 Purchasing contact:* _____
 Phone:* _____
 Email:* _____
 Contact preference:* Phone Email
 Marked for: _____

3- Shipping information

Ship to:* _____
 Name: _____
 Address: _____
 City: _____ State: _____
 Zip Code: _____
 Phone: _____

2- ATP/Clinician information

ATP/Clinician:* _____
 Phone:* _____
 Email:* _____
 Contact preference:* Phone Email

MA083 English Manual (STD) MA084 German Manual MA088 Italian Manual MA086 Dutch Manual MA087 Spanish Manual MA088 French Manual MA089 Portuguese Manual

MODEL							USD (taxes not included)		
WC01	<input type="checkbox"/>	Ultralight MOVE wheelchair aluminum. (120 kg/265 lb weight capacity)						\$1,475	
WC09	<input type="checkbox"/>	Heavy duty kit (159 kg/350 lb weight capacity)						\$540	
Frame									
SEAT WIDTH ³									
SW	<input type="checkbox"/>	35.56 (14")	38.10 (15")	40.64 (16")	43.18 (17")	45.72 (18") ¹	48.26 (19") ¹	NC	
	<input type="checkbox"/>	50.80 (20") ¹					55.88 (22") ²	\$310	
SEAT DEPTH									
SD	<input type="checkbox"/>	40.64 (16")					43.18 (17")	45.72 (18")	NC
	<input type="checkbox"/>	50.80 (20")						\$230	
FRAME LENGTH ⁵									
SP01	<input type="checkbox"/>	Standard frame length configuration						STD	
SP02	<input type="checkbox"/>	Frame length 1" longer than standard configuration						NC	
SP03	<input type="checkbox"/>	Frame length 2" longer than standard configuration						NC	
SP04	<input type="checkbox"/>	Frame length 1" shorter than standard configuration						NC	
SP05	<input type="checkbox"/>	Frame length 2" shorter than standard configuration						NC	
TRANSIT TIE DOWN									
AC04	<input type="checkbox"/>	Transit Tie Down (Unoccupied)						NC	
AC05-S	<input type="checkbox"/>	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 50-104 cm (20" - 41")						\$365	
AC05-L	<input type="checkbox"/>	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 50-116 cm (20" - 46")						\$365	
AC35	<input type="checkbox"/>	WC-19 Transit Tie Down without belt ⁴						\$335	

1- Available with HD option; 2- Only available with HD option

3. [Width calculator](#)

4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

5- See table on page 7



PACKAGES

VP01	<input type="checkbox"/>	Vision Package: Orange accent added to point of contact accessories including: footrest latches, "T" and flip back armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates ¹	\$95
------	--------------------------	--	------

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo *VP01; Recommended with black chair; See picture of the product on page 5.

Move FRONT Seat-to-floor Height - Please select your choice

Fork/Position		10.16cm (4") caster			12.72cm (5") caster			15.24cm (6") caster			17.78cm (7") caster			20.32cm (8") caster		
		Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length			Stem bolt length		
		STD	+ 2.54 cm 1"	+ 5.08cm 2"	STD	+ 2.54 cm 1"	+ 5.08cm 2"	STD	+ 2.54 cm 1"	+ 5.08cm 2"	STD	+ 2.54 cm 1"	+ 5.08cm 2"	STD	+ 2.54 cm 1"	+ 5.08cm 2"
4 in 10.16cm	P1	31.75cm 12.5"	34.29cm 13.5"	36.83cm 14.5"												
	P2	33.02cm 13"	35.56cm 14"	38.10cm 15"		36.83cm 14.5"	39.37cm 15.5"									
5 in 12.72cm	P1															
	P2	33.02cm 13"	35.56cm 14"	38.10cm 15"	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"									
	P3	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"	35.56cm 14"	38.10cm 15"	40.64cm 16"		39.37cm 15.5"	41.91cm 16.5"						
	P4	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"		41.91cm 16.5"	44.45cm 17.5"			
7 in 17.78cm	P1							39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"		
	P2				39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"			
	P3				40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"
	P4	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	48.26cm 19"	50.80cm 20"	
	P5	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"
Froglegs	P1	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"												
	P2	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"									
	P3	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"						

Height available +/- 0.65cm (1/4") (see stem bolt and fork combination at the end of the order form); Orange boxes are not available with a seat slope of more than 1.5in.

FRONT CASTERS				
CASTERS				Available
CA01-04 to CA01-08	<input type="checkbox"/>	Composite wheel w/ PU tire (1")		4", 5", 6", 7", 8" NC
CA10 to CA11	<input type="checkbox"/>	Pneumatic casters (1 1/4")		6", 8" \$175
CA14 to CA16	<input type="checkbox"/>	Newton UltraCaster Composite (1 1/2 ")		4", 5", 6" \$105
CA17 to CA19	<input type="checkbox"/>	Newton UltraCaster Aluminum (1 1/2 ")		4", 5", 6" \$210

Move - REAR Seat-to-floor Height - Please select your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
30.48cm / 12"	33.02cm / 13"	35.56cm / 14"	36.83cm / 14.5"	38.1cm / 15"
33.02cm / 13"	35.56cm / 14"	38.1cm / 15"	39.37cm / 15.5"	40.64cm / 16"
35.56cm / 14"	38.1cm / 15"	40.64cm / 16"	41.91cm / 16.5"	43.18cm / 17"
38.1cm / 15"	40.64cm / 16"	43.18cm / 17"	44.45cm / 17.5"	45.72cm / 18"
40.64cm / 16"	43.18cm / 17"	45.72cm / 18"	46.99cm / 18.5"	48.26cm / 19"
43.18cm / 17"	45.72cm / 18"	48.26cm / 19"	49.53cm / 19.5"	50.8cm / 20"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1.25 cm (1/2") of selected seat to floor height"

REAR WHEELS				
ONE ARM DRIVE ¹ Only available with Newton One rear wheels, permanent axles, 0° camber				
HR22	<input type="checkbox"/>	One arm drive - aluminum inner handrim ²	Left <input type="checkbox"/> Right <input type="checkbox"/>	\$1,510
HR60	<input type="checkbox"/>	One arm drive - plastic coated inner handrim ²	Left <input type="checkbox"/> Right <input type="checkbox"/>	\$1,595
HR98	<input type="checkbox"/>	Omit handrim on opposite side of the One Arm Drive (OAD)		NC
REAR WHEELS				
RW01	<input type="checkbox"/>	Mag ³		20", 22" 24" \$57
RW02	<input type="checkbox"/>	Newton One - spoke wheel ⁴		20", 22" 24" NC
RW03	<input type="checkbox"/>	Newton Gravity - ultralight wheel		20", 22", 24", 25", 26" \$350
TIRES				
AIRLESS				
TI01	<input type="checkbox"/>	Soft Urethane 3.49cm (1 3/8") - Low Tread, black		20", 22" 24" STD
TI02	<input type="checkbox"/>	Soft Urethane 3.49cm (1 3/8") - Medium Tread, black ⁵		22", 24", 25", 26" \$105
TI04	<input type="checkbox"/>	Soft Urethane 2.54cm (1") - No tread, black - Shox		22", 24", 25", 26" \$125
TI08	<input type="checkbox"/>	Pneumatic Airless insert 3.49cm (1 3/8") - Medium Tread		22", 24", 26" \$90
PNEUMATIC				
TI05	<input type="checkbox"/>	Pneumatic 3.49cm (1 3/8") Medium Tread		20", 22", 24", 25", 26" NC
TI06	<input type="checkbox"/>	Pneumatic HP 2.54cm (1") - Low Tread, Puncture resistant, black - SpeedLite		20", 22", 24", 25", 26" \$110
TI07	<input type="checkbox"/>	Pneumatic HP 2.54cm (1") - Medium Tread, Puncture resistant, black - TrailBlazer		24", 25", 26" \$145
TI03	<input type="checkbox"/>	Pneumatic 5.08cm (2") - Large Tread, black		22", 24", 25" \$115

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; Only available with 24" wheel size; Not available with 22" wide 2- Only standard handrim position available;

3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position; 4- Not compatible with Shox tires;

5- The 22" is only available with Mags and Newton One rear wheels; 25" and 26" are not available with Newton Gravity wheels

HANDRIMS

HANDRIM			Available		
HR01	<input type="checkbox"/>	Aluminum anodized	20", 22", 24", 25", 26"		STD
HR61	<input type="checkbox"/>	Aluminum black hard anodized ²	20", 22", 24", 25"		\$80
HR02	<input type="checkbox"/>	Plastic coated ¹	20", 22", 24", 25", 26"		\$145
HR03	<input type="checkbox"/>	High friction coated ^{1,2,3}	22", 24", 25", 26"		\$380
HR07-HR18 and HR65-HR71	<input type="checkbox"/>	Newton Air Grip ² See page 5 for the color selection and price	20", 22", 24", 25", 26"		
HR28	<input type="checkbox"/>	Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"		\$425
HR05	<input type="checkbox"/>	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"		\$465
HR04	<input type="checkbox"/>	Natural Fit ^{1,2,3,4}	22", 24", 25", 26"		\$395
HR62	<input type="checkbox"/>	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)	22", 24", 25", 26"		\$395
HR63	<input type="checkbox"/>	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)	22", 24", 25", 26"		\$425
HR64	<input type="checkbox"/>	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)	22", 24", 25", 26"		\$325
HR99	<input type="checkbox"/>	Omit handrim			NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive; 4 - 25" and 26" are not available in narrow position; 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece

HANDRIMS OPTION


ASSEMBLY POSITION					
HR29	<input type="checkbox"/>	Standard Handrim position Full tab			STD
HR030	<input type="checkbox"/>	Narrow Handrim position no cut Full tab			NC
HR30	<input type="checkbox"/>	Narrow Handrim position with cut ⁵ Short tab 2 positions			\$32
HR31	<input type="checkbox"/>	Super Narrow Handrim ⁵ Short tab 2 positions STD <input type="checkbox"/> Short tab 1 position <input type="checkbox"/>			\$32
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS					
HR23	<input type="checkbox"/>	Standard grip			\$95
HR27	<input type="checkbox"/>	Super grip			\$150
HR099	<input type="checkbox"/>	Omit thumb piece			NC

5- Only available with Aluminum and Air Grip handrims;

AXLES (0° camber) ¹					
AX01	<input type="checkbox"/>	Quick release axle ¹			STD
AX02	<input type="checkbox"/>	Permanent axle			NC
AX03	<input type="checkbox"/>	Quad release axle ¹			\$135
AXLE PLATE					
AX04	<input type="checkbox"/>	Amputee adjustable axle plate ²			\$210

1- Not required with one arm drive; 2 - May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance from front of back post to center of axle receiver.

Default setting is at 1,9 cm (3/4")



1- Only available with amputee axle plate

WHEEL LOCKS					
WL08	<input type="checkbox"/>	Newton Wheel lock - push to lock			STD
WL16	<input type="checkbox"/>	Aluminum push to lock with extensions			\$83
WL02	<input type="checkbox"/>	Pull to lock			NC
WL04	<input type="checkbox"/>	Newton grade aid push to lock (works best with pneumatic or high pressure tire)			\$165
WL13 WL14	<input type="checkbox"/>	6" removable extension handle ¹ *VP01			\$83
WL06	<input type="checkbox"/>	Attendant Lock (additional set of wheel lock mounted to the back)			\$215
WL15	<input type="checkbox"/>	Unilateral wheel lock - pull to lock ² Left <input type="checkbox"/> Right <input type="checkbox"/>			\$335
WL99	<input type="checkbox"/>	Omit wheel locks			NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04); Only the extension for the Newton push to lock is available with the vision package (VP01)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

FOOTREST									
SWING-AWAY FOOTREST									
FR01-01	<input type="checkbox"/>	60° swing away footrest	34.29 - 44.45cm (13.5 - 17.5")					Set at*:	NC
FR01-02	<input type="checkbox"/>	60° swing away footrest	39.37 - 49.53cm (15.5 - 19.5")					Set at*:	NC
FR01-03	<input type="checkbox"/>	60° swing away footrest	43.18 - 53.34cm (17 - 21")					Set at*:	NC
FR02-01	<input type="checkbox"/>	70° swing away footrest	34.29 - 44.45cm (13.5 - 17.5")					Set at*:	NC
FR02-02	<input type="checkbox"/>	70° swing away footrest	39.37 - 49.53cm (15.5 - 19.5")					Set at*:	NC
FR02-03	<input type="checkbox"/>	70° swing away footrest	43.18 - 53.34cm (17 - 21")					Set at*:	NC
FOOTREST OPTIONS									
FR09	<input type="checkbox"/>	High mount (footplate attached to the hanger with clamps)				12.70 - 34.29cm (5" - 13.5")		Set at*:	\$85
FR10	<input type="checkbox"/>	Elevating legrest with calf pad, length adjustable ¹	Left <input type="checkbox"/>	Right <input type="checkbox"/>		35.56 - 55.88 cm (14"-22")		Set at:	\$248
FR99	<input type="checkbox"/>	Omit Footrest							NC
1- The elevating legrest replace the footrest side selected; Not available with high mount * +/- 1/2"									
FOOTPLATES									
FP01	<input type="checkbox"/>	Standard - Composite							STD
FP02	<input type="checkbox"/>	Newton adjustable angle - Composite ^{**VP01}							\$230
FP03	<input type="checkbox"/>	Newton adjustable angle - Aluminum							\$255
FP23	<input type="checkbox"/>	Newton adjustable angle extra deep - Aluminum							\$235
FOOTPLATE ACCESSORIES									
FP08	<input type="checkbox"/>	Length adjustable heel loop							\$51
FP09	<input type="checkbox"/>	Calf strap							\$43
FP30	<input type="checkbox"/>	Bodypoint Aeromesh Padded calf strap							\$125
SWING AWAY RESIDUAL LIMB SUPPORT									
FR27	<input type="checkbox"/>	Residual limb support - flat 15.24x20.32cm (6"x8")	Left <input type="checkbox"/>	Right <input type="checkbox"/>					\$440
FR28	<input type="checkbox"/>	Residual limb support - flat 20.32x24.4cm (8"x10")	Left <input type="checkbox"/>	Right <input type="checkbox"/>					\$440
FR29	<input type="checkbox"/>	Residual limb support - flat 25.4x25.4cm (10"x10")	Left <input type="checkbox"/>	Right <input type="checkbox"/>					\$440
FR30	<input type="checkbox"/>	Residual limb support - flat 25.4x35.56cm (10"x14")	Left <input type="checkbox"/>	Right <input type="checkbox"/>					\$440
FR32	<input type="checkbox"/>	Residual limb support - contour 15.24x20.32cm (6"x8")	Left <input type="checkbox"/>	Right <input type="checkbox"/>					\$440
FR33	<input type="checkbox"/>	Residual limb support - contour 20.32x24.4cm (8"x10")	Left <input type="checkbox"/>	Right <input type="checkbox"/>					\$440
SEATING AND BACKREST									
BACK UPHOLSTERY									
BH05	<input type="checkbox"/>	Slip-on Nylon back upholstery							NC
BH06	<input type="checkbox"/>	Adjustable tension Nylon back upholstery							\$180
BH99	<input type="checkbox"/>	Omit back upholstery							STD
SEAT CUSHIONS									
SC01	<input type="checkbox"/>	5.08 cm (2") Cushion							\$194
SC02	<input type="checkbox"/>	7.62 cm (3") Cushion							\$200
SC99	<input type="checkbox"/>	Omit seat cushion							STD
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE									
BC01-16	<input type="checkbox"/>	8° bend aluminum back cane	40.64cm (16")						NC
BC01-18	<input type="checkbox"/>	8° bend aluminum back cane	45.72cm (18")						NC
BC01-20	<input type="checkbox"/>	8° bend aluminum back cane	50.08cm (20")						NC
BC59	<input type="checkbox"/>	8° bend aluminum back cane	53.34 - 60.96cm (21" - 24")			increment of 1"		Set at ² :	\$78
ADJUSTABLE ANGLE BACK									
BC02-16	<input type="checkbox"/>	8° bend aluminum back cane	40.64 cm (16")						\$325
BC02-20	<input type="checkbox"/>	8° bend aluminum back cane	50.08 cm (20")						\$325
Select back cane angle: 90° <input type="checkbox"/> 95° STD <input type="checkbox"/> 100° <input type="checkbox"/> 105° <input type="checkbox"/> 110° <input type="checkbox"/>									
STROLLER HANDLE AND STABILIZER BAR ¹									
PH04	<input type="checkbox"/>	Stroller handle (not available with the HD option)							\$175
PH03	<input type="checkbox"/>	Newton folding stabilizer bar (not available with stroller handle)							\$275

1- Stroller handle and stabilizer bar can't be combined 2- If not indicated, will be at the lowest position

ARMRESTS								
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest)^{1,4} *VP01								
AR01-812	<input type="checkbox"/>	25.4cm (10") Desk length armpad	20.32 - 30.48cm (8" - 12")	Locked <input type="checkbox"/>	Unlocked STD <input type="checkbox"/>			\$390
AR01-1014	<input type="checkbox"/>	25.4cm (10") Desk length armpad	25.40 - 35.56cm (10" - 14")	Locked <input type="checkbox"/>	Unlocked STD <input type="checkbox"/>			\$390
AR02-812	<input type="checkbox"/>	35.56cm (14") Full length armpad	20.32 - 30.48cm (8" - 12")	Locked <input type="checkbox"/>	Unlocked STD <input type="checkbox"/>			\$390
AR02-1014	<input type="checkbox"/>	35.56cm (14") Full length armpad	25.40 - 35.56cm (10" - 14")	Locked <input type="checkbox"/>	Unlocked STD <input type="checkbox"/>			\$390
HEIGHT ADJUSTABLE "T" ARMREST¹ *VP01								
AR13-610	<input type="checkbox"/>	25.4cm (10") Desk length armpad ⁵	15.25 - 25.40cm (6" - 10")					\$360
AR03-812	<input type="checkbox"/>	25.4cm (10") Desk length armpad	20.32 - 30.48cm (8" - 12")					\$360
AR03-1014	<input type="checkbox"/>	25.4cm (10") Desk length armpad	25.40 - 35.56cm (10" - 14")					\$360
AR14-610	<input type="checkbox"/>	35.56cm (14") Full length armpad ⁵	15.25 - 25.40cm (6" - 10")					\$360
AR04-812	<input type="checkbox"/>	35.56cm (14") Full length armpad	20.32 - 30.48cm (8" - 12")					\$360
AR04-1014	<input type="checkbox"/>	35.56cm (14") Full length armpad	25.40 - 35.56cm (10" - 14")					\$360
HEIGHT ADJUSTABLE SWING AWAY ARMREST²								
AR05	<input type="checkbox"/>	Tubular armrest - Short pad	20.32 - 27.94cm (8 - 11")					\$250
AR23	<input type="checkbox"/>	Tubular armrest - Long pad	20.32 - 27.94cm (8 - 11")					\$250
AR06	<input type="checkbox"/>	25.4cm (10") Desk Length flat armpad	20.32 - 27.94cm (8 - 11")					\$250
AR17	<input type="checkbox"/>	35.56cm (14") Full Length flat armpad	20.32 - 27.94cm (8 - 11")					\$250
ARMREST OPTIONS								
AR12	<input type="checkbox"/>	35.56cm (14") Full Length Armpad - Gel Ovation (pair) ³						\$165
AR99	<input type="checkbox"/>	Omit armrest						NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; Not available with attendant lock;

3- Only available with full length armrest; Not available with swing away and desk length armrests; 4- Not available with attendant lock; 5- May have some restriction with seat-to-floor height and rear wheel

ACCESSORIES								
SIDE GUARDS (not available with Flip Back and "T" Armrest)								
SG01	<input type="checkbox"/>	Plastic side guards (removable)	Straight bracket - STD	Offset bracket ¹				\$210
SG06	<input type="checkbox"/>	Plastic fender side guards (removable)	Straight bracket - STD	Offset bracket ¹				\$295
SG99	<input type="checkbox"/>	Omit side guard						NC

1- only compatible with 0° camber; Increase width by 1/2" per side for a total of 1"

POSITIONING BELTS								
SB01-S	<input type="checkbox"/>	Velcro adjustable - Small 88.9cm (35") ¹						\$50
SB01-L	<input type="checkbox"/>	Velcro adjustable - Long 152.40cm (60")						\$50
SB02-S	<input type="checkbox"/>	Auto buckle - Small 88.9cm (35") ¹						\$95
SB02-M	<input type="checkbox"/>	Auto buckle - Medium 121.92cm (48")						\$95
SB02-L	<input type="checkbox"/>	Auto buckle - Long 152.40cm (60")						\$95
SB04-M	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")						\$95
SB04-L	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")						\$95
SB05-S	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point padded - Small 129.54cm (51")						\$185
SB05-M	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")						\$185
SB05-L	<input type="checkbox"/>	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")						\$185
SB06-S	<input type="checkbox"/>	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")						\$205
SB06-M	<input type="checkbox"/>	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")						\$205
SB06-L	<input type="checkbox"/>	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")						\$205
SB03	<input type="checkbox"/>	Hardware attachment for 2 extra points (1 pair)						\$17
SB08-M	<input type="checkbox"/>	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66 (18")						\$310
SB08-L	<input type="checkbox"/>	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")						\$310
SB99	<input type="checkbox"/>	Omit positioning belt						STD

1- Not recommended for seat width of 45.72cm (18") and more

HEADREST								
AC01-S	<input type="checkbox"/>	Profiled Headrest - Small 8.8x15.2cm (3.5"x6")						\$195
AC01-M	<input type="checkbox"/>	Profiled Headrest - Medium 11.4x17.8cm (4.5"x7")						\$195
AC01-L	<input type="checkbox"/>	Profiled Headrest - Large 14x2.3cm(5.5"x8")						\$195
AC28	<input type="checkbox"/>	Headrest mounting hardware with removable non folding stabilizer bar ¹						\$320

1- Not available with a stroller handle or a folding stabilizer bar

ACCESSORIES											
AC03	<input type="checkbox"/>	Anti-tippers									\$155
AC29	<input type="checkbox"/>	Swing-away anti-tipper ¹	Left <input type="checkbox"/>	Right <input type="checkbox"/>							\$165
AC27	<input type="checkbox"/>	Tip assist ²									\$67
AC06	<input type="checkbox"/>	Cane and crutch holder	Left <input type="checkbox"/>	Right <input type="checkbox"/>							\$130
AC07	<input type="checkbox"/>	Oxygen tank holder ⁴ - D and E Type - installed on the left									\$335
AC08	<input type="checkbox"/>	Spoke guards ³	Available: 20", 22", 24", 25", 26"								\$125
AC09	<input type="checkbox"/>	Footrest neoprene impact guard (pair) - Black									\$100
AC10	<input type="checkbox"/>	Seat pouch									\$83
AC30	<input type="checkbox"/>	Newton multi-purpose pouch									\$62
AC26	<input type="checkbox"/>	BodyPoint Mobility Bag									\$135
AC23	<input type="checkbox"/>	Newton Backpack									\$130
AC12	<input type="checkbox"/>	Velcro Closing Strap									\$57
AC13	<input type="checkbox"/>	Tool kit									\$50

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 34,3cm (13 1/2") and 50,2cm (19 3/4"); Not available with amputee axle plate;

2 - Cannot be combined with Anti Tippers; 3- Not available with Mag wheels and Spinyrg; the 24" spoke guard will be installed on the 25" wheel


4- Not compatible with swing away armrest, amputee axle plate and WC-19 transit tie-down

Colors																					
Options ¹	Black	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)		
AirGrip	<input type="checkbox"/> \$125	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$265	
Frame ²	<input type="checkbox"/> STD	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$115	
FC99	<input type="checkbox"/>	Custom Color Specify PPG Paintit color:														additional 10 days lead-time		\$390			

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

2- with black aluminum crossbrace

Fork and Stem bolt combinations



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	2
	16	0.75 to 2
22 in	17+	0.75 to 2
	16	0.75
24 in	17	0.75 to 2
	18+	0.75 to 2

Frame length chart

Frame length	Seat Depth			
	16"	17"	18"	20"
STD				
+1				N/A
+2				N/A
-1				
-2				

CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The EVO Custom Request Form is the best place to start.

Notes :