



160 Armand-Majeau Sud  
 Saint-Roch-de-l'Achigan, QC, Canada J0K 3H0  
 T. +1-866-650-6555 F. +1-888-966-6555  
[quotes@motioncomposites.com](mailto:quotes@motioncomposites.com)  
[orders@motioncomposites.com](mailto:orders@motioncomposites.com)  
[www.motioncomposites.com](http://www.motioncomposites.com)



|                              |             |
|------------------------------|-------------|
| <b>Move</b>                  | <b>MVQs</b> |
| <b>Quick Ship Order Form</b> |             |
| Canada                       | 5.2a        |

P.O. number:\* \_\_\_\_\_ Date:\* \_\_\_\_\_  
 Company Name:\* \_\_\_\_\_  
 Purchasing contact:\* \_\_\_\_\_ Phone:\* \_\_\_\_\_  
 Clinician/Sales rep: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Marked for: \_\_\_\_\_

Ship to:\* \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ Province \_\_\_\_\_  
 Postal Code: \_\_\_\_\_  
 Phone: \_\_\_\_\_

|   |                          |                 |  |                           |                          |
|---|--------------------------|-----------------|--|---------------------------|--------------------------|
| <b>MOVE</b>   |                          | <b>MVQSWC01</b> |  | <i>Taxes not included</i> |                          |
| Ultralight MOVE wheelchair aluminum   | Basalt Black             | WM0001196       |  | <b>\$1 425</b>            | <input type="checkbox"/> |
| <b>Included:</b> seating upholstery / <b>Excluded</b> back upholstery and cushion | 265 lbs. weight capacity |                 |  |                           |                          |

**Front Seat-to-Floor Height Configuration**

| 13"                                     |                 |                          |                                   | 14"                                     |                          |                                   |                 | 16 1/2"                                 |  |           |                          |                          |  |                          |                         |                          |  |                           |       |                          |                           |           |                          |                           |                          |                          |                           |       |                          |                           |           |                          |                           |           |                          |                           |                          |                          |                           |    |                          |                           |    |                          |
|---|-----------------|--------------------------|-----------------------------------|---|--------------------------|-----------------------------------|-----------------|---|--|-----------|--------------------------|--------------------------|--|--------------------------|-------------------------|--------------------------|--|---------------------------|-------|--------------------------|---------------------------|-----------|--------------------------|---------------------------|--------------------------|--------------------------|---------------------------|-------|--------------------------|---------------------------|-----------|--------------------------|---------------------------|-----------|--------------------------|---------------------------|--------------------------|--------------------------|---------------------------|----|--------------------------|---------------------------|----|--------------------------|
| M6 16x16                                | NC              | <input type="checkbox"/> | M1 18x16                          | NC                                      | <input type="checkbox"/> | M11 16x18                         | NC              | <input type="checkbox"/>                | M7 16x18   | NC        | <input type="checkbox"/> | M12 18x18                | NC   | <input type="checkbox"/> | M9 18x18                | NC                       | <input type="checkbox"/>                                 | M3 18x20                  | WAMB  | \$230                    | <input type="checkbox"/>  | M13 18x20 | WAMB                     | \$230                     | <input type="checkbox"/> | M10 20x18                | WAMA                      | \$305 | <input type="checkbox"/> | M4 20x20                  | WAMA WAMB | \$551                    | <input type="checkbox"/>  | M14 20x18 | WAMA                     | \$305                     | <input type="checkbox"/> |                          |                           |    |                          |                           |    |                          |
| <b>WHEELS Front, Rear &amp; Handrim</b> |                 |                          |                                   | <b>WHEELS Front, Rear &amp; Handrim</b> |                          |                                   |                 | <b>WHEELS Front, Rear &amp; Handrim</b> |  |           |                          |                          |  |                          |                         |                          |  |                           |       |                          |                           |           |                          |                           |                          |                          |                           |       |                          |                           |           |                          |                           |           |                          |                           |                          |                          |                           |    |                          |                           |    |                          |
| 4"x1" Composites caster w/PU tire       | NC              | <input type="checkbox"/> | 5"x1" Composites caster w/PU tire | NC                                      | <input type="checkbox"/> | 6"x1" Composites caster w/PU tire | NC              | <input type="checkbox"/>                | 5" fork + Std stem bolt                                  | NC        | <input type="checkbox"/> | 5" fork + Std stem bolt  | NC   | <input type="checkbox"/> | 7" fork + Std stem bolt | NC                       | <input type="checkbox"/>                                 | 22" Newton One rear wheel | NC    | <input type="checkbox"/> | 22" Newton One rear wheel | NC        | <input type="checkbox"/> | 24" Newton One rear wheel | NC                       | <input type="checkbox"/> | Soft urethane tire 1 1/4" | NC    | <input type="checkbox"/> | Soft urethane tire 1 1/4" | NC        | <input type="checkbox"/> | Soft urethane tire 1 1/4" | NC        | <input type="checkbox"/> | Aluminum anodized handrim | NC                       | <input type="checkbox"/> | Aluminum anodized handrim | NC | <input type="checkbox"/> | Aluminum anodized handrim | NC | <input type="checkbox"/> |
| <b>SWING-AWAY FOOTREST</b>              |                 |                          |                                   | <b>SWING-AWAY FOOTREST</b>              |                          |                                   |                 | <b>SWING-AWAY FOOTREST</b>              |  |           |                          |                          |  |                          |                         |                          |  |                           |       |                          |                           |           |                          |                           |                          |                          |                           |       |                          |                           |           |                          |                           |           |                          |                           |                          |                          |                           |    |                          |                           |    |                          |
| 60° Swing-away footrests                | \$260           | <input type="checkbox"/> | 70° Swing-away footrests          | \$260                                   | <input type="checkbox"/> | 70° Swing-away footrests          | \$260           | <input type="checkbox"/>                | Newton Composite Adjustable angle footplate w/ heel loop | WAMJ      | \$175                    | <input type="checkbox"/> | Newton Composite Adjustable angle footplate w/ heel loop | WAMJ                     | \$175                   | <input type="checkbox"/> | Newton Composite Adjustable angle footplate w/ heel loop | WAMJ                      | \$175 | <input type="checkbox"/> |                           |           |                          |                           |                          |                          |                           |       |                          |                           |           |                          |                           |           |                          |                           |                          |                          |                           |    |                          |                           |    |                          |
| <b>This configuration:</b>              |                 |                          |                                   | <b>This configuration:</b>              |                          |                                   |                 | <b>This configuration:</b>              |  |           |                          |                          |  |                          |                         |                          |  |                           |       |                          |                           |           |                          |                           |                          |                          |                           |       |                          |                           |           |                          |                           |           |                          |                           |                          |                          |                           |    |                          |                           |    |                          |
| Front STF Height                        | Rear STF Height |                          | Front STF Height                  | Rear STF Height                         |                          | Front STF Height                  | Rear STF Height |   | 13" - 14"  | 13" - 18" |                          | 13 3/4" - 14 3/4"        | 13" - 18"  |                          | 15 1/2" - 17 1/2"       | 14" - 19"                |  |                           |       |                          |                           |           |                          |                           |                          |                          |                           |       |                          |                           |           |                          |                           |           |                          |                           |                          |                          |                           |    |                          |                           |    |                          |
| <b>Possible configurations:</b>         |                 |                          |                                   |   |                          |                                   |                 |   |  |           |                          |                          |  |                          |                         |                          |  |                           |       |                          |                           |           |                          |                           |                          |                          |                           |       |                          |                           |           |                          |                           |           |                          |                           |                          |                          |                           |    |                          |                           |    |                          |
| Front STF Height                        |                 |                          |                                   | 12 1/2" - 19 1/2"                       |                          |                                   |                 | Rear STF Height                         |  |           |                          | 12 1/4" - 20"            |  |                          |                         |                          |  |                           |       |                          |                           |           |                          |                           |                          |                          |                           |       |                          |                           |           |                          |                           |           |                          |                           |                          |                          |                           |    |                          |                           |    |                          |

| <b>PARTS &amp; ACCESSORIES on all configurations</b>  |            |       |                             |
|---|------------|-------|-----------------------------|
| <b>8° BEND BACK</b> (with fixed height push handles)  |            |       |                             |
| Aluminum back cane                                    | 20" height | NC    | <input type="checkbox"/>    |
| <b>FLIP BACK ARMREST</b> (Convertible to "T" armrest) |            |       |                             |
| 14" Full Length, 8 - 12" height adjustable            |            | \$390 | <input type="checkbox"/>    |
| <b>AXLE</b> (with 0° camber)                          |            |       |                             |
| Quick release axle                                    |            | WAMU  | NC <input type="checkbox"/> |
| <b>WHEEL LOCK</b>                                     |            |       |                             |
| Push to lock with 6" removable extension handle       |            | \$70  | <input type="checkbox"/>    |
| <b>POSITIONING BELT</b>                               |            |       |                             |
| Additional attachment hardware for 4 point seatbelt   |            | \$14  | <input type="checkbox"/>    |
| <b>ACCESSORIES</b>                                    |            |       |                             |
| Anti tippers  |            | \$120 | <input type="checkbox"/>    |

# Quick Ship Parts and Accessories Program

Motion Composites' Quick Ship Parts and Accessories Program adds flexibility to the convenience of our Quick Ship wheelchairs

These specially discounted parts will be added to your Quick Ship wheelchair order for you to install and customize upon receipt

| Invoice code |  |          |       |                          | Invoice code |   |    |       |                          |
|--------------|--|----------|-------|--------------------------|--------------|---|----|-------|--------------------------|
| QP0004       | Aluminum straight back cane 18-21"                                   | PR       | \$115 | <input type="checkbox"/> | QP0033       | Standard stem bolt (anti-flutter)                         | PR | \$20  | <input type="checkbox"/> |
| QP0005       | Aluminum back cane 8° bend 18-21"                                    | PR       | \$135 | <input type="checkbox"/> | QP0034       | +1" stem bolt (anti-flutter)                              | PR | \$20  | <input type="checkbox"/> |
| QP0006       | Angle adjustable - Aluminium straight back cane 18-21"               | PR       | \$235 | <input type="checkbox"/> | QP0035       | +2" stem bolt (anti-flutter)                              | PR | \$20  | <input type="checkbox"/> |
| QP0098       | Push handles   | PR       | \$105 | <input type="checkbox"/> | QP0076       | Length adjustable heel loop                               | PR | \$40  | <input type="checkbox"/> |
| QP0134       | Slip-On Nylon Back UPH, 16x18-21in                                   | EA       | \$65  | <input type="checkbox"/> | QP0096       | Newton Airgrip 22" black handrim                          | PR | \$155 | <input type="checkbox"/> |
| QP0135       | Slip-On Nylon Back UPH, 18x18-21in                                   | EA       | \$65  | <input type="checkbox"/> | QP0097       | Newton Airgrip 24" black handrim                          | PR | \$155 | <input type="checkbox"/> |
| QP0136       | Slip-On Nylon Back UPH, 20x18-21in                                   | EA       | \$65  | <input type="checkbox"/> | QP0036       | 4" fork (2 holes)   | PR | \$60  | <input type="checkbox"/> |
| QP0137       | Adj Tension Nylon Back UPH, 16x18-21in                               | EA       | \$250 | <input type="checkbox"/> | QP0037       | 5" fork (4 holes)   | PR | \$60  | <input type="checkbox"/> |
| QP0138       | Adj Tension Nylon Back UPH, 18x18-21in                               | EA       | \$250 | <input type="checkbox"/> | QP0038       | 7" fork (5 holes)   | PR | \$60  | <input type="checkbox"/> |
| QP0139       | Adj Tension Nylon Back UPH, 20x18-21in                               | EA       | \$250 | <input type="checkbox"/> | QP0114       | Newton One wheels w/Urethane tire & Alu Pushrim - 22"     | PR | \$435 | <input type="checkbox"/> |
| QP0167       | Swing Out residual limb support flat cushion - L 6"x8"               | E1020 EA | \$490 | <input type="checkbox"/> | QP0115       | Newton One wheels w/Urethane tire & Alu Pushrim - 24"     | PR | \$435 | <input type="checkbox"/> |
| QP0168       | Swing Out residual limb support flat cushion - R 6"x8"               | E1020 EA | \$490 | <input type="checkbox"/> | QP0039       | Mag wheels w/Urethane tire & Alu Pushrim - 20"            | PR | \$435 | <input type="checkbox"/> |
| QP0169       | Swing Out residual limb support flat cushion - L 8"x10"              | E1020 EA | \$490 | <input type="checkbox"/> | QP0040       | Mag wheels w/Urethane tire & Alu Pushrim - 22"            | PR | \$435 | <input type="checkbox"/> |
| QP0170       | Swing Out residual limb support flat cushion - R 8"x10"              | E1020 EA | \$490 | <input type="checkbox"/> | QP0041       | Mag wheels w/Urethane tire & Alu Pushrim - 24"            | PR | \$435 | <input type="checkbox"/> |
| QP0171       | Swing Out residual limb support flat cushion - L 10"x10"             | E1020 EA | \$490 | <input type="checkbox"/> | QP0044       | Wheel lock - pull to lock                                 | PR | \$100 | <input type="checkbox"/> |
| QP0172       | Swing Out residual limb support flat cushion - R 10"x10"             | E1020 EA | \$490 | <input type="checkbox"/> | QP0045       | Wheel lock - pull to lock with removable extension handle | PR | \$170 | <input type="checkbox"/> |
| QP0173       | Swing Out residual limb support flat cushion - L 10"x14"             | E1020 EA | \$490 | <input type="checkbox"/> | QP0046       | Wheel lock - Newton grade aid push to lock                | PR | \$295 | <input type="checkbox"/> |
| QP0174       | Swing Out residual limb support flat cushion - R 10"x14"             | E1020 EA | \$490 | <input type="checkbox"/> | QP0048       | Positioning belt - velcro adjustable                      | EA | \$47  | <input type="checkbox"/> |
| QP0175       | Swing Out residual limb support contour cushion - L 6"x8"            | E1020 EA | \$490 | <input type="checkbox"/> | QP0049       | Positioning belt - auto buckle                            | EA | \$57  | <input type="checkbox"/> |
| QP0176       | Swing Out residual limb support contour cushion - R 6"x8"            | E1020 EA | \$490 | <input type="checkbox"/> | QP0050       | Bodypoint 2 point Non Padded - medium (56")               | EA | \$85  | <input type="checkbox"/> |
| QP0177       | Swing Out residual limb support contour cushion - L 8"x10"           | E1020 EA | \$490 | <input type="checkbox"/> | QP0051       | Bodypoint 2 point Non Padded - large (61")                | EA | \$85  | <input type="checkbox"/> |
| QP0178       | Swing Out residual limb support contour cushion - R 8"x10"           | E1020 EA | \$490 | <input type="checkbox"/> | QP0052       | Bodypoint 2 point Padded - small (51")                    | EA | \$160 | <input type="checkbox"/> |
| QP0149       | Swing Away ELR/calf pad/std FP, Left & heel loop (14-16in)           | EA       | \$400 | <input type="checkbox"/> | QP0053       | Bodypoint 2 point Padded - medium (56")                   | EA | \$160 | <input type="checkbox"/> |
| QP0150       | Swing Away ELR/calf pad/std FP, Left & heel loop (17-18in)           | EA       | \$400 | <input type="checkbox"/> | QP0054       | Bodypoint 2 point Padded - large (61")                    | EA | \$160 | <input type="checkbox"/> |
| QP0151       | Swing Away ELR/calf pad/std FP, Left & heel loop (19in +)            | EA       | \$400 | <input type="checkbox"/> | QP0055       | Bodypoint 4 point Padded - small (51")                    | EA | \$200 | <input type="checkbox"/> |
| QP0152       | Swing Away ELR/calf pad/std FP, Right & heel loop (14-16in)          | EA       | \$400 | <input type="checkbox"/> | QP0056       | Bodypoint 4 point Padded - medium (56")                   | EA | \$200 | <input type="checkbox"/> |
| QP0153       | Swing Away ELR/calf pad/std FP, Right & heel loop (17-18in)          | EA       | \$400 | <input type="checkbox"/> | QP0057       | Bodypoint 4 point Padded - large (61")                    | EA | \$200 | <input type="checkbox"/> |
| QP0154       | Swing Away ELR/calf pad/std FP, Right & heel loop (19in +)           | EA       | \$400 | <input type="checkbox"/> | QP0058       | Cane carrier - Left                                       | EA | \$110 | <input type="checkbox"/> |
| QP0013       | Calf strap (wheelchair width: 15 to 17 in)                           | EA       | \$55  | <input type="checkbox"/> | QP0059       | Cane carrier - Right                                      | EA | \$110 | <input type="checkbox"/> |
| QP0014       | Calf strap (wheelchair width: 18 to 20 in)                           | EA       | \$55  | <input type="checkbox"/> | QP0060       | Spoke guards - 22"  | PR | \$150 | <input type="checkbox"/> |
| QP0125       | Bodypoint Aeromesh Padded calf strap (wheelchair Width: 12 to 16 in) | EA       | \$135 | <input type="checkbox"/> | QP0061       | Spoke guards - 24"  | PR | \$150 | <input type="checkbox"/> |
| QP0126       | Bodypoint Aeromesh Padded calf strap (wheelchair width: 17 to 20 in) | EA       | \$135 | <input type="checkbox"/> | QP0062       | Footrest neoprene impact guard (pr) - Black               | PR | \$82  | <input type="checkbox"/> |
| QP0127       | Bodypoint Aeromesh Padded calf strap (wheelchair width: 21 to 24 in) | EA       | \$135 | <input type="checkbox"/> | QP0063       | Seat pouch  | EA | \$100 | <input type="checkbox"/> |
| QP0017       | Composite caster 3" x 1"   | PR       | \$82  | <input type="checkbox"/> | QP0103       | Newton Backpack   | EA | \$125 | <input type="checkbox"/> |
| QP0018       | Composite caster 4" x 1"   | PR       | \$82  | <input type="checkbox"/> | QP0106       | Motion Composites Polo-Shirt Men small                    | EA | \$35  | <input type="checkbox"/> |
| QP0019       | Composite caster 5" x 1"   | PR       | \$95  | <input type="checkbox"/> | QP0107       | Motion Composites Polo-Shirt Men medium                   | EA | \$35  | <input type="checkbox"/> |
| QP0020       | Composite caster 6" x 1"   | PR       | \$95  | <input type="checkbox"/> | QP0108       | Motion Composites Polo-Shirt Men large                    | EA | \$35  | <input type="checkbox"/> |
| QP0021       | Composite caster 7" x 1"   | PR       | \$105 | <input type="checkbox"/> | QP0109       | Motion Composites Polo-Shirt Men X-large                  | EA | \$35  | <input type="checkbox"/> |
| QP0022       | Composite caster 8" x 1"   | PR       | \$105 | <input type="checkbox"/> | QP0110       | Motion Composites Polo-Shirt Men XX-large                 | EA | \$35  | <input type="checkbox"/> |
| QP0077       | Newton Ultracaster Composite caster 4" x 1½" Soft-Roll               | PR       | \$100 | <input type="checkbox"/> | QP0118       | Motion Composites Polo-Shirt Men XXX-large                | EA | \$35  | <input type="checkbox"/> |
| QP0078       | Newton Ultracaster Composite caster 5" x 1½" Soft-Roll               | PR       | \$100 | <input type="checkbox"/> | QP0119       | Motion Composites Polo-Shirt Men XXXX-large               | EA | \$35  | <input type="checkbox"/> |
| QP0079       | Newton Ultracaster Composite caster 6" x 1½" Soft-Roll               | PR       | \$100 | <input type="checkbox"/> | QP0111       | Motion Composites Polo-Shirt Women small                  | EA | \$35  | <input type="checkbox"/> |
| QP0080       | Newton Ultracaster Aluminum caster 4" x 1½" Soft-Roll                | PR       | \$180 | <input type="checkbox"/> | QP0112       | Motion Composites Polo-Shirt Women medium                 | EA | \$35  | <input type="checkbox"/> |
| QP0081       | Newton Ultracaster Aluminum caster 5" x 1½" Soft-Roll                | PR       | \$190 | <input type="checkbox"/> | QP0113       | Motion Composites Polo-Shirt Women large                  | EA | \$35  | <input type="checkbox"/> |
| QP0082       | Newton Ultracaster Aluminum caster 6" x 1½" Soft-Roll                | PR       | \$200 | <input type="checkbox"/> | QP0071       | Tool Kit  | EA | \$82  | <input type="checkbox"/> |
| QP0031       | Pneumatic caster 6" x 1½"  | PR       | \$165 | <input type="checkbox"/> |              |   |    |       |                          |
| QP0032       | Pneumatic caster 8" x 1½"  | PR       | \$165 | <input type="checkbox"/> |              |   |    |       |                          |

### Move REAR Seat-to-floor Height

| 20"     | 22" | 24" | 25"     | 26" |
|---------|-----|-----|---------|-----|
| 12 1/4" | 13" | 14" | 14 1/4" | 15" |
| 13 1/4" | 14" | 15" | 15 1/4" | 16" |
| 14 1/4" | 15" | 16" | 16 1/4" | 17" |
| 15 1/4" | 16" | 17" | 17 1/4" | 18" |
| 16 1/4" | 17" | 18" | 18 1/4" | 19" |
| 17 1/4" | 18" | 19" | 19 1/4" | 20" |

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

Table 1

| SLIP ON BACK UPHOLSTERY |           | LENGTH inches (cm)   |
|-------------------------|-----------|----------------------|
|                         |           | 18-21<br>(45.7-53.3) |
| Width Inches (cm)       | 16 (40.6) | 9001832              |
|                         | 18 (45.7) | 9001842              |
|                         | 20 (50.8) | 9001852              |

### Move FRONT Seat-to-floor Height

|               |    | 4" caster        |        |        | 5" caster        |        |        | 6" caster        |        |        | 7" caster        |        |        | 8" caster        |        |        |
|---------------|----|------------------|--------|--------|------------------|--------|--------|------------------|--------|--------|------------------|--------|--------|------------------|--------|--------|
|               |    | Stem bolt length |        |        | Stem bolt length |        |        | Stem bolt length |        |        | Stem bolt length |        |        | Stem bolt length |        |        |
| Fork/Position |    | STD              | +1"    | +2"    | STD              | +1"    | +2"    | STD              | +1"    | +2"    | STD              | +1"    | +2"    | STD              | +1"    | +2"    |
| 4"            | P1 | 12 1/2           | 13 1/2 | 14 1/2 |                  |        |        |                  |        |        |                  |        |        |                  |        |        |
|               | P2 | 13               | 14     | 15     | 13 1/2           | 14 1/2 | 15 1/2 |                  |        |        |                  |        |        |                  |        |        |
| 5"            | P1 |                  |        |        |                  |        |        |                  |        |        |                  |        |        |                  |        |        |
|               | P2 | 13               | 14     | 15     | 13 1/2           | 14 1/2 | 15 1/2 |                  |        |        |                  |        |        |                  |        |        |
|               | P3 | 13 1/2           | 14 1/2 | 15 1/2 | 14               | 15     | 16     | 14 1/2           | 15 1/2 | 16 1/2 |                  |        |        |                  |        |        |
|               | P4 | 14               | 15     | 16     | 14 1/2           | 15 1/2 | 16 1/2 | 15               | 16     | 17     | 15 1/2           | 16 1/2 | 17 1/2 |                  |        |        |
| 7"            | P1 |                  |        |        |                  |        |        | 15 1/2           | 16 1/2 | 17 1/2 | 16               | 17     | 18     |                  |        |        |
|               | P2 |                  |        |        | 15 1/2           | 16 1/2 | 17 1/2 | 16               | 17     | 18     | 16 1/2           | 17 1/2 | 18 1/2 |                  |        |        |
|               | P3 |                  |        |        | 16               | 17     | 18     | 16 1/2           | 17 1/2 | 18 1/2 | 17               | 18     | 19     | 17 1/2           | 18 1/2 | 19 1/2 |
|               | P4 | 16               | 17     | 18     | 16 1/2           | 17 1/2 | 18 1/2 | 17               | 18     | 19     | 17 1/2           | 18 1/2 | 19 1/2 | 18               | 19     | 20     |
|               | P5 | 16 1/2           | 17 1/2 | 18 1/2 | 17               | 18     | 19     | 17 1/2           | 18 1/2 | 19 1/2 | 18               | 19     | 20     | 18 1/2           | 19 1/2 | 20 1/2 |

Height available +/- 1/4"

Table 2

| ADJUSTABLE TENSION BACK UPHOLSTERY |           | LENGTH inches (cm)   |
|------------------------------------|-----------|----------------------|
|                                    |           | 18-21<br>(45.7-53.3) |
| Width Inches (cm)                  | 16 (40.6) | 9001777              |
|                                    | 18 (45.7) | 9001787              |
|                                    | 20 (50.8) | 9001797              |

Notes :