


VELOCE
ORDER FORM - INTERNATIONAL
1- Purchasing information

P.O. number:* _____ Date: _____
Company Name:* _____
Purchasing contact:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐
Marked for: _____

3- Shipping information

Ship to:* _____
Name: _____
Address: _____
City: _____ State: _____
Zip Code: _____
Phone: _____

2- ATP/Clinician information

ATP/Clinician:* _____
Phone:* _____
Email:* _____
Contact preference:* Phone ☐ Email ☐ * Required

MA083 ☐ MA084 ☐ MA085 ☐ MA086 ☐ MA087 ☐ MA088 ☐ MA089 ☐
English Manual (STD) German Manual Italian Manual Dutch Manual Spanish Manual French Manual Portuguese Manual

MODEL											USD (Taxes not included)		
WC20	☐	Ultralight VELOCE Wheelchair (120 kg - 265 lb weight limit)											\$5,295
WC09	☐	HD Heavy Duty package (159 kg - 350 lb weight capacity)											\$540
Frame													
SEAT WIDTH ³ - cm (inches)													
SW	☐	35.56 (14") ☐	38.10 (15") ☐	40.64 (16") ☐	43.18 (17") ☐	45.72 (18") ² ☐	48.26 (19") ² ☐					NC	
	☐	50.80 (20") ² ☐				53.34 (21") ⁷ ☐	55.88 (22") ⁷ ☐					\$535	
SEAT DEPTH - cm (inches)													
SD	☐	35.56 (14") ¹ ☐	38.10 (15") ☐	40.64 (16") ☐	43.18 (17") ☐	45.72 (18") ☐	48.26 (19") ☐					NC	
	☐	50.80 (20") ☐										\$515	
FRAME LENGTH (Seat sling depth plus distance from seat sling to front of frame) ⁴													
SP01	☐	Standard frame length configuration ⁵											STD
SP02	☐	Frame length 2.54 cm (1") longer than standard configuration											NC
SP03	☐	Frame length 5.08 cm (2") longer than standard configuration											NC
SP04	☐	Frame length 2.54 cm (1") shorter than standard configuration											NC
SP05	☐	Frame length 5.08 cm (2") shorter than standard configuration											NC
TRANSIT TIE DOWN													
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁶				Short belt 50-104 cm (20" - 41")						\$365	
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁶				Long belt 50-116 cm (20" - 46")						\$365	
AC35	☐	WC-19 Transit Tie Down without belt ⁶											\$335

1- Only available with frame length 1" and 2" longer; 2- Available with HD option; When HD option is selected, only the one piece angle adjustable flip-up footplate is available;

4- See chart on page 7; 5- 4.375" from seat sling to front frame; 6- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option;

7- Only available with HD option and the one piece adjustable angle flip-up


3. Width calculator


FRONT Seat-to-floor height

Caster sizes		Height available +/- 1/4"	
☐	3" Caster	35.56cm to 53.34cm (14" to 21")	Specify desired height: (inches)
☐	4" Caster	36.83cm to 53.34cm (14.5" to 21")	
☐	5" Caster	39.37cm to 53.34cm (15.5" to 21")	
☐	6" Caster	41.91cm to 53.34cm (16.5" to 21") (N/A with 90° front frame)	

Frog Legs FRONT Seat-to-floor height

Caster Sizes		Height available +/- 1/4"	
☐	3" Caster	38.7cm to 53.3cm (15.25" to 21")	Specify desired height: (inches)
☐	4" Caster	40.0cm to 53.3cm (15.75" to 21")	
☐	5" Caster	42.54cm to 53.3cm (16.75" to 21")	
☐	6" Caster	45.08cm to 53.3cm (17.75" to 21") (N/A with 90° front frame)	




AXLE ¹							
AX01	☐	Quick release axle					STD
AX03	☐	Quad release axle					\$135

1- Not required with one arm drive

REAR WHEEL CAMBER							
CM00	☐	0° camber					STD
CM03	☐	3° camber					NC
CM06	☐	6° camber					\$165

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

Most stable													
2,5 1"	3,2 1/4"	3,8 1/2"	4,4 3/4"	5,1 2"	5,7 1/4"	6,3 1/2"	7 3/4"	7,6 3"	8,3 1/4"	8,9 1/2"	9,5 3/4"	10,2 4"	
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	

If not indicated, default setting is at 3,8 cm/1.5"

Possible conflict between a seat depth under 40.6 cm (16") and a center of gravity over 6,3 cm (2.5").



Possible conflict between a 26" rear wheel and a center of gravity over 6,3 cm (2.5").

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

WHEEL LOCK


WL08	☐	Newton Wheel lock - push to lock			STD
WL02	☐	Pull to lock			NC
WL04	☐	Newton grade aid push to lock (works best with pneumatic or high pressure tire)			\$165
WL13	☐	6" removable extension handle ¹			\$83
WL14					
WL05	☐	Scissors Lock			\$155
WL15	☐	Unilateral wheel lock - pull to lock ²	Left ☐	Right ☐	\$335
WL99	☐	Omit wheel locks			NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)
2- For more information about incompatibilities and restriction, refer to the table at page 6 and the "How-to documents" page of our website:
https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

FRONT FRAME ANGLE					
FA70	☐	70° Front frame angle			NC
FA75	☐	75° Front frame angle			NC
FA80	☐	80° Front frame angle			NC
FA85	☐	85° Front frame angle			NC
FA90	☐	90° Front frame angle			NC
SEAT TO FOOTREST LENGTH					
Set Length to ¹ :		Length must be at least 4,5 cm (1 ¾") shorter than front seat-to-floor height			
1 - +/- 1.27 cm (1/2")					
					

Footrest width / Taper selection			
Seat Width		Straight ¹	1" Taper
Outside Measurement		6,4 cm Narrower than Seat Width	11,4 cm Narrower than Seat Width
35.56	14"	29.21cm/11.5"	24.13cm/9.5"
38.10	15"	31.75cm/12.5"	26.67cm/10.5"
40.64	16"	34.29cm/13.5"	29.21cm/11.5"
43.18	17"	36.83cm/14.5"	31.75cm/12.5"
45.72	18"	39.37cm/15.5"	34.29cm/13.5"
48.26	19"	41.91cm/16.5"	36.83cm/14.5"
50.80	20"	44.45cm/17.5"	39.37cm/15.5"
53.34	21"	46.99cm/18.5"	41.91cm/16.5"
55.88	22"	49.53cm/19.5"	44.45cm/17.5"

1- Not compatible with auto-folding footplate



FOOTPLATES						
FP06	☐	One piece adjustable angle flip-up - Aluminum				NC
FP07	☐	One piece adjustable angle flip-up - Carbon fiber with rubber inserts				\$470
FP28	☐	One piece auto-folding adjustable angle - Aluminum				\$310
FP29	☐	One piece auto-folding adjustable angle - Carbon fiber with rubber inserts				\$380
FOOTPLATE ACCESSORIES						
FP09	☐	Calf strap				\$43
FP30	☐	Bodypoint Aeromesh Padded calf strap				\$125

SEATING AND BACKREST

BACK UPHOLSTERY							
BH07	☐	Slip-on Active-Mesh back upholstery					NC
BH08	☐	Adjustable tension Active-Mesh back upholstery					\$190
BH99	☐	Omit Back upholstery					NC
	☐	NXT back Support				See price list	

SEAT CUSHION							
SC01	☐	5.08 cm (2") Cushion					\$194
SC02	☐	7.62 cm (3") Cushion					\$200
SC99	☐	Omit seat cushion					STD
	☐	NXT cushion				See price list	

HEIGHT ADJUSTABLE WITH PUSH HANDLES (MUST select ONE push handle options)							
BC06-912	☐	Straight Carbon fiber back cane	22.86 - 30.48cm (9-12")	increment of 1/2"	Set at ² :		NC
BC06-1215	☐	Straight Carbon fiber back cane	30.48 - 38.10cm (12-15")	increment of 1/2"	Set at ² :		NC
BC06-1518	☐	Straight Carbon fiber back cane	38.10 - 45.72cm (15-18")	increment of 1/2"	Set at ² :		NC
BC06-1821	☐	Straight Carbon fiber back cane	45.72 - 53.37cm (18-21")	increment of 1/2"	Set at ² :		NC
BC08-1315	☐	8° Bend Carbon fiber back cane	34.29 - 38.10cm (13 ½-15")	increment of 1/2"	Set at ² :		\$60
BC08-1518	☐	8° Bend Carbon fiber back cane	38.10 - 45.72 (15-18")	increment of 1/2"	Set at ² :		\$60
BC08-1821	☐	8° Bend Carbon fiber back cane	45.72 - 53.34cm (18-21")	increment of 1/2"	Set at ² :		\$60

ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)							
BC09-1215		Straight Carbon fiber back cane	30.48 - 38.10cm (12-15")	increment of 1/2"	Not available until fall 2026		\$220
BC09-1518		Straight Carbon fiber back cane	38.10 - 45.72cm (15-18")	increment of 1/2"	Not available until fall 2026		\$220
BC09-1821		Straight Carbon fiber back cane	45.72 - 53.37cm (18-21")	increment of 1/2"	Not available until fall 2026		\$220
BC10-1315		8° bend Carbon fiber back cane	34.29 - 38.10cm (13 ½-15")	increment of 1/2"	Not available until fall 2026		\$275
BC10-1518		8° bend Carbon fiber back cane	38.10 - 45.72 (15-18")	increment of 1/2"	Not available until fall 2026		\$275
BC10-1821		8° bend Carbon fiber back cane	45.72 - 53.34cm (18-21")	increment of 1/2"	Not available until fall 2026		\$275
		Select back cane angle:	85° ¹ ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐				

ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)							
BC13-1518	☐	Straight aluminum back cane	38.10 - 45.72cm (15" - 18")	increment of 1/2"	Set at ² :		\$275
BC13-1821	☐	Straight aluminum back cane	45.72 - 53.34cm (18" - 21")	increment of 1/2"	Set at ² :		\$275
BC14-1518	☐	8° bend aluminum back cane	38.10 - 45.72cm (15" - 18")	increment of 1/2"	Set at ² :		\$275
BC14-1821	☐	8° bend aluminum back cane	45.72 - 53.34cm (18" - 21")	increment of 1/2"	Set at ² :		\$275
		Select back cane angle:	85° ¹ ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐				

PUSH HANDLES OPTIONS (ONE option at a time)							
PH01	☐	Push handles					NC
PH05	☐	Fold down push handles ^{3,5}					\$150
PH06-920	☐	Clamp on height adjustable push handles 22.86 -50.80cm (9" - 20") ^{3,4,5}					\$330
PH06-923	☐	Clamp on height adjustable push handles 22.86 - 58.4cm (9" - 23") ^{3,4,5}					\$330
PH02	☐	Omit push handles					NC

1- Not available with a 8° bend back cane; 2- If not indicated, default height setting is at the lowest position: measured from seat sling to top of back upholstery; 3- 120 kg/265lb weight limit

4- Not compatible with swing away armrests, 8° bend back canes and 9-12" back canes; 5- Not compatible with headrest and attendant lock

ARMRESTS

HEIGHT ADJUSTABLE FLIP BACK ARMREST (convertible to "T" armrest) ¹							
AR01-812	☐	25.4cm (10") Desk length armpad	20.32 - 30.48cm (8" - 12")	Locked ☐ Unlocked STD ☐			\$390
AR01-1014	☐	25.4cm (10") Desk length armpad	25.40 - 35.56cm (10" - 14")	Locked ☐ Unlocked STD ☐			\$390
AR02-812	☐	35.56cm (14") Full length armpad	20.32 - 30.48cm (8" - 12")	Locked ☐ Unlocked STD ☐			\$390
AR02-1014	☐	35.56cm (14") Full length armpad	25.40 - 35.56cm (10" - 14")	Locked ☐ Unlocked STD ☐			\$390

HEIGHT ADJUSTABLE "T" ARMREST ¹							
AR13-610	☐	25.4cm (10") Desk length armpad ⁴	15.25 - 25cm (6" - 10")				\$360
AR03-812	☐	25.4cm (10") Desk length armpad	20.32 - 30.48cm (8" - 12")				\$360
AR03-1014	☐	25.4cm (10") Desk length armpad	25.40 - 35.56cm (10" - 14")				\$360
AR14-610	☐	35.56cm (14") Full length armpad ⁴	15.25 - 25cm (6" - 10")				\$360
AR04-812	☐	35.56cm (14") Full length armpad	20.32 - 30.48cm (8" - 12")				\$360
AR04-1014	☐	35.56cm (14") Full length armpad	25.40 - 35.56cm (10" - 14")				\$360

HEIGHT ADJUSTABLE SWING AWAY ARMREST ²							
AR05	☐	Tubular armrest - Short pad		20.32 - 27.94cm (8 - 11")			\$250
AR23	☐	Tubular armrest - Long pad		20.32 - 27.94cm (8 - 11")			\$250
AR06	☐	25.4cm (10") Desk Length flat armpad		20.32 - 27.94cm (8 - 11")			\$250
AR17	☐	35.56cm (14") Full Length flat armpad		20.32 - 27.94cm (8 - 11")			\$250

ARMREST OPTIONS							
AR12	☐	35.56cm (14") Full Length Armpad - Gel Ovation (pair) ³					\$165
AR99	☐	Omit armrest					NC

1- May have a 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid back rests; Not available with fixed carbon fiber side guards

3- Only available with full length armrest; Not available with swing away and desk length armrests; 4- May have some restriction with seat-to-floor height and rear wheel

ACCESSORIES

SIDE GUARDS (not available with Flip Back and "T" Armrest)							
SG01	☐	Plastic side guards (removable)	Straight bracket - STD	Offset bracket ¹			\$210
SG02	☐	Carbon fiber side guards (fixed)					\$275
SG03	☐	Carbon fiber side guards (removable)	Straight bracket - STD	Offset bracket ¹			\$315
SG06	☐	Plastic fender side guards (removable)	Straight bracket - STD	Offset bracket ¹			\$295
SG04	☐	Carbon fiber fender side guards (removable)	Straight bracket - STD	Offset bracket ¹			\$550
SG99	☐	Omit side guard					NC

1- only compatible with 0° camber; Increase width by 1/2" per side for a total of 1"

POSITIONING BELT							
SB01-S	☐	Velcro adjustable - Small 88.9cm (35") ¹					\$50
SB01-L	☐	Velcro adjustable - Long 152.40cm (60")					\$50
SB02-S	☐	Auto buckle - Small 88.9cm (35") ¹					\$95
SB02-M	☐	Auto buckle - Medium 121.92cm (48")					\$95
SB02-L	☐	Auto buckle - Long 152.40cm (60")					\$95
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")					\$95
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")					\$95
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 129.54cm (51")					\$185
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")					\$185
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")					\$185
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")					\$205
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")					\$205
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")					\$205
SB03	☐	Hardware attachment for 2 extra points (1 pair)					\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66 (18")					\$310
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")					\$310
SB99	☐	Omit positioning belt					STD

1- Not recommended for seat width of 45.72cm (18") and more

HEADREST ¹							
AC01-S	☐	Profiled Headrest - Small 8.8x15.2cm (3.5"x6")					\$195
AC01-M	☐	Profiled Headrest - Medium 11.4x17.8cm (4.5"x7")					\$195
AC01-L	☐	Profiled Headrest - Large 14x2.3cm(5.5"x8")					\$195
AC28	☐	Headrest mounting hardware with tension bar					\$320

1- Only available with push handles

ACCESSORIES							
WC10	☐	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6° camber					\$35
AC03	☐	Anti-tippers					\$155
AC29	☐	Swing-away anti-tipper ¹ Left ☐ Right ☐					\$165
AC27	☐	Tip assist ²					\$67
AC06	☐	Cane and crutch holder Left ☐ Right ☐					\$130
AC08	☐	Spoke guards ³ Available: 22", 24", 25", 26"					\$125
AC10	☐	Seat pouch					\$83
AC30	☐	Newton multi-purpose pouch					\$62
AC26	☐	BodyPoint Mobility Bag					\$135
AC23	☐	Newton Backpack					\$130
AC12	☐	Velcro Closing Strap					\$57
AC13	☐	Tool kit					\$50

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 34,3cm (13 1/2") and 50,2cm (19 3/4"); Not available with amputee axle plate 2- Cannot be combined with Anti Tippers

3- Not available with Mag wheels and Spinerigy; the 24" spoke guard will be installed on the 25" wheel

Colors

Options ¹																				
	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)
																				
AirGrip	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Frame (NC)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
																				
Highlight ²	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
FC99	☐	Custom Color	Specify PPG Paintit color:															additional 10 days lead-time		\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

2- To see different highlight, visit our website: https://www.motioncomposites.com/en_intl/products/folding-wheelchairs/veloce

3- The frame color will be confirmed with the quote conversion into an order (in absence of selection, the color will be black)

Frame length chart

Frame length	Seat Depth						
	35.56 (14")	38.10 (15")	40.64 (16")	43.18 (17")	45.72 (18")	48.26 (19")	50.80 (20")
STD	N/A						
1							N/A
2						N/A	N/A
-1	N/A	N/A					
-2	N/A	N/A	N/A				

Unilateral wheel lock restrictions

Seat depth: shall be 40.64 cm and greater

Rear wheel: shall be 24 in and less

"T" or flip-back armrest only compatible with 0° camber

One arm drive: not compatible with "T"

One arm drive and flip-back armrest only available with 17 in depth frame

"T" or flip-back armrest may require to move the rear wheels outwards

Not compatible with wheel lock lever extension

Rear wheel diameter	Seat depth (cm)	COG Compatibility Range (cm)
20 in	40.64+	4.44 to 10.16
22 in	40.64+	6.35 to 10.16
24 in	40.64+	2.54 to 10.16



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.




Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :



FOLDING ON CHAIR – INTL ORDER FORM

BioFit™ CUSHION		WIDTH											
 Use wheelchair configuration Or use this size: NXCABF _____ (W" x D")	DEPTH	12"	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
		12"	\$425	\$425	\$425		N/A	N/A	N/A	N/A	N/A	N/A	N/A
		13"						N/A	N/A	N/A	N/A	N/A	N/A
		14"	\$425	\$425	\$425								
		15"		\$425	\$425	\$425	\$425						
		16"		\$425	\$425	\$425	\$425	\$425	\$425	\$460	\$460	\$460	\$460
		17"	N/A			\$425	\$425	\$425	\$425	\$460	\$460		
		18"	N/A			\$425	\$425	\$425	\$425	\$460	\$460	\$460	\$460
		19"	N/A			\$425	\$425	\$425	\$425	\$460	\$460		
		20"	N/A			\$425	\$425	\$425	\$460	\$460	\$460	\$460	\$460
Option: Change cover for incontinent/infection control outer cover												N/C	

Green boxes are stocked sizes; the red boxes require customization*; the N/A boxes are not available sizes.

*Customization (red boxes) is available with an upcharge of \$160.00 and has a 2 to 4 weeks additional lead time.

SEATING AND CUSHION ACCESSORIES

	MODEL #	Description	Fits Back Width	Retail	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6-43.2 cm) and 14"-18" deep (35.6-45.7 cm)	\$77	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7-48.3 cm) and 14"-18" deep (35.6-45.7 cm)	\$77	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	\$77	

THORACIC SHAPE			Optima™		THORACIC BACK SUPPORT			
	WIDTH	HEIGHT	MODEL # ALUMINUM	RETAIL	✓	Repl. cover & foam	Retail	✓
	14"	13"	NOACB1413	\$695		NIB-2193V	\$125	
	14"	16"	NOACB1416	\$695		NIB-2194V	\$125	
	15"	13"	NOACB1513	\$695		NIB-2197V	\$125	
	15"	16"	NOACB1516	\$695		NIB-2198V	\$125	
	16"	13"	NOACB1613	\$695		NIB-2201V	\$125	
	16"	16"	NOACB1616	\$695		NIB-2202V	\$125	
	16"	19"	NOACB1619	\$695		NIB-2203V	\$125	
	17"	13"	NOACB1713	\$695		NIB-2206V	\$125	
	17"	16"	NOACB1716	\$695		NIB-2207V	\$125	
	18"	13"	NOACB1813	\$695		NIB-2208V	\$125	
	18"	16"	NOACB1816	\$695		NIB-2211V	\$125	
	18"	19"	NOACB1819	\$695		NIB-2212V	\$125	
	19"	16"	NOACB1916	\$695		NIB-2213V	\$125	
	19"	19"	NOACB1919	\$695		NIB-2215V	\$125	
	20"	13"	NOACB2013	\$695		NIB-2218V	\$125	
	20"	16"	NOACB2016	\$695		NIB-2219V	\$125	
	20"	19"	NOACB2019	\$695		NIB-2220V	\$125	
	21"	16"	NOACB2116	\$695		NIB-2221V	\$125	
	21"	19"	NOACB2119	\$695		NIB-2222V	\$125	
	22"	13"	NOACB2213	\$745		NIB-2223V	\$125	
	22"	16"	NOACB2216	\$745		NIB-2224V	\$125	
	22"	19"	NOACB2219	\$745		NIB-2225V	\$125	

PLEASE NOTE: Each back will fit widths up to 2" wider.

		Optima Carbon™		THORACIC BACK SUPPORT CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)			
WIDTH	HEIGHT	MODEL # CARBON	RETAIL	✓	Repl. cover &	Retail	✓
14"	13"	NOCFACB1413	\$900		NIB-2193V	\$125	
14"	16"	NOCFACB1416	\$930		NIB-2194V	\$125	
15"	13"	NOCFACB1513	\$900		NIB-2197V	\$125	
15"	16"	NOCFACB1516	\$930		NIB-2198V	\$125	
16"	13"	NOCFACB1613	\$900		NIB-2201V	\$125	
16"	16"	NOCFACB1616	\$930		NIB-2202V	\$125	
17"	13"	NOCFACB1713	\$900		NIB-2206V	\$125	
17"	16"	NOCFACB1716	\$930		NIB-2207V	\$125	
18"	13"	NOCFACB1813	\$900		NIB-2211V	\$125	
18"	16"	NOCFACB1816	\$930		NIB-2212V	\$125	
20"	13"	NOCFACB2013	\$900		NIB-2218V	\$125	
20"	16"	NOCFACB2016	\$930		NIB-2219V	\$125	

ALL PRICES QUOTED IN USD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

BACK SUPPORT ACCESSORIES

	MODEL #	DESCRIPTION	FITS BACK WIDTH	RETAIL	QTY
	Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	\$160	
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	\$65	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	\$65	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	\$65	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	\$65	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	\$65	

MultiFit™ HEAD SUPPORT – MULTI-ADJUSTABLE PADS

	MODEL	Description	RETAIL	✓
	NIB-0784	10" x 5" Large Rectangular	\$195	
	NIB-0818	14" x 5" Extra-Large Rectangular	\$195	

MultiFit™ HEAD SUPPORT – FIXTURES

	MODEL	Description	RETAIL	✓
	NIB-0747	Multi-Axis Hardware	\$145	
	NIB-0823	Head Support Receiver Bracket	\$58	

EXTRA COVERS

Extra Outer smartx3D Cover



Extra Outer Incontinent Cover



ITEM	WIDTH X DEPTH	RETAIL	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	NXCCBF _____ V	\$125	
Extra Outer smartx ^{3D} Cover – For a cover 18" x 20" and above	NXCCBF _____ V	\$145	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	NXCCAF _____ V	\$125	
Extra Outer Incontinent Cover – For a cover 18" x 20" and above	NXCCAF _____ V	\$145	

ALL PRICES QUOTED IN USD PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com