


VELOCE
ORDER FORM - USA

P.O. number:* _____ Date: _____

Company Name:* _____ Phone:* _____

Purchasing contact:* _____

Clinician/Sales rep/ATP: _____

Email: _____

Marked for: _____

Ship to:* _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

* Required

MA082 ☐
English Manual (STD)

MA089 ☐
Spanish Manual

Taxes not included

MODEL								English Manual (S12)		Spanish Manual		Prices not included	
1	WC20	Ultralight VELOCE Wheelchair (265 lb weight limit)								K0005		\$5 225	☐
2	WC09	HD Heavy Duty package (350 lb weight capacity)										\$525	☐
3	WC10	E-Motion adaptor Kit (2 adaptors) - <i>Only necessary with 6° camber</i>										\$35	☐
SEAT WIDTH ³													
4	SW	Seat width:	14" ☐	15" ☐	16" ☐	17" ☐	18" ² ☐	19" ² ☐				NC	☐
5	SW	Seat width:	20" ² ☐							E2201		\$495	☐
SEAT DEPTH													
6	SD	Seat depth:	14" ¹ ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐				NC	☐
7	SD	Seat depth:	20" ☐							E2203		\$475	☐

1 - Depth achieved with 15" frame

2 - Available with HD option

[3. Width calculator](#)


FRAME LENGTH (Seat sling depth plus distance from seat sling to front of frame) ¹						
8	SP01	Standard frame length configuration ²			STD	☐
9	SP02	Frame length 1" longer than standard configuration			NC	☐
10	SP03	Frame length 2" longer than standard configuration			NC	☐
11	SP04	Frame length 1" shorter than standard configuration			NC	☐
12	SP05	Frame length 2" shorter than standard configuration			NC	☐

1- See chart on page 6

2- 4.375" from seat sling to front frame

FRONT Seat-to-floor height

Caster sizes	Height available +/- 1/4"	
3" Caster	14" to 21"	Specify desired height: _____ (inches)
4" Caster	14.5" to 21"	
5" Caster	15.5" to 21"	
6" Caster	16.5" to 21" (N/A with 90° front frame)	




CASTERS										
13	CA01	Composite wheel w/ PU tire (1" width)	3" ☐	4" ☐	5" ☐	6" ☐			NC	☐
14	CA10	Pneumatic casters 6" x 1 ¼"							\$160	☐
15	CA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "						\$85	☐
16	CA15		5" x 1 ½ "						\$85	☐
17	CA16		6" x 1 ½ "						\$85	☐
18	CA17		4" x 1 ½ "						\$185	☐
19	CA18		5" x 1 ½ "						\$195	☐
20	CA19	Newton UltraCaster <i>Soft-Roll</i> Aluminum	6" x 1 ½ "						\$205	☐
CASTER OPTIONS										
21	CA13	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)						E1015	\$475	☐


Veeloce - REAR Seat-to-floor Height


WHEEL SIZES	Height available	Specify desired height: _____
22" (501) wheel ☐	13 1/2 to 18 1/4	
24" (540) wheel ☐	14 1/2 to 19 1/4	
25" (559) wheel ☐	15 to 19 3/4	
26" (590) wheel ☐	15 1/2 to 20 1/4	

Configuration used: 1" seat slope with a center of gravity at 2"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

FRONT FRAME ANGLE						
22	FA70	70° Front Frame Angle				NC ☐
23	FA75	75° Front frame angle				NC ☐
24	FA80	80° Front Frame Angle				NC ☐
25	FA85	85° Front frame angle				NC ☐
26	FA90	90° Front Frame Angle				NC ☐

SEAT TO FOOTREST LENGTH	
Set Length to ¹ :	Length must be at least 1 ¾" shorter than front seat-to-floor height
1 - +/- 1/2"	
	

Footrest width / Taper selection					
Seat Width	Straight ¹	1" Taper			
Outside Measurement	2 1/2" Narrower than Seat Width	4 1/2" Narrower than Seat Width			
14"	11.5"	9.5"			
15"	12.5"	10.5"			
16"	13.5"	11.5"			
17"	14.5"	12.5"			
18"	15.5"	13.5"			
19"	16.5"	14.5"			
20"	17.5"	15.5"			

1- May interfere with auto-folding and flip-up footplates

FOOTPLATES						
27	FP06	One piece adjustable angle flip-up <i>(Aluminum)</i>		K0040	NC	☐
28	FP07	One piece adjustable angle flip-up <i>(Carbon fiber with rubber inserts)</i>			\$455	☐
29	FP28	One piece auto-folding adjustable angle <i>(Aluminum)</i>		K0040	\$288	☐
30	FP29	One piece auto-folding adjustable angle <i>(Carbon fiber with rubber inserts)</i>			\$370	☐
31	FP02	Newton adjustable angle footplate <i>(Composites - Two piece)</i>		K0040	\$210	☐
32	FP03	Newton adjustable angle <i>(Aluminum - Two piece)</i>		K0040	\$230	☐
33	FP04	Newton adjustable angle footplate <i>(Carbon fiber with rubber inserts - Two piece)</i>			\$435	☐
FOOTPLATE ACCESSORIES						
34	FP08	Length adjustable heel loop <i>(not available with one piece footplate)</i>		E0951	\$40	☐
35	FP09	Calf strap		K0038	\$35	☐
36	FP30	Bodypoint Aeromesh Padded calf strap		K0038	\$115	☐
Backrest						
FIXED HEIGHT, NO PUSH HANDLE OPTIONS						
37	BC03	Ultralight carbon fiber back cane 9" ☐ 12" ☐ 15" ☐ 18" STD ☐ 21" ☐			NC	☐
38	BC04	8° bend carbon fiber back cane 13 ½" ☐ 15" ☐ 18" STD ☐			\$55	☐
HEIGHT ADJUSTABLE WITH PUSH HANDLES						
39	BC06	Straight carbon fiber back cane 9 - 12" ☐ 12 - 15" ☐ 15 - 18" ☐ 18 - 21" STD ☐			NC	☐
40	BC08	8° bend Carbon fiber back cane 13 ½ - 15" ☐ 15 - 18" ☐ 18 - 21" STD ☐			\$55	☐
HEIGHT AND ANGLE ADJUSTABLE WITH PUSH HANDLE OPTIONS						
41	BC09	Straight carbon fiber back cane 12 - 15" ☐ 15 - 18" ☐ 18 - 21" STD ☐			\$210	☐
42	BC10	8° bend carbon fiber back cane 13 ½ - 15" ☐ 15 - 18" ☐ 18 - 21" STD ☐			\$260	☐
43		Select back cane angle: 85° ¹ ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐				
Set height to: ²			<i>(measured from seat sling to top of back upholstery)</i>			
PUSH HANDLE OPTIONS						
44	PH01	Push handles			NC	☐
45	PH05	Fold down push handles ^{3, 5}			\$126	☐
46	PH06	Clamp on height adjustable push handle ^{3, 4, 5} 9 - 20" STD ☐ 9-23" ☐			\$315	☐
47	PH02	Omit push handles			NC	☐
¹ - Not available with a 8 degree bend cane ² - If not indicated, default height setting is at the lowest position ³ - 265 pounds weight limit ⁴ - Not compatible with swing away armrests, 8° bend back canes ⁵ - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock						
BACK UPHOLSTERY						
48	BH07	Slip-on Active-Mesh back upholstery			STD	☐
49	BH08	Adjustable tension Active-Mesh back upholstery		E2611	\$300	☐
50	BH99	Omit Back upholstery			NC	☐
SEAT CUSHION						
51	SC01	2" Cushion		E2601	\$165	☐
52	SC02	3" Cushion		E2601	\$185	☐
53	SC99	Omit seat cushion			STD	☐

Rear wheels											
ONE ARM DRIVE ¹ Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims											
54	HR22	One arm drive ^{2,3}	24"	left ☐	right ☐					\$1 465	☐
55	HR98	Omit handrim on opposite side of the One Arm Drive (OAD)								NC	☐
REAR WHEELS											
56	RW01	Mag ⁴	22" ☐	24" ☐						\$55	☐
57	RW02	Newton One - spoke wheel ⁵	22" ☐	24" ☐						NC	☐
58	RW03	Newton Gravity - ultralight wheel	22" ☐	24" ☐	25" ☐	26" ☐				\$315	☐
59	RW04	Spinergy Spox	22" ☐	24" ☐	25" ☐	26" ☐				\$835	☐
60		Spinergy Spox spokes colors ⁶	Blk STD ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐			NC	☐
61	RW05	Spinergy LX	22" ☐	24" ☐	25" ☐	26" ☐				\$1 045	☐
62		Spinergy LX spokes colors ⁶	Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐
63	RW07	Spinergy CLX Carbon Blade ⁵		24" ☐	25" ☐					\$1 555	☐
64		Spinergy CLX spokes colors ⁶	Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐
TIRES							Available				
65	TI01	Soft Urethane 1 3/8 "					22" 24"		E2218	NC	☐
66	TI02	Soft Urethane <i>knobby</i> 1 3/8 "					22", 24", 25", 26"		E2218	\$95	☐
67	TI04	Soft Urethane - <i>Shox</i> 1"					22", 24", 25", 26"		E2218	\$115	☐
68	TI05	Pneumatic 1 3/8 "					22", 24", 26"		E2211/E2212	NC	☐
69	TI08	Pneumatic with Airless insert 1 3/8" ⁷					22", 24", 26"		E2211/E2213	\$80	☐
70	TI06	Pneumatic HP - 1"					22", 24", 25", 26"		E2211/E2212	\$95	☐
71	TI07	Pneumatic HP - <i>Schwalbe Marathon Plus</i> 1"					24", 25", 26"		E2211/E2212	\$125	☐

1- Offered with handrims on each side of the wheelchair
2- Only standard handrim position available
3- Not available with HD option

4 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position
5 - Not compatible with Shox tires

6 - Colour spokes require an additionnal 10 days lead-time
7- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims										
HANDRIM										
72	HR01	Aluminum anodized							STD	☐
73	HR61	Aluminum black hard anodized ^{1,3}							\$70	☐
74	HR02	Plastic coated ²							\$100	☐
75	HR03	Q-Grip High friction Neoprene coated ^{2,3,4}							\$370	☐
76	HR07	Newton Air Grip ³ <i>Black</i> ☐							\$100	☐
77	HR	Newton Air Grip ³ <i>(08) Sunkissed Orange</i> ☐ <i>(09) Burgundy</i> ☐ <i>(10) Sapphire Blue</i> ☐ <i>(11) Monster Green</i> ☐ <i>(12) Charcoal</i> ☐ <i>(13) Fuchsia</i> ☐ <i>(14) Steel Blue</i> ☐ <i>(15) Ferrari Red</i> ☐ <i>(16) Acid Green</i> ☐ <i>(17) White</i> ☐ <i>(18) Sky Blue</i> ☐							\$250	☐
78	HR28	Surge ^{2,3,4} <i>(1-1/2" Oval handrim w/ Gripton high friction strip)</i>							\$395	☐
79	HR05	Surge LT ^{2,3,4} <i>(1-1/8" Oval handrim w/ Gripton high friction strip)</i>							\$425	☐
80	HR04	Natural Fit ^{2,3,4}							\$325	☐
81	HR99	Omit handrim							NC	☐

1 - Not available in 26"
2- Only standard handrim position available
3- Not available with Mag wheels or OAD
4 - Not available in 20"

Handrims option									
Assembly position for aluminum and Newton AirGrip handrims									
82	HR29	Standard Handrim position	Full tab					STD	☐
83	HR30	Narrow Handrim position	Short tab 2 positions					\$27	☐
84	HR31	Super Narrow Handrim	Short tab 2 positions STD ☐	Short tab 1 position ☐				\$27	☐
Thumb piece ⁴ selection for Natural Fit handrims									
85	HR23	Standard grip						\$90	☐
86	HR27	Super grip						\$145	☐
87	HR099	Omit thumb piece						NC	☐

4- Compatible with Surge, Surge LT handrims

AXLE ¹									
88	AX01	Quick release axle						STD	☐
89	AX03	Quad release axle					K0108	\$125	☐

1- Not required with one arm drive

REAR WHEEL CAMBER ANGLE						
90	CM00	0° camber			STD	☐
91	CM03	3° camber			NC	☐
92	CM06	6° camber			\$160	☐

CENTER OF GRAVITY																																																			
		Choose position of rear wheel axle plate: Measure distance X from front of back post to center of axle receiver.																																																	
		<table border="1"> <thead> <tr> <th colspan="8">Most stable</th> <th colspan="4">Most responsive</th> </tr> <tr> <th>1"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>2"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>3"</th> <th>1/4"</th> <th>1/2"</th> <th>3/4"</th> <th>4"</th> </tr> </thead> <tbody> <tr> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> </tbody> </table>												Most stable								Most responsive				1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
		Most stable								Most responsive																																									
		1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"																																					
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																																							
If not indicated, default setting is at 1.5" Possible conflict between a seat depth under 16" and a center of gravity over 2.5". Possible conflict between a 26" rear wheel and a center of gravity over 2.5". If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.																																																			
X =																																																			

WHEEL LOCK						
93	WL08	Newton Wheel lock - push to lock			STD	☐
94	WL02	Pull to lock			NC	☐
95	WL04	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)		E0974	\$150	☐
96	WL13 WL14	6" removable extension handle		E0961	\$75	☐
97	WL05	Scissor Lock			\$150	☐
98	WL99	Omit wheel locks			NC	☐

Armrests						
FLIP BACK ARMREST <i>(Convertible to "T" armrest)</i> ¹			Height Adjustment		Removable function	
99	AR01	10" Desk Length	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐ STD \$350 ☐
100	AR02	14" Full Length	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐ STD \$350 ☐
"T" ARMREST ¹			Height Adjustment			
101	AR03	10" Desk Length	8 - 12" STD ☐	10 - 14" ☐		E0973 \$325 ☐
102	AR04	14" Full Length	8 - 12" STD ☐	10 - 14" ☐		E0973 \$325 ☐
SWING AWAY ARMREST ²			Height Adjustment			
103	AR05	Tubular arm pad	8 - 11"			E0973 \$225 ☐
104	AR06	10" Desk length arm pad	8 - 11"			E0973 \$225 ☐
GEL ARM PAD ³						
105	AR12	14" Full Length Arm Pad - Gel Ovation				\$160 ☐
106	AR99	Omit armrest				NC ☐

¹ - May have a 1/2" adjustment restriction on both limits of the range
 ² - Could interfere with some rigid back rests
 ³ - Not available with swing away and flip back armrest

SIDE GUARDS <i>(not available with Flip Back and "T" Armrest)</i>						
107	SG01	Plastic side guards <i>(removable)</i>		K0108	\$195	☐
108	SG02	Carbon fiber side guards <i>(fixed)</i>			\$265	☐
109	SG03	Carbon fiber side guards <i>(removable)</i>		K0108	\$290	☐
110	SG06	Plastic fender side guards <i>(removable)</i> ¹		K0108	\$270	☐
111	SG04	Carbon fiber fender side guards <i>(removable)</i>			\$495	☐
112	SG99	Omit side guard			NC	☐
SIDE GUARDS OPTION						
113	SG07	Side guards clip <i>(pair)</i> ²			NC	☐

¹ - Not compatible with 20" and 22" rear wheels
 ² - Not available with fixed carbon fiber side guard

POSITIONING BELT								
114	SB01	Velcro adjustable	Standard 35" ☐	Long 60" ☐		E0978	\$45	☐
115	SB02	Auto buckle	Standard 35" ☐	Long 60" ☐		E0978	\$85	☐
116	SB07	Hardware attachment for 2 point seatbelt (1 pair)					NC	☐
117	SB03	Additional attachment hardware for 4 point seatbelt					\$16	☐
118	SB04	BodyPoint Hip Belt - 2 point not padded	Medium 56" ☐	Long 61" ☐		E0978	\$80	☐
119	SB05	BodyPoint Hip Belt - 2 point padded	Small 51" ☐	Medium 56" ☐	Long 61" ☐	E0978	\$170	☐
120	SB06	BodyPoint Hip Belt - 4 point padded	Small 51" ☐	Medium 56" ☐	Long 61" ☐	E0978	\$190	☐
121	SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps	Medium 18" ☐	Long 24" ☐		K0108	\$300	☐
122	SB99	Omit positioning belt					STD	☐

HEADREST ¹								
123	AC01	Profiled Headrest	Small (3.5"x6") ☐	Medium (4.5"x7") ☐	Large (5.5"x8") ☐	E0955	\$180	☐
124	AC28	Headrest mounting hardware with stabiliser bar ¹				E1028	\$295	☐

1 - Only available with push handles

ACCESSORIES								
125	AC03	Anti tippers				E0971	\$140	☐
126	AC29	Swing-away anti-tippers ¹	Left ☐	Right ☐			\$160	☐
127	AC27	Tip assist ²					\$65	☐
128	AC05	WC-19 Transit Tie Down w/Q'straint belt ³	Short belt 20-41" ☐	Long belt 20-46" ☐			\$335	☐
129	AC08	Spoke guards ⁴	Available: 22", 24", 26"			K0065	\$115	☐
130	AC10	Seat pouch					\$80	☐
131	AC26	BodyPoint Mobility Bag					\$130	☐
132	AC23	Newton Backpack					\$125	☐
133	AC30	Newton multi-purpose pouch					\$60	☐
134	AC12	Velcro Closing Strap					\$55	☐
135	AC13	Tool kit					\$50	☐
136	AC16	Motion Composites Polo Shirt	W/S ☐ M/S ☐	W/M ☐ M/M ☐	W/L ☐ M/L ☐	M/XL ☐	M/XXL ☐ M/XXXL ☐ M/XXXXL ☐	\$35 ☐
137	AC15	Military Patches	Army ☐	Navy ☐	Air Force ☐	Marines ☐	Coast Guard ☐	\$95 ☐
138	AC15	Combat Wounded Purple Heart Patch						\$95 ☐

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height of 13 1/2" and 19 3/4"

2 - Cannot be combined with Anti Tippers

3 - May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

4 - Not available with Mag wheels and Spinergy


CARBON FIBER FINISH								
139	FC	Highlight color:	(10) Ferrari Red ☐	(11) White ☐	(12) Black ☐	(13) Sunkissed Orange ☐		NC ☐
			(14) Sky Blue ☐	(15) Fuchsia ☐	(16) Acid Green ☐			

Frame length chart

Frame length	Seat Depth						
	14"	15"	16"	17"	18"	19"	20"
STD	N/A	15"	16"	17"	18"	19"	20"
1	15"	16"	17"	18"	19"	20"	N/A
2	16"	17"	18"	19"	20"	N/A	N/A
-1	N/A	N/A	15"	16"	17"	18"	19"
-2	N/A	N/A	N/A	15"	16"	17"	18"

Notes :

BioFit™ CUSHION		WIDTH									
DEPTH		12"	13"	14"	15"	16"	17"	18"	19"	20"	
	12"	☐ \$425	☐ \$425	☐ \$425							
	14"	☐ \$425	☐ \$425	☐ \$425							
	15"		☐ \$425	☐ \$425	☐ \$425						
	16"		☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	
	17"				☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	
	18"				☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	
	19"				☐ \$425	☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	
	20"				☐ \$425	☐ \$425	☐ \$425	☐ \$455	☐ \$455	☐ \$455	
		Optional Incontinent / Infection Control Outer Cover NXCCAF__ __ __ V ☐ \$N/C									


NXCBF__ __ __
(W" x D")

HCPCS CODE: E2607-E2608

THORACIC SHAPE	Optima™ THORACIC BACK SUPPORT						Optima™ DEEP THORACIC BACK SUPPORT					
	CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)						CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)					
	HCPCS CODE: E2620-E2621						HCPCS CODE: E2620-E2621					
	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum
	13"-15"	7"			NOACB1307	☐ \$660	13"-15"	7"			NOPCB1307	☐ \$660
	13"-15"	9"			NOACB1309	☐ \$660	13"-15"	9"			NOPCB1309	☐ \$660
	13"-15"	13"			NOACB1313	☐ \$660	13"-15"	13"			NOPCB1313	☐ \$660
	13"-15"	16"			NOACB1316	☐ \$660	13"-15"	16"			NOPCB1316	☐ \$660
	14"-16"	7"			NOACB1407	☐ \$660	14"-16"	7"			NOPCB1407	☐ \$660
	14"-16"	9"	NOCFACB1409	☐ \$870	NOACB1409	☐ \$660	14"-16"	9"	NOCFPCB1409	☐ \$965	NOPCB1409	☐ \$660
	14"-16"	13"	NOCFACB1413	☐ \$900	NOACB1413	☐ \$660	14"-16"	13"	NOCFPCB1413	☐ \$985	NOPCB1413	☐ \$660
	14"-16"	16"	NOCFACB1416	☐ \$930	NOACB1416	☐ \$660	14"-16"	16"	NOCFPCB1416	☐ \$1025	NOPCB1416	☐ \$660
	15"-17"	7"			NOACB1507	☐ \$660	15"-17"	7"			NOPCB1507	☐ \$660
	15"-17"	9"	NOCFACB1509	☐ \$870	NOACB1509	☐ \$660	15"-17"	9"	NOCFPCB1509	☐ \$965	NOPCB1509	☐ \$660
	15"-17"	13"	NOCFACB1513	☐ \$900	NOACB1513	☐ \$660	15"-17"	13"	NOCFPCB1513	☐ \$985	NOPCB1513	☐ \$660
	15"-17"	16"	NOCFACB1516	☐ \$930	NOACB1516	☐ \$660	15"-17"	16"	NOCFPCB1516	☐ \$1025	NOPCB1516	☐ \$660
	16"-18"	7"			NOACB1607	☐ \$660	16"-18"	7"			NOPCB1607	☐ \$660
	16"-18"	9"	NOCFACB1609	☐ \$870	NOACB1609	☐ \$660	16"-18"	9"	NOCFPCB1609	☐ \$965	NOPCB1609	☐ \$660
	16"-18"	13"	NOCFACB1613	☐ \$900	NOACB1613	☐ \$660	16"-18"	13"	NOCFPCB1613	☐ \$985	NOPCB1613	☐ \$660
	16"-18"	16"	NOCFACB1616	☐ \$930	NOACB1616	☐ \$660	16"-18"	16"	NOCFPCB1616	☐ \$1025	NOPCB1616	☐ \$660
	17"-19"	7"			NOACB1707	☐ \$660	17"-19"	7"			NOPCB1707	☐ \$660
	17"-19"	9"	NOCFACB1709	☐ \$870	NOACB1709	☐ \$660	17"-19"	9"	NOCFPCB1709	☐ \$965	NOPCB1709	☐ \$660
	17"-19"	13"	NOCFACB1713	☐ \$900	NOACB1713	☐ \$660	17"-19"	13"	NOCFPCB1713	☐ \$985	NOPCB1713	☐ \$660
	17"-19"	16"	NOCFACB1716	☐ \$930	NOACB1716	☐ \$660	17"-19"	16"	NOCFPCB1716	☐ \$1025	NOPCB1716	☐ \$660
	18"-20"	7"			NOACB1807	☐ \$660	18"-20"	7"			NOPCB1807	☐ \$660
	18"-20"	9"	NOCFACB1809	☐ \$870	NOACB1809	☐ \$660	18"-20"	9"	NOCFPCB1809	☐ \$965	NOPCB1809	☐ \$660
	18"-20"	13"	NOCFACB1813	☐ \$900	NOACB1813	☐ \$660	18"-20"	13"	NOCFPCB1813	☐ \$985	NOPCB1813	☐ \$660
	18"-20"	16"	NOCFACB1816	☐ \$930	NOACB1816	☐ \$660	18"-20"	16"	NOCFPCB1816	☐ \$1025	NOPCB1816	☐ \$660
	20"-22"	7"			NOACB2007	☐ \$660	20"-22"	7"			NOPCB2007	☐ \$660
	20"-22"	9"	NOCFACB2009	☐ \$870	NOACB2009	☐ \$660	20"-22"	9"	NOCFPCB2009	☐ \$965	NOPCB2009	☐ \$660
	20"-22"	13"	NOCFACB2013	☐ \$900	NOACB2013	☐ \$660	20"-22"	13"	NOCFPCB2013	☐ \$985	NOPCB2013	☐ \$660
	20"-22"	16"	NOCFACB2016	☐ \$930	NOACB2016	☐ \$660	20"-22"	16"	NOCFPCB2016	☐ \$1025	NOPCB2016	☐ \$660

BACK SUPPORT HARDWARE OPTIONS

All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.

Model #	DESCRIPTION	WEIGHT OF HARDWARE ONLY	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STANDARD
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over STANDARD	☐
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over STANDARD	☐

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com