


P.O. number: * _____ Date: _____
Company Name: * _____ Phone: * _____
Purchasing contact: * _____
Clinician/Sales rep/ATP: _____
Email: _____
Marked for: _____

Ship to: * _____
Name: _____
Address: _____
City: _____ State: _____
Zip Code: _____
Phone: _____

* Required							English Manual (STD)	Spanish Manual	Taxes not included		
MODEL							USD				
1	WC20	Ultralight VELOCE Wheelchair (265 lb weight limit)						K0005	\$4 795	☐	
2	WC09	HD Heavy Duty package (350 lb weight capacity)							\$500	☐	
3	WC10	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6° camber							\$30	☐	
SEAT WIDTH ³											
4	SW	Seat width:	14" ☐	15" ☐	16" ☐	17" ☐	18" ² ☐	19" ² ☐		NC	☐
5	SW	Seat width:	20" ² ☐						E2201	\$495	☐
SEAT DEPTH											
6	SD	Seat depth:	14" ¹ ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐		NC	☐
7	SD	Seat depth:	20" ☐						E2203	\$475	☐

1 - Depth achieved with 15" frame

2 - Available with HD option

[3. Width calculator](#)


FRAME LENGTH (Seat sling depth plus distance from seat sling to front of frame) ¹																
8	SP01	Standard frame length configuration ²											STD			☐
9	SP02	Frame length 1" longer than standard configuration											NC			☐
10	SP03	Frame length 2" longer than standard configuration											NC			☐
11	SP04	Frame length 1" shorter than standard configuration											NC			☐
12	SP05	Frame length 2" shorter than standard configuration											NC			☐

1- See chart on page 6

2- 4.375" from seat sling to front frame

FRONT Seat-to-floor height

Caster sizes	Height available +- 1/4"		
3" Caster	14" to 21"	Specify desired height: (inches)	
4" Caster	14.5" to 21"		
5" Caster	15.5" to 21"		
6" Caster	16.5" to 21" (N/A with 90° front frame)		




CASTERS											
13	CA01	Composite wheel w/ PU tire (1" width)	3" ☐	4" ☐	5" ☐	6" ☐				NC	☐
14	CA10	Pneumatic casters 6" x 1 ¼"								\$160	☐
15	CA14	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "							\$80	☐
16	CA15		5" x 1 ½ "							\$80	☐
17	CA16		6" x 1 ½ "							\$80	☐
18	CA17		4" x 1 ½ "							\$175	☐
19	CA18		5" x 1 ½ "							\$185	☐
20	CA19	Newton UltraCaster <i>Soft-Roll</i> Aluminum	6" x 1 ½ "							\$195	☐
CASTER OPTIONS											
21	CA13	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)							E1015	\$475	☐


Veloce - REAR Seat-to-floor Height


WHEEL SIZES	Height available	Specify desired height: _____
22" (501) wheel ☐	13 1/2 to 18 1/4	
24" (540) wheel ☐	14 1/2 to 19 1/4	
25" (559) wheel ☐	15 to 19 3/4	
26" (590) wheel ☐	15 1/2 to 20 1/4	

Configuration used: 1" seat slope with a center of gravity at 2"

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

FRONT FRAME ANGLE							
22	FA70	70° Front Frame Angle				NC	☐
23	FA75	75° Front frame angle				NC	☐
24	FA80	80° Front Frame Angle				NC	☐
25	FA85	85° Front frame angle				NC	☐
26	FA90	90° Front Frame Angle				NC	☐

SEAT TO FOOTREST HEIGHT	
Set Length to ¹ :	Length must be at least 1 ¾" shorter than front seat-to-floor height
1 - +/- 1/2"	
	

Footrest width / Taper selection						
Seat Width	Straight ¹	1" Taper				
Outside Measurement	2 1/2" Narrower than Seat Width	4 1/2" Narrower than Seat Width				
14"	11.5"	9.5"				
15"	12.5"	10.5"				
16"	13.5"	11.5"				
17"	14.5"	12.5"				
18"	15.5"	13.5"				
19"	16.5"	14.5"				
20"	17.5"	15.5"				

1- May interfere with auto-folding and flip-up footplates

FOOTPLATES						
27	FP06	One piece adjustable angle flip-up (<i>Aluminum</i>)		K0040	NC	☐
28	FP07	One piece adjustable angle flip-up (<i>Carbon fiber with rubber inserts</i>)		K0040	\$435	☐
29	FP28	One piece auto-folding adjustable angle (<i>Aluminum</i>)		E0951	\$288	☐
30	FP29	One piece auto-folding adjustable angle (<i>Carbon fiber with rubber inserts</i>)		E0951	\$352	☐
31	FP02	Newton adjustable angle footplate (<i>Composites - Two piece</i>)		K0040	\$210	☐
32	FP03	Newton adjustable angle (<i>Aluminum - Two piece</i>)		K0040	\$230	☐
33	FP04	Newton adjustable angle footplate (<i>Carbon fiber with rubber inserts - Two piece</i>)		K0040	\$415	☐
FOOTPLATE ACCESSORIES						
34	FP08	Length adjustable heel loop (<i>not available with one piece footplate</i>)		E0951	\$40	☐
35	FP09	Calf strap		K0038	\$35	☐
36	FP30	Bodypoint Aeromesh Padded calf strap			\$115	☐

Backrest						
FIXED HEIGHT, NO PUSH HANDLE OPTIONS						
37	BC03	Ultralight carbon fiber back cane 9" ☐ 12" ☐ 15" ☐ 18" STD ☐ 21" ☐			NC	☐
38	BC04	8° bend carbon fiber back cane 13 ½" ☐ 15" ☐ 18" STD ☐			\$50	☐
HEIGHT ADJUSTABLE WITH PUSH HANDLES						
39	BC06	Straight carbon fiber back cane 9 - 12" ☐ 12 - 15" ☐ 15 - 18" ☐ 18 - 21" STD ☐			NC	☐
40	BC08	8° bend Carbon fiber back cane 13 ½ - 15" ☐ 15 - 18" ☐ 18 - 21" STD ☐			\$50	☐
HEIGHT AND ANGLE ADJUSTABLE WITH PUSH HANDLE OPTIONS						
41	BC09	Straight carbon fiber back cane 12 - 15" ☐ 15 - 18" ☐ 18 - 21" STD ☐			\$200	☐
42	BC10	8° bend carbon fiber back cane 13 ½ - 15" ☐ 15 - 18" ☐ 18 - 21" STD ☐			\$250	☐
43		Select back cane angle: 85° ¹ ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐				
Set height to: ²			(measured from seat sling to top of back upholstery)			
PUSH HANDLE OPTIONS						
44	PH01	Push handles			NC	☐
45	PH05	Fold down push handles ^{3, 5}			\$120	☐
46	PH06	Clamp on height adjustable push handle ^{3, 4, 5} 9 - 20" STD ☐ 9-23" ☐			\$300	☐
47	PH02	Omit push handles			NC	☐

1- Not available with a 8 degree bend cane 2 - If not indicated, default height setting is at the lowest position 3 - 265 pounds weight limit

4 - Not compatible with swing away armrests, 8° bend back canes

5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock

BACK UPHOLSTERY						
48	BH07	Slip-on Active-Mesh back upholstery			STD	☐
49	BH08	Adjustable tension Active-Mesh back upholstery		E2611	\$300	☐
50	BH99	Omit Back upholstery			NC	☐

SEAT CUSHION						
51	SC01	2" Cushion			\$165	☐
52	SC02	3" Cushion			\$185	☐
53	SC99	Omit seat cushion			STD	☐

Rear wheels										
ONE ARM DRIVE ¹ Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims										
54	HR22	One arm drive ^{2,3}	24"	left ☐	right ☐				\$1 395	☐
55	HR98	Omit handrim on opposite side of the One Arm Drive (OAD)							NC	☐
REAR WHEELS										
56	RW01	Mag ⁴	22" ☐	24" ☐					\$50	☐
57	RW02	Newton One - spoke wheel ⁵	22" ☐	24" ☐					NC	☐
58	RW03	Newton Gravity - ultralight wheel	22" ☐	24" ☐	25" ☐	26" ☐			\$300	☐
59	RW04	Spinerger Spox	22" ☐	24" ☐	25" ☐	26" ☐			\$795	☐
60		Spinerger Spox spokes colors ⁶ Blk STD ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐			NC	☐
61	RW05	Spinerger LX	22" ☐	24" ☐	25" ☐	26" ☐			\$995	☐
62		Spinerger LX spokes colors ⁶ Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐
63	RW07	Spinerger CLX Carbon Blade ⁵		24" ☐	25" ☐				\$1 480	☐
64		Spinerger CLX spokes colors ⁶ Blk STD ☐	Pur ☐	Wht ☐	Blue ☐	Red ☐	Yel ☐	Pink ☐	Grn ☐	Org ☐
TIRES							Available			
65	TI01	Soft Urethane 1 1/4 "					22" 24"		E2218	NC ☐
66	TI02	Soft Urethane <i>knobby</i> 1 3/8 "					22", 24", 25", 26"		E2218	\$95 ☐
67	TI04	Soft Urethane - <i>Shox</i> 1"					22", 24", 25", 26"		E2218	\$115 ☐
68	TI05	Pneumatic 1 3/8 "					22", 24", 25", 26"		E2211/E2212	NC ☐
69	TI08	Pneumatic with Airless insert 1 3/8" ⁷					22", 24", 26"		E2211/E2213	\$80 ☐
70	TI06	Pneumatic HP - 1"					22", 24", 25", 26"		E2211/E2212	\$95 ☐
71	TI07	Pneumatic HP - <i>Schwalbe Marathon Plus</i> 1"					24", 25", 26"		E2211/E2212	\$125 ☐

1- Offered with handrims on each side of the wheelchair
2- Only standard handrim position available
3- Not available with HD option

4 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position
5 - Not compatible with Shox tires

6 - Colour spokes require an additionnal 10 days lead-time
7-Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims										
HANDRIM										
72	HR01	Aluminum anodized							STD	☐
73	HR61	Aluminum black hard anodized ^{1,3}					New		\$60	☐
74	HR02	Plastic coated ²							\$95	☐
75	HR03	Q-Grip High friction Neoprene coated ^{2,3,4}							\$350	☐
76	HR07	Newton Air Grip ³ Black ☐							\$95	☐
77	HR	Newton Air Grip ³ (08) Sunkissed Orange ☐	(09) Burgundy ☐	(10) Sapphire Blue ☐	(11) Monster Green ☐	(12) Charcoal ☐	(13) Fuchsia ☐	(14) Steel Blue ☐	\$240	☐
		(15) Ferrari Red ☐	(16) Acid Green ☐	(17) White ☐	(18) Sky Blue ☐					
78	HR28	Surge ^{2,3,4} (1-1/2" Oval handrim w/ Gripton high friction strip)							\$375	☐
79	HR05	Surge LT ^{2,3,4} (1-1/8" Oval handrim w/ Gripton high friction strip)							\$405	☐
80	HR04	Natural Fit ^{2,3,4}							\$310	☐
81	HR99	Omit handrim							NC	☐

1 - Not available in 26"
2- Only standard handrim position available
3- Not available with Mag wheels or OAD
4- Not available in 20"

Handrims option										
Assembly position for aluminum and Newton AirGrip handrims										
82	HR29	Standard Handrim position	<i>Full tab</i>						STD	☐
83	HR30	Narrow Handrim position	<i>Short tab 2 positions</i>						\$25	☐
84	HR31	Super Narrow Handrim	<i>Short tab 2 positions</i> STD ☐	<i>Short tab 1 position</i> ☐					\$25	☐
Thumb piece ⁴ selection for Natural Fit handrims										
85	HR23	Standard grip							\$85	☐
86	HR27	Super grip							\$140	☐
87	HR099	Omit thumb piece							NC	☐


4- Compatible with Surge, Surge LT handrims

AXLE ¹										
88	AX01	Quick release axle							STD	☐
89	AX03	Quad release axle						K0108	\$125	☐

1- Not required with one arm drive

REAR WHEEL CAMBER ANGLE										
90	CM00	0° camber							NC	☐
91	CM03	3° camber							NC	☐
92	CM06	6° camber							\$150	☐

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

X =

Most stable				Most responsive								
1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.

WHEEL LOCK

93	WL08	Newton Wheel lock - push to lock				STD	☐
94	WL02	Pull to lock				NC	☐
95	WL04	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)			E0974	\$150	☐
96	WL13 WL14	6" removable extension handle			E0961	\$75	☐
97	WL05	Scissor Lock				\$140	☐
98	WL99	Omit wheel locks				NC	☐

Armrests

FLIP BACK ARMREST (Convertible to "T" armrest) ¹			Height Adjustment		Removable function		
99	AR01	10" Desk Length	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐	STD \$350 ☐
100	AR02	14" Full Length	8 - 12" STD ☐	10 - 14" ☐	Locked ☐	Unlocked ☐	STD \$350 ☐
"T" ARMREST ¹			Height Adjustment				
101	AR03	10" Desk Length	8 - 12" STD ☐	10 - 14" ☐		E0973	\$325 ☐
102	AR04	14" Full Length	8 - 12" STD ☐	10 - 14" ☐		E0973	\$325 ☐
SWING AWAY ARMREST ²			Height Adjustment				
103	AR05	Tubular arm pad	8 - 11"			E0973	\$225 ☐
104	AR06	10" Desk length arm pad	8 - 11"			E0973	\$225 ☐
GEL ARM PAD ³							
105	AR12	14" Full Length Arm Pad - Gel Ovation					\$150 ☐
106	AR99	Omit armrest					NC ☐

1 - May have a 1/2" adjustment restriction on both limits of the range

2 - Could interfere with some rigid back rests

3 - Not available with swing away armrest

SIDE GUARDS (not available with Flip Back and "T" Armrest)

107	SG01	Plastic side guards (removable)				\$195	☐
108	SG02	Carbon fiber side guards (fixed)				\$250	☐
109	SG03	Carbon fiber side guards (removable)				\$288	☐
110	SG06	Plastic fender side guards (removable) ¹			WAMV	\$270	☐
111	SG04	Carbon fiber fender side guards (removable)			WAMV	\$495	☐
112	SG99	Omit side guard				NC	☐
SIDE GUARDS OPTION							
113	SG07	Side guards clip (pair) ²				NC	☐

1 - Not compatible with 20" and 22" rear wheels

2 - Not available with fixed carbon fiber side guard

POSITIONING BELT

114	SB01	Velcro adjustable	Standard 35" ☐	Long 60" ☐		E0978	\$45	☐
115	SB02	Auto buckle	Standard 35" ☐	Long 60" ☐		E0978	\$85	☐
116	SB07	Hardware attachment for 2 point seatbelt (1 pair)					NC	☐
117	SB03	Additional attachment hardware for 4 point seatbelt					\$15	☐
118	SB04	BodyPoint Hip Belt - 2 point not padded		Medium 56" ☐	Long 61" ☐		\$80	☐
119	SB05	BodyPoint Hip Belt - 2 point padded	Small 51" ☐	Medium 56" ☐	Long 61" ☐		\$170	☐
120	SB06	BodyPoint Hip Belt - 4 point padded	Small 51" ☐	Medium 56" ☐	Long 61" ☐		\$190	☐
121	SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps		Medium 18" ☐	Long 24" ☐		\$285	☐
122	SB99	Omit positioning belt					STD	☐

HEADREST ¹

123	AC01	Profiled Headrest	Small (3.5"X6") ☐	Medium (4.5"X7") ☐	Large (5.5"X8") ☐		\$180	☐
124	AC28	Headrest mounting hardware with stabiliser bar ¹					\$295	☐

1 - Only available with push handles

ACCESSORIES									
125	AC03	Anti tippers					E0971	\$140	☐
126	AC29	Swing-away anti-tippers ¹ Left ☐ Right ☐				New		\$150	☐
127	AC27	Tip assist ²						\$60	☐
128	AC05	WC-19 Transit Tie Down w/Q'straint belt ³ Short belt 20-41" ☐ Long belt 20-46" ☐					E2207	\$320	☐
129	AC08	Spoke guards ⁴ Available: 22", 24", 26"					K0065	\$115	☐
130	AC10	Seat pouch						\$75	☐
131	AC26	BodyPoint Mobility Bag						\$125	☐
132	AC23	Newton Backpack						\$120	☐
133	AC30	Newton sanitizing multi-purpose pouch				New		\$58	☐
134	AC12	Velcro Closing Strap						\$50	☐
135	AC13	Tool kit						\$45	☐
136	AC16	Motion Composites Polo Shirt W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐ M/XXXXL ☐						\$32	
137	AC15	Military Patches Army ☐ Navy ☐ Air Force ☐ Marines ☐ Coast Guard ☐						\$90	
138	AC15	Combat Wounded Purple Heart Patch						\$90	☐

1- Must select the pair (left and right) with HD option
2 - Cannot be combined with Anti Tippers
3 - May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option
4 - Not available with Mag wheels and Spinergy

CARBON FIBER FINISH									
139	FC	Highlight color: (10) Ferrari Red ☐ (11) White ☐ (12) Black ☐ (13) Sunkissed Orange ☐ (14) Sky Blue ☐ (15) Fuchsia ☐ (16) Acid Green ☐						NC	☐

TOTAL	
-------	--

Frame length chart

Frame length	Seat Depth						
	14"	15"	16"	17"	18"	19"	20"
STD	N/A	15"	16"	17"	18"	19"	20"
1	15"	16"	17"	18"	19"	20"	N/A
2	16"	17"	18"	19"	20"	N/A	N/A
-1	N/A	N/A	15"	16"	17"	18"	19"
-2	N/A	N/A	N/A	15"	16"	17"	18"

Notes :



BioFit™ CUSHION

 HCPCS CODE: E2607-E2608	MODEL #	Fits Width	Depth	\$	✓	MODEL #	Fits Width	Depth	\$	✓
	NXCABF1616	15"-16"	16"	425		NXCABF2016	19" - 20"	16"	425	
	NXCABF1618	15"-16"	18"	425		NXCABF2018	19" - 20"	18"	425	
	NXCABF1620	15"-16"	20"	425		NXCABF2020	19" - 20"	20"	455	
	NXCABF1816	17"-18"	16"	425		NXCABF2216	21" - 22"	16"	455	
	NXCABF1818	17"-18"	18"	425		NXCABF2218	21" - 22"	18"	455	
	NXCABF1820	17"-18"	20"	425		NXCABF2220	21" - 22"	20"	455	


Optima™
 THORACIC BACK SUPPORT

 CARBON FIBRE SHELL (WEIGHT SAVINGS – 1lb)
 HCPCS CODE: E2620-E2621

Model # Carbon Fibre	Model # Aluminum	Fits Width	Height	\$ Carbon	✓	\$ Aluminum	✓
	NOACB1307	13"-15"	7"			690	
	NOACB1309	13"-15"	9"			690	
	NOACB1313	13"-15"	13"			660	
	NOACB1316	13"-15"	16"			660	
	NOACB1407	14"-16"	7"			660	
NOCFACB1409	NOACB1409	14"-16"	9"	870		660	
NOCFACB1413	NOACB1413	14"-16"	13"	900		660	
NOCFACB1416	NOACB1416	14"-16"	16"	930		660	
	NOACB1507	15"-17"	7"			660	
NOCFACB1509	NOACB1509	15"-17"	9"	870		660	
NOCFACB1513	NOACB1513	15"-17"	13"	900		660	
NOCFACB1516	NOACB1516	15"-17"	16"	930		660	
	NOACB1607	16"-18"	7"			660	
NOCFACB1609	NOACB1609	16"-18"	9"	870		660	
NOCFACB1613	NOACB1613	16"-18"	13"	900		660	
NOCFACB1616	NOACB1616	16"-18"	16"	930		660	
	NOACB1707	17"-19"	7"			660	
NOCFACB1709	NOACB1709	17"-19"	9"	870		660	
NOCFACB1713	NOACB1713	17"-19"	13"	900		660	
NOCFACB1716	NOACB1716	17"-19"	16"	930		660	
	NOACB1807	18"-20"	7"			660	
NOCFACB1809	NOACB1809	18"-20"	9"	870		660	
NOCFACB1813	NOACB1813	18"-20"	13"	900		660	
NOCFACB1816	NOACB1816	18"-20"	16"	930		660	
	NOACB2007	20"-22"	7"			660	
NOCFACB2009	NOACB2009	20"-22"	9"	870		660	
NOCFACB2013	NOACB2013	20"-22"	13"	900		660	
NOCFACB2016	NOACB2016	20"-22"	16"	930		660	


Optima™ DEEP
 THORACIC BACK SUPPORT

 CARBON FIBRE SHELL (WEIGHT SAVINGS – 1lb)
 HCPCS CODE: E2620-E2621

Model # Carbon Fibre	Model # Aluminum	Fits Width	Height	\$ Carbon	✓	\$ Aluminum	✓
	NOPCB1307	13"-15"	7"			660	
	NOPCB1309	13"-15"	9"			660	
	NOPCB1313	13"-15"	13"			660	
	NOPCB1316	13"-15"	16"			660	
	NOPCB1407	14"-16"	7"			660	
NOCFPCB1409	NOPCB1409	14"-16"	9"	870		660	
NOCFPCB1413	NOPCB1413	14"-16"	13"	900		660	
NOCFPCB1416	NOPCB1416	14"-16"	16"	930		660	
	NOPCB1507	15"-17"	7"			660	
NOCFPCB1509	NOPCB1509	15"-17"	9"	870		660	
NOCFPCB1513	NOPCB1513	15"-17"	13"	900		660	
NOCFPCB1516	NOPCB1516	15"-17"	16"	930		660	
	NOPCB1607	16"-18"	7"			660	
NOCFPCB1609	NOPCB1609	16"-18"	9"	870		660	
NOCFPCB1613	NOPCB1613	16"-18"	13"	900		660	
NOCFPCB1616	NOPCB1616	16"-18"	16"	930		660	
	NOPCB1707	17"-19"	7"			660	
NOCFPCB1709	NOPCB1709	17"-19"	9"	870		660	
NOCFPCB1713	NOPCB1713	17"-19"	13"	900		660	
NOCFPCB1716	NOPCB1716	17"-19"	16"	930		660	
	NOPCB1807	18"-20"	7"			660	
NOCFPCB1809	NOPCB1809	18"-20"	9"	870		660	
NOCFPCB1813	NOPCB1813	18"-20"	13"	900		660	
NOCFPCB1816	NOPCB1816	18"-20"	16"	930		660	
	NOPCB2007	20"-22"	7"			660	
NOCFPCB2009	NOPCB2009	20"-22"	9"	870		660	
NOCFPCB2013	NOPCB2013	20"-22"	13"	900		660	
NOCFPCB2016	NOPCB2016	20"-22"	16"	930		660	

BACK SUPPORT HARDWARE OPTIONS

All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.

Model #	DESCRIPTION	WEIGHT OF HARDWARE ONLY	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STANDARD
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over STANDARD	
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over STANDARD	

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

 For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com