



6.2

VELOCE
ORDER FORM - USA

3- Shipping information

Ship to:*	
Name:	
Address:	
City:	State:
Zip Code:	
Phone:	

ATP/Clinician:*		
Phone:*		
Email:*		
Contact preference:*	Phone ☐	Email ☐

MA089 □
Spanish Manual Taxes not included

MODEL						USD		
WC20	☐	Ultralight VELOCE Wheelchair (265 lb weight limit)			K0005		\$5,495	
WC09	☐	HD Heavy Duty package (350 lb weight capacity)					\$535	
WC10	☐	E-Motion adaptor Kit (2 adaptors) - Only necessary with 6" camber					\$36	
Frame								
SEAT WIDTH ³								
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ² ☐	19" ² ☐	
	☐	20" ² ☐						NC
						E2201	\$505	
SEAT DEPTH								
SD	☐	14" ¹ ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐	
	☐	20" ☐						NC
						E2203	\$485	
FRAME LENGTH (Seat sling depth plus distance from seat sling to front of frame) ⁴								
SP01	☐	Standard frame length configuration ⁵						STD
SP02	☐	Frame length 1" longer than standard configuration						NC
SP03	☐	Frame length 2" longer than standard configuration						NC
SP04	☐	Frame length 1" shorter than standard configuration						NC
SP05	☐	Frame length 2" shorter than standard configuration						NC
TRANSIT TIE DOWN								
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁶ Short belt 20"-41"						\$360
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁶ Long belt 20"-46"						\$360
AC35	☐	WC-19 Transit Tie Down without belt ⁶						\$330


4- See chart at page 7: 5- 4.375" from seat sling to front frame

6- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

Caster sizes	Height available +/- 1/4"
3" Caster	14" to 21"
4" Caster	14 1/2" to 21"
5" Caster	15 1/2" to 21"
6" Caster	16 1/2" to 21" (N/A with 90° front frame)

Specify desired height:

_____ (inches)




CASTERS						
CA01-03	☐	Composite wheel w/ PU tire	3" x 1"			NC
CA01-04	☐		4" x 1"			NC
CA01-05	☐		5" x 1"			NC
CA01-06	☐		6" x 1"			NC
CA10	☐	Pneumatic casters	6" x 1 ¼"			\$165
CA14	☐	Newton UltraCaster <i>Soft-Roll</i> Composite	4" x 1 ½ "			\$87
CA15	☐		5" x 1 ½ "			\$87
CA16	☐		6" x 1 ½ "			\$87
CA17	☐		4" x 1 ½ "			\$190
CA18	☐	Newton UltraCaster <i>Soft-Roll</i> Aluminum	5" x 1 ½ "			\$200
CA19	☐		6" x 1 ½ "			\$210
CASTER OPTIONS						
CA13	☐	Carbon fiber Frog Legs suspension forks <i>(Not available with caster pin locks)</i>		E1015		\$485

REAR Seat-to-floor Height


WHEEL SIZES	Height available	
22"(501) wheel ☐	13 1/2" to 18 1/4"	Specify desired height: (inches)
24" (540) wheel ☐	14 1/2" to 19 1/4"	
25" (559) wheel ☐	15" to 19 3/4"	
26" (590) wheel ☐	15 1/2" to 20 1/4"	

Configuration used: 1" seat slope with a center of gravity at 2"
 Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"


FRONT FRAME ANGLE

FA70	☐	70° Front frame angle				NC
FA75	☐	75° Front frame angle				NC
FA80	☐	80° Front frame angle				NC
FA85	☐	85° Front frame angle				NC
FA90	☐	90° Front frame angle				NC

SEAT TO FOOTREST LENGTH

Set Length to ¹ :	Length must be at least 1 ¼" shorter than front seat-to-floor height
1 - +/- 1/2"	

Footrest width / Taper selection		
Seat Width	Straight ¹	1" Taper
Outside Measurement	2 ¼" Narrower than Seat Width	4 ¼" Narrower than Seat Width
14"	11.5"	9.5"
15"	12.5"	10.5"
16"	13.5"	11.5"
17"	14.5"	12.5"
18"	15.5"	13.5"
19"	16.5"	14.5"
20"	17.5"	15.5"



1- May interfere with auto-folding and flip-up footplates

FOOTPLATES						
FP02	☐	Newton adjustable angle footplate - Composites (<i>Two piece</i>)		K0040	\$215	
FP03	☐	Newton adjustable angle - Aluminum (<i>Two piece</i>)		K0040	\$235	
FP04	☐	Newton adjustable angle footplate - Carbon fiber with rubber inserts (<i>Two piece</i>)			\$445	
FP06	☐	One piece adjustable angle flip-up - Aluminum		K0040	NC	
FP07	☐	One piece adjustable angle flip-up - Carbon fiber with rubber inserts			\$465	
FP28	☐	One piece auto-folding adjustable angle - Aluminum		K0040	\$295	
FP29	☐	One piece auto-folding adjustable angle - Carbon fiber with rubber inserts			\$375	
FOOTPLATE ACCESSORIES						
FP08	☐	Length adjustable heel loop (<i>not available with one piece footplate</i>)		E0951	\$41	
FP09	☐	Calf strap		K0038	\$36	
FP30	☐	Bodypoint Aeromesh Padded calf strap		K0038	\$118	

Backrest						
FIXED HEIGHT WITHOUT PUSH HANDLE OPTIONS						
BC03-9		Ultralight carbon fiber back cane	9"	*Temporarily unavailable		NC
BC03-12		Ultralight carbon fiber back cane	12"	*Temporarily unavailable		NC
BC03-15		Ultralight carbon fiber back cane	15"	*Temporarily unavailable		NC
BC03-18		Ultralight carbon fiber back cane	18"	*Temporarily unavailable		NC
BC03-21		Ultralight carbon fiber back cane	21"	*Temporarily unavailable		NC
BC04-13		8° bend carbon fiber back cane	13 ½"	*Temporarily unavailable		\$57
BC04-15		8° bend carbon fiber back cane	15"	*Temporarily unavailable		\$57
BC04-18		8° bend carbon fiber back cane	18"	*Temporarily unavailable		\$57

*** Replacement options below: 1-Carbon fiber height adjustable; 2- Aluminum fixed height or 3- Carbon fiber angle and height adjustable**

HEIGHT ADJUSTABLE WITH PUSH HANDLES OPTIONS						
BC06-912		Straight Carbon fiber back cane	9" - 12"	increment of 1/2"	Set at ² :	NC
BC06-1215		Straight Carbon fiber back cane	12" - 15"	increment of 1/2"	Set at ² :	NC
BC06-1518		Straight Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :	NC
BC06-1821		Straight Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :	NC
BC08-1315		8° Bend Carbon fiber back cane	13.5" - 15"	increment of 1/2"	Set at ² :	\$57
BC08-1518		8° Bend Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :	\$57
BC08-1821		8° Bend Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :	\$57
FIXED HEIGHT WITHOUT PUSH HANDLE OPTIONS						
BC30	☐	Straight aluminum back cane	9"			NC
BC36	☐	Straight aluminum back cane	12"			NC
BC42	☐	Straight aluminum back cane	15"			NC
BC63	☐	8° bend aluminum back cane	13 ½"			\$57
BC64	☐	8° bend aluminum back cane	15"			\$57

ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (<i>MUST select ONE push handle options</i>)						
BC09-1215	☐	Straight Carbon fiber back cane	12" - 15"	increment of 1/2"	Set at ² :	\$215
BC09-1518	☐	Straight Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :	\$215
BC09-1821	☐	Straight Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :	\$215
BC10-1315		8° bend Carbon fiber back cane	13.5" - 15"	increment of 1/2"	Set at ² :	\$270
BC10-1518		8° bend Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :	\$270
BC10-1821		8° bend Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :	\$270
		Select back cane angle:	85° ¹ ☐ 90° ☐ 95° STD ☐ 100° ☐ 105° ☐ 110° ☐			

PUSH HANDLES OPTIONS (<i>ONE option at a time</i>)						
PH01	☐	Push handles				NC
PH05	☐	Fold down push handles ^{3,5}				\$130
PH06-920	☐	Clamp on height adjustable push handles 9 - 20" ^{3, 4, 5}				\$320
PH06-923	☐	Clamp on height adjustable push handles 9 - 23" ^{3, 4, 5}				\$320
PH02	☐	Omit push handles				NC

1- Not available with 8° bend back cane; 2- If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; 3- 265 lb weight limit
4- Not compatible with swing away armrests, 8° bend back canes; 5- Not compatible with headrest and attendant lock

BACK UPHOLSTERY						
BH07	☐	Slip-on Active-Mesh back upholstery				STD
BH08	☐	Adjustable tension Active-Mesh back upholstery			E2611	\$305
BH99	☐	Omit Back upholstery				NC
	☐	NXT back Support		See pricelist		
SEAT CUSHION						
SC01	☐	2" Cushion				\$170
SC02	☐	3" Cushion				\$190
SC99	☐	Omit seat cushion				STD
	☐	NXT cushion series		See pricelist		

Rear wheels						
ONE ARM DRIVE ¹				Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims, permanent axles, 0° camber		
HR22	☐	One arm drive - aluminum inner handrim ^{2,3}	24"	Left ☐	Right ☐	E0958 \$1,495
HR60	☐	One arm drive - plastic coated inner handrim ^{2,3}	24"	Left ☐	Right ☐	E0958 \$1,495
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)				NC
REAR WHEELS				Available		
RW01	☐	Mag ⁴		22" 24"		\$57
RW02	☐	Newton One - spoke wheel ⁵		22" 24"		NC
RW03	☐	Newton Gravity - ultralight wheel		22", 24", 25", 26"		\$320
RW04	☐	Spinergy Spox	Blk STD ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐	22", 24", 25", 26"		\$850
RW05	☐	Spinergy LX	Blk STD ☐ Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐	22", 24", 25", 26"		\$1,065
RW07	☐	Spinergy CLX ⁷	Blk STD ☐ Pur ⁶ ☐ Wht ⁶ ☐ Blue ⁶ ☐ Red ⁶ ☐ Yel ⁶ ☐ Pink ⁶ ☐ Grn ⁶ ☐ Org ⁶ ☐	24", 25"		\$1,585
TIRES				Available		
TI01	☐	Soft Urethane - 1 3/8"		22" 24"	E2218	NC
TI02	☐	Soft Urethane - knobby 1 3/8 "		22", 24", 25", 26"	E2218	\$97
TI04	☐	Soft Urethane - Shox 1"		22", 24", 25", 26"	E2218	\$118
TI05	☐	Pneumatic - 1 3/8"		22", 24", 25", 26"	E2211/E2212	NC
TI08	☐	Pneumatic with Airless insert - 1 3/8" ⁸		22", 24", 26"	E2211/E2213	\$82
TI06	☐	Pneumatic HP - 1"		22", 24", 25", 26"	E2211/E2212	\$97
TI07	☐	Pneumatic HP - Puncture resistant, black 1"		24", 25", 26"	E2211/E2212	\$130

1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; 2- Only standard handrim position available; 3- Not available with HD option

4- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 5- Not compatible with Shox tires;

6- color spokes require an additional 10 days lead-time; 7- Only available with 1" tires; 8- Only available with Mag, Newton One and Newton Gravity rear wheels

Handrims						
HANDRIM				Available		
HR01	☐	Aluminum anodized		22", 24", 25", 26"		STD
HR61	☐	Aluminum black hard anodized ²		22", 24", 25"		\$72
HR02	☐	Plastic coated ¹		22", 24", 25", 26"		\$102
HR03	☐	High friction coated ^{1,2}		22", 24", 25", 26"		\$375
HR07 to HR18	☐	Newton Air Grip ²	See page 6 for the color selection and price	22", 24", 25", 26"		
HR28	☐	Surge ^{1,2} (1 1/2" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"		\$395
HR05	☐	Surge LT ^{1,2} (1 1/8" Oval handrim w/ Gripton high friction strip)		22", 24", 25", 26"		\$425
HR04	☐	Natural Fit ^{1,2}		22", 24", 25", 26"		\$325
HR63	☐	Nova H ^{1,2} (1 1/4" Oval handrim with high friction strip)		22", 24", 25", 26"		\$425
HR64	☐	Optimum H ^{1,2} (1 1/8" heart-shaped handrim)		22", 24", 25", 26"		\$325
HR99	☐	Omit handrim				NC

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels

Handrims option						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	Full tab			STD
HR030	☐	Narrow Handrim position no cut	Full tab			NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions			\$30
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions STD ☐ Short tab 1 position ☐			\$30
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip				\$92
HR27	☐	Super grip				\$150
HR099	☐	Omit thumb piece				NC


3- Only available with Aluminum and Air Grip handrims;

AXLE ¹					
AX01	☐	Quick release axle			STD
AX03	☐	Quad release axle		K0108	\$130

1- Not required with one arm drive

REAR WHEEL CAMBER ANGLE					
CM00	☐	0° camber			STD
CM03	☐	3° camber			NC
CM06	☐	6° camber			\$165

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

Most stable													
X =	1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

WHEEL LOCK					
WL08	☐	Newton wheel lock - push to lock			STD
WL16	☐	Aluminum push to lock with extensions		E0961	\$77
WL02	☐	Pull to lock			NC
WL04	☐	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)		E0974	\$155
WL13 WL14	☐	6" removable extension handle		E0961	\$77
WL05	☐	Scissors Lock			\$155
WL15	☐	Unilateral wheel lock - pull to lock ¹	Left ☐ Right ☐		\$330
WL99	☐	Omit wheel locks			NC

1- For more information about incompatibilities and restriction, refer to the table at page 8 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_us/support-and-education/how-to-documents

Armrests					
HEIGHT ADJUSTABLE FLIP BACK ARMREST (Convertible to "T" armrest) ¹					
AR01-812	☐	10" Desk length armpad 8" - 12"	Locked ☐ Unlocked STD ☐		\$355
AR01-1014	☐	10" Desk length armpad 10" - 14"	Locked ☐ Unlocked STD ☐		\$355
AR02-812	☐	14" Full length armpad 8" - 12"	Locked ☐ Unlocked STD ☐		\$355
AR02-1014	☐	14" Full length armpad 10" - 14"	Locked ☐ Unlocked STD ☐		\$355
HEIGHT ADJUSTABLE "T" ARMREST ¹					
AR13-610	☐	10" Desk length armpad ⁴ 6" - 10"		E0973	\$330
AR03-812	☐	10" Desk length armpad 8" - 12"		E0973	\$330
AR03-1014	☐	10" Desk length armpad 10" - 14"		E0973	\$330
AR14-610	☐	14" Full length armpad ⁴ 6" - 10"		E0973	\$330
AR04-812	☐	14" Full length armpad 8" - 12"		E0973	\$330
AR04-1014	☐	14" Full length armpad 10" - 14"		E0973	\$330
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²					
AR05	☐	Tubular armrest without plastic side guards - Short pad	8" - 11"	E0973	\$230
AR19	☐	Tubular armrest with plastic side guards - Short pad	8" - 11"	E0973	\$395
AR23	☐	Tubular armrest without plastic side guards - Long pad	8" - 11"	E0973	\$230
AR24	☐	Tubular armrest with plastic side guards - Long pad	8" - 11"	E0973	\$395
AR06	☐	10" Desk length flat armpad without plastic side guards	8" - 11"	E0973	\$230
AR20	☐	10" Desk length flat armpad with plastic side guards	8" - 11"	E0973	\$395
AR17	☐	14" Full length flat armpad without plastic side guards	8" - 11"	E0973	\$230
AR21	☐	14" Full length flat armpad with plastic side guards	8" - 11"	E0973	\$395
ARMREST OPTIONS					
AR12	☐	14" Full Length armpad - Gel Ovation ³			\$165
AR99	☐	Omit armrest			NC

1- May have a 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; 3- Not available with swing away and flip back armrest;

4- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with Flip Back and "T" Armrest)					
SG01	☐	Plastic side guards (removable)		K0108	\$200
SG02	☐	Carbon fiber side guards (fixed)			\$270
SG03	☐	Carbon fiber side guards (removable)		K0108	\$295
SG06	☐	Plastic fender side guards - straight bracket (removable)		K0108	\$290
SG08	☐	Plastic fender side guards - offset bracket (removable) ¹		K0108	\$290
SG04	☐	Carbon fiber fender side guards (removable)			\$550
SG99	☐	Omit side guard			NC

SIDE GUARDS OPTION					
SG07	☐	Side guards clip (pair) ²			NC

1- only compatible with 0° camber; increase distance between fender side guards by 1 1/8"; 2- Not available with fixed carbon fiber side guard

POSITIONING BELT					
SB01-S	☐	Velcro adjustable - Standard 35"		E0978	\$46
SB01-L	☐	Velcro adjustable - Long 60"		E0978	\$46
SB02-S	☐	Auto buckle - Standard 35"		E0978	\$87
SB02-L	☐	Auto buckle - Long 60"		E0978	\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"		E0978	\$82
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"		E0978	\$82
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"		E0978	\$175
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"		E0978	\$175
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"		E0978	\$175
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"		E0978	\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"		E0978	\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"		E0978	\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)			\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"		K0108	\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"		K0108	\$305
SB99	☐	Omit positioning belt			STD

HEADREST ¹					
AC01-S	☐	Profiled Headrest - Small (3.5"X6")		E0955	\$185
AC01-M	☐	Profiled Headrest - Medium (4.5"X7")		E0955	\$185
AC01-L	☐	Profiled Headrest - Large (5.5"X8")		E0955	\$185
AC28	☐	Headrest mounting hardware with stabilizer bar 1		E1028	\$300

1 - Only available with push handles

ACCESSORIES					
AC03	☐	Anti-tippers		E0971	\$145
AC29	☐	Swing-away anti-tipper ¹ Left ☐ Right ☐			\$165
AC27	☐	Tip assist ²			\$67
AC06	☐	Cane and crutch holder Left ☐ Right ☐		E2207	\$200
AC08	☐	Spoke guards ³ Available: 22", 24", 26"		K0065	\$118
AC10	☐	Seat pouch			\$82
AC26	☐	BodyPoint Mobility Bag			\$135
AC23	☐	Newton Backpack			\$130
AC30	☐	Newton multi-purpose pouch			\$61
AC12	☐	Velcro Closing Strap			\$57
AC13	☐	Tool kit			\$51
AC16	☐	Motion Composites Polo Shirt W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐			\$36
AC15	☐	Military Patches Army ☐ Navy ☐ Air Force ☐ Marines ☐ Coast Guard ☐ Combat Wounded Purple Heart ☐			\$96

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"; 2 - Cannot be combined with Anti Tippers

3- Not available with Mag wheels and Spinerdy

Colors																					
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
																					
AirGrip	☐ \$102	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$255
Frame	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
																					
Highlight ²	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
FC99	☐	Custom Color <u>Specify PPG Paintit color:</u>	additional 10 days lead-time																		\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.;

Finish between Airgrip and frame might be different;

2- To see different highlight, visit our website: https://www.motioncomposites.com/en_us/products/folding-wheelchairs/veloce

Frame length chart

Frame length	Seat Depth						
	14"	15"	16"	17"	18"	19"	20"
STD	N/A	15"	16"	17"	18"	19"	20"
1	15"	16"	17"	18"	19"	20"	N/A
2	16"	17"	18"	19"	20"	N/A	N/A
-1	N/A	N/A	15"	16"	17"	18"	19"
-2	N/A	N/A	N/A	15"	16"	17"	18"

Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.75 to 4
22 in	16+	2.5 to 4
24 in	16+	1 to 4

Notes :

BioFit™ CUSHION		WIDTH									
		12"	13"	14"	15"	16"	17"	18"	19"	20"	
DEPTH	12"	☐ \$445	☐ \$445	☐ \$445							
	14"	☐ \$445	☐ \$445	☐ \$445							
	15"		☐ \$445	☐ \$445	☐ \$445						
	16"		☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	
	17"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	
	18"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	
	19"				☐ \$445	☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	
	20"				☐ \$445	☐ \$445	☐ \$445	☐ \$480	☐ \$480	☐ \$480	
NXCABF _____ (W" x D")		Option: Change cover for incontinent/infection control outer cover ☐ \$N/C									
HCPCS CODE: E2607-E2608											

SEATING AND CUSHION ACCESSORIES

	MODEL NO.	Description	Fits Back Width	\$	QTY
	RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	80	
	RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	80	

THORACIC SHAPE	Optima™ THORACIC BACK SUPPORT						Optima™ DEEP THORACIC BACK SUPPORT					
	CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)						CARBON FIBER SHELL (WEIGHT SAVINGS – 1lb)					
	HCPCS CODE: E2620-E2621						HCPCS CODE: E2620-E2621					
	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum	Fits Width	Height	Model # CARBON FIBER	\$ CARBON	Model # Aluminum	\$ Aluminum
	13"-15"	7"			NOACB1307	☐ \$695	13"-15"	7"			NOPCB1307	☐ \$695
	13"-15"	9"			NOACB1309	☐ \$695	13"-15"	9"			NOPCB1309	☐ \$695
	13"-15"	13"			NOACB1313	☐ \$695	13"-15"	13"			NOPCB1313	☐ \$695
	13"-15"	16"			NOACB1316	☐ \$695	13"-15"	16"			NOPCB1316	☐ \$695
	14"-16"	7"			NOACB1407	☐ \$695	14"-16"	7"			NOPCB1407	☐ \$695
	14"-16"	9"	NOCFACB1409	☐ \$895	NOACB1409	☐ \$695	14"-16"	9"	NOCFPCB1409	☐ \$995	NOPCB1409	☐ \$695
	14"-16"	13"	NOCFACB1413	☐ \$925	NOACB1413	☐ \$695	14"-16"	13"	NOCFPCB1413	☐ \$1015	NOPCB1413	☐ \$695
	14"-16"	16"	NOCFACB1416	☐ \$960	NOACB1416	☐ \$695	14"-16"	16"	NOCFPCB1416	☐ \$1055	NOPCB1416	☐ \$695
	15"-17"	7"			NOACB1507	☐ \$695	15"-17"	7"			NOPCB1507	☐ \$695
	15"-17"	9"	NOCFACB1509	☐ \$895	NOACB1509	☐ \$695	15"-17"	9"	NOCFPCB1509	☐ \$995	NOPCB1509	☐ \$695
	15"-17"	13"	NOCFACB1513	☐ \$925	NOACB1513	☐ \$695	15"-17"	13"	NOCFPCB1513	☐ \$1015	NOPCB1513	☐ \$695
	15"-17"	16"	NOCFACB1516	☐ \$960	NOACB1516	☐ \$695	15"-17"	16"	NOCFPCB1516	☐ \$1055	NOPCB1516	☐ \$695
	16"-18"	7"			NOACB1607	☐ \$695	16"-18"	7"			NOPCB1607	☐ \$695
	16"-18"	9"	NOCFACB1609	☐ \$895	NOACB1609	☐ \$695	16"-18"	9"	NOCFPCB1609	☐ \$995	NOPCB1609	☐ \$695
	16"-18"	13"	NOCFACB1613	☐ \$925	NOACB1613	☐ \$695	16"-18"	13"	NOCFPCB1613	☐ \$1015	NOPCB1613	☐ \$695
	16"-18"	16"	NOCFACB1616	☐ \$960	NOACB1616	☐ \$695	16"-18"	16"	NOCFPCB1616	☐ \$1055	NOPCB1616	☐ \$695
	17"-19"	7"			NOACB1707	☐ \$695	17"-19"	7"			NOPCB1707	☐ \$695
	17"-19"	9"	NOCFACB1709	☐ \$895	NOACB1709	☐ \$695	17"-19"	9"	NOCFPCB1709	☐ \$995	NOPCB1709	☐ \$695
	17"-19"	13"	NOCFACB1713	☐ \$925	NOACB1713	☐ \$695	17"-19"	13"	NOCFPCB1713	☐ \$1015	NOPCB1713	☐ \$695
	17"-19"	16"	NOCFACB1716	☐ \$960	NOACB1716	☐ \$695	17"-19"	16"	NOCFPCB1716	☐ \$1055	NOPCB1716	☐ \$695
	18"-20"	7"			NOACB1807	☐ \$695	18"-20"	7"			NOPCB1807	☐ \$695
	18"-20"	9"	NOCFACB1809	☐ \$895	NOACB1809	☐ \$695	18"-20"	9"	NOCFPCB1809	☐ \$995	NOPCB1809	☐ \$695
	18"-20"	13"	NOCFACB1813	☐ \$925	NOACB1813	☐ \$695	18"-20"	13"	NOCFPCB1813	☐ \$1015	NOPCB1813	☐ \$695
	18"-20"	16"	NOCFACB1816	☐ \$960	NOACB1816	☐ \$695	18"-20"	16"	NOCFPCB1816	☐ \$1055	NOPCB1816	☐ \$695
	20"-22"	7"			NOACB2007	☐ \$695	20"-22"	7"			NOPCB2007	☐ \$695
	20"-22"	9"	NOCFACB2009	☐ \$895	NOACB2009	☐ \$695	20"-22"	9"	NOCFPCB2009	☐ \$995	NOPCB2009	☐ \$695
	20"-22"	13"	NOCFACB2013	☐ \$925	NOACB2013	☐ \$695	20"-22"	13"	NOCFPCB2013	☐ \$1015	NOPCB2013	☐ \$695
	20"-22"	16"	NOCFACB2016	☐ \$960	NOACB2016	☐ \$695	20"-22"	16"	NOCFPCB2016	☐ \$1055	NOPCB2016	☐ \$695

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

 For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com

BACK SUPPORT HARDWARE OPTIONS

All backs come STANDARD with QuickRelease Mounting Hardware. The following are fixed hardware options available at no charge when ordered with a back support.

Model #	DESCRIPTION	WEIGHT OF HARDWARE ONLY	✓
	QuickFit Quick Release Hardware System	STANDARD (2 LBS)	STANDARD
NIB-1642	Micro Mount 2 point fixed hardware. Back width needs to match chair width	Weight savings of 1.4 lb over STANDARD	☐
NIB-1207	2 point fixed hardware. Width expandable to fit 3 sizes of chair	Weight savings of 1.0 lb over STANDARD	☐

BACK SUPPORT ACCESSORIES – PRIVACY FLAP

	Model #	Description	Fits Back Width	\$	QTY
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	70	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	70	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	70	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	70	