



1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

2- ATP/Clinician information

ATP/Clinician:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

3- Shipping information

Ship to:* _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

* Required

MA082 ☐

English Manual (STD)

MA089 ☐

Spanish Manual

Taxes not included

MODEL		English Number (STD)					Spanish Number		Taxes Not Included	USD
WC25	☐	Veloce wheelchair - Helio Base (265 lb weight limit)						K0005		\$2,395
WC23	☐	Carbon Fiber Frame								\$2,275
WC24	☐	Fixed Front End								\$1,275
WC09	☐	HD Heavy Duty package (350 lb weight capacity) ⁸								\$535
Frame										
SEAT WIDTH ³										
SW	☐	14" ☐	15" ☐	16" ☐	17" ☐	18" ² ☐	19" ² ☐			NC
	☐	20" ² ☐	21" ⁷ ☐	22" ⁷ ☐				E2201		\$505
SEAT DEPTH										
SD	☐	14" ¹ ☐	15" ☐	16" ☐	17" ☐	18" ☐	19" ☐			NC
	☐	20" ☐						E2203		\$485
FRAME LENGTH (Seat sling depth plus distance from seat sling to front of frame) ⁴										
SP01	☐	Standard frame length configuration ⁵								STD
SP02	☐	Frame length 1" longer than standard configuration								NC
SP03	☐	Frame length 2" longer than standard configuration								NC
SP04	☐	Frame length 1" shorter than standard configuration								NC
SP05	☐	Frame length 2" shorter than standard configuration								NC
TRANSIT TIE DOWN										
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁶ Short belt 20"-41"								\$365
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁶ Long belt 20"-46"								\$365
AC35	☐	WC-19 Transit Tie Down without belt ⁶								\$335

1- Only available with frame length 1" and 2" longer; 2- Available with HD option; When HD option is selected, only the one piece angle adjustable flip-up footplate is available;

4- See chart on page 7; 5- 4.375" from seat sling to front frame; 6- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option;

7- Only available with HD option and the one piece adjustable angle flip-up; 8-HD fee is required for clients weighing 300-350 lbs


[3. Width calculator](#)

FRONT Seat-to-floor height

Caster sizes	Height available +/- 1/4"	
☐ 3" Caster	14" to 21"	Specify desired height: _____ (inches)
☐ 4" Caster	14.5" to 21"	
☐ 5" Caster	15.5" to 21"	
☐ 6" Caster	16.5" to 21" (N/A with 90° front frame)	

Frog Legs FRONT Seat-to-floor height

Caster Sizes	Height available +/- 1/4"	
☐ 3" Caster	15.25" to 21"	Specify desired height: _____ (inches)
☐ 4" Caster	15.75" to 21"	
☐ 5" Caster	16.75" to 21"	
☐ 6" Caster	17.75" to 21" (N/A with 90° front frame)	





FRONT CASTERS						
CASTERS				Availability		
CA01-03 to CA01-06	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6"		NC
CA10	☐	Pneumatic casters (1 ¼")		6"		\$165
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"		\$95
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"		\$215
CASTER OPTIONS						
CA13	☐	Carbon fiber Frog Legs suspension forks			E1015	\$490

REAR
 Seat-to-floor Height


WHEEL SIZES		Height available	Specify desired height: (inches)
☐	22" (501) wheel	13 1/2" to 18 1/4"	
☐	24" (540) wheel	14 1/2" to 19 1/4"	
☐	25" (559) wheel	15" to 19 3/4"	
☐	26" (590) wheel	15 1/2" to 20 1/4"	

Configuration used: 1" seat slope with a center of gravity at 2"
 Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

FRONT FRAME ANGLE						
FA70	☐	70° Front frame angle				NC
FA75	☐	75° Front frame angle				NC
FA80	☐	80° Front frame angle				NC
FA85	☐	85° Front frame angle				NC
FA90	☐	90° Front frame angle				NC

SEAT TO FOOTREST LENGTH						
Set Length to ¹ :		Length must be at least 1 ¾" shorter than front seat-to-floor height				
1 - +/- 1/2"						


Footrest width / Taper selection		
Seat Width	Straight ¹	1" Taper
Outside Measurement	2 ½" Narrower than Seat Width	4 ½" Narrower than Seat Width
14"	11.5"	9.5"
15"	12.5"	10.5"
16"	13.5"	11.5"
17"	14.5"	12.5"
18"	15.5"	13.5"
19"	16.5"	14.5"
20"	17.5"	15.5"
21"	18.5"	16.5"
22"	19.5"	17.5"



1- Not compatible with auto-folding footplates

REAR WHEELS						
ONE ARM DRIVE ¹						
HR22	☐	One arm drive - aluminum inner handrim ²	Left ☐	Right ☐		
HR60	☐	One arm drive - plastic coated inner handrim ²	Left ☐	Right ☐		
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)				
REAR WHEELS					Available	
RW01	☐	Mag ³			22" 24"	\$57
RW02	☐	Newton One - spoke wheel ⁴			22" 24"	NC
RW03	☐	Newton Gravity - ultralight wheel			22", 24", 25", 26"	\$360
RW04	☐	Spinergy Spox	Blk STD ☐	Wht ⁵ ☐ Blue ⁵ ☐ Red ⁵ ☐ Yel ⁵ ☐	22", 24", 25", 26"	\$915
RW05	☐	Spinergy LX	Blk STD ☐	Pur ⁵ ☐ Wht ⁵ ☐ Blue ⁵ ☐ Red ⁵ ☐ Yel ⁵ ☐ Pink ⁵ ☐ Grn ⁵ ☐ Org ⁵ ☐	22", 24", 25", 26"	\$1,145
RW07	☐	Spinergy CLX ⁶	Blk STD ☐	Pur ⁵ ☐ Wht ⁵ ☐ Blue ⁵ ☐ Red ⁵ ☐ Yel ⁵ ☐ Pink ⁵ ☐ Grn ⁵ ☐ Org ⁵ ☐	24", 25"	\$1,625
TIRES					Available	
AIRLESS						
TI01	☐	Soft Urethane 1 3/8" - Low Tread, black ⁹			22" 24"	E2218 NC
TI02	☐	Soft Urethane 1 3/8 " - Medium Tread, black ^{7,9}			22", 24", 25", 26"	E2218 \$97
TI04	☐	Soft Urethane 1" - No tread, black - <i>Shox</i>			22", 24", 25", 26"	E2218 \$118
TI08	☐	Pneumatic Airless insert 1 3/8" - Medium Tread ⁸			22", 24", 26"	E2211/E2213 \$82
PNEUMATIC						
TI05	☐	Pneumatic 1 3/8" - Medium Tread ⁹			22", 24", 25", 26"	E2211/E2212 NC
TI06	☐	Pneumatic HP 1" - Low Tread, Puncture resistant, black - <i>SpeedLite</i>			22", 24", 25", 26"	E2211/E2212 \$105
TI07	☐	Pneumatic HP 1" - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>			24", 25", 26"	E2211/E2212 \$150
TI03	☐	Pneumatic 2" - Large Tread, black ¹⁰			22", 24", 25"	E2211/E2212 \$115
1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; Only available with 24" wheel size; Not available with 21" and 22" wide; 2- Only standard handrim position available; 3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 4- Not compatible with Shox tires; 5- color spokes require an additionnal 10 days lead-time; 6- Only available with 1" tires; 7- 22" is only available with Mags and Newton One rear wheels; 25" and 26" are not available with Newton Gravity wheels 8- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels; 9- Not available with flip-back armrest when the 6° camber is selected; 10- Not available with armrests when the 3° or 6° camber are selected;						
HANDRIMS						
HANDRIM					Available	
HR01	☐	Aluminum anodized			22", 24", 25", 26"	STD
HR61	☐	Aluminum black hard anodized ²			22", 24", 25"	\$75
HR02	☐	Plastic coated ¹			22", 24", 25", 26"	\$110
HR03	☐	High friction coated ^{1,2,3}			22", 24", 25", 26"	\$375
HR07-HR18 and HR65- HR71	☐	Newton Air Grip ²	See page 6 for the color selection and price		22", 24", 25", 26"	
HR28	☐	Surge ^{1,2,3,4} (1 1/2" Oval handrim w/ Gripton high friction strip)			22", 24", 25", 26"	\$450
HR05	☐	Surge LT ^{1,2,3,4} (1 1/8" Oval handrim w/ Gripton high friction strip)			22", 24", 25", 26"	\$495
HR04	☐	Natural Fit ^{1,2,3,4}			22", 24", 25", 26"	\$395
HR62	☐	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)			22", 24", 25", 26"	\$395
HR63	☐	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)			22", 24", 25", 26"	\$445
HR64	☐	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)			22", 24", 25", 26"	\$345
HR99	☐	Omit handrim				NC
1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive; 4- 25" and 26" are not available in narrow position; 24" is not available with the Spinergy Spox, LX and CLX in narrow position; CLX rear wheel are not available with thumb piece						
HANDRIMS OPTION						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	Full tab			STD
HR030	☐	Narrow Handrim position no cut	Full tab			NC
HR30	☐	Narrow Handrim position with cut ⁵	Short tab 2 positions			\$30
HR31	☐	Super Narrow Handrim ⁵	Short tab 2 positions STD ☐	Short tab 1 position ☐		\$30
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip				\$95
HR27	☐	Super grip				\$150
HR099	☐	Omit thumb piece				NC
5- Only available with Aluminum and Air Grip handrims;						
AXLE ¹						
AX01	☐	Quick release axle				STD
AX03	☐	Quad release axle			K0108	\$130
1- Not required with one arm drive						
REAR WHEEL CAMBER ANGLE						
CM00	☐	0° camber				STD
CM03	☐	3° camber				NC
CM06	☐	6° camber				\$165

CENTER OF GRAVITY



Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

Most stable											
1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

If not indicated, default setting is at 1.5"

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

WHEEL LOCK						
WL08	☐	Newton Wheel lock - push to lock				STD
WL16	☐	Aluminum push to lock with extensions			E0961	\$77
WL02	☐	Pull to lock				NC
WL04	☐	Newton grade aid push to lock (<i>works best with pneumatic or high pressure tire</i>)			E0974	\$155
WL13	☐	6" removable extension handle ¹			E0961	\$77
WL14						
WL05	☐	Scissors Lock				\$155
WL15	☐	Unilateral wheel lock - pull to lock ²	Left ☐	Right ☐		\$330
WL99	☐	Omit wheel locks				NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents

FOOTPLATES						
FP06	☐	One piece adjustable angle flip-up - Aluminum			K0040	NC
FP07	☐	One piece adjustable angle flip-up - Carbon fiber with rubber inserts				\$465
FP28	☐	One piece auto-folding adjustable angle - Aluminum			K0040	\$295
FP29	☐	One piece auto-folding adjustable angle - Carbon fiber with rubber inserts				\$375
FOOTPLATE ACCESSORIES						
FP09	☐	Calf strap			K0038	\$36
FP30	☐	Bodypoint Aeromesh Padded calf strap			K0038	\$118

SEATING AND BACKREST

BACK UPHOLSTERY						
BH07	☐	Slip-on Active-Mesh back upholstery				STD
BH08	☐	Adjustable tension Active-Mesh back upholstery			E2611/E2612	\$305
BH99	☐	Omit Back upholstery				NC
	☐	NXT back Support			See pricelist	
SEAT CUSHION						
SC01	☐	2" Cushion				\$170
SC02	☐	3" Cushion			E2601/E2602	\$190
SC99	☐	Omit seat cushion				STD
	☐	NXT cushion series			See pricelist	
HEIGHT ADJUSTABLE WITH PUSH HANDLES OPTIONS (MUST select ONE push handle options)						
BC06-912	☐	Straight Carbon fiber back cane	9" - 12"	increment of 1/2"	Set at ² :	NC
BC06-1215	☐	Straight Carbon fiber back cane	12" - 15"	increment of 1/2"	Set at ² :	NC
BC06-1518	☐	Straight Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :	NC
BC06-1821	☐	Straight Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :	NC
BC08-1315	☐	8° Bend Carbon fiber back cane	13.5" - 15"	increment of 1/2"	Set at ² :	\$60
BC08-1518	☐	8° Bend Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :	\$60
BC08-1821	☐	8° Bend Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :	\$60
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS (MUST select ONE push handle options)						
BC09-1215	☐	Straight Carbon fiber back cane	12" - 15"	increment of 1/2"	Set at ² :	\$215
BC09-1518	☐	Straight Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :	\$215
BC09-1821	☐	Straight Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :	\$215
BC10-1315	☐	8° bend Carbon fiber back cane	13.5" - 15"	increment of 1/2"	Set at ² :	\$270
BC10-1518	☐	8° bend Carbon fiber back cane	15" - 18"	increment of 1/2"	Set at ² :	\$270
BC10-1821	☐	8° bend Carbon fiber back cane	18" - 21"	increment of 1/2"	Set at ² :	\$270
		Select back cane angle:	85° ¹ ☐	90° ☐	95° STD ☐	100° ☐
			105° ☐	110° ☐		
PUSH HANDLES OPTIONS (ONE option at a time)						
PH01	☐	Push handles				NC
PH05	☐	Fold down push handles ^{3,5}				\$145
PH06-920	☐	Clamp on height adjustable push handles 9 - 20" ^{3, 4, 5}				\$325
PH06-923	☐	Clamp on height adjustable push handles 9 - 23" ^{3, 4, 5}				\$325
PH02	☐	Omit push handles				NC

1- Not available with 8° bend back cane; 2- If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; 3- 265 lb weight limit

4- Not compatible with swing away armrests, 8° bend back canes and 9-12" back canes; 5- Not compatible with headrest and attendant lock

ARMRESTS								
HEIGHT ADJUSTABLE FLIP BACK ARMREST <i>(Convertible to "T" armrest)</i> ¹								
AR01-812	☐	10" Desk length armpad	8" - 12"	Locked ☐	Unlocked STD ☐			\$355
AR01-1014	☐	10" Desk length armpad	10" - 14"	Locked ☐	Unlocked STD ☐			\$355
AR02-812	☐	14" Full length armpad	8" - 12"	Locked ☐	Unlocked STD ☐			\$355
AR02-1014	☐	14" Full length armpad	10" - 14"	Locked ☐	Unlocked STD ☐			\$355
HEIGHT ADJUSTABLE "T" ARMREST ¹								
AR13-610	☐	10" Desk length armpad ⁴	6" - 10"				E0973	\$330
AR03-812	☐	10" Desk length armpad	8" - 12"				E0973	\$330
AR03-1014	☐	10" Desk length armpad	10" - 14"				E0973	\$330
AR14-610	☐	14" Full length armpad ⁴	6" - 10"				E0973	\$330
AR04-812	☐	14" Full length armpad	8" - 12"				E0973	\$330
AR04-1014	☐	14" Full length armpad	10" - 14"				E0973	\$330
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²								
AR05	☐	Tubular armrest without plastic side guards - Short pad	8" - 11"				E0973	\$230
AR19	☐	Tubular armrest with plastic side guards - Short pad	8" - 11"				E0973	\$395
AR23	☐	Tubular armrest without plastic side guards - Long pad	8" - 11"				E0973	\$230
AR24	☐	Tubular armrest with plastic side guards - Long pad	8" - 11"				E0973	\$395
AR06	☐	10" Desk length flat armpad without plastic side guards	8" - 11"				E0973	\$230
AR20	☐	10" Desk length flat armpad with plastic side guards	8" - 11"				E0973	\$395
AR17	☐	14" Full length flat armpad without plastic side guards	8" - 11"				E0973	\$230
AR21	☐	14" Full length flat armpad with plastic side guards	8" - 11"				E0973	\$395
ARMREST OPTIONS								
AR12	☐	14" Full Length armpad - Gel Ovation ³						\$165
AR99	☐	Omit armrest						NC

1- May have a 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; Not available with fixed carbon fiber side guards
3 - Only available with full length armrest; Not available with swing away and desk length armrests; 4- May have some restriction with seat-to-floor height and rear wheel

ACCESSORIES								
SIDE GUARDS <i>(not available with Flip Back and "T" Armrest)</i>								
SG01	☐	Plastic side guards <i>(removable)</i>	Straight bracket - STD	Offset bracket ¹			K0108	\$200
SG02	☐	Carbon fiber side guards <i>(fixed)</i>						\$270
SG03	☐	Carbon fiber side guards <i>(removable)</i>	Straight bracket - STD	Offset bracket ¹			K0108	\$305
SG06	☐	Plastic fender side guards <i>(removable)</i>	Straight bracket - STD	Offset bracket ¹			K0108	\$290
SG04	☐	Carbon fiber fender side guards <i>(removable)</i>	Straight bracket - STD	Offset bracket ¹				\$550
SG99	☐	Omit side guard						NC

1- only compatible with 0" camber;Increase width by 1/2" per side for a total of 1"

POSITIONING BELT								
SB01-S	☐	Velcro adjustable - Small 35" ¹					E0978	\$46
SB01-L	☐	Velcro adjustable - Long 60"					E0978	\$46
SB02-S	☐	Auto buckle - Small 35" ¹					E0978	\$87
SB02-M	☐	Auto buckle - Medium 48"					E0978	\$87
SB02-L	☐	Auto buckle - Long 60"					E0978	\$87
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 56"					E0978	\$85
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 61"					E0978	\$85
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 51"					E0978	\$180
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 56"					E0978	\$180
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 61"					E0978	\$180
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 51"					E0978	\$195
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 56"					E0978	\$195
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 61"					E0978	\$195
SB03	☐	Hardware attachment for 2 extra points (1 pair)						\$17
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18"					K0108	\$305
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24"					K0108	\$305
SB99	☐	Omit positioning belt						STD

1- not recommended for seat width of 18" and more

HEADREST ¹								
AC01-S	☐	Profiled Headrest - Small (3.5"X6")					E0955	\$185
AC01-M	☐	Profiled Headrest - Medium (4.5"X7")					E0955	\$185
AC01-L	☐	Profiled Headrest - Large (5.5"X8")					E0955	\$185
AC28	☐	Headrest mounting hardware with stabilizer bar 1					E1028	\$300

1- Only available with push handles

ACCESSORIES												
WC10	☐	E-Motion adaptor Kit (2 adaptors) - <i>Only necessary with 6° camber</i>										\$36
AC03	☐	Anti-tippers									E0971	\$145
AC29	☐	Swing-away anti-tipper ¹		Left ☐	Right ☐						\$190	
AC27	☐	Tip assist ²										\$67
AC06	☐	Cane and crutch holder		Left ☐	Right ☐					E2207	\$200	
AC08	☐	Spoke guards ³		Available: 22", 24", 25", 26"						K0065	\$118	
AC10	☐	Seat pouch										\$82
AC26	☐	BodyPoint Mobility Bag										\$135
AC23	☐	Newton Backpack										\$130
AC30	☐	Newton multi-purpose pouch										\$61
AC12	☐	Velcro Closing Strap										\$57
AC13	☐	Tool kit										\$51
AC15	☐	Military Patches		Army ☐	Navy ☐	Air Force ☐	Marines ☐	Coast Guard ☐			\$96	
		Combat Wounded Purple Heart ☐		Space Force ☐		American Flag ☐						

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4"; Not available with amputee axle plate; 2- Cannot be combined with Anti Tippers

3- Not available with Mag wheels and Spinergy; the 24" spoke guard will be installed on the 25" wheel

Colors																					
Options ¹	Black	High Gloss Carbon Fiber	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)	
AirGrip	☐	\$110	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	\$265
Frame	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
Highlight ²	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	NC
FC99	☐	Custom Color Specify PPG Paintit color:										<i>additional 10 days lead-time</i>									\$390

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

2- To see different highlight, visit our website: https://www.motioncomposites.com/en_us/products/folding-wheelchairs/veloce

Frame length chart

Frame length	Seat Depth						
	14"	15"	16"	17"	18"	19"	20"
STD	N/A						
1							N/A
2						N/A	N/A
-1	N/A	N/A					
-2	N/A	N/A	N/A				

Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.75 to 4
22 in	16+	2.5 to 4
24 in	16+	1 to 4



CUSTOMIZATION STARTS HERE!

With EVO Custom, whether it's a subtle tweak for comfort or mobility, or a fully reimagined component tailored to your unique needs, we're here to support you.



Explore the
EVO Custom Catalog.

You can include your request or reference an existing customization from our catalog in the notes section below.



Have a customization in mind or a specific request? The **EVO Custom Request Form** is the best place to start.

Notes :

Xtend™ LOW HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

THORACIC SHAPE		xtend™	WIDTH	HEIGHT	RETAIL	✓
		NHAACB (L)1213/17	12"	13"-17"	\$695	
		NHAACB (L)1413/17	14"	13"-17"	\$695	
		NHAACB (L)1613/17	16"	13"-17"	\$695	
		NHAACB (L)1813/17	18"	13"-17"	\$745	
		NHAACB (L)2013/17	20"	13"-17"	\$745	
		NHAACB (L)2213/17	22"	13"-17"	\$745	
	HCPCS E2620- E2601					
ITEM		WIDTH X DEPTH		RETAIL	QTY	
Replacement Cover & Foam		N3LHAACC		\$130		

HCPCS
E2620-
E2601

Xtend™ DEEP HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

	xtend™ Deep	WIDTH	HEIGHT	RETAIL	✓
	NHAPCB1616/20	16"	16"-20"	\$695	
	NHAPCB1816/20	18"	16"-20"	\$695	
	NHAPCB2016/20	20"	16"-20"	\$695	
	NHAPCB2216/20	22"	16"-20"	\$745	
HCPCS CODE E2620-E2621					
ITEM		WIDTH X DEPTH		RETAIL	QTY
Replacement Cover & Foam		N3HAPCC		\$130	



PLEASE NOTE: Each back will fit widths up to 2" wider.

Classic™ PELVIC BACK SUPPORT

PELVIC SHAPE	 HPCS CODE E2620- E2621	Classic™	WIDTH	HEIGHT	RETAIL	✓
		NACB1616	16"	16"	\$695	
		NACB1618	16"	18"	\$695	
		NACB1816	18"	16"	\$695	
		NACB1818	18"	18"	\$695	
		NACB1820	18"	20"	\$695	
		NACB2020	20"	20"	\$695	
		NACB2216	22"	16"	\$745	
		NACB2218	22"	18"	\$745	
		NACB2220	22"	20"	\$745	
ITEM		WIDTH X DEPTH		RETAIL	QTY	
Replacement Cover & Foam		NACC		\$130		

HCPCS
CODE
E2620-
E2621

Classic™ DEEP PELVIC BACK SUPPORT

	Classic™ Deep	WIDTH	HEIGHT	RETAIL	✓
	NPCB1616	16"	16"	\$695	
	NPCB1618	16"	18"	\$695	
	NPCB1818	18"	18"	\$695	
	NPCB1820	18"	20"	\$695	
	NPCB2020	18"	20"	\$695	
	NPCB2216	20"	16"	\$745	
	NPCB2218	22"	18"	\$745	
	NPCB2220	22"	20"	\$745	
HCPCS CODE E2620-E2621					
ITEM		WIDTH X DEPTH		RETAIL	QTY
Replacement Cover & Foam		NPCC		\$130	



PLEASE NOTE: Each back will fit widths up to 2" wider.

BACK SUPPORT ACCESSORIES

	MODEL #	DESCRIPTION	FITS BACK WIDTH	RETAIL	QTY
	Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	\$205	
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	\$70	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14" - 16" (35.6-40.6 cm)	\$70	
	NIB-1079	Medium Flap for 17"-19" wide back supports	17" - 19" (43.2-48.3 cm)	\$70	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20" - 22" (50.8-55.9 cm)	\$70	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	\$70	

MultiFit™ HEAD SUPPORT – MULTI-ADJUSTABLE PADS

HCPCS CODE: E0955

MODEL #	Description	RETAIL	✓
NIB-0784	10" x 5" Large Rectangular	\$205	
NIB-0818	14" x 5" Extra-Large Rectangular	\$205	


MultiFit™ HEAD SUPPORT – FIXTURES

HCPCS CODE HARDWARE: E1033

MODEL #	Description	RETAIL	✓
NIB-0747	Multi-Axis Hardware	\$150	
NIB-0823	Head Support Receiver Bracket	\$60	


EXTRA COVERS

Extra Outer smartx3D Cover



Extra Outer Incontinent Cover



ITEM	WIDTH X DEPTH	RETAIL	QTY
Extra Outer smartx ^{3D} Cover – For a cover up to 18" x 18"	NXCCBF V	\$130	
Extra Outer smartx ^{3D} Cover – For a cover 18" x 20" and above	NXCCBF V	\$150	
Extra Outer Incontinent Cover – For a cover up to 18" x 18"	NXCCAF V	\$130	
Extra Outer Incontinent Cover – For a cover 18" x 20" and above	NXCCAF V	\$150	

ALL PRICES QUOTED IN USD. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

For additional NXT models, sizes and hardware not shown, please refer to the complete NXT Seating Order Form at www.motioncomposites.com