



# Helio C2

ORDER FORM - CANADA

P.O. number: \* \_\_\_\_\_ Date: \_\_\_\_\_

Company Name: \* \_\_\_\_\_ Phone: \* \_\_\_\_\_

Ordered by: \* \_\_\_\_\_

Clinician/ATP/RTS: \_\_\_\_\_

Email: \_\_\_\_\_

Marked for: \_\_\_\_\_

Ship to: \* \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ Prov: \_\_\_\_\_

Postal Code: \_\_\_\_\_

Phone: \_\_\_\_\_

\* Required C2MA080 English Manual (STD) C2MA081 Manuel Français Taxes not included

MODEL										
1	C2WC05	Ultralight Folding Carbon Fiber Helio C2 Wheelchair (265 lb weight capacity)					WM0000964/WAMZ	\$3 545	<input type="checkbox"/>	
2	C2WC09	HD Heavy Duty package (350 lb weight capacity)					WAMF	\$170	<input type="checkbox"/>	
3	C2WC10	E-Motion adaptor Kit (2 adaptors)						\$75	<input type="checkbox"/>	
SEAT WIDTH <sup>3</sup>										
4	C2SW	Seat width:	14" <input type="checkbox"/>	15" <input type="checkbox"/>	16" <input type="checkbox"/>	17" <input type="checkbox"/>	18" <sup>1</sup> <input type="checkbox"/>		NC	<input type="checkbox"/>
5	C2SW	Seat width:	19" <sup>1</sup> <input type="checkbox"/>	20" <sup>1</sup> <input type="checkbox"/>	21" <sup>2</sup> <input type="checkbox"/>	22" <sup>2</sup> <input type="checkbox"/>	WAMA	\$338	<input type="checkbox"/>	
SEAT DEPTH										
6	C2SD	Seat depth:	14" <input type="checkbox"/>	15" <input type="checkbox"/>	16" <input type="checkbox"/>	17" <input type="checkbox"/>	18" <input type="checkbox"/>		NC	<input type="checkbox"/>
7	C2SD	Seat depth:	19" <input type="checkbox"/>	20" <input type="checkbox"/>				WAMB	\$255	<input type="checkbox"/>

1 - Available with HD option      2 - Only available with HD option      [3. Width calculator](#)

NEWTON ULTRALIGHT PACKAGE										
8	C2PK01	Includes: Carbon fiber angle adjustable footplates + Newton Gravity Ultralight rear wheels					Save \$245	\$495	<input type="checkbox"/>	

### C2 FRONT Seat-to-floor Height - Please select your choice

Forks / Position		3" caster			4" caster			5" caster			6" caster			7" caster			8" caster				
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length				
		STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"		
4"	P1	13	14	15	13 1/2	14 1/2	15 1/2														
	P2	13 1/2	14 1/2	15 1/2	14	15	16	14 1/2	15 1/2	16 1/2											
5"	P1																				
	P2				14	15	16	14 1/2	15 1/2	16 1/2											
	P3	14	15	16	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2								
	P4	14 1/2	15 1/2	16 1/2	15	16	17	15 1/2	16 1/2	17 1/2	16	17	18	16 1/2	17 1/2	18 1/2					
7"	P1										16 1/2	17 1/2	18 1/2	17	18	19					
	P2									16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2			
	P3									17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2
	P4	16 1/2	17 1/2	18 1/2	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21		
	P5	17	18	19	17 1/2	18 1/2	19 1/2	18	19	20	18 1/2	19 1/2	20 1/2	19	20	21	19 1/2	20 1/2	21 1/2		

Height available +/- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS											
9	C2CA01	Composite wheel w/ PU tire (1" width)	3" <input type="checkbox"/>	4" <input type="checkbox"/>	5" <input type="checkbox"/>	6" <input type="checkbox"/>	7" <input type="checkbox"/>	8" <input type="checkbox"/>		NC <input type="checkbox"/>	
10	C2CA10	Pneumatic casters 6" x 1 1/4"								\$160 <input type="checkbox"/>	
11	C2CA11	Pneumatic casters 8" x 1 1/4"								\$160 <input type="checkbox"/>	
12	C2CA14	Newton UltraCaster Soft-Roll Composite	4" x 1 1/2"								\$98 <input type="checkbox"/>
13	C2CA15		5" x 1 1/2"								\$98 <input type="checkbox"/>
14	C2CA16		6" x 1 1/2"								\$98 <input type="checkbox"/>
15	C2CA17		4" x 1 1/2"								\$175 <input type="checkbox"/>
16	C2CA18	Newton UltraCaster Soft-Roll Aluminum	5" x 1 1/2"								\$185 <input type="checkbox"/>
17	C2CA19		6" x 1 1/2"								\$195 <input type="checkbox"/>
CASTER OPTIONS											
18	C2CA12	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY)							WAMS	\$255 <input type="checkbox"/>	
19	C2CA13	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)								\$489 <input type="checkbox"/>	

### C2 - REAR Seat-to-floor Height

WHEEL SIZES	Height available	Specify desired height: _____
20" wheel <input type="checkbox"/>	12 1/2 to 17 1/4	
22" wheel <input type="checkbox"/>	13 1/2 to 18 1/4	
24" wheel <input type="checkbox"/>	14 1/2 to 19 1/4	
25" wheel <input type="checkbox"/>	15 to 19 3/4	
26" wheel <input type="checkbox"/>	15 1/2 to 20 1/4	

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 1/2" of selected seat to floor height"

SWING-IN/SWING-OUT FOOTREST										
20	C2FR03	60° Swing-in/swing-out footrest <sup>1</sup>	13.5 - 17" <input type="checkbox"/>	14.5 - 19.5" <input type="checkbox"/>	15.5 - 20.5" <input type="checkbox"/>					NC <input type="checkbox"/>
21	C2FR04	70° Swing-in/swing-out footrest <sup>1</sup>	13.5 - 17" <input type="checkbox"/>	14.5 - 19.5" <input type="checkbox"/>	15.5 - 20.5" <input type="checkbox"/>					NC <input type="checkbox"/>
22	C2FR15	80° Swing-in/swing-out footrest <sup>1</sup>	13.5 - 16" <input type="checkbox"/>	14.5 - 19.5" <input type="checkbox"/>	15.5 - 20.5" <input type="checkbox"/>					NC <input type="checkbox"/>
FOOTREST OPTIONS										
23	C2FR09	High mount (footplate attached to the hanger with clamps)	5 - 13.5" <input type="checkbox"/>							\$90 <input type="checkbox"/>

1 - For a 5-13.5 range, see line 23

\* +/- 1/2"

90° SWING-IN/SWING-OUT FOOTREST WITH FRONT MOUNT (Footplate mounted to hanger tube)										
24	C2FR06	90° swing-in/swing-out with front mount - Standard (no extension) <sup>2</sup>	7.5 - 11"							NC <input type="checkbox"/>
25	C2FR07	90° swing-in/swing-out with front mount - Short extension 2" <sup>2,3</sup>	9.5 - 13"							NC <input type="checkbox"/>
26	C2FR08	90° swing-in/swing-out with front mount - Medium extension 4" <sup>2,3</sup>	9.5 - 14.5"							NC <input type="checkbox"/>
27	C2FR99	Omit Footrest								NC <input type="checkbox"/>

2 - Available only with adjustable footplates 3 - May interfere with front casters

\* +/- 1/2"

ELEVATING LEGREST (unit) The elevating legrest replace the footrest side selected										
28	C2FR10	Elevating legrest with calf pad, 14" - 19" Length adjustable	Left <input type="checkbox"/>		Right <input type="checkbox"/>				WAMK	\$290 <input type="checkbox"/>

FOOTPLATES										
29	C2FP01	Standard - Composite								STD <input type="checkbox"/>
30	C2FP02	Newton adjustable angle - Composite						WAMJ		\$145 <input type="checkbox"/>
31	C2FP03	Newton adjustable angle - Aluminum						WAMJ		\$165 <input type="checkbox"/>
32	C2FP04	Newton adjustable angle - Carbon fiber (with rubber inserts)						WAMJ		\$380 <input type="checkbox"/>
33	C2FP06	One piece adjustable angle flip-up - Aluminum						WAMJ	SEFND0015	\$206 <input type="checkbox"/>
34	C2FP07	One piece adjustable angle flip-up - Carbon fiber (with rubber inserts)						WAMJ	SEFND0015	\$450 <input type="checkbox"/>

FOOTPLATE ACCESSORIES										
35	C2FP08	Length adjustable heel loop (not available with one piece footplate)								NC <input type="checkbox"/>
36	C2FP09	Calf strap							SEFND0010	\$52 <input type="checkbox"/>
37	C2FP30	Bodypoint Aeromesh Padded calf strap							SEFND0010	\$129 <input type="checkbox"/>

RESIDUAL LIMB SUPPORT (Height and angle adjustable) - (unit)										
38	C2FR23	Swing away residual limb support - 7" x 9"	Left <input type="checkbox"/>		Right <input type="checkbox"/>				SEFND0005	\$390 <input type="checkbox"/>
39	C2FR12	Swing away residual limb support - 8" x 11"	Left <input type="checkbox"/>		Right <input type="checkbox"/>				SEFND0005	\$390 <input type="checkbox"/>

**Back canes, height adjustable, with option**

Back canes, height adjustable, with option											
<b>FIXED ANGLE BACK</b>											
40	C2BC06	Straight Carbon fiber back cane	9 - 12" <input type="checkbox"/>	12 - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD		NC	<input type="checkbox"/>	
41	C2BC08	8° Bend Carbon fiber back cane		13 ½ - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD		\$155	<input type="checkbox"/>	
<b>ADJUSTABLE ANGLE BACK</b>											
42	C2BC09	Adjustable angle, straight Carbon fiber back cane		12 - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD		\$309	<input type="checkbox"/>	
43	C2BC10	Adjustable angle, 8° bend Carbon fiber back cane		13 ½ - 15" <input type="checkbox"/>	15 - 18" <input type="checkbox"/>	18 - 21" <input type="checkbox"/>	STD		\$360	<input type="checkbox"/>	
44		Select back cane angle:	85° <sup>1</sup> <input type="checkbox"/>	90° <input type="checkbox"/>	95° <b>STD</b> <input type="checkbox"/>	100° <input type="checkbox"/>	105° <input type="checkbox"/>	110° <input type="checkbox"/>			
<b>Set height to: <sup>2</sup></b> (measured from seat sling to top of back upholstery)											
<b>PUSH HANDLE OPTION</b>											
45	C2PH01	Push handles							STD	<input type="checkbox"/>	
46	C2PH05	Fold down push handles <sup>3,5</sup>							\$150	<input type="checkbox"/>	
47	C2PH06	Clamp on height adjustable push handle <sup>3,4,5</sup>	9 - 20" <b>STD</b> <input type="checkbox"/>		9-23" <input type="checkbox"/>				\$325	<input type="checkbox"/>	
48	C2PH02	Without push handles							NC	<input type="checkbox"/>	
1 - Not available with a 8 degree bend cane    2 - If not indicated, default height setting is at the lowest position    3 - 265 pounds weight limit											
4 - Not compatible with swing away armrests, 8° bend back canes and amputee axle plates											
5 - Not compatible with stroller handle, stabilizer bar, headrest and attendant lock											
<b>STROLLER HANDLE AND STABILIZER BAR <sup>1</sup></b> (only available with push handle)											
49	C2PH04	Stroller handle (not available with the HD option)						WAMW	\$210	<input type="checkbox"/>	
50	C2PH03	Newton folding stabilizer bar							\$258	<input type="checkbox"/>	
1 - Stroller handle and stabilizer bar can't be combined											
<b>BACK UPHOLSTERY</b>											
51	C2BH07	Slip-on Active-Mesh back upholstery							NC	<input type="checkbox"/>	
52	C2BH08	Adjustable tension Active-Mesh back upholstery						<b>Product improved</b>	WAMD/WAME	\$245 <input type="checkbox"/>	
53	C2BH99	Omit Back upholstery							STD	<input type="checkbox"/>	
<b>RIGID BACK</b>											
54		nXt back series (See nXt back pricelist)								<input type="checkbox"/>	
<b>SEAT CUSHION</b>											
55	C2SC01	2" Cushion							\$175	<input type="checkbox"/>	
56	C2SC02	3" Cushion							\$195	<input type="checkbox"/>	
57	C2SC99	Omit seat cushion							STD	<input type="checkbox"/>	
58		nXt FIT cushion series (See nXt FIT pricelist)								<input type="checkbox"/>	
<b>ONE ARM DRIVE <sup>1</sup></b> Only available with Newton One rear wheels with Aluminum, Plastic coated Handrims											
59	C2HR22	One arm drive <sup>2,3</sup>	24"	left <input type="checkbox"/>	right <input type="checkbox"/>				\$1 395	<input type="checkbox"/>	
60	C2HR98	Omit handrim on opposite side of the One Arm Drive (OAD)							NC	<input type="checkbox"/>	
1 - Offered with handrims on each side of the wheelchair    2 - Only standard handrim position available    3 - Not available with HD option											
<b>REAR WHEELS</b>											
61	C2RW01	Mag <sup>1</sup>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				\$129	<input type="checkbox"/>	
62	C2RW02	Newton One - spoke wheel <sup>2</sup>	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>				NC	<input type="checkbox"/>	
63	C2RW03	Newton Gravity - ultralight wheel	20" <input type="checkbox"/>	22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>		\$360	<input type="checkbox"/>	
64	C2RW04	Spinergy Spox		22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>		\$800	<input type="checkbox"/>	
65		Spinergy Spox spokes colors <sup>3</sup>	<b>Blk STD</b> <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>		NC	<input type="checkbox"/>	
66	C2RW05	Spinergy LX		22" <input type="checkbox"/>	24" <input type="checkbox"/>	25" <input type="checkbox"/>	26" <input type="checkbox"/>		\$995	<input type="checkbox"/>	
67		Spinergy LX spokes colors <sup>3</sup>	<b>Blk STD</b> <input type="checkbox"/>	Pur <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>	Pink <input type="checkbox"/>	Grn <input type="checkbox"/>	Org <input type="checkbox"/>
68	C2RW07	Spinergy CLX Carbon Blade			24" <input type="checkbox"/>	25" <input type="checkbox"/>			\$1 540	<input type="checkbox"/>	
69		Spinergy CLX spokes colors <sup>3</sup>	<b>Blk STD</b> <input type="checkbox"/>	Pur <input type="checkbox"/>	Wht <input type="checkbox"/>	Blue <input type="checkbox"/>	Red <input type="checkbox"/>	Yel <input type="checkbox"/>	Pink <input type="checkbox"/>	Grn <input type="checkbox"/>	Org <input type="checkbox"/>
1 - Not compatible with HP tires ; Only available with aluminum or plastic coated handrim in standard position    2 - Not compatible with Shox tires											
3 - Colour spokes require an additional 10 days lead-time											
<b>TIRES</b>											
70	C2TI01	Soft Urethane 1 1/4 "				20", 22" 24"			STD	<input type="checkbox"/>	
71	C2TI02	Soft Urethane knobby 1 3/8 "				22", 24", 25", 26"			\$110	<input type="checkbox"/>	
72	C2TI04	Soft Urethane - Shox 1"				22", 24", 25", 26"			\$130	<input type="checkbox"/>	
73	C2TI05	Pneumatic 1 3/8 "				20", 22", 24", 25", 26"			NC	<input type="checkbox"/>	
74	C2TI08	Pneumatic with Airless insert 1 3/8"				22", 24"			\$215	<input type="checkbox"/>	
75	C2TI06	Pneumatic HP - 1"				20", 22", 24", 25", 26"			\$110	<input type="checkbox"/>	
76	C2TI07	Pneumatic HP - Schwalbe Marathon Plus 1"				24", 25", 26"			\$190	<input type="checkbox"/>	

HANDRIM						
77	C2HR01	Aluminum anodized			STD	<input type="checkbox"/>
78	C2HR07	Newton Air Grip <sup>1</sup> <span style="float:right">Black <input type="checkbox"/></span>		WAMO	\$150	<input type="checkbox"/>
79	C2HR	Newton Air Grip <sup>1</sup> <span style="float:right">(08) Sunkissed Orange <input type="checkbox"/> (09) Burgundy <input type="checkbox"/> (10) Sapphire Blue <input type="checkbox"/></span> (11) Monster Green <input type="checkbox"/> (12) Charcoal <input type="checkbox"/> (13) Fuchsia <input type="checkbox"/> (14) Steel Blue <input type="checkbox"/> (15) Ferrari Red <input type="checkbox"/> (16) Acid Green <input type="checkbox"/> (17) White <input type="checkbox"/> (18) Sky Blue <input type="checkbox"/>		WAMO	\$330	<input type="checkbox"/>
Assembly position for aluminum and Newton AirGrip handrims						
80	C2HR29	Standard Handrim position <span style="float:right">Full tab</span>			STD	<input type="checkbox"/>
81	C2HR30	Narrow Handrim position <span style="float:right">Short tab 2 positions</span>			\$25	<input type="checkbox"/>
82	C2HR31	Super Narrow Handrim <span style="float:right">Short tab 2 positions STD <input type="checkbox"/> Short tab 1 position <input type="checkbox"/></span>			\$25	<input type="checkbox"/>

HANDRIM						
83	C2HR02	Plastic coated <sup>3</sup>		WAMO	\$160	<input type="checkbox"/>
84	C2HR03	Q-Grip High friction Neoprene coated <sup>1,2,3</sup>		WAMO	\$430	<input type="checkbox"/>
85	C2HR28	Surge <sup>1,2,3</sup> <span style="float:right">(1-1/2" Oval handrim w/ Gripton high friction strip)</span>			\$470	<input type="checkbox"/>
86	C2HR05	Surge LT <sup>1,2,3</sup> <span style="float:right">(1-1/8" Oval handrim w/ Gripton high friction strip)</span>			\$500	<input type="checkbox"/>
87	C2HR04	Natural Fit <sup>1,2,3</sup>			\$310	<input type="checkbox"/>
88	C2HR99	Omit handrim			NC	<input type="checkbox"/>
Thumb piece <sup>4</sup> selection Natural Fit handrims						
89	C2HR23	Standard grip			\$190	<input type="checkbox"/>
90	C2HR27	Super grip			\$220	<input type="checkbox"/>
91	C2HR099	Omit thumb piece			NC	<input type="checkbox"/>

1 - Not available with Mag wheels or OAD

2 - Not available in 20"

3 - Only standard handrim position available

4 - Compatible with Surge, Surge LT handrims


AXLE						
92	C2AX01	Quick release axle		WAMU	STD	<input type="checkbox"/>
93	C2AX02	Permanent axle			NC	<input type="checkbox"/>
94	C2AX03	Quad release axle		WAMU	\$170	<input type="checkbox"/>

AXLE PLATE						
95	C2AX04	Amputee adjustable axle plate <sup>1</sup>		WAMT	\$250	<input type="checkbox"/>

1 - May interfere with swing away armrest and limit seat to floor height available

REAR WHEEL CAMBER						
96	C2CM00	0° camber			STD	<input type="checkbox"/>
97	C2CM03	3° camber			NC	<input type="checkbox"/>
98	C2CM06	6° camber (not available with amputee axle plate)			\$80	<input type="checkbox"/>

### CENTER OF GRAVITY



#### Choose position of rear wheel axle plate:

Measure distance X from front of back post to center of axle receiver.

X =	Most stable								Most responsive				
	1"	1/4"	1/2"	3/4"	2"	1/4"	1/2"	3/4"	3"	1/4"	1/2"	3/4"	4"
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**If not indicated, default setting is at 1.5"**

Possible conflict between a seat depth under 16" and a center of gravity over 2.5".

Possible conflict between a 26" rear wheel and a center of gravity over 2.5".

If a configuration issue arises due to the choice of the Center Of Gravity (COG) Motion Composites reserves the right to reduce or increase the COG to the closest position.

WHEEL LOCK						
99	C2WL08	Newton Wheel lock - push to lock			STD	<input type="checkbox"/>
100	C2WL02	Pull to lock			NC	<input type="checkbox"/>
101	C2WL04	Newton grade aid push to lock (suggested with pneumatic or high pressure tire)		WAMR	\$175	<input type="checkbox"/>
102	C2WL13 C2WL14	6" removable extension handle			\$67	<input type="checkbox"/>
103	C2WL05	Scissor Lock			\$175	<input type="checkbox"/>
104	C2WL06	Attendant Lock (additional set of wheel lock mounted to the back)			\$230	<input type="checkbox"/>
105	C2WL99	Omit wheel locks			NC	<input type="checkbox"/>

FLIP BACK ARMREST (Convertible to "T" armrest) <sup>1</sup>			Height Adjustment		Removable function			
106	C2AR01	10" Desk length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	\$380	<input type="checkbox"/>
107	C2AR02	14" Full length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>	Locked <input type="checkbox"/>	Unlocked <input type="checkbox"/> STD	\$380	<input type="checkbox"/>
"T" ARMREST <sup>1</sup>			Height Adjustment					
108	C2AR03	10" Desk length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			\$360	<input type="checkbox"/>
109	C2AR04	14" Full length arm pad	8 - 12" STD <input type="checkbox"/>	10 - 14" <input type="checkbox"/>			\$360	<input type="checkbox"/>

1 - May have a 1/2" adjustment restriction on both limits of the range

GEL ARM PAD								
110	C2AR12	14" Full Length Arm Pad - Gel Ovation				SEAND0030	\$150	<input type="checkbox"/>
SWING AWAY ARMREST <sup>2</sup>			Height Adjustment					
111	C2AR05	Tubular arm pad	8 - 11"				\$295	<input type="checkbox"/>
112	C2AR06	10" Desk length arm pad	8 - 11"				\$295	<input type="checkbox"/>
113	C2AR99	Omit armrest					NC	<input type="checkbox"/>

2 - Could interfere with some rigid back rests

SIDE GUARDS (not available with Flip Back and "T" Armrest)								
114	C2SG01	Plastic side guards (removable)				WAMV	\$225	<input type="checkbox"/>
115	C2SG02	Carbon fiber side guards (fixed) <sup>1</sup>				WAMV	\$255	<input type="checkbox"/>
116	C2SG03	Carbon fiber side guards (removable)				WAMV	\$295	<input type="checkbox"/>
117	C2SG06	Plastic fender side guards (removable) <sup>2</sup>				WAMV	\$320	<input type="checkbox"/>
118	C2SG04	Carbon fiber fender side guards (removable)				WAMV	\$495	<input type="checkbox"/>
119	C2SG99	Omit side guard					NC	<input type="checkbox"/>

1- Not available with back upholstery 2- Not compatible with 20" and 22" rear wheels

POSITIONING BELT								
120	C2SB01	Velcro adjustable	Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>			\$45	<input type="checkbox"/>
121	C2SB02	Auto buckle	Standard 35" <input type="checkbox"/>	Long 60" <input type="checkbox"/>			\$55	<input type="checkbox"/>
122	C2SB07	Hardware attachment for 2 point seatbelt (1 pair)					NC	<input type="checkbox"/>
123	C2SB03	Additional hardware for 2 extra attachment points (needed for the 4 point seat belt) (1 pair)					\$13	<input type="checkbox"/>
124	C2SB04	BodyPoint Hip Belt - 2 point not padded		Medium 56" <input type="checkbox"/> Long 61" <input type="checkbox"/>			\$82	<input type="checkbox"/>
125	C2SB05	BodyPoint Hip Belt - 2 point padded	Small 51" <input type="checkbox"/>	Medium 56" <input type="checkbox"/> Long 61" <input type="checkbox"/>		SERND0030	\$170	<input type="checkbox"/>
126	C2SB06	BodyPoint Hip Belt - 4 point padded	Small 51" <input type="checkbox"/>	Medium 56" <input type="checkbox"/> Long 61" <input type="checkbox"/>		SERND0020	\$195	<input type="checkbox"/>
127	C2SB08	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps		Medium 18" <input type="checkbox"/> Long 24" <input type="checkbox"/>			\$324	<input type="checkbox"/>
128	C2SB99	Omit positioning belt					STD	<input type="checkbox"/>

HEADREST <sup>1</sup>									
129	C2AC01	Profiled Headrest	Small (3.5"X6") <input type="checkbox"/>	Medium (4.5"X7") <input type="checkbox"/>	Large (5.5"X8") <input type="checkbox"/>			\$205	<input type="checkbox"/>
130	C2AC28	Headrest mounting hardware with removable non folding stabilizer bar						\$338	<input type="checkbox"/>

1 - Only available with push handles - Not available with a stroller handle or a folding stabiliser bar


ACCESSORIES									
131	C2AC03	Anti tipplers					\$115	<input type="checkbox"/>	
132	C2AC27	Tip assist <sup>1</sup>					\$60	<input type="checkbox"/>	
133	C2AC04	Transit Tie Down (Unoccupied)					NC	<input type="checkbox"/>	
134	C2AC05	WC-19 Transit Tie Down w/Q'straint belt <sup>2</sup>		Short belt 20-41" <input type="checkbox"/>	Long belt 20-46" <input type="checkbox"/>			\$345	<input type="checkbox"/>
135	C2AC06	Cane carrier		Left <input type="checkbox"/>	Right <input type="checkbox"/>			\$105	<input type="checkbox"/>
136	C2AC07	Oxygen tank holder - E Type Not compatible with swing away armrest or amputee axle plate		Left			WAMX	\$375	<input type="checkbox"/>
137	C2AC08	Spoke guards <sup>3</sup>		Available: 20", 22", 24", 26"			WAMP	\$145	<input type="checkbox"/>
138	C2AC09	Footrest neoprene impact guard (pair) - Black					SEFND0035	\$80	<input type="checkbox"/>
139	C2AC10	Seat pouch						\$95	<input type="checkbox"/>
140	C2AC26	BodyPoint Mobility Bag						\$135	<input type="checkbox"/>
141	C2AC23	Newton Backpack						\$120	<input type="checkbox"/>
142	C2AC12	Velcro Closing Strap						\$50	<input type="checkbox"/>
143	C2AC13	Tool kit						\$50	<input type="checkbox"/>
144	C2AC16	Motion Composites Polo Shirt	W/S <input type="checkbox"/>	W/M <input type="checkbox"/>	W/L <input type="checkbox"/>			\$32	<input type="checkbox"/>
			M/S <input type="checkbox"/>	M/M <input type="checkbox"/>	M/L <input type="checkbox"/>	M/XL <input type="checkbox"/>	M/XXL <input type="checkbox"/>	M/XXXL <input type="checkbox"/>	M/XXXXL <input type="checkbox"/>

1 - Cannot be combined with Anti Tipplers 2 - May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option

3 - Not available with Mag wheels and Spinergy

FRAME COLOR									
145	C2FC01	Carbon Fiber Black <input type="checkbox"/>						NC	<input type="checkbox"/>
146	C2FC03	Sunkissed Orange <input type="checkbox"/>	Burgundy <input type="checkbox"/>	Sapphire Blue <input type="checkbox"/>	Monster Green <input type="checkbox"/>		NC	<input type="checkbox"/>	
		Charcoal <input type="checkbox"/>	Fuchsia <input type="checkbox"/>	Steel Blue <input type="checkbox"/>	Ferrari Red <input type="checkbox"/>	Acid Green <input type="checkbox"/>			
147	C2FC99	Custom Color	<a href="#">Specify PPG Paintit color:</a>				Additional 10 days lead-time	\$410	<input type="checkbox"/>
<b>TOTAL</b>									

### Fork and Stem bolt combinations



### Notes :