



P.O. number: \* \_\_\_\_\_

Company Name: \* \_\_\_\_\_

Ordered by: \* \_\_\_\_\_

Clinician: \_\_\_\_\_ Phone: \* \_\_\_\_\_

Email: \_\_\_\_\_

Marked for: \_\_\_\_\_

\* Required

Ship to: \* \_\_\_\_\_

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ Province \_\_\_\_\_

Postal Code: \_\_\_\_\_

Phone: \_\_\_\_\_

Taxes not included

| MOVE  |                          | MVQSWC01  |         |                          |
|---|--------------------------|-----------|---------|--------------------------|
| Ultralight MOVE wheelchair aluminum                                 | Basalt Black             | WM0001196 | \$1 395 | <input type="checkbox"/> |
| Included: seating upholstery / Excluded back upholstery and cushion | 265 lbs. weight capacity |           |         |                          |

**Front Seat-to-Floor Height Configuration**

| 13"  |                 |                          |                          | 14"  |                 |                          |                          | 16 1/2"  |                 |                          |                          |               |  |  |  |
|--|-----------------|--------------------------|--------------------------|--|-----------------|--------------------------|--------------------------|--|-----------------|--------------------------|--------------------------|---------------|--|--|--|
| M6 16x16   | NC              | <input type="checkbox"/> |                          | M1 18x16   | NC              | <input type="checkbox"/> |                          | M11 16x18  | NC              | <input type="checkbox"/> |                          |               |  |  |  |
| M7 16x18   | NC              | <input type="checkbox"/> |                          | M2 18x18   | NC              | <input type="checkbox"/> |                          | M12 18x18  | NC              | <input type="checkbox"/> |                          |               |  |  |  |
| M9 18x18   | NC              | <input type="checkbox"/> |                          | M3 18x20   | WAMB            | \$225                    | <input type="checkbox"/> | M13 18x20  | WAMB            | \$225                    | <input type="checkbox"/> |               |  |  |  |
| M10 20x18  | WAMA            | \$295                    | <input type="checkbox"/> | M4 20x20   | WAMA WAMB       | \$520                    | <input type="checkbox"/> | M14 20x18  | WAMA            | \$295                    | <input type="checkbox"/> |               |  |  |  |
| WHEELS Front, Rear & Handrim                             |                 |                          |                          | WHEELS Front, Rear & Handrim                             |                 |                          |                          | WHEELS Front, Rear & Handrim                             |                 |                          |                          |               |  |  |  |
| 4"x1" Composites caster w/PU tire                        | NC              | <input type="checkbox"/> |                          | 5"x1" Composites caster w/PU tire                        | NC              | <input type="checkbox"/> |                          | 6"x1" Composites caster w/PU tire                        | NC              | <input type="checkbox"/> |                          |               |  |  |  |
| 5" fork + Std stem bolt                                  | NC              | <input type="checkbox"/> |                          | 5" fork + Std stem bolt                                  | NC              | <input type="checkbox"/> |                          | 7" fork + Std stem bolt                                  | NC              | <input type="checkbox"/> |                          |               |  |  |  |
| 22" Newton One rear wheel                                | NC              | <input type="checkbox"/> |                          | 22" Newton One rear wheel                                | NC              | <input type="checkbox"/> |                          | 24" Newton One rear wheel                                | NC              | <input type="checkbox"/> |                          |               |  |  |  |
| Soft urethane tire 1 1/4"                                | NC              | <input type="checkbox"/> |                          | Soft urethane tire 1 1/4"                                | NC              | <input type="checkbox"/> |                          | Soft urethane tire 1 1/4"                                | NC              | <input type="checkbox"/> |                          |               |  |  |  |
| Aluminum anodized handrim                                | NC              | <input type="checkbox"/> |                          | Aluminum anodized handrim                                | NC              | <input type="checkbox"/> |                          | Aluminum anodized handrim                                | NC              | <input type="checkbox"/> |                          |               |  |  |  |
| SWING-AWAY FOOTREST                                      |                 |                          |                          | SWING-AWAY FOOTREST                                      |                 |                          |                          | SWING-AWAY FOOTREST                                      |                 |                          |                          |               |  |  |  |
| 60° Swing-away footrests                                 | \$250           | <input type="checkbox"/> |                          | 70° Swing-away footrests                                 | \$250           | <input type="checkbox"/> |                          | 70° Swing-away footrests                                 | \$250           | <input type="checkbox"/> |                          |               |  |  |  |
| Newton Composite Adjustable angle footplate w/ heel loop | WAMJ            | \$170                    | <input type="checkbox"/> | Newton Composite Adjustable angle footplate w/ heel loop | WAMJ            | \$170                    | <input type="checkbox"/> | Newton Composite Adjustable angle footplate w/ heel loop | WAMJ            | \$170                    | <input type="checkbox"/> |               |  |  |  |
| This configuration:                                      |                 |                          |                          | This configuration:                                      |                 |                          |                          | This configuration:                                      |                 |                          |                          |               |  |  |  |
| Front STF Height   | Rear STF Height |                          |                          | Front STF Height   | Rear STF Height |                          |                          | Front STF Height   | Rear STF Height |                          |                          |               |  |  |  |
| 13" - 14"  | 13" - 18"       |                          |                          | 13 1/2" - 14 1/2"  | 13" - 18"       |                          |                          | 15 1/2" - 17 1/2"  | 14" - 19"       |                          |                          |               |  |  |  |
| Possible configurations:                                 |                 |                          |                          |  |                 |                          |                          |  |                 |                          |                          |               |  |  |  |
| Front STF Height   |                 |                          |                          | 12 1/2" - 19 1/2"  |                 |                          |                          | Rear STF Height  |                 |                          |                          | 12 1/4" - 20" |  |  |  |

| PARTS & ACCESSORIES on all configurations             |            |       |                             |
|---|------------|-------|-----------------------------|
| <b>8° BEND BACK</b> (with fixed height push handles)  |            |       |                             |
| Aluminum back cane                                    | 20" height | NC    | <input type="checkbox"/>    |
| <b>FLIP BACK ARMREST</b> (Convertible to "T" armrest) |            |       |                             |
| 14" Full Length, 8 - 12" height adjustable            |            | \$380 | <input type="checkbox"/>    |
| <b>AXLE</b> (with 0° camber)                          |            |       |                             |
| Quick release axle                                    |            | WAMU  | NC <input type="checkbox"/> |
| <b>WHEEL LOCK</b>                                     |            |       |                             |
| Push to lock with 6" removable extension handle       |            | \$67  | <input type="checkbox"/>    |
| <b>POSITIONING BELT</b>                               |            |       |                             |
| Additional attachment hardware for 4 point seatbelt   |            | \$13  | <input type="checkbox"/>    |
| <b>ACCESSORIES</b>                                    |            |       |                             |
| Anti tippers  |            | \$115 | <input type="checkbox"/>    |

# Quick Ship Parts and Accessories Program

Motion Composites' Quick Ship Parts and Accessories Program adds flexibility to the convenience of our Quick Ship wheelchairs

These specially discounted parts will be added to your Quick Ship wheelchair order for you to install and customize upon receipt

| Invoice code |  |    |       |                          | Invoice code |   |    |       |                          |
|--------------|--|----|-------|--------------------------|--------------|---|----|-------|--------------------------|
| QP0004       | Aluminum straight back cane 18-21"                                   | PR | \$110 | <input type="checkbox"/> | QP0036       | 4" fork (2 holes)   | PR | \$60  | <input type="checkbox"/> |
| QP0005       | Aluminum back cane 8° bend 18-21"                                    | PR | \$130 | <input type="checkbox"/> | QP0037       | 5" fork (4 holes)   | PR | \$60  | <input type="checkbox"/> |
| QP0006       | Angle adjustable - Aluminium straight back cane 18-21"               | PR | \$230 | <input type="checkbox"/> | QP0038       | 7" fork (5 holes)   | PR | \$60  | <input type="checkbox"/> |
| QP0098       | Push handles   | PR | \$100 | <input type="checkbox"/> | QP0114       | Newton One wheels w/Urethane tire & Alu Pushrim - 22"     | PR | \$420 | <input type="checkbox"/> |
| QP0134       | Slip-On Nylon Back UPH, 16x18-21in                                   | EA | \$61  | <input type="checkbox"/> | QP0115       | Newton One wheels w/Urethane tire & Alu Pushrim - 24"     | PR | \$420 | <input type="checkbox"/> |
| QP0135       | Slip-On Nylon Back UPH, 18x18-21in                                   | EA | \$61  | <input type="checkbox"/> | QP0039       | Mag wheels w/Urethane tire & Alu Pushrim - 20"            | PR | \$420 | <input type="checkbox"/> |
| QP0136       | Slip-On Nylon Back UPH, 20x18-21in                                   | EA | \$61  | <input type="checkbox"/> | QP0040       | Mag wheels w/Urethane tire & Alu Pushrim - 22"            | PR | \$420 | <input type="checkbox"/> |
| QP0137       | Adj Tension Nylon Back UPH, 16x18-21in                               | EA | \$245 | <input type="checkbox"/> | QP0041       | Mag wheels w/Urethane tire & Alu Pushrim - 24"            | PR | \$420 | <input type="checkbox"/> |
| QP0138       | Adj Tension Nylon Back UPH, 18x18-21in                               | EA | \$245 | <input type="checkbox"/> | QP0044       | Wheel lock - pull to lock                                 | PR | \$96  | <input type="checkbox"/> |
| QP0139       | Adj Tension Nylon Back UPH, 20x18-21in                               | EA | \$245 | <input type="checkbox"/> | QP0045       | Wheel lock - pull to lock with removable extension handle | PR | \$163 | <input type="checkbox"/> |
| QP0099       | Swing away residual limb support - Left 7"x9"                        | EA | \$390 | <input type="checkbox"/> | QP0046       | Wheel lock - Newton grade aid push to lock                | PR | \$285 | <input type="checkbox"/> |
| QP0100       | Swing away residual limb support - Right 7"x9"                       | EA | \$390 | <input type="checkbox"/> | QP0048       | Positioning belt - velcro adjustable                      | EA | \$45  | <input type="checkbox"/> |
| QP0009       | Swing away residual limb support - Left 8"x11"                       | EA | \$390 | <input type="checkbox"/> | QP0049       | Positioning belt - auto buckle                            | EA | \$55  | <input type="checkbox"/> |
| QP0010       | Swing away residual limb support - Right 8"x11"                      | EA | \$390 | <input type="checkbox"/> | QP0050       | Bodypoint 2 point Non Padded - medium (56")               | EA | \$82  | <input type="checkbox"/> |
| QP0149       | Swing Away ELR/calf pad/std FP, Left & heel loop (14-16in)           | EA | \$390 | <input type="checkbox"/> | QP0051       | Bodypoint 2 point Non Padded - large (61")                | EA | \$82  | <input type="checkbox"/> |
| QP0150       | Swing Away ELR/calf pad/std FP, Left & heel loop (17-18in)           | EA | \$390 | <input type="checkbox"/> | QP0052       | Bodypoint 2 point Padded - small (51")                    | EA | \$155 | <input type="checkbox"/> |
| QP0151       | Swing Away ELR/calf pad/std FP, Left & heel loop (19in +)            | EA | \$390 | <input type="checkbox"/> | QP0053       | Bodypoint 2 point Padded - medium (56")                   | EA | \$155 | <input type="checkbox"/> |
| QP0152       | Swing Away ELR/calf pad/std FP, Right & heel loop (14-16in)          | EA | \$390 | <input type="checkbox"/> | QP0054       | Bodypoint 2 point Padded - large (61")                    | EA | \$155 | <input type="checkbox"/> |
| QP0153       | Swing Away ELR/calf pad/std FP, Right & heel loop (17-18in)          | EA | \$390 | <input type="checkbox"/> | QP0055       | Bodypoint 4 point Padded - small (51")                    | EA | \$195 | <input type="checkbox"/> |
| QP0154       | Swing Away ELR/calf pad/std FP, Right & heel loop (19in +)           | EA | \$390 | <input type="checkbox"/> | QP0056       | Bodypoint 4 point Padded - medium (56")                   | EA | \$195 | <input type="checkbox"/> |
| QP0013       | Calf strap (wheelchair width: 15 to 17 in)                           | EA | \$52  | <input type="checkbox"/> | QP0057       | Bodypoint 4 point Padded - large (61")                    | EA | \$195 | <input type="checkbox"/> |
| QP0014       | Calf strap (wheelchair width: 18 to 20 in)                           | EA | \$52  | <input type="checkbox"/> | QP0058       | Cane carrier - Left                                       | EA | \$105 | <input type="checkbox"/> |
| QP0125       | Bodypoint Aeromesh Padded calf strap (wheelchair Width: 12 to 16 in) | EA | \$129 | <input type="checkbox"/> | QP0059       | Cane carrier - Right                                      | EA | \$105 | <input type="checkbox"/> |
| QP0126       | Bodypoint Aeromesh Padded calf strap (wheelchair width: 17 to 20 in) | EA | \$129 | <input type="checkbox"/> | QP0060       | Spoke guards - 22"  | PR | \$145 | <input type="checkbox"/> |
| QP0127       | Bodypoint Aeromesh Padded calf strap (wheelchair width: 21 to 24 in) | EA | \$129 | <input type="checkbox"/> | QP0061       | Spoke guards - 24"  | PR | \$145 | <input type="checkbox"/> |
| QP0017       | Composite caster 3" x 1"   | PR | \$80  | <input type="checkbox"/> | QP0062       | Footrest neoprene impact guard (pr) - Black               | PR | \$80  | <input type="checkbox"/> |
| QP0018       | Composite caster 4" x 1"   | PR | \$80  | <input type="checkbox"/> | QP0063       | Seat pouch  | EA | \$95  | <input type="checkbox"/> |
| QP0019       | Composite caster 5" x 1"   | PR | \$90  | <input type="checkbox"/> | QP0103       | Newton Backpack   | EA | \$120 | <input type="checkbox"/> |
| QP0020       | Composite caster 6" x 1"   | PR | \$90  | <input type="checkbox"/> | QP0106       | Motion Composites Polo-Shirt Men small                    | EA | \$32  | <input type="checkbox"/> |
| QP0021       | Composite caster 7" x 1"   | PR | \$100 | <input type="checkbox"/> | QP0107       | Motion Composites Polo-Shirt Men medium                   | EA | \$32  | <input type="checkbox"/> |
| QP0022       | Composite caster 8" x 1"   | PR | \$100 | <input type="checkbox"/> | QP0108       | Motion Composites Polo-Shirt Men large                    | EA | \$32  | <input type="checkbox"/> |
| QP0077       | Newton Ultracaster Composite caster 4" x 1½" Soft-Roll               | PR | \$98  | <input type="checkbox"/> | QP0109       | Motion Composites Polo-Shirt Men X-large                  | EA | \$32  | <input type="checkbox"/> |
| QP0078       | Newton Ultracaster Composite caster 5" x 1½" Soft-Roll               | PR | \$98  | <input type="checkbox"/> | QP0110       | Motion Composites Polo-Shirt Men XX-large                 | EA | \$32  | <input type="checkbox"/> |
| QP0079       | Newton Ultracaster Composite caster 6" x 1½" Soft-Roll               | PR | \$98  | <input type="checkbox"/> | QP0118       | Motion Composites Polo-Shirt Men XXX-large                | EA | \$32  | <input type="checkbox"/> |
| QP0080       | Newton Ultracaster Aluminum caster 4" x 1½" Soft-Roll                | PR | \$175 | <input type="checkbox"/> | QP0119       | Motion Composites Polo-Shirt Men XXXX-large               | EA | \$32  | <input type="checkbox"/> |
| QP0081       | Newton Ultracaster Aluminum caster 5" x 1½" Soft-Roll                | PR | \$185 | <input type="checkbox"/> | QP0111       | Motion Composites Polo-Shirt Women small                  | EA | \$32  | <input type="checkbox"/> |
| QP0082       | Newton Ultracaster Aluminum caster 6" x 1½" Soft-Roll                | PR | \$195 | <input type="checkbox"/> | QP0112       | Motion Composites Polo-Shirt Women medium                 | EA | \$32  | <input type="checkbox"/> |
| QP0031       | Pneumatic caster 6" x 1½"  | PR | \$160 | <input type="checkbox"/> | QP0113       | Motion Composites Polo-Shirt Women large                  | EA | \$32  | <input type="checkbox"/> |
| QP0032       | Pneumatic caster 8" x 1½"  | PR | \$160 | <input type="checkbox"/> | QP0071       | Tool Kit  | EA | \$50  | <input type="checkbox"/> |
| QP0033       | Standard stem bolt   | PR | \$18  | <input type="checkbox"/> |              |   |    |       |                          |
| QP0034       | +1" stem bolt  | PR | \$18  | <input type="checkbox"/> |              |   |    |       |                          |
| QP0035       | +2" stem bolt  | PR | \$18  | <input type="checkbox"/> |              |   |    |       |                          |
| QP0076       | Length adjustable heel loop  | PR | \$40  | <input type="checkbox"/> |              |   |    |       |                          |
| QP0096       | Newton Airgrip 22" black handrim                                     | PR | \$150 | <input type="checkbox"/> |              |   |    |       |                          |
| QP0097       | Newton Airgrip 24" black handrim                                     | PR | \$150 | <input type="checkbox"/> |              |   |    |       |                          |

### Move REAR Seat-to-floor Height

Table 1

| SLIP ON BACK UPHOLSTERY |           | LENGTH      |
|-------------------------|-----------|-------------|
|                         |           | inches (cm) |
|                         |           | 18-21       |
|                         |           | (45.7-53.3) |
| Width Inches (cm)       | 16 (40.6) | 9001832     |
|                         | 18 (45.7) | 9001842     |
|                         | 20 (50.8) | 9001852     |

| 20"     | 22" | 24" | 25"     | 26" |
|---------|-----|-----|---------|-----|
| 12 1/4" | 13" | 14" | 14 1/4" | 15" |
| 13 1/4" | 14" | 15" | 15 1/4" | 16" |
| 14 1/4" | 15" | 16" | 16 1/4" | 17" |
| 15 1/4" | 16" | 17" | 17 1/4" | 18" |
| 16 1/4" | 17" | 18" | 18 1/4" | 19" |
| 17 1/4" | 18" | 19" | 19 1/4" | 20" |

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- 3/8" of selected seat to floor height"

### Move FRONT Seat-to-floor Height

Table 2

| ADJUSTABLE TENSION BACK UPHOLSTERY |           | LENGTH      |
|------------------------------------|-----------|-------------|
|                                    |           | inches (cm) |
|                                    |           | 18-21       |
|                                    |           | (45.7-53.3) |
| Width Inches (cm)                  | 16 (40.6) | 9001777     |
|                                    | 18 (45.7) | 9001787     |
|                                    | 20 (50.8) | 9001797     |

| Fork/Position |    | 4" caster        |        |        | 5" caster        |        |        | 6" caster        |        |        | 7" caster        |        |        | 8" caster        |        |        |
|---------------|----|------------------|--------|--------|------------------|--------|--------|------------------|--------|--------|------------------|--------|--------|------------------|--------|--------|
|               |    | Stem bolt length |        |        | Stem bolt length |        |        | Stem bolt length |        |        | Stem bolt length |        |        | Stem bolt length |        |        |
|               |    | STD              | +1"    | +2"    | STD              | +1"    | +2"    | STD              | +1"    | +2"    | STD              | +1"    | +2"    | STD              | +1"    | +2"    |
| 4"            | P1 | 12 1/2           | 13 1/2 | 14 1/2 |                  |        |        |                  |        |        |                  |        |        |                  |        |        |
|               | P2 | 13               | 14     | 15     | 13 1/2           | 14 1/2 | 15 1/2 |                  |        |        |                  |        |        |                  |        |        |
| 5"            | P1 |                  |        |        |                  |        |        |                  |        |        |                  |        |        |                  |        |        |
|               | P2 | 13               | 14     | 15     | 13 1/2           | 14 1/2 | 15 1/2 |                  |        |        |                  |        |        |                  |        |        |
|               | P3 | 13 1/2           | 14 1/2 | 15 1/2 | 14               | 15     | 16     | 14 1/2           | 15 1/2 | 16 1/2 |                  |        |        |                  |        |        |
|               | P4 | 14               | 15     | 16     | 14 1/2           | 15 1/2 | 16 1/2 | 15               | 16     | 17     | 15 1/2           | 16 1/2 | 17 1/2 |                  |        |        |
| 7"            | P1 |                  |        |        |                  |        |        | 15 1/2           | 16 1/2 | 17 1/2 | 16               | 17     | 18     |                  |        |        |
|               | P2 |                  |        |        | 15 1/2           | 16 1/2 | 17 1/2 | 16               | 17     | 18     | 16 1/2           | 17 1/2 | 18 1/2 |                  |        |        |
|               | P3 |                  |        |        | 16               | 17     | 18     | 16 1/2           | 17 1/2 | 18 1/2 | 17               | 18     | 19     | 17 1/2           | 18 1/2 | 19 1/2 |
|               | P4 | 16               | 17     | 18     | 16 1/2           | 17 1/2 | 18 1/2 | 17               | 18     | 19     | 17 1/2           | 18 1/2 | 19 1/2 | 18               | 19     | 20     |
|               | P5 | 16 1/2           | 17 1/2 | 18 1/2 | 17               | 18     | 19     | 17 1/2           | 18 1/2 | 19 1/2 | 18               | 19     | 20     | 18 1/2           | 19 1/2 | 20 1/2 |

Height available +- 1/4"

Notes :